



Omni Via

PROFILE DIMENSIONS


PR001	P01	PR002	P02	PR003	P03	PR004	P04	PR005	P05
PR006	P06	PR007	P07	PR008	P08	PR009	P09	PR010	P10
PR016	P16	PR017	P17	PR018	P18	PR019	P18	PR020	P19
PR021	P19	PR022	P20	PR023	P21	PR024	P22	PR025	P23
PR026	P24	PR027	P25	PR028	P26	PR029	P27	PR030	P28
PR031	P29	PR032	P30	PR033	P31	PR034	P31	PR035	P32

LIST

PR036 P33	PR037 P34	PR038 P35	PR039 P36	PR040 P37
PR041 P38	PR042 P39	PR043 P40	PR044 P41	PR044 P42
PR045 P43	PR046 P44	PR047 P45	PR048 P46	PR049 P47
PR050 P47	PR051 P48	PR052 P48	PR053 P49	PR054 P49
PR055 P50	PR056 P50	PR057 P51	PR058 P51	PR059 P52
PR060 P52	PR061 P53	PR062 P53	PR063 P54	PR064 P54
PR065 P55	PR066 P56	PR067 P57	PR068 P58	PR069 P59

LIST

PR070 P60	PR071 P61	PR072 P63	PR073 P64	PR074 P65
PR075 P66	PR076 P67	PR077 P68	PR078 P69	PR079 P70
PR080 P71	PR081 P72	PR082 P73	PR083 P74	PR084 P75
PR085 P76	PR086 P77	PR087 P78	PR088 P79	PR089 P80
PR090 P81	PR091 P82	PR092 P83	PR093 P84	PR094 P85
PR095 P86	PR096 P87	PR097 P88	PR098 P89	PR099 P90
PR100 P91	PR101 P92	PR102 P93	PR103 P94	PR104 P95





Types of installation:



Material: Extruded aluminum
Dimension: 25.1×11.9mm
Length: MAX 5m

PR001




CE IP20

FINISH




Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover

ACCESSORIES



Spring clip



90° Horizontal connector



90° Vertical connector




135° Horizontal connector



180° Connector



135° Vertical connector






Types of installation:



Material: Extruded aluminum
Dimension: 17.1×11.9mm
Length: MAX 5m

PR002



CE IP20

FINISH




Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover

ACCESSORIES



Mounting clip (metal)



Magnet



Adjustable bracket



90° Vertical connector



90° Horizontal connector



135° Horizontal connector



180° Connector



135° Vertical connector





Types of installation:



Material: Extruded aluminum
Dimension: 17.1×18.5mm
Length: MAX 5m



PR003




END CAPS



DIFFUSERS



ACCESSORIES







Types of installation:




Material: Extruded aluminum
Dimension: 17.1×18.5mm
Length: MAX 5m



PR004




END CAPS



DIFFUSERS



ACCESSORIES








END CAPS



DIFFUSERS





INSTAIATION STEPS




END CAPS




DIFFUSERS




ACCESSORIES





PR007



Types of installation:



Material: Extruded aluminum


Dimension: 17.1×13.6mm

Length: MAX 5m

CE

IP20


END CAPS



End cap with hole

End cap without hole

DIFFUSERS




PMMA opal matte cover

PMMA semi-clear cover

PMMA clear cover

PC diffused cover

ACCESSORIES




Mounting clip (metal)



Mounting clip (PC)



PR008



Types of installation:



Material: Extruded aluminum

Dimension: 12.9×7mm

Length: MAX 5m

CE

IP20

FINISH



Anod. aluminum

white

Black

END CAPS



End cap with hole

End cap without hole

DIFFUSERS



PC diffused cover


ACCESSORIES



Mounting clip (metal)



Types of installation:



Material: Extruded aluminum
Dimension: 17.1×13.4mm
Length: MAX 5m



END CAPS



End cap with hole
End cap without hole

FINISH



Anod. aluminum white Black

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
60 degrees cover



PC diffused cover

ACCESSORIES



Mounting clip (metal)



Mounting clip (PC)



180° Connector



Types of installation:



Material: Extruded aluminum
Dimension: 17.1×20mm
Length: MAX 5m



END CAPS



End cap with hole
End cap without hole

FINISH



Anod. aluminum white Black

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
15 degrees cover



PC diffused cover

ACCESSORIES



Mounting clip (metal)



Mounting clip (PC)



180° Connector



Types of installation:



Material: Extruded aluminum
Dimension: 23.2×15.3mm
Length: MAX 5m

END CAPS




End cap with hole
End cap without hole

DIFFUSERS




PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover

INSTAIIATION STEPS



step 01



step 02



Types of installation:




Material: Extruded aluminum
Dimension: 17.1×15.3mm
Length: MAX 5m

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover

ACCESSORIES



Mounting clip(metal)



Mounting clip (PC)



Adjustable bracket



90° Connector



180° Connector





END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

DIFFUSERS



Mounting clip (PC)



Mounting clip (metal)

INSTALLATION STEPS



step 01



step 02



step 03



step 04




END CAPS



End cap with hole
End cap without hole

DIFFUSERS




PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



Black PC frosted cover

FINISH



Anod. aluminum white Black

ACCESSORIES



Mounting clip (metal)



Mounting clip (PC)





Types of installation:



Material: Extruded aluminum
Dimension: 18.4×18.4mm
Length: MAX 5m

END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover



ACCESSORIES




Mounting clip (metal)



Mounting clip (PC)



Types of installation:



Material: Extruded aluminum
Dimension: $\phi 20.8\text{mm}$
Length: MAX 5m

END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

ACCESSORIES



Mounting clip (metal)




Steel wire






END CAPS




DIFFUSERS




INSTAIIATION STEPS



END CAPS



DIFFUSERS



END CAPS



DIFFUSERS



Types of installation:

Material: Extruded aluminum

Dimension: 20.3×27mm

Length: MAX 5m

PR020

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

ACCESSORIES

Metal clip

Steel wire

Types of installation:

Material: Extruded aluminum

Dimension: 20.3×36.5mm

Length: MAX 5m

PR021

FINISH

Anod. aluminum white Black

END CAPS

End cap without hole

DIFFUSERS

PC diffused cover

ACCESSORIES

Metal clip

Steel wire

Types of installation:

Material: Extruded aluminum

Dimension: 20.3×27mm

Length: MAX 5m

PR022

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

ACCESSORIES

Metal clip

Steel wire

Types of installation:

Material: Extruded aluminum

Dimension: 20.3×27mm

Length: MAX 5m

PR022

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

ACCESSORIES

Metal clip



Steel wire




Types of installation:



Material: Extruded aluminum
Dimension: 30.5×12.8mm
Length: MAX 5m



FINISH



END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover


ACCESSORIES



Spring clip



Mounting clip (metal)



Types of installation:



Material: Extruded aluminum
Dimension: 23.5×12.8mm
Length: MAX 5m

END CAPS



End cap with hole
End cap without hole




FINISH



DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover




Black PC frosted cover

ACCESSORIES



Mounting clip (PC)



Mounting clip (metal)



Adjustable bracket





PR025

30.5mm(1.20")

10mm(0.39")

20mm(0.79")

23.5mm(0.93")

Types of installation:




Material: Extruded aluminum

Dimension: 30.5×10mm

Length: MAX 5m

CE

IP20

FINISH






Anod. aluminum

white

Black

END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover





PR026

20mm(0.79")

23.5mm(0.93")

10mm(0.39")

Types of installation:




Material: Extruded aluminum

Dimension: 23.5×10mm

Length: MAX 5m

CE

IP20

FINISH






Anod. aluminum

white

Black

END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover


ACCESSORIES



Adjustable bracket



Mounting clip (PC)



Mounting clip (metal)




Types of installation:




Material: Extruded aluminum
Dimension: 36×28mm
Length: MAX 5m




FINISH



Anod. aluminum white Black



END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover


ACCESSORIES



Spring clip




Types of installation:




Material: Extruded aluminum
Dimension: 23.4×28mm
Length: MAX 5m



FINISH



Anod. aluminum white Black



END CAPS




End caps

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover


ACCESSORIES



Steel wire



Mounting clip (metal)






END CAPS




DIFFUSERS




ACCESSORIES





END CAPS




DIFFUSERS




ACCESSORIES



PR031



Types of installation:



Material: Extruded aluminum

Dimension: 56.7×9.8mm

Length: MAX 5m

CE

IP20

FINISH

Anod. aluminum

white

Black



END CAPS



End cap with hole

End cap without hole

DIFFUSERS



PMMA opal matte cover


PMMA semi-clear cover

PMMA clear cover

PC diffused cover

29

PR032



Types of installation:



Material: Extruded aluminum

Dimension: ϕ 33mm

Length: MAX 5m

CE

IP20

FINISH

Anod. aluminum

white

Black



END CAPS



End Caps

DIFFUSERS



PC diffused cover

ACCESSORIES



Hanging clip

30




Types of installation:



Material: Extruded aluminum
Dimension: 17.1×15mm
Length: MAX 5m

PR033



END CAPS



End cap with hole
End cap without hole





FINISH






Anod. aluminum white Black

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover



Mounting clip (metal)

ACCESSORIES




Types of installation:



Material: Extruded aluminum
Dimension: 23.5×15mm
Length: MAX 5m

PR034



END CAPS



End cap with hole
End cap without hole





FINISH






Anod. aluminum white Black

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



Black PC frosted cover



Mounting clip (metal)

ACCESSORIES




Types of installation:



Material: Extruded aluminum
Dimension: 26×33mm
Length: MAX 5m

PR035







FINISH






Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS




PC diffused cover


ACCESSORIES




Mounting clip (metal)



180° Joining connector



90° Joining connector



Types of installation:



Material: PMMA
Dimension: 11.7×12mm
Length: MAX 5m



FINISH




white

END CAPS



End cap with hole
End cap without hole


ACCESSORIES



Mounting clip (metal)



Rigid LED light bar



Types of installation:



Material: PMMA
Dimension: 10×10mm
Length: MAX 5m



FINISH



white

END CAPS



End cap with hole
End cap without hole

ACCESSORIES




Mounting clip (metal)



Rigid LED light bar



PR038



7.8mm(0.31")

9mm(0.35")

5.5mm(0.22")

Types of installation:



Material: Extruded aluminum
Dimension: 7.8×9mm
Length: MAX 5m



FINISH



Anod. aluminum

white

Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC diffused cover



Black PC frosted cover


ACCESSORIES



Mounting clip (metal)



PR039



6mm(0.24")

10mm(0.39")

4mm(0.16")

Types of installation:



Material: Extruded aluminum
Dimension: 6×10mm
Length: MAX 5m



FINISH



Anod. aluminum

white

Black

END CAPS




End cap with hole
End cap without hole

DIFFUSERS



Silicon cover

ACCESSORIES



3M tape 5mm wide


Types of installation:



Material: Extruded aluminum
Dimension: 11×10mm
Length: MAX 5 m



FINISH



Anod. aluminum white Black

END CAPS




End cap with hole
End cap without hole

DIFFUSERS



Silicon cover


PR040




Types of installation:



Material: Extruded aluminum
Dimension: 18×5.6mm
Length: MAX 5m




FINISH



Anod. aluminum white Black

PR041



END CAPS



End cap with hole
End cap without hole

DIFFUSERS




PC diffused cover

ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 7.8×12mm
Length: MAX 5m

PR042





FINISH



Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC frosted cover




Black PC frosted cover

ACCESSORIES



Mounting clip(metal)




Types of installation:



Material: Extruded aluminum
Dimension: 12.8×12mm
Length: MAX 5m

PR043





FINISH



Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole



DIFFUSERS



PC frosted cover



Black PC frosted cover




Types of installation:



Material: Extruded aluminum
Dimension: 10×13.1mm
Length: MAX 5m



END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PMMA diffused cover




Black PC frosted cover

ACCESSORIES



Mounting clip (metal)



Types of installation:



Material: Extruded aluminum
Dimension: 10×16mm
Length: MAX 5m



END CAPS



End cap with hole



End cap without hole

DIFFUSERS




PMMA forsted 15 degrees

ACCESSORIES



Mounting clip (matal)

FINISH



Anod. aluminum white Black

PR045

10mm(0.39")

8.2mm(0.32")

12mm(0.47")

Types of installation:

Material: Extruded aluminum
Dimension: 10×12mm
Length: MAX 5m

END CAPS

End Caps

DIFFUSERS

PC frosted cover

Black PC frosted cover

ACCESSORIES

Steel wire

90° Horizontal connector

180° Connector

90° Vertical connector

PR046

17.1mm(0.67")

10.2mm

14.5mm(0.57")

20mm(0.79")

15°

Types of installation:

Material: Extruded aluminum
Dimension: 17.1×20mm
Length: MAX 5m

17.1mm(0.67")

10.4mm

14.5mm(0.57")

19.1mm(0.75")

30°

17.1mm(0.67")

8.4mm

14.4mm(0.57")

20mm(0.79")

60°

0 degrees adjustable

15 degrees adjustable

30 degrees adjustable

45 degrees adjustable

END CAPS

End Caps

DIFFUSERS

PC or PMMA lens

ACCESSORIES



Mounting clip (metal)

Adjustable bracket


Types of installation:



Material: Extruded aluminum
Dimension: 29.5×13.4mm
Length: MAX 5m



FINISH



END CAPS



End Caps

DIFFUSERS



PC diffused cover

ACCESSORIES




Spring clip


Types of installation:



Material: Extruded aluminum
Dimension: 36.1×18.5mm
Length: MAX 5m



FINISH



END CAPS




End cap with hole
End cap without hole

DIFFUSERS



PC diffused cover

ACCESSORIES



3M tape 10mm wide




Types of installation:



Material: Extruded aluminum
Dimension: 18×16.2mm
Length: MAX 5m

PR049



CE IP20

END CAPS



End cap with hole
End cap without hole

FINISH




Anod. aluminum white Black

DIFFUSERS



PMMA opal matte
PMMA semi clear

ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 18×15.2mm
Length: MAX 5m

PR050



CE IP20

END CAPS



End cap with hole
End cap without hole

FINISH




Anod. aluminum white Black

DIFFUSERS



30 degrees lens
PMMA semi clear


ACCESSORIES



Mounting clip (metal)




ypes of installation:



Material: Extruded aluminum
Dimension: 18×15.3mm
Length: MAX 5m

PR051



CE IP20

END CAPS



End cap with hole
End cap without hole

FINISH




Anod. aluminum white Black

DIFFUSERS



60 degrees lens
PMMA semi clear

ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 18×14mm
Length: MAX 5m

PR052



CE IP20

END CAPS



End cap with hole
End cap without hole

FINISH




Anod. aluminum white Black

DIFFUSERS



90 degrees lens
PMMA semi clear

ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 20.3×23.5mm
Length: MAX 5m

PR053







END CAPS



End Caps

FINISH



DIFFUSERS



PMMA opal matte
PMMA semi clear

ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 19.9×22.3mm
Length: MAX 5m

PR054







END CAPS



End Caps

FINISH



DIFFUSERS



30 degrees lens
PMMA semi clear

ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 19.3×22.7mm
Length: MAX 5m

PR055







END CAPS



End Caps

FINISH



DIFFUSERS



60 degrees lens
PMMA semi clear


ACCESSORIES



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 19.7×21.5mm
Length: MAX 5m

PR056







END CAPS



End Caps

FINISH



DIFFUSERS



90 degrees lens
PMMA semi clear

ACCESSORIES



Mounting clip (metal)

Types of installation:

Material: Extruded aluminum
Dimension: 8×8mm
Length: MAX 5m

PR057

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC frosted cover

Black PC frosted cover

ACCESSORIES

Mounting clip (metal)

Types of installation:

Material: Extruded aluminum
Dimension: 8×13mm
Length: MAX 5m

PR058

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC frosted cover

Black PC frosted cover

Types of installation:

Material: Extruded aluminum
Dimension: 10×10mm
Length: MAX 5m

PR059

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC frosted cover

Black PC frosted cover

ACCESSORIES

Mounting clip (metal)

Types of installation:

Material: Extruded aluminum
Dimension: 22.2×8mm
Length: MAX 5m

PR060

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC frosted cover


Black PC frosted cover



Types of installation:



PR061



Material: Extruded aluminum
Dimension: 25×14mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS




PC diffused cover



Types of installation:



PR062



Material: Extruded aluminum
Dimension: 19×12mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC diffused cover

ACCESSORIES




Mounting clip (metal)



Types of installation:



PR063



Material: Extruded aluminum
Dimension: 27.9×20.4mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS




PC diffused cover



Types of installation:



PR064



Material: Extruded aluminum
Dimension: 27.9×27.6mm
Length: MAX 5m




FINISH



Anod. aluminum white Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC diffused cover




Types of installation:




Material: Extruded aluminum
Dimension: 25.4×16mm
Length: MAX 5m



FINISH



END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC diffused cover

ACCESSORIES



Mounting clip (metal)



90° Horizontal connector



90° Vertical connector



180° connector



Steel wire




Types of installation:



Material: Extruded aluminum
Dimension: 25.4×23mm
Length: MAX 5m



FINISH




END CAPS



End Caps

DIFFUSERS



PC diffused cover

ACCESSORIES



Mounting clip (metal)



90° Vertical connector



180° Connector



90° Horizontal connector



Steel wire




Types of installation:



Material: Extruded aluminum
Dimension: 25.4×25.4mm
Length: MAX 5m



FINISH



END CAPS



End Caps

DIFFUSERS



PC diffused cover

ACCESSORIES



Mounting clip (metal)



Steel wire




Types of installation:



Material: Extruded aluminum
Dimension: 35.4×25.4mm
Length: MAX 5m



FINISH



END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC diffused cover


ACCESSORIES



Spring clip



PR069



25.4mm(1.00")
32.4mm(1.27")
25.4mm(1.00")
13.2mm(0.52")


Types of installation:




Material: Extruded aluminum
Dimension: 25.4×32.4mm
Length: MAX 5m

CE IP20





END CAPS



DIFFUSERS




ACCESSORIES





PR070



25.4mm(1.00")
35mm(1.38")
17.4mm(0.69")
16.1mm(0.63")

Types of installation:




Material: Extruded aluminum
Dimension: 25.4×35mm
Length: MAX 5m

CE IP20




END CAPS




DIFFUSERS



ACCESSORIES






Types of installation:



Material: Extruded aluminum
 Dimension: 25.4×42mm
 Length: MAX 5m



FINISH




END CAPS



End Caps

DIFFUSERS



PC diffused cover



PC diffused cover


ACCESSORIES



Hanging clip




Steel wire



Types of installation:



Material: Extruded aluminum
Dimension: 50×35mm
Length: MAX 5m



END CAPS




Aluminium end cap
without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



Black PC frosted cover

ACCESSORIES



Spring clip




Connector T



Connector X



Connector IL



Types of installation:



Material: Extruded aluminum
Dimension: 35×35mm
Length: MAX 5m

END CAPS




Aluminium end cap
without hole

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



Black PC frosted cover

ACCESSORIES



Mounting clip (metal)



Steel wire




Connector T




Connector X



Connector IL



PR073



FINISH



Anod. aluminum



white




Black

Types of installation:



Material: Extruded aluminum
Dimension: 65×35mm
Length: MAX 5m



FINISH



Anod. aluminum



white



Black

END CAPS



Aluminium end cap
without hole

DIFFUSERS



PC diffused cover

ACCESSORIES



Spring clip



Connector X



Connector T




Connector IL

Types of installation:



Material: Extruded aluminum
Dimension: 50×35mm
Length: MAX 5m



FINISH



Anod. aluminum



white



Black

END CAPS



Aluminium end cap
without hole

DIFFUSERS



PC diffused cover

ACCESSORIES



Mounting clip (metal)



Steel wire



90° Horizontal connector



180° Connector



90° Vertical Connector



Connector T



Connector X




Connector IL


Types of installation:



Material: Extruded aluminum
Dimension: 90×35mm
Length: MAX 5m



FINISH




END CAPS



Aluminium end cap
without hole

DIFFUSERS




PC diffused cover

ACCESSORIES



Spring clip



Connector T



Connector X



Connector IL




Connector IL


Types of installation:



Material: Extruded aluminum
Dimension: 75×35mm
Length: MAX 5m



FINISH




END CAPS



Aluminium end cap
without hole

DIFFUSERS



PC diffused cover

ACCESSORIES



Mounting clip (metal)



Steel wire



Connector T



Connector X



Connector L




Connector IL


Types of installation:



Material: Extruded aluminum
Dimension: 65×35mm
Length: MAX 5m



FINISH




END CAPS



Aluminium end cap without hole

DIFFUSERS



PC frosted cover

ACCESSORIES



Spring clip



LED Module:
2835LED 28W/1.2M



Connector T



Connector X



Connector L





Connector IL


Types of installation:



Material: Extruded aluminum
Dimension: 50×35mm
Length: MAX 5m



FINISH




END CAPS




Aluminium end cap without hole

DIFFUSERS



PC frosted cover

ACCESSORIES



Mounting clip (metal)



Steel wire



Connector T



Connector X



Connector L



Connector IL



LED Module:
2835LED 28W/1.2M



Types of installation:



Material: Extruded aluminum
Dimension: 42.28×85mm
Length: MAX 5m

END CAPS



End Caps



FINISH



Anod. aluminum



white



Black

DIFFUSERS




PC diffused cover

ACCESSORIES



Mounting clip (metal)



Types of installation:



Material: Extruded aluminum
Dimension: 50×90mm
Length: MAX 5m

END CAPS



End Caps



FINISH



Anod. aluminum



white



Black

DIFFUSERS



PC frosted cover



PC diffused cover



PMMA clear cover
Prismatic foil

ACCESSORIES



Internal clip



Mounting clip (metal)



Steel wire




LED Module 2835LED
28W/1.2M




Types of installation:



Material: Extruded aluminum
Dimension: 17.7×48.5mm
Length: MAX 5m



FINISH



END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC semi clear cover

ACCESSORIES




Mounting clip (metal)



Types of installation:



Material: Extruded aluminum
Dimension: 17.7×43.5mm
Length: MAX 5m



END CAPS




End Caps

DIFFUSERS



PC semi clear cover


FINISH



Types of installation:



Material: Extruded aluminum
Dimension: 30×32mm
Length: MAX 5m



FINISH



Anod. aluminum



white




Black

END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES



Steel wire



180° Connector



90° Horizontal connector






90° Vertical connector

Types of installation:



Material: Extruded aluminum
Dimension: 39×36mm
Length: MAX 5m



FINISH



Anod. aluminum




white



Black

END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES



Spring clip



90° Horizontal connector



180° Connector





90° Vertical connector


Types of installation:



Material: Extruded aluminum
Dimension: 70×32mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES



90° Horizontal connector



180° Connector





90° Vertical connector


Types of installation:



Material: Extruded aluminum
Dimension: 70×32mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES



90° Horizontal connector



180° Connector




90° Vertical connector


Types of installation:



Material: Extruded aluminum
Dimension: 60×60mm
Length: MAX 5m



FINISH



END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES





Steel wire


Types of installation:




Material: Extruded aluminum
Dimension: 60×60mm
Length: MAX 5m



FINISH



END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES



Mounting clip (metal)




90° Connector L



Steel wire



90° Connector IL




180° Connector

Types of installation:



Material: Extruded aluminum
Dimension: 38.1×80mm
Length: MAX 5m



FINISH



Anod. aluminum



white



Black

END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES





Steel wire

Types of installation:



Material: Extruded aluminum
Dimension: 35.2×66.8mm
Length: MAX 5m



FINISH



Anod. aluminum



white




Black

END CAPS



End Caps

DIFFUSERS



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

ACCESSORIES




Steel wire


Types of installation:



Material: Extruded aluminum
Dimension: 35×43.8mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



End Caps

DIFFUSERS



PC diffused cover
PC frosted cover

ACCESSORIES



Mounting clip (metal)




Steel wire


Types of installation:



Material: Extruded aluminum
Dimension: 35×61.7mm
Length: MAX 5m




FINISH



Anod. aluminum white Black

END CAPS



End Caps

DIFFUSERS



PC diffused cover



ACCESSORIES



Mounting clip (metal)



Steel wire




Types of installation:



Material: Extruded aluminum
Dimension: 55×75mm
Length: MAX 5m



FINISH




END CAPS



End Caps

DIFFUSERS



PC frosted cover



ACCESSORIES



Mounting clip (metal)



Steel wire




Types of installation:



Material: Extruded aluminum
Dimension: 55×75.1mm
Length: MAX 5m



FINISH



END CAPS



End Caps

DIFFUSERS



PC frosted cover


ACCESSORIES




Steel wire



Mounting clip (metal)




Types of installation:



Material: Extruded aluminum
Dimension: 50×70mm
Length: MAX 5m

PR096



FINISH





Anod. aluminum white Black



END CAPS




DIFFUSERS




ACCESSORIES




Types of installation:



Material: Extruded aluminum
Dimension: 75×75mm
Length: MAX 5m



PR097



FINISH






Anod. aluminum white Black


END CAPS




DIFFUSERS




ACCESSORIES



Types of installation:




Material: Extruded aluminum
Dimension: 38.1×75mm
Length: MAX 5m



IP20

PR098



FINISH



Anod. aluminum



white



Black

END CAPS



Aluminium end cap
without hole

DIFFUSERS



PC frosted cover

ACCESSORIES



Steel wire



Mounting clip
(metal)



Connector X



LED Module:2835LED
28W/1.2M



Connector T




Connector L



Connector IL

Types of installation:




Material: Extruded aluminum
Dimension: 38.1×95mm
Length: MAX 6m



IP20

PR099



FINISH



Anod. aluminum



white



Black

END CAPS



Aluminium end cap
without hole

DIFFUSERS



PC frosted cover

ACCESSORIES



Mounting clip (metal)



Steel wire




LED Module:2835LED
28W/1.2M


Types of installation:




Material: Extruded aluminum
Dimension: 50×75mm
Length: MAX 5m



PR100



FINISH



END CAPS



Aluminium end cap without hole

DIFFUSERS



PC frosted cover



Large lens



PMMA clear cover +Prismatic foil

ACCESSORIES



Steel wire



LED Module:2835LED
28W/1.2M



Trimless recessed clip



Mounting clip (metal)



Connector T



Internal Clip



Connector X



Connector L



Connector IL


Types of installation:




Material: Extruded aluminum
Dimension: 50×95mm
Length: MAX 5m



PR101



FINISH



END CAPS



Aluminium end cap without hole

DIFFUSERS



PC frosted cover

ACCESSORIES



Mounting clip (metal)



Steel wire



Internal clip




LED Module:2835LED
28W/1.2M


Types of installation:



Material: Extruded aluminum
Dimension: 50×75mm
Length: MAX 5m



FINISH



Anod. aluminum white Black

END CAPS



Die cast end caps

DIFFUSERS



PC frosted cover



PMMA clear cover
+Prismatic foil

ACCESSORIES



Internal Clip



Outside clip




Safety wire




Types of installation:



Material: Extruded aluminum
Dimension: 50×75mm
Length: MAX 5m




FINISH



Anod. aluminum white Black

END CAPS



Aluminium end cap
without hole

DIFFUSERS



PC frosted cover

ACCESSORIES



Mounting clip
(metal)




Steel wire



Types of installation:



Material: Extruded aluminum
Dimension: 65×45mm
Length: MAX 5m



FINISH



Anod. aluminum



white



Black

END CAPS



End Caps

DIFFUSERS



PC frosted cover

ACCESSORIES



Spring clip



LED Module 2835LED
28W/1.2M

