



| <b>x = Standard included, o = Option part</b> |                                                              | <b>R3-G</b>   | <b>R3-CR</b>  | <b>R3-PRO</b> |
|-----------------------------------------------|--------------------------------------------------------------|---------------|---------------|---------------|
| <b>Part No.#</b>                              | <b>Description</b>                                           | <b>120002</b> | <b>120022</b> | <b>120023</b> |
| <b>FIBERGLASS PARTS</b>                       |                                                              |               |               |               |
| BRC-128342                                    | 2.5mm Fiberglass Shock Tower (Front) - MTS T3M               | x             | .             | .             |
| BRC-128343                                    | 2.5mm Fiberglass Shock Tower (Rear) - MTS T3M                | x             | .             | .             |
| BRC-128344                                    | 2.5mm Fiberglass Upper Deck (Front) - MTS T3M                | x             | .             | .             |
| BRC-128345                                    | 2.5mm Fiberglass Upper Deck (Rear) - MTS T3M                 | x             | .             | .             |
| BRC-128340                                    | 2.5mm Fiberglass Chassis + Composite Lower Arm - MTS T3M     | x             | .             | .             |
| BRC-128005                                    | Suspended Servo Arm - Fiberglass 2.5 mm (1)                  | x             | .             | .             |
| <b>CARBON FIBER PARTS</b>                     |                                                              |               |               |               |
| BRC-128244                                    | 2.0mm Carbon Fiber Upper Deck (Front) - MTS T3M              | 0             | x             | x             |
| BRC-128245                                    | 2.0mm Carbon Fiber Upper Deck (Front) - MTS T3M              | 0             | x             | x             |
| BRC-128246                                    | 2.0mm Carbon Fiber Upper Deck Reinforced (Front) - MTS T3M   | 0             | 0             | 0             |
| BRC-128247                                    | 2.0mm Carbon Fiber Upper Deck Reinforced (Rear) - MTS T3M    | 0             | 0             | 0             |
| BRC-128240                                    | 2.0mm Carbon Graphite Chassis + Composite Lower Arm - MTS T3 | 0             | x             | x             |
| BRC-128222                                    | 3.0mm Carbon Graphite Shock Tower (Front) - MTS T3           | 0             | x             | x             |
| BRC-128223                                    | 3.0mm Carbon Graphite Shock Tower (Rear) - MTS T3            | 0             | x             | x             |
| BRC-128215                                    | Servo Mount 2.0 (1)                                          | 0             | x             | x             |
| BRC-120202                                    | Suspension Mount Holder - 3 Holes                            | x             | x             | x             |
| <b>DOUBLE-SIDE MID MOTOR MOUNT</b>            |                                                              |               |               |               |
| BRC-125228                                    | Aluminum Solid Layshaft (Narrow) 4.0 - MTS T3M               | 0             | 0             | 0             |
| BRC-125229                                    | Aluminum Solid Layshaft (Narrow) 5.0 - MTS T3M               | x             | x             | x             |
| BRC-125226                                    | 20T Fixed Pulley (Narrow) - MTS T3M                          | x             | x             | x             |
| BRC-125227                                    | Aluminum Motor and Spur Gear Shaft Mount - MTS T3M           | x             | x             | x             |
| BRC-127035                                    | 117T Synchronoua Belt Short - 351 (1)                        | x             | x             | x             |
| <b>ANTI-ROLL BAR</b>                          |                                                              |               |               |               |
| BRC-129114                                    | 1.4 Front Anti-Roll Bar (1)                                  | 0             | 0             | 0             |
| BRC-129116                                    | 1.6 Front Anti-Roll Bar (1)                                  | 0             | 0             | 0             |
| BRC-129118                                    | 1.8 Front Anti-Roll Bar (1)                                  | 0             | 0             | 0             |
| BRC-129212                                    | 1.2 Rear Anti-Roll Bar (1)                                   | 0             | 0             | 0             |
| BRC-129214                                    | 1.4 Rear Anti-Roll Bar (1)                                   | 0             | 0             | 0             |
| BRC-129216                                    | 1.6 Rear Anti-Roll Bar (1)                                   | 0             | 0             | 0             |
| BRC-129218                                    | 1.8 Rear Anti-Roll Bar (1)                                   | 0             | 0             | 0             |
| BRC-121074                                    | Composite Anti-Roll Bar Holders                              | 0             | 0             | x             |
| BRC-121149                                    | 4.9 * 13.5 mm Ball Joint - Open                              | 0             | 0             | 0             |
| BRC-924901                                    | 4.9 * 5 * 10 mm Ball Head (4)                                | 0             | 0             | 0             |
| BRC-129106                                    | Front and Rear Anti-Roll Bar, complete set                   | 0             | 0             | 0             |
| <b>SEPARATED SUSPENSION MOUNT</b>             |                                                              |               |               |               |
| BRC-125106                                    | Suspension Mount Holder (F/F) (1)                            | x             | x             | x             |
| BRC-125109                                    | Suspension Mount Holder (R/R) (1)                            | x             | x             | x             |
| BRC-125117                                    | Suspension Mount Holder (FR,RF) (2)                          | x             | x             | x             |
| BRC-125111                                    | Suspension Mount Holder (FF) - 0.5 mm (1)                    | 0             | 0             | 0             |
| BRC-125112                                    | Suspension Mount Holder (RR) - 0.5 mm (1)                    | 0             | 0             | 0             |



| <b>x = Standard included, o = Option part</b>       |                                                                | <b>R3-G</b>   | <b>R3-CR</b>  | <b>R3-PRO</b> |
|-----------------------------------------------------|----------------------------------------------------------------|---------------|---------------|---------------|
| <b>Part No.#</b>                                    | <b>Description</b>                                             | <b>120002</b> | <b>120022</b> | <b>120023</b> |
| BRC-125113                                          | Suspension Mount Holder (FR,RF) - 0.5 mm (2)                   | 0             | 0             | 0             |
| BRC-125114                                          | Suspension Mount Holder (FF) -1 mm (1)                         | 0             | 0             | 0             |
| BRC-125115                                          | Suspension Mount Holder (RR) - 1 mm (1)                        | 0             | 0             | 0             |
| BRC-125116                                          | Suspension Mount Holder (FR,RF) - 1 mm (2)                     | 0             | 0             | 0             |
| BRC-125118                                          | Suspension Mount Holder Complete Set                           | x             | x             | x             |
| BRC-125119                                          | Suspension Mount Holder Set - 0.5 mm                           | 0             | 0             | 0             |
| BRC-125120                                          | Suspension Mount Holder Set - 1.0 mm                           | 0             | 0             | 0             |
| <b>SHOCK ABSORBER</b>                               |                                                                |               |               |               |
| BRC-160345                                          | Shock Absorber Set 17 mm (Hard) 13 x 45 mm (2)                 | x             | x             | x             |
| BRC-124133                                          | Piston 3-Holes 11 mm (4)                                       | 0             | 0             | 0             |
| BRC-124132                                          | Piston 2-Holes 11 mm (4)                                       | x             | x             | x             |
| <b>LOWER CG SHOCK RETAINER</b>                      |                                                                |               |               |               |
| BRC-124045                                          | Shock Spring Collar 5.5 mm - PA (4)                            | x             | x             | x             |
| BRC-124012                                          | Alu. Shock Spring Collar - Standard (4), applicable to Xray T4 | 0             | 0             | 0             |
| BRC-124013                                          | Alu. Shock Spring Collar - 1.0 mm (4), Lower CG 6061T6         | 0             | 0             | 0             |
| BRC-124014                                          | Alu. Shock Spring Collar - 3.0 mm (4), Lower CG 6061T6         | 0             | 0             | 0             |
| <b>C-HUB STEERING</b>                               |                                                                |               |               |               |
| BRC-121042                                          | Composite C-Hub (Left and Right) 2° (2)                        | x             | x             | .             |
| BRC-121044                                          | Composite C-Hub (Left and Right) 4° (2)                        | 0             | 0             | .             |
| BRC-121031                                          | Composite Steering Block (2)                                   | x             | x             | .             |
| BRC-160147                                          | 1/10 CVD Universal Joint 47mm 3.0 pin (2)                      | x             | x             | .             |
| <b>BEARING MOUNT STEERING BLOCK (WITHOUT C-HUB)</b> |                                                                |               |               |               |
| BRC-118239                                          | 1/10 CVD Universal Joint 40 mm - 2.0 Pin S2 (2)                | 0             | 0             | 0             |
| BRC-121179                                          | 8° Steering Block Left and Right (2)                           | .             | .             | x             |
| BRC-123702                                          | Steering Block Holder (Left & Right) Caster 2° - H10           | 0             | 0             | 0             |
| BRC-123704                                          | Steering Block Holder (Left & Right) Caster 4° - H10           | 0             | 0             | x             |
| BRC-123706                                          | Steering Block Holder (Left & Right) Caster 6° - H10           | 0             | 0             | 0             |
| <b>ALLOY STEERING ARM</b>                           |                                                                |               |               |               |
| BRC-125014                                          | Steering Plate (1) - Aluminum                                  | 0             | 0             | 0             |
| BRC-121097                                          | Steering Plate (1)                                             | x             | x             | .             |
| BRC-123002                                          | Aluminum Steering Post 16.5 mm (2)                             | x             | x             | x             |
| BRC-120051                                          | Steering Arm Set, Aluminum (Upgrade parts)                     | 0             | x             | x             |
| BRC-121076                                          | Steering Arm - Left + Right                                    | x             | .             | .             |
| <b>BATTERY HOLDER</b>                               |                                                                |               |               |               |
| BRC-121187                                          | Battery Holder 47 mm (2), Front and Rear                       | x             | x             | .             |
| <b>ADJUSTABLE BATTERY HOLDER</b>                    |                                                                |               |               |               |
| BRC-125801                                          | Battery Mount Holder Complete Set                              | 0             | 0             | x             |
| BRC-128248                                          | Battery Mount Holder 2.0mm Carbon Fiber, MTS T3M               | 0             | x             | x             |
| BRC-123058                                          | Battery Shim 1.0mm POM (for 25H batteries)                     | 0             | 0             | 0             |
| BRC-123059                                          | Battery Shim 2.5mm POM (for 23.8H batteries)                   | 0             | 0             | 0             |



| <b>x = Standard included, o = Option part</b> |                                                          | <b>R3-G</b>   | <b>R3-CR</b>  | <b>R3-PRO</b> |
|-----------------------------------------------|----------------------------------------------------------|---------------|---------------|---------------|
| <b>Part No.#</b>                              | <b>Description</b>                                       | <b>120002</b> | <b>120022</b> | <b>120023</b> |
|                                               | <b>ALUMINUM COOLING FAN MOUNT</b>                        |               |               |               |
| BRC-125420                                    | Cooling Fan Mount 30 mm - 40 mm                          | x             | x             | x             |
|                                               | <b>TRANSMISSION SHAFT</b>                                |               |               |               |
| BRC-160031                                    | Front Solid Axle Set - 10 * 7.5 * 3.1 slot (2)           | x             | x             | .             |
| BRC-163030                                    | Differential Cup 10 * 3.1 slot Black (2)                 | x             | x             | .             |
| BRC-163031                                    | Front Solid Axle Outdrive 10 * 7.5 * 3.1 (2)             | x             | x             | .             |
|                                               | <b>TRANSMISSION SHAFT (S2 SPRING STEEL)</b>              |               |               |               |
| BRC-123011                                    | Differential Cup 10 * 3.6 Slot (2) - S2                  | 0             | 0             | x             |
| BRC-160131                                    | Front Solid Axle Set - 10 * 7.5 * 3.1 slot (2), Red - S2 | 0             | 0             | x             |
| BRC-163131                                    | Front Solid Axle Outdrive 10 * 7.5 * 3.1 Red S2 (2)      | 0             | 0             | x             |
|                                               | <b>SPUR GEAR, DIFF DEAR, PULLEY GEAR AND PINION GEAR</b> |               |               |               |
| BRC-121063                                    | Belt Pulley 38T (1)                                      | x             | x             | x             |
| BRC-121067                                    | Composite Rear Differential Case and Cover               | x             | x             | x             |
| BRC-994084                                    | Spur Gear 48 Pitch 84T (1)                               | 0             | 0             | 0             |
| BRC-996116                                    | Spur Gear 64 Pitch 116T (1)                              | 0             | 0             | 0             |
| BRC-990110                                    | Gear Set - Plastic                                       | x             | x             | x             |
|                                               | <b>ALUMINUM PARTS (6061T6)</b>                           |               |               |               |
| BRC-125012                                    | 12mm Wheel Hub (4)                                       | 0             | 0             | x             |
| BRC-125013                                    | 12mm Wheel Hub (4), Aluminum                             | x             | x             | .             |
| BRC-125104                                    | Bearing Sleeve Plate 2017 (L+R)                          | 0             | 0             | x             |
| BRC-125201                                    | Alu. Front Bulkhead - MTS T3                             | 0             | 0             | 0             |
|                                               | <b>CVD AND TURNBUCKLES</b>                               |               |               |               |
| BRC-920520                                    | M3 * 20 mm Adjustable Turnbuckle, Black (2) - Steel      | x             | x             | .             |
| BRC-920532                                    | M3 * 32 mm Adjustable Turnbuckle, Black (2) - Steel      | x             | x             | .             |
| BRC-920536                                    | M3 * 36 mm Adjustable Turnbuckle, Black (2) - Steel      | x             | x             | .             |
|                                               | <b>CVD AND TURNBUCKLES (S2 SPRING STEEL)</b>             |               |               |               |
| BRC-920320                                    | M3 * 20 H3 mm Adjustable Turnbuckle S2, Red (2)          | 0             | 0             | x             |
| BRC-920322                                    | M3 * 22 H3 mm Adjustable Turnbuckle S2, Red (2)          | 0             | 0             | 0             |
| BRC-920336                                    | M3 * 36 H3 mm Adjustable Turnbuckle S2, Red (2)          | 0             | 0             | x             |