

12<sup>th</sup> Floor, Menara Batavia Jl. KH Mas Mansyur, Kav 126, Jakarta 10220, Indonesia

Tel: +62 21 2528 613, 614, 615, 616 |

Fax: +62 21 2528 613

AOH: +62 811 1609 711 | Email: ptbbi@ptbbi.net Website: pttbi.net |

wsindo.net/ship-agent

# KIJANG PORT INFORMATION

### PT BINTAN ALUMINA INDONESIA (PT. BAI)

9th Revised

### 1. JETTY READY 2 PLACE OF JETTY:

A. Name of Jetty: " JETTY 35K " (35,000)

Position : 00\* 54'.4 N 104\* 39'.2 E

Length : 440 Meter Depth : 13,5 Meter

Support : 1 Units, Grab Loader Crane / 1 Gangs Only

: 2 Units / Place Equipment for Disch Liquid Cargo via

2 Pcs Shore Flexible Hose Pipe

#### \*\*\* Vessel for Load ALUMINA in BULK, always SB ALONGSIDE\*\*\*

B. Name of Jetty : " JETTY 10K " (10,000)

JETTY : Only for Local Vessel / Barges

Length: 440 Meter Depth: 6,5 Meter

Support: 4 Units, Grab & Cargo Gantry Crane

C. DENSITY at JETTY: NORMAL WEATHER : 1.019 - 1.020

### 2. KIJANG CHANNEL A. via SOUTH CHANNEL

### From Outer Road to Jetty 12.5 Miles

Anchor Position at SOUTH OUTER ANCHORAGE:

00\* 48'.179 N 104\* 39'.398 E Wide Channel : 60 -160 Meter DRAFT ARRIVAL MAXIMUM 8.2 Meter

From OUTER ANCHORAGE to JETTY / Vice Versa:

Steaming Time 2,5 Hour

# 3. Via NORTH CHANNEL Completed FEB 2022

From Outer Road to Jetty 3,5 Miles

Anchorage Area at NORTH OUTER ANCHORAGE: Marking with YELLOW BUOY:

00\* 58.137 ' N 104\* 43.444' E 00\* 56.943' N 104\* 43.444' E 00\* 56.942' N 104\* 42.096' E 00\* 58.137' N 104\* 42.095' E

#### **Coordinate NEW CHANNEL / NORTH CHANNEL**

CODE	SB COORDINATE	
1A	00* 55.906' N	104* 42.486' E
2A	00* 55.702' N	104* 42.302' E
3A	00* 55.119' N	104* 41.010' E
4A	00* 54.441' N	104* 40.020' E
5A	00* 54.309' N	104* 39.527' E
CODE	PS COORDINATE	
1B	00* 55.848' N	104* 42.549' E
2B	00* 55.630' N	104* 42.354' E



12<sup>th</sup> Floor, Menara Batavia Jl. KH Mas Mansyur, Kav 126, Jakarta 10220, Indonesia

Tel: +62 21 2528 613, 614, 615, 616 |

Fax: +62 21 2528 613

AOH: +62 811 1609 711 | Email: ptbbi@ptbbi.net | Website: pttbi.net |

wsindo.net/ship-agent

3B	00* 55.044' N	104* 41.052' E
4B	00* 54.361' N	104* 40.056' E
5B	00* 54.225' N	104* 39.546' E

#### **CENTER LINE of NEW CHANNEL / NORTH CHANNEL**

1 . 00\* 58.787' N 104\* 44.455' E 2 . 00\* 55.682' N 104\* 42.350' E 3 . 00\* 55.068' N 104\* 41.017' E 4 . 00\* 54.403' N 104\* 40.040' E 5 . 00\* 54.255' N 104\* 39.492' E

Wide Channel: 150 - 160 Meter & DEPTH 13 M

From OUTER ANCHORAGE to JETTY / Vice Versa, Steaming Time 1,25 Hour

#### DRAFT ARRIVAL / DEPARTURE MAXIMUM 10.2 Meter for time being

Waiting approval fm Government for NORTH CHANNEL / NEW CHANNEL CHART for NEW CHANNEL , ONLY avalaible at ENC / Electronic Navigation Chart , after Approval by Government also by Hydro Oceanografi from INDONESIAN NAVY

# 4. APPROACHING SOUTH CHANNEL / SOUTH OUTER ANCHPORAGE to JETTY LOA MAX 185 M, MAX DRAFT 8.2 M

IF ARRIVAL DRAFT OVER than 8,2 MTR , plz proceed to NORTH CHANNEL with Special Permit / Policy from Harbour Master

NORTH CHANNEL / NORTH OUTER ANCHORAGE to JETTY

LOA MAX 185 M, MAX DRAFT 10.2 M, AFTER LOADED

With Special Permit / Policy from Harbour Master during This Channel not yet approval by Government

BEFORE DROPPED ANCHOR,

PLZ FLY ON: "YELLOW" &'N'FLAG

#### 5. PILOTAGE COMPULSORRY & DAY TIME ONLY for OPERATION:

KIJANG PILOT STATION , VHF CHNL l 12 PILOT BOARDING GROUND

AA .via SOUTH CHANNEL, Near Dropped Anchor area

: PILOT OPERATION from: 08.00 - 15.00 Hrs

: VESSEL WITH LOADED CARGO, PASSING ON HIGH TIDE as TIDE TABLE

BB. via NORTH CHANNEL, 00\* 56.280' N 104\* 42.878 E

: PILOT OPERATION from: 08.00 - 17.00 Hrs : VESSEL DEPARTURE WITH LOADED CARGO,

PASSING AT a CONSTANT TIDE / CURRENT as TIDE TABLE and DAY TIME ONLY

# 6. REF CHART

B CHART No. 3937 & 3949 INDONESIA CHART No. 65 & 42



12<sup>th</sup> Floor, Menara Batavia Jl. KH Mas Mansyur, Kav 126, Jakarta 10220, Indonesia

Tel: +62 21 2528 613, 614, 615, 616 |

Fax: +62 21 2528 613

AOH: +62 811 1609 711 | Email: ptbbi@ptbbi.net | Website: pttbi.net |

wsindo.net/ship-agent

#### \*\*\*CARGO: BULKY and CSS / LIQUID\*\*\*

# By PT BINTAN ALUMINA INDONESIA as STEVEDORING COMPANY

DISCH: CSS Liquid Cargoes

- via shore hose connection, 1 or 2 Units & MANIFOLD SIZE X 8 Inch
- Maximum Pressure from Shore 7.0 Kg/Cm2
- Average Pumping out 640 710 MT / Hours support by Booster Pump From Shore LOAD : Alumina Powder in Bulky
- by Loader Shore Crane, 1 Unit only, Max Load Rate 850 MT / Hours
- Rate Loading 400 730 MT / Hours, depend on Unballasting from the Vessel
- Plz provide Pre Stowage Plan & Loading Sequense before Arrival

Loading from "FWD PART or AFT PART" of THE HOLD
Plz prepare the LOADING SEQUENSE per HOLD PART sample as Step Loading

1.H 3 FWD: 3.000 MT 2.H 3 AFT: 3.000 MT 3.H 1 FWD: 1,500 MT etc

All above LOADING SEQUENSE, to make THE SAFETY FIRST

For Good Triming, Stability (Hogging - Sagging) also

**System Ballast Management** 

Before Loading at Open Space Area Part of Hold , Cover & Instal with Tarpauline

### 7. SUPPLY

DO, Fresh Water & Vagetable avalaible

Supply Fresh Water via Small Truck with Capacity 5 Ts / Unit

Fresh Water Pump ready at Each Truck , need 8-10 Minute / Each Truck for Transfer from Truck to vessel

Time to Transfer to the Vessel depend on HOLE FRESH WATER Tank ob

#### 8. COMMUNICATION

#### **Via SOUTH CHANNEL:**

SHIP to PILOT / PILOT STATION , VHF Channel 16 / 12 KIJANG RADIO STATION , VHF Chnl 16 Berthing & Unberthing , VHF Chnl 10

#### **Via NORTH CHANNEL**

VTS BATAM , VHF Chnl 16 , plz report to VTS BATAM SHIP to PILOT / PILOT STATION , VHF Channel 16 / 12 KIJANG RADIO STATION , VHF Chnl 16 Berthing & Unberthing , VHF Chnl 10



12<sup>th</sup> Floor, Menara Batavia Jl. KH Mas Mansyur, Kav 126, Jakarta 10220, Indonesia

Tel: +62 21 2528 613, 614, 615, 616 |

Fax: +62 21 2528 613

AOH: +62 811 1609 711 | Email: ptbbi@ptbbi.net | Website: pttbi.net |

wsindo.net/ship-agent

#### 9. REMARKS

### **STOWAGE FACTOR:**

SANDY CALCINED METALLURGICAL GRADE ALUMINA or ALUMINA in BULKY SF: 0.92 - 1.28 CBM / Ton or 36 CFT / Ton

PASSPORT: as REGULATION FM IMMIGRATION OF INDONESIA

Passport all crew members , still VALID MINIMUM 6 Month & up If valid below 6 Month wl be FINED by immigration Officer when checking on board

Plz provide COPY DOCUMENT for PORT AUTHORITHY before Dropped Anchor

These Requirement wl be sent via yr email addrs

AIR DRAFT . NIL\* CABLE at Sea Bottom NIL

From JETTY to the City ..

KIJANG : 1 Hours by Car TANJUNG PINANG : 1,5 Hours by Car

## \*FYI:

We have many Boarding Agent due to the Condition of the Place for serve your Lady 2 Pax from KIJANG, serve Pilot & Harbour Master 2 Pax from TANJUNG PINANG, serve Quarantine, Immigration & Custom - 2 Pax at JETTY, serve before & after Berthing also Unberthing