



ENVIRONMENTAL WATER SYSTEMS®
Quality Water Filtration Crafted in the USA Since 1987.



Essential Max Flow



ENVIRONMENTAL WATER SYSTEMS®
Quality Water Filtration Crafted in the USA Since 1987.

ESSENTIAL MAX FLOW

High capacity, high flow in-line filter installs directly to your faucet.



SAVE \$500 PER YEAR

The ESSENTIAL MAX FLOW replaces over 15,000 plastic water bottles, saving you \$500+ every year and preventing plastic waste.



READY IN 5 MINUTES!

The ESSENTIAL MAX FLOW is an in-line filter that installs directly at any kitchen, bathroom, or wet bar in just 5 minutes.*



ADVANCED FILTRATION

The ESSENTIAL MAX FLOW removes chloramine, chlorine, pharmaceutical residues, lead, cysts, and much more.†



MADE IN USA



MODEL #:
SS-2.5
ACTUAL
SIZE



Info Contact
with Sales,
Visit EWS.com

Fully compliant with California no-lead standards

Independently lab-tested to meet or exceed NSF/ANSI Standards 42 & 53 for the reduction of chlorine, taste, odor, lead and cysts

- Quick and easy setup - installs in just minutes!
- Comes complete with everything you need.
- No separate dispenser needed.
- No drilling holes in your sink or countertop.
- Replace your filter only once every 6-12 months.‡
- Highest quality carbon block filtration available.
- Made in the USA, meets or exceeds all compliances.

ULTIMATE PROTECTION. REMOVES CHLORAMINE, CHLORINE, THMS, VOCs, PESTICIDES, LEAD, CYSTS, RUST, DIRT, SEDIMENT, AND MORE.†

Chlorine (a common disinfectant used in USA tap water) and its byproducts are known carcinogens. Drinking them, or inhaling and absorbing them while showering or bathing, is not recommended. The New York State Dept. of Health and President's Cancer Panel recommend water filtration to reduce or eliminate our exposure to these substances.*

*These substances may or may not be in your water. Please ensure this is the correct system for your needs.
 †Filter service life is based on local water conditions and usage.
 ‡Cold water supply application only. Please see included instructions for proper installation and usage.

***DID YOU KNOW YOU CAN FILTER ALL THE WATER IN YOUR HOME WITH JUST ONE APPLIANCE?** Our bestselling, flagship EWS Whole Home Filtration appliances provide very sink, shower, and bath in your home with the convenience of clean, contaminant-free water. No hassle, no maintenance, no salts or chemicals, and trusted by hospitals, health care centers, military, and private homes worldwide. Ask your showroom sales associates about EWS Whole Home Filtration, visit us online, or call our friendly customer service.



EWS CUSTOMER SERVICE
 CALL: 702-256-8182 | MONDAY-FRIDAY 8 AM-4:30 PM (PACIFIC STANDARD TIME)
 FAX: 702-256-3744 | EMAIL: CUSTOMERSERVICE@EWSWATER.COM

WWW.EWSWATER.COM

© 1987-2018 EWS Inc. & Environmental Water Systems. All rights reserved.




Proudly Made in the USA

Essential Max Flow

- Activated carbon block filter
- Micron rating: >99% @ 1 micron
- Chlorine reduction: >95% 10,000 gallons @ 2 GPM
- Lead reduction: 90% 2,500 gallons @ 2 GPM
- Cyst reduction: >99.99%
- Service Life: up to 1 year**
- Comes complete with everything you need for a quick 10 minute installation
- Actual size: 4" x 16"
- Replacement cartridge: F.Set.SS-2.5

**life span based upon local water conditions and usage



Essential Max Flow

- **SAVE \$500/year** with the Max Flow. It replaces over 15,000 16 oz plastic bottles (from 2,000 gallons of water taken at the kitchen sink), saving you \$500+ every year and preventing plastic waste.
- The Max Flow is an in-line filter that installs directly at any kitchen, bathroom or wet bar in just 10 minutes.
- The Max Flow provides advanced filtration, removing chloramines, chlorine, pharmaceutical residues, lead, cysts and much more.



Optional Twin Pack: complete Max Flow provided with a replacement filter for two years of filtered water

Model: SS-2.5-Twin-Pack



Proudly Made in the USA



ALL FILTERS
MADE IN THE USA

PERFORMANCE DATA FOR ALL EWS CARBON BLOCK FILTERS
used in all single-stage SS-2.5 (Max Flow) & SS-1.0, and all DWS & RO Models

Filters have been tested according to and exceeding NSF/ANSI 42, 53, 401 and P473 for reduction of the substances listed below. The concentrations of the listed substances entering the filters were reduced to less than or equal to the limits for water exiting the systems, as set forth by NSF/ANSI 42, 53, 401 and P473.
Note: Max Flow filter was tested at higher flow rates of 1.8 - 2.5 gpm for 10,000 gallons, a flow rate and capacity that exceeds NSF testing requirements.

NSF/ANSI 42 (TASTE & ODOR)	Minimum Reduction	Percent Reduction	Results
Chlorine Reduction, Free Available @ 2.0 mg/L	<0.5 mg/L	>99%	Pass
Chloramine Reduction, Free Available @ 4.0 mg/L	<0.5 mg/L	>98%	Pass
Particulate	85%	>99.99%	Pass

NSF P473 (PFA8)	Influent Challenge Concentration	Maximum Permissible Product Water Concentration	Percent Reduction	Results
Perfluorooctanoic acid (PFOA) & Perfluorooctane sulfonate (PFOS)	1.5 +/-10% ug/L	0.07 ug/L	96%	Pass

NSF/ANSI 68 (LEAD & CYSTS)	Required Reduction	Percent Reduction	Results
Cyst Cryptosporidium & Giardia 111,750 particles/ml	99.95%	>99.99%	Pass
Mercury pH 8.5	<2 ug/L	>95%	Pass
Mercury pH 6.5	<2 ug/L	>96%	Pass
Lead pH 6.5 @ 149 ug/L	<10 ug/L	>99%	Pass
Lead pH 8.5 @ 135 ug/L	<10 ug/L	>95.9%	Pass
MTBE (methyl tert-butyl ether)	<5 ug/L	98.6%	Pass
Turbidity	<0.5 NTU	>99.9%	Pass
VOC Surrogate Test	95%	99.4%	Pass
Asbestos	99%	>99%	Pass

NSF/ANSI 401	Maximum Concentration	Minimum Reduction	Percent Reduction	Results
Atenolol	30 ug/L	94.2%	95%	Pass
Bisphenol A (BPA)	300 ug/L	98.80%	99%	Pass
Carbamazepine	200 ug/L	98.6%	98.9%	Pass
DEET	200 ug/L	98.7%	98.9%	Pass
Estrone	20 ug/L	96.30%	97%	Pass
Ibuprofen	60 ug/L	95.3%	95.4%	Pass
Linuron	20 ug/L	96.6%	96.6%	Pass
Meprobamate	60 ug/L	94.7%	94.7%	Pass
Metolachlor	200 ug/L	98.6%	98.6%	Pass
Naproxen	20 ug/L	96.3%	96.4%	Pass
Nonyl phenol	200 ug/L	97.50%	97.5%	Pass
Phenytoln	30 ug/L	95.50%	95.6%	Pass
TCEP	700 ug/L	98%	98%	Pass
TOPP	700 ug/L	97.8%	98%	Pass
Trimethoprim	20 ug/L	96.7%	98%	Pass

MISC. CONTAMINANTS	Influent Challenge	Percent Reduction	EPA Max (MCL) mg/L
Hexavalent Chromium (Chromium-6)	0.1 mg/L	>95%	.01
Fluoride (Hydrofluorosilicic Acid HFSA, FSA)	6.0 mg/L	>99%	4.0
Fluoride (Sodium Fluoride)	6.0 mg/L	>97%	4.0

- Additional Filtration Notes Based on Preferences, Water Conditions or Concerns:**
- UV Disinfection - option for a safeguard against bacterial, viral or e-coli
 - Reverse Osmosis - option to strip the water of TDS (total dissolved solids) and naturally-found calcium & magnesium minerals (which are not contaminants), additional removal of heavy metals is already achieved with regulated tap water; RO water is aggressive with a flat distilled taste. Preference for the flatter taste or if you need to filter salt softened water at the sink.



Are You On Well Water?
Private or community well water requires complete and independent testing before any water filtration or treatment systems can be properly specified.

- Do not use with water that is microbiologically unsafe or of unknown water quality without adequate disinfection before any filtration system
- Install filters on a cold water supply only
- Testing performed under standard laboratory conditions and actual performance may vary depending on external conditions, water conditions and usage
- Not all contaminants listed may be present in your water. Any unlisted contaminants that may be present or contaminants in excess concentrations may not be removed

MICROPLASTICS	—	100 mg/L	<1 mg/L	>99%
VOLATILE ORGANIC COMPOUNDS (VOCs)*	EPA Minimum Contaminant Level (MCL) mg/L*	Influent Challenge (mg/L)	Effluent Maximum (mg/L)	Percent Reduction
Alachlor	0.002	0.05	0.001	>98%
Alazine	0.003	0.100	0.003	>97%
Benzene	0.005	0.081	0.001	>99%
Carbofuran (Furadan)	0.04	0.19	0.001	>99%
Carbon Tetrachloride	0.005	0.078	0.0018	98%
Chlorobenzene	0.1	0.077	0.001	>99%
Chloropicrin	-	0.015	0.0002	99%
2,4-D (Dichlorophenoxyacetic acid)	0.07	0.110	0.0017	98%
Dibromochloropropane (DBCP)	0.0002	0.052	0.00002	>99%
o-Dichlorobenzene	0.5	0.08	0.001	>99%
p-Dichlorobenzene	0.075	0.04	0.001	>98%
1,2-Dichloroethane	0.005	0.088	0.0048	95%
1,1-Dichloroethylene	0.007	0.083	0.001	>99%
cis-1,2-dichloroethylene	0.07	0.17	0.0005	>99%
trans-1,2-dichloroethylene	0.1	0.086	0.001	>99%
1,2-Dichloropropane	0.005	0.08	0.001	>99%
cis-1,3-Dichloropropylene	-	0.079	0.001	>99%
Dinoseb	0.007	0.17	0.0002	99%
Endrin	0.002	0.053	0.00059	99%
Ethylbenzene	0.7	0.088	0.001	>99%
Ethylene Dibromide (EDB)	0.00005	0.044	0.00002	>99%

HALOACETONITRILES (HAN):	-	0.022	0.0005	98%
Bromochloroacetonitrile	-	0.024	0.0006	98%
Dibromoacetonitrile	-	0.0096	0.0002	98%
Trichloroacetonitrile	-	0.015	0.0003	98%

HALOKETONES (HK):	-	0.0072	0.0001	99%	
1,1-dichloro-2-propanone	-	0.0082	0.0003	96%	
1,1,1-trichloro-2-propanone	-	0.0004	0.25	0.00001	>99%
Heptachlor (H-34, Heptox)	0.0004	0.0107	0.0002	98%	
Heptachlor Epoxide	0.0002	0.044	0.001	>98%	
Hexachlorobutadiene	-	0.06	0.000002	>99%	
Hexachlorocyclopentadiene	0.05	0.055	0.00001	>99%	
Lindane	0.0002	0.04	0.001	>99%	
Methoxychlor	0.04	0.096	0.001	>99%	
Pentachlorophenol	0.001	0.12	0.004	>97%	
Simazine	0.004	0.15	0.0005	>99%	
Styrene (Vinylbenzene)	0.1	0.081	0.001	>99%	
1,1,2,2-Tetrachloroethane	-	0.005	0.001	>99%	
Tetrachloroethylene	0.005	0.078	0.001	>99%	
Toluene	1	0.27	0.0016	99%	
2,4,5-TP (Silvex)	0.05	0.042	0.001	>98%	
Tribromoacetic acid	-	0.160	0.0005	>99%	
1,2,4-Trichlorobenzene	0.07	0.084	0.0048	95%	
1,1,1-Trichloroethane	0.2	0.15	0.0005	>99%	
1,1,2-Trichloroethane	0.005	0.18	0.0010	>99%	
Trichloroethylene	0.005				

TRIHALOMETHANES (THMs):	0.080	0.300	0.015	>99.8%
Chloroform (TTHM)**	0.080	0.300	0.015	>99.8%
Bromoform (TTHM)	**	according to testing protocol, Chloroform was used as a surrogate for VOC testing		
Bromodichloromethane (TTHM)				
Chlorodibromomethane (TTHM)				
Xylenes (Total)	10	0.070	0.001	>99%

*Current EPA limits at time of data sheet publication. Revised 1/10/2020
Contaminant list includes industrial pollutants & chemicals, herbicides & pesticides, pharmaceuticals, disinfection chemicals and disinfection by-products and water issues with old and decaying delivery systems

All filters are independently lab-tested by third party EPA-certified, ISO-accredited laboratories in the USA against NSF/ANSI Standards 42, 53, & 401 and conforms to NSF protocol P473 for reduction claims specified. Filters meet or exceed all applicable testing requirements set forth by NSF/ANSI. Without exception, every component of any EWS filtration system that comes in contact with water is compliant for FDA food and beverage contact and complies with or exceeds the most current and applicable Federal and California State standards.

All filters and system components are Lead-Free and Compliant to California AB1953

EWS Replaces Eight (8) EverPure SKUs

Huge Opportunity: Replace 8 SKUs with Just 1 Filter

Switch to the Max Flow Filter Replacement

Fits perfectly into 8 Everpure systems*

Your orders delivered within 7-10 days

Better profit margin (minimum 50% profit margin)

In-house customer service and support

EWS does not sell direct - we put our distributors first

*EWS Max Flow filter replacement (# F.SET.SS-2.5) can replace the filters inside the following Everpure systems:

- FF-6000 (filter #EV985550)
- EF-3000 (filter #EV985750)
- EF-1500 (filter #EV985850)
- PBS-400 (filter #EV927086)
- H-300 (filter #EV927072)
- H-54 (filter #EV925268)
- H-104 (filter #EV921211)
- H-1200 (2x filter #EV928201)

All EWS and Everpure systems are in compliance with NSF 42 and NSF 53.

All information has been derived directly from the manufacturers.
Everpure is a registered trademark of Pentair Filtration Solutions LLC.

EWS

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES



Watch how to
replace a filter
- fast.



EWS Replaces the EverPure 3/8" Systems

Replace Four Full Flow Filtration Systems with Just One System (and Enjoy 50%+ Margin)

Features + Benefits

Up to 10,000 gallon filtration capacity


Removes chlorine

Removes chloramine (chlorine + ammonia)

Removes PFAS

Up to 2.5 gallon per minute (GPM) flow rate

Profit margin exceeds 50%

Made in the USA 

Lowest list price of all "full flow" systems (\$399)

EWS

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES



Everpure

✗ NO

✓ YES

✗ NO

✗ NO

✗ NO

✗ NO

✓ YES

✗ NO

The EWS Max Flow (# SS-2.5) can replace ALL Everpure full flow 3/8" systems, including:

- EF 6000 (EV985500)
- EF 1500 (EV985800)
- EF-3000 (EV985700)
- PBS-400 (EV927085)



All information has been derived directly from the manufacturers. Everpure is a registered trademark of Fentair Filtration Solutions LLC.

Place Your Order Today for Delivery within One Week.

EWS Customer Service: 702-256-8182
 Mark Truncale (West Coast): 702-521-1437
 Ken Clark (East Coast): 302-480-3950

www.ewswater.com

EWS Replaces the EverPure 1/4" System

Replace Three Filtration 1/4" Systems with Just One System (and Enjoy 50%+ Profit Margin)

Features + Benefits

Up to 1,500 gallon filtration capacity


Removes chlorine

Removes chloramine (chlorine + ammonia)

Removes PFAS

Up to 1 gallon per minute (GPM) flow rate

Profit margin exceeds 50%

Made in the USA 

Lowest list price (less than \$250)

EWS

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES

✓ YES



Everpure

✗ NO

✓ YES

✗ NO

✗ NO

✗ NO

✗ NO

✓ YES

✗ NO

The EWS Single Stage (# SS-1.0) can replace ALL Everpure 1/4" systems, including:

- H300 (EV927076)
- H54 (EV925267)
- H104 (EV926271)

All information has been derived directly from the manufacturers. Everpure is a registered trademark of Pentair Filtration Solutions LLC.



Place Your Order Today for
Delivery within One Week.

EWS Customer Service: 702-256-8182
Mark Truncala (West Coast): 702-521-1437
Ken Clark (East Coast): 302-480-3950

www.ewswater.com

Simply unlock, pull out the EverPure cartridge, insert the EWS cartridge, twist and lock down

