

Below is a list of bikes that we know our locks will fit. This list is constantly updated as we run more tests to create a more complete list. Check back often if your bike is not listed.

Model	BE-1	BE-78	BE-6	BE-8	Universal
Aprilia					
- Futura					X
- Tuono			X		
Buell					
- M2 Cyclone		X			
- Blast		X			
- XB12S		X			
BMW					
- F650ST			X		
Cagiva					
- Gran Canyon			X		
Ducati					
- 620M		X			

- M790		X	
- M900		X	
- Monster S4			X
- Multistrada			X
- 900CR		X	
- ST3			X
Harley	X**		
- FXD	X		
- Sportser	X		
- Ultra Classic	X		
- VROD	X		
Honda			
- Honda 919		X*	X
- Blackbird		X*	X
- CBR600		X*	X
- CBR 919/929		X*	X

- CBR1000RR	X*	X	
- CBR1100XX	X*	X	
- GL1500	X*	X	
- GL1800	X*	X	
- PC800 (pre '90)		X	
- PC800 (90 and newer)			X
- Rebel		X	
- Silverwing		X	
- ST1100		X	
- ST1300		X	
- RC51	X*	X	
- VFR	X*	X	
Kawasaki			
- Concours (pre 2008 model)			X
- Ninja EX 250			X
- Ninja 500			X

- Ninja 650R		X
- Vulcan 750	X	
- ZRX1100/1200		X
- ZZR1200		X
- Z1000		X
- ZX6R		X
- Z11		X
- ZX7		X
- ZX12R		X
Moto Guzzi		
- California Sport Spec.		X (1)
- California Stone		X
Suzuki		
- Bandit	X	
- Burgman	X	
- DR650	X	

- Katana 600			X	
- GSR750				X
- GSXR600		X		
- GSXR		X		
- GS500E		X		
- GS100G	X			
- Hayabusa			X	
- SV650		X		
- Volusia	X			
- VSTROM (without handguards)		X		
Triumph				
- Bonn. America			X (3)	
- Daytona			X	
- Rocket III			X	
- Speed Triple b4 05				?X
- Speed Triple 2005			?X	

- Sprint RS			X		
- Sprint ST			X		
- TT600 - 5mm	n/a	n/a	n/a	n/a	n/a
- Trophy			X		
Yamaha					
- R1			X		
- FJR1200					X
- FJR1300			X		
- FZ1					X (2)
- FZ6					X (2)
- VMAX		X			
- YZF600		X			
Model	BE-1	BE-78	BE-6	BE-8	Un

* Requires removing all of existing bar end weight mechanism in handlebar.

** Most full size Harleys with an opening in the end of the bar, 1 inch bars, and no special / custom grips.

(1) Modifications needed. Shorten Jam rubber per user (longer than 8mm stud) easy mod.

(2) Modifications needed. Remove plastic spacer, request KTM bushings, and file down star washer.

(3) Some Bonneville's have a 5mm threading instead of the 6mm threads. Check you thread size before ordering. You will have to return the lock or have your bar end tapped out to 6mm to be able to use this size BarEnder lock.