

17:113-169.

Zilli, A., P. Maltzeff, M. Pinzari, and V. Raineri

2001. I lepidotteri della Tenuta Presidenziale di Castelporziano (Lepidoptera). *Boll. Assoc. Rom. Ent.* (Rome), 56:13-48. [Italy]

LIBYTHEIDAE

Benyamini, D.

2001. Recent records of *Libythea celtis* from Cyprus. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):15. [in Hebrew]

John, E., and C. Makris

2001. *Libythea celtis* (Laicharting, 1782) (Lepidoptera: Libytheidae): presence of a breeding colony in the Troodos Mountains, Cyprus. *Ent. Gaz.* (Wallingford), 52:173-180.

LYCAENIDAE

Als, T. D., D. R. Nash, and J. J. Boomsma

2001. Adoption of parasitic *Maculinea alcon* caterpillars (Lepidoptera: Lycaenidae) by three *Myrmica* ant species. *Anim. Behav.* (London), 62:99-106. [Denmark]

Anthony, N., G. Gelembiuk, D. Raterman, C. Nice, and R. French-Constant

2001. Isolation and characterization of microsatellite markers from the endangered Karner blue butterfly *Lycaeides melissa samuelis* (Lepidoptera). *Hereditas* (Lund), 134:271-273. [USA]

Avni, R.

2001. *Erodium malacoides* a new host plant of *Aricia agestis* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):43. [in Hebrew]

Bálint, Z.

- 2001a. Polyommata annotations to Bernard d'Abbrera's third Holarctic volume. *lepid. News* (Gainesville), 2000(4):10-11. (2000)
- 2001b. Questions and answers concerning *Polyommatus (Agrodiaetus) iphegenia* Herrich-Schäffer, [1847] (Lepidoptera: Lycaenidae). *Linn. Belg.* (Beersel), 18:73-74. [Turkey]

Bálint, Z., C. S. Guppy, N. G. Kondla, K. Johnson, and C. J. Durden

2001. *Plebeius Kluk*, 1789 or *Plebeius Kluk* 1802? (Lepidoptera: Lycaenidae). *Fol. Ent. Hung.* (Budapest), 62:177-184.

Benyamini, D.

- 2001a. *Amaranthus blitum* a new host plant of *Zizeeria karsandra* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):9-10. [in Hebrew]
- 2001b. *Brephidium exilis*, the American pygmy blue is getting closer to Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):16. [in Hebrew]

Brock, J.

2001. Reakirt's blue. *Amer. Butt.* (Morristown), 9(3):42-44. [USA]

Burghardt, F., P. Proksch, and K. Fiedler

2001. Loss of flavonoid pigments with ageing in male *Polyommatus icarus* butterflies (Lycaenidae). *Nota Lepid.* (Karlsruhe), 24(1/2):77-84. [Germany]

Carbonell, F.

2001. Contribution à la connaissance du genre *Agrodiaetus* Hübner (1822), *A. ahmadi* et *A. khorasanensis* nouvelles espèces dans le Nord de l'Iran (Lepidoptera: Lycaenidae). *Linn. Belg.* (Beersel), 18:105-110. [Iran]

Coutsis, J. G.

2001. The male genitalia of the butterflies placed in the subgenus *Neolysandra* of the genus *Polyommatus* (Lycaenidae). *Nota Lepid.* (Karlsruhe), 24(1/2): 65-72. [Greece, Iran, Lebanon, Turkey]

Coutsis, J. G., J. De Prins, and W. De Prins

2001. The chromosome number and karyotype of the two morphs of *Polyommatus (Lysandra) coridon* from Greece (Lepidoptera: Lycaenidae). *Phegea* (Antwerp), 29:63-71.

Eckweiler, W., and W. ten Hagen

2001. Eine neue Unterart von *Lycaena (Phoenicurusia) phoenicurus* (Lederer, 1871) aus Zentraliran (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:49-52. [Iran]

Elmes, G. W., J. A. Thomas, M. L. Munguira, and K. Fiedler

2001. Larvae of lycaenid butterflies that parasitize ant colonies provide exceptions to normal insect growth rules. *Biol. J. Linn. Soc.* (London), 73:259-278. [Germany]

Fiedler, K.

2001. Ants that associate with Lycaeninae butterfly larvae: diversity, ecology and biogeography. *Divers. Distrib.* (Oxford), 7:45-60.

Fischer, K., and K. Fiedler

- 2001a. Partial biennialism in alpine *Lycaena hippothoe* (Lycaenidae: Lycaenini)? *Nota Lepid.* (Karlsruhe), 24(1/2):73-76. [Italy]
- 2001b. Effects of adult feeding and temperature regime on fecundity and longevity in the butterfly *Lycaena hippothoe* (Lycaenidae). *J. Lepid. Soc.* (Los Angeles), 54:91-95. (2000) [Germany]

- 2001c. Egg weight variation in the butterfly *Lycaena hippothoe*: more small or fewer large eggs? *Pop. Ecol.* (Tokyo), 43:105-109. [Europe]

- 2001d. Dimorphic growth patterns and sex-specific reaction norms in the butterfly *Lycaena hippothoe sumadiensis*. *J. Evol. Biol.* (Basel), 14:210-218. [Netherlands]

- 2001e. Spatio-temporal dynamics in a population of the copper butterfly *Lycaena hippothoe* (Lycaenidae). *Nota Lepid.* (Karlsruhe), 24(3):77-86. [Germany]

- 2001f. Effects of larval starvation on adult life-history traits in the butterfly species *Lycaena tityrus* (Lepidoptera: Lycaenidae). *Ent. Gener.* (Stuttgart), 25:249-254. [Germany]

Fournal, M.

2001. *Cacyreus marshalli* Butler dans le Tanneron (Var) (Lepidoptera Lycaenidae). *Alexandor* (Paris), 21:194. (1999) [France]

Gatrelle, R. R.

- 2001a. An examination of southeastern U.S. *Satyrion* (Lycaenidae: Theclinae). Part one: an obscure [sic] new subspecies of *Satyrion edwardsii*. *Taxon. Rep.* (Goose Creek), 3(2):1-7. [USA]

- 2001b. An examination of southeastern U.S. *Satyrion* (Lycaenidae: Theclinae). Part two: the identification and delimitation of nominate *Satyrion liparops* and the description of a new subspecies from west central peninsular Florida. *Taxon. Rep.* (Goose Creek), 3(3):1-8. [USA]

- 2001c. An examination of the *Mitoura* (Lycaenidae) in the southeastern United States: with description of a new subspecies of *Mitoura hesseli*. *Taxon. Rep.* (Goose Creek), 3(4):1-10. [USA]

Hadashi, D.

2001. *Tomares nesimachus* in Menashe Hills. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):35. [Israel] [in Hebrew]

Hagen, W. ten, and W. Eckweiler

2001. Eine neue Art von *Polyommatus (Agrodiaetus)* aus Zentraliran (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:53-56. [Iran]

Hagen, W. ten, and K. G. Schurian

2001. Ein Beitrag zur Kenntnis von *Plebeius (Vacciniina) morgianus* (Kirby, 1871) (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 21:193-200. (2000) [Iran]

Hall, D., and P. J. C. Russell

2001. Lang's short-tailed blue *Leptotes pirithous* (L.) (Lep.: Lycaenidae) and other butterflies on Madeira Island. *Ent. Rec. J. Var.* (Surrey), 113:261.

Hasegawa, T., and S. Matsuda

2001. Notes on 3 taxa of *Favonius (korshunovi, macrocerus, aquamarinus)* described from Primorskii District (Russia) and Korean Peninsula. *Yadoriga* (Tokyo), 189:47-58. [in Japanese]

Hsu, Y.-F., and W.-I. Chou

2001. *Araragi panda* sp. n., an intermediate taxon in the phylogeny of Theclini (Lepidoptera: Lycaenidae: Theclinae). *Ins. Syst. Evol.* (Copenhagen), 32:155-168. [China]

Jones, R. A.

2001. A purple hairstreak down at ground level. *Ent. Rec. J. Var.* (Surrey), 113:118. [England]

Kery, M., D. Matthies, and M. Fischer

2001. The effect of plant population size on the interactions between the rare plant *Gentiana cruciata* and its specialized herbivore *Maculinea rebeli*. *J. Ecol.* (Oxford), 89:418-427. [Switzerland]

Knüttel, H., and K. Fiedler

2001. Host-plant-derived variation in ultraviolet wing patterns influences mate selection by male butterflies. *J. Exp. Biol.* (Cambridge), 204:2447-2459. [Germany]

Lafranches, T., V. Heaulmé, and J. Lafranches

2001. Biologie, écologie et répartition du Cuivré des marais (*Lycaena dispar* Haworth, 1803) en Quercy (sud-ouest de la France) (Lepidoptera: Lycaenidae). *Linn. Belg.* (Beersel), 18:27-36.

Mattoni, R., T. Longcore, C. Zonneveld, and V. Novotny

2001. Analysis of transect counts to monitor population size in endangered insects: the case of the El Segundo blue butterfly, *Euphilotes bernardino allnyi*. *J. Ins. Conserv.* (Dordrecht), 5:197-206. [USA]

Maurel, N.

2001. *Scolitantides orion* (Fruhstorfer, 1910) redécouvert dans les Alpes-Ode-Haute-Provence (Lepidoptera Lycaenidae). *Alexandor* (Paris), 21:153-155. (1999) [France]

Murata, K., and K. Nohara

2001. The fluttering and feeding activities of the adults of *Shijimiaeoides divinus asonis* (Matsumura) (Lepidoptera, Lycaenidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:265-276. [Japan] [in Japanese]

Nice, C. C., and A. M. Shapiro

2001. Population genetic evidence of restricted gene flow between host races in the butterfly genus *Mitoura* (Lepidoptera: Lycaenidae). *Ann. Ent. Soc. Amer.* (Lanham), 94:257-267. [USA]
- O'Sullivan, M. J.**
2001. The brown hairstreak butterfly (*Thecla betulae* L.), in Ireland: an examination of its historical and current status. *Br. J. Ent. Nat. Hist.* (London), 14:85-90.
- Pratt, G. F., and C. L. Pierce**
2001. *Incisalia henrici* (Grote and Robinson) (Lepidoptera: Lycaenidae) reared on reproductive and non-reproductive tissues of three different plant species. *Proc. Ent. Soc. Washington*, 103:403-408. [USA]
- Savina, H.**
2001. Présence de *Cacyreus marshalli* en Haute-Garonne et Pyrénées-Atlantiques (Lepidoptera: Lycaenidae). *Ent.* (Paris), 57:63. [France]
- Schmitt, T., and A. Seitz**
2001a. Intraspecific structuring of *Polyommatus coridon* (Lycaenidae). *Nota Lepid.* (Karlsruhe), 24(1/2):53-63. [Europe]
2001b. Allozyme variation in *Polyommatus coridon* (Lepidoptera: Lycaenidae): identification of ice-age refugia and reconstruction of post-glacial expansion. *J. Biogeog.* (Hull), 28:1129-1136. [Germany]
- Schultz, C. B.**
2001. Restoring resources for an endangered butterfly. *J. Appl. Ecol.* (Oxford), 38:1007-1019. [USA]
- Schultz, C. B., and E. B. Crone**
2001. Edge-mediated dispersal behavior in a prairie butterfly. *Ecol.* (Washington), 82:1879-1892. [USA]
- Schurian, K. G., and W. ten Hagen**
2001. Eine neue Bläulingsart des Genus *Polyommatus* Latreille, 1804 aus dem zentralen Zagrosgebirge in Iran (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:1-4.
- Shaw, M. R.**
2001. *Cacyreus marshalli* (Butler) (Lep.: Lycaenidae) in Corsica. *Ent. Rec. J. Var.* (Surrey), 113:262.
- Shchurov, V. I., and V. A. Lukhtanov**
2001. Notes on the taxonomy of the genus *Kretania* (Beuret, 1959) with the description of a new species from the Black Sea coast of Russia (Lepidoptera, Lycaenidae). *Atalanta* (Munich), 32:217-225, pl. 15-16.
- Skala, P.**
2001. New taxa of the subgenus *Agrodiaetus* Hübner, 1822 from Iran: *Polyommatus* (*Agrodiaetus*) *faramarzii* sp. n., *P. (A.) shahrami* sp. n., and *P. (A.) pfeifferi astyages* ssp. n. (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:101-108.
- Smyllie, B.**
2001. Lunulation similarities in the genus *Aricia* Reich. (Lep.: Lycaenidae) in Britain, Spain and Switzerland. *Ent. Rec. J. Var.* (Surrey), 113:209-226.
- Tanaka, K., and T. Inoue**
2001. Occurrence of *Narathura bazalus* in the south part of Ibaraki Prefecture. *Yadoriga* (Tokyo), 188:54-59. [Japan] [in Japanese]
- Voigt, H.**
2001. Zum Vorkommen von *Maculinea nausithous* und *Maculinea teleius* (Lep., Lycaenidae) im Stadtgebiet von Dresden (Sachsen), zwei Schmetterlingsarten des Anhangs II der FFH-Richtlinie. *Ent. Nachr. Ber.* (Dresden), 45:165-169. [Germany]
- Watanabe, M., and M. Nishimura**
2001. Reproductive output and egg maturation in relation to mate-avoidance in monandrous females of the small copper, *Lycaena phlaeas* (Lycaenidae). *J. Lepid. Soc.* (Los Angeles), 54:83-87. (2000) [Japan]
- LYMANTRIIDAE**
Deml, R., and K. Dettner
2001. Comparative morphology and evolution of the funnel warts of larval Lymantriidae (Lepidoptera). *Arth. Struct. Develop.* (Oxford), 30:15-26. [Germany]
- Falco, J. N., and L. K. Rieske**
2001. Suitability of various oak (*Quercus*) species for gypsy moth (*Lymantria dispar*) growth and development. *J. Ky. Acad. Sci.* (Lexington), 62:91-95. [USA]
- Gries, G., P. W. Schaefer, R. Gries, J. Liska, and T. Gotth**
2001. Reproductive character displacement in *Lymantria monacha* from northern Japan? *J. Chem. Ecol.* (New York), 27:1163-1176.
- Keena, M. A., W. E. Wallner, P. S. Grinberg, and R. T. Cardé**
2001. Female flight propensity and capability in *Lymantria dispar* (Lepidoptera: Lymantriidae) from Russia, North America, and their reciprocal F₁ hybrids. *Environ. Ent.* (Lanham), 30:380-387.
- LYONETHIDAE**
Bland, K. P.
2001. New food-plant for *Leucoptera orobi* Stainton (Lep.: Lyonetiidae) from the Isle of Rum, Scotland. *Ent. Rec. J. Var.* (Surrey), 113:263.
- Kagata, H., and T. Ohgushi**
2001a. Preference and performance linkage of a leaf-mining moth on different Salicaceae species. *Pop. Ecol.* (Tokyo), 43:141-147. [USA]
2001b. Resource partitioning among three willow leaf miners: consequence of host plant phenology. *Ent. Sci.* (Tokyo), 4:257-263. [Japan]
- MICROPTERIGIDAE**
Hashimoto, S.
2001. Larval chaetotaxy of the genera *Paramartyria* and *Neomicropteryx* in Japan (Lepidoptera, Micropterigidae). *Japan. J. Syst. Ent.* (Tokyo), 7:255-264.
- MOMPHIDAE**
Nel, J.
2001. Variations intraspécifiques chez *Mompha miscella* (Denis & Schiffermüller, 1775) dans le sud-est de la France (Lepidoptera, Momphidae). *Bull. Soc. Ent. Fr.* (Paris), 105:501-504. (2000)
- NEPTICULIDAE**
Ellis, W. N., J. H. Kuchlein, and E. Mueleman-ten B.
2001. The relation between stand vitality and leaf miner density in beech and common oak. *Ent. Ber.* (Amsterdam), 61:1-13. [Netherlands]
- Kuchlein, J. H., and C. M. Kuchlein-Nijsten**
2001. *Trifurcula headleyella*, a new nepticulid moth for the Dutch fauna (Lepidoptera: Nepticulidae). *Ent. Ber.* (Amsterdam), 61:126-129. [Netherlands]
- Wolschrijn, J. B., and J. H. Kuchlein**
2001. Two more findings of *Bohemannia auriciliella* from the Netherlands (Lepidoptera: Nepticulidae). *Ent. Ber.* (Amsterdam), 61:132.
- NOCTUIDAE**
Ahola, M.
2001. Larva of *Auchenisa ceruroides* Hampson, 1916 (Lepidoptera, Noctuidae, Acronictinae). *Esperiana* (Staffelstein), 8:569-573.
- Aston, A.**
2001. *Meganola albula* (D. & S.) (Lep.: Nolidae) recurs in North Hampshire. *Ent. Rec. J. Var.* (Surrey), 113:42. [England]
- Baaijens, A. M.**
2001. *Lithophane leautieri* settled in the Netherlands (Lepidoptera: Noctuidae). *Ent. Ber.* (Amsterdam), 61:153-156. [in Dutch]
- Berlinger, M. J., S. Yathom, and J. Halperin**
2001. *Ophiura tirhaca* Cramer (Noctuidae: Lepidoptera) infesting pistachio trees in Israel. *Zool. Mid. East* (Heidelberg), 22:83-86.
- Bogue, R.**
2001. An exceptionally early common quaker *Orthosia cerasi* (Fabr.) (Lep.: Noctuidae) from Devon. *Ent. Rec. J. Var.* (Surrey), 113:17. [England]
- Brou, V. A., Jr.**
2001a. *Xanthopastis timais* (Cram.) in Louisiana. *So. Lepid. News* (Gainesville), 22:71. (2000) [USA]
2001b. The genus *Heliothis* Ochsenheimer (Noctuidae) in Louisiana. *So. Lepid. News* (Gainesville), 23:15-17. [USA]
- Cama, A., and T. Varenne**
2001. Quelques noctuelles inhabituelles pour la France continentale (Lepidoptera Noctuidae). *Alexanor* (Paris), 21:157-160. (1999)
- Casimero, V., F. Nakasuji, and K. Fujisaki**
2001. The influences of larval and adult food quality on the calling rate and pre-calling period of females of the cotton bollworm, *Helicoverpa armigera* Hübner (Lepidoptera: Noctuidae). *Appl. Ent. Zool.* (Tokyo), 36:33-40. [Japan]
- Cifuentes, J.**
[2001a]. Los Noctuidae de Navarra (España) V: Subfamilia Hadeninae II, tribu Xylenini (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 28:353-363. (2000) [Spain]
2001b. Los Noctuidae de Navarra (España) VI: Subfamilia Hadeninae III, tribu Hadenini (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 29:7-29. [Spain]
2001c. Los Noctuidae de Navarra (España) VII: Subfamilia Noctuinae (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 29:285-304. [Spain]
- Cifuentes, J., J. L. Viejo, and C. Gómez de Aizpúrua**
2001. Contribución al conocimiento de los lepidópteros noctuidos de la comarca de Aranjuez-El Regajal (Madrid, España) (Lepidoptera:

- Noctuidae). *SHILAP Revta. Lepid.* (Madrid), 29:189-205. [Spain]
- Classey, E. W.
2001. *Helicoverpa armigera* (Hübner, 1808) (Lepidoptera: Noctuidae) – immigrant or introduction? *Ent. Gaz.* (Wallingford), 52:138. [England]
- Clemens, F.
2001. *Eublemma purpurina* (Denis & Schiffermüller, 1775) – erstmalig in Brandenburg nachgewiesen (Lep., Noctuidae). *Ent. Nachr. Ber.* (Dresden), 45:18. [Germany]
- Denton, J.
2001. More observations of dotted chestnut moths. *Br. J. Ent. Nat. Hist.* (London), 14:47. [England]
- Erhardt, A., and S. Whitebread
2001. *Conisania luteago* (Denis & Schiffermüller, 1775), a further rarity in the area of the former goods storage and switching station of the German Railways in Basel. *Mitt. Ent. Ges. Basel.*, 50:130-133. (2000) [in German]
- Evenden, M. L., and K. F. Haynes
2001. Potential for the evolution of resistance to pheromone-based mating disruption tested using two pheromone strains of the cabbage looper, *Trichoplusia ni*. *Ent. Exp. Appl.* (Amsterdam), 100:131-134. [USA]
- Fabiano, F., and A. Zilli
2001. Faunistic and taxonomic notes on Noctuidae from Jordan (Lepidoptera: Noctuidae). *Esperiana* (Staffelstein), 8:491-506, pl. 23
- Fibiger, M.
2001. A new species of the genus *Lophoterges* Hampson, 1906 from Iran: *L. mariannae* sp. n. (Lepidoptera, Noctuidae, Cuculliinae). *Acta Zool. Acad. Sci. Hung.* (Budapest), 46:333-336. (2000)
- Fibiger, M., and D. Agassiz
2001. *Araeopteron ephraea*, a small noctuid moth in the west Palaearctic (Noctuidae: Accontiinae). *Nota Lepid.* (Karlsruhe), 24(1/2):29-35. [Greece, Spain, Turkey]
- Fibiger, M., and H. H. Hacker
2001. The *Araeopteron* genus-group in Yemen, with description on one new genus and 6 new species (Lepidoptera, Noctuidae). *Esperiana* (Staffelstein), 8:575-584, pl. 28.
- Fibiger, M., and P. Svendsen
2001. The female (allotype) of the Cretan *Cryphia omalosi* Svendsen & Fibiger, 1998 (Noctuidae, Bryophilinae). *Esperiana* (Staffelstein), 8: 654. [Crete]
- Flamigni, C.
2001. On the presence of *Phytometra sanctiflorentis* and *Heterophysa dumetorum* in Italy (Noctuidae). *Nota Lepid.* (Karlsruhe), 24(1/2):37-38.
- Freytag, K.
2001. Bemerkungen zu weiteren 20 Noctuidae-Arten (Lepidoptera, Noctuidae, Noctuiinae). *Faceta* (Ingolstadt), 24:43-50, pl. 6-7. [Europe]
- Fujihira, S., and C. Fujihira
2001. Breeding of *Hylophilodes tsukusensis* Nagano (Noctuidae, Chloephorinae) on *Lithocarpus edulis*. *Japan Heteroc. J.* (Tokyo), 213:249-250. [Japan] [in Japanese]
- Funakoshi, S.
2001. Seasonal changes of moth population of *Amphipyra* species at aestivating sites with special reference to male/female ratio and body weight of *A. livida corvina* (Lepidoptera, Noctuidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:157-162. [Japan]
- Gall, L. F.
2001. Precedence of *Catocala louiseae* Bauer, 1965 as a nomen protectum over *Catocala protonympha* Boisduval, 1840 (Noctuidae). *J. Lepid. Soc.* (Los Angeles), 55:171-174. [USA]
- Gemenio, C., and K. F. Haynes
2001. Impact of photoperiod on the sexual behavior of the black cutworm moth (Lepidoptera: Noctuidae). *Environ. Ent.* (Lanham), 30:189-195. [USA]
- Greenberg, S. M., T. W. Sappington, B. C. Legaspi, Jr., T.-X. Liu, and M. Sétmou
2001. Feeding and life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on different host plants. *Ann. Ent. Soc. Amer.* (Lanham), 94:566-575. [USA]
- Gyulai, P.
2001. A new *Xestia* (Hübner, 1818) species from Siberia (Lepidoptera, Noctuidae). *Esperiana* (Staffelstein), 8:701-703, pl. 30. [Russia]
- Gyulai, P., and M. Hreblay
2001. Description of two new species of the genus *Trichanarta* Hampson, 1896 (Lepidoptera: Noctuidae, Hadeninae). *Esperiana* (Staffelstein), 8:709-714, pl. 30. [Tibet]
- Gyulai, P., and L. Ronkay
2001. The Noctuidae material collected by Peter Gyulai & Adrienne Garai in the Qinghai region, China, in 1999 (Lepidoptera). *Esperiana* (Staffelstein), 8:655-700, pl. 31-33.
- Hacker, H. H.
2001a. Fauna of the Nolidae and Noctuidae of the Levante with descriptions and taxonomic notes (Lepidoptera, Noctuoidea). *Esperiana* (Staffelstein), 8:7-315, 358-398, pl. 1-18, 22, 24-25. [Palestine]
2001b. Revision Genus *Clytie* Hübner, [1823]. In Fauna of the Nolidae and Noctuidae of the Levante with descriptions and taxonomic notes (Lepidoptera, Noctuoidea). Appendix. *Esperiana* (Staffelstein), 8:316-357, pl. 19-21. [Palestine]
2001c. Zwei neue Noctuidae-Arten aus Vorder- und Zentralasien. *Esperiana* (Staffelstein), 8:825-826, pl. 29. [Central Asia]
- Hacker, H. H., and M. Fibiger
2001. Description of new Noctuoidea (Lepidoptera) species from the Arabian Peninsula and with other taxonomic notes. *Esperiana* (Staffelstein), 8:585-596, pl. 28-29.
- Hacker, H. H., and J. J. de Freina
2001. Beitrag zur Noctuiden-Fauna Israels und Palästinas. Verzeichnis des von de Freina Ende November bis März 1994 und 1995 beobachteten Artenspektrums (Insecta, Lepidoptera, Noctuidae). *Esperiana* (Staffelstein), 8:475-484, pl. 25. [Palestine]
- Hacker, H. H., K. Huber, and G. Stummer
2001. Ergebnisse einer 10-jährigen Erforschung der Noctuidae-Fauna eines Ölfeldes in der libyschen Wüste. *Esperiana* (Staffelstein), 8:316-357, pl. 26. [Libya]
- Hacker, H. H., V. Kravchenko, and I. Yarom
2001. List of Noctuoidea (Lepidoptera) collected in Arava (Israel) with faunistic and ecological comments. *Esperiana* (Staffelstein), 8:515-533.
- Hacker, H. H., and J.-U. Meineke
2001. Beitrag zur Fauna der Noctuidae des Iran: Ergebnisse von Forschungen der Jahre 1998 bis 2000 (Lepidoptera). *Esperiana* (Staffelstein), 8:791-810, pl. 34.
- Hacker, H. H., and J. Miatleuski
2001. Noctuidae from the European part of Kazakhstan with first records of seven species for the European fauna (Lepidoptera). *Esperiana* (Staffelstein), 8:811-824, pl. 35.
- Hacker, H. H., and H.-P. Schreier
2001a. Beitrag zur Noctuidenfauna Palästinas: die Eulen der Klapperich-Ausbeute aus Jordanien (Lepidoptera, Noctuidae). *Esperiana* (Staffelstein), 8:399-421. [Palestine]
2001b. List of Noctuoidea (Lepidoptera) collected from 1987 to 1999 in Israel and Jordan. *Esperiana* (Staffelstein), 8:423-458.
- Hall, P.
2001. The striped lychnis moth *Shargacucullia lychnitis* (Rambur) (Lep.: Noctuidae): a review of its distributoin in Buckinghamshire (VC 24) during 2000. *Ent. Rec. J. Var.* (Surrey), 113:257-260. [England]
- Hicks, B. J., D. A. Barbour, D. Cosens, and A. D. Watt
2001. The influence of weather on populations of the pine beauty moth and its fungal diseases in Scotland. *Scottish For.* (Edinburgh), 55:199-207.
- Hooper, R. R.
2001. The invasion of Canada by the yellow underwing (*Noctua pronuba* L.). *Blue Jay* (Winnipeg), 59:206-207.
- Inoue, H.
2001. On the systematic status of *Nola minutalis* Leech (Noctuidae, Nolinae). *Yugato* (Niigata), 164:53-56. [Japan] [in Japanese]
- Jallow, M. F. A., and M. Matsumura
2001. Influence of temperature on the rate of development of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Appl. Ent. Zool.* (Tokyo), 36:427-430. [Japan]
- Jallow, M. F. A., M. Matsumura, and Y. Suzuki
2001. Oviposition preference and reproductive performance of Japanese *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Appl. Ent. Zool.* (Tokyo), 36:419-426. [Japan]
- Kahlheber, D.
2001. Hessenfauna. 4. Die Eule *Mesoligia literosa* (Haworth 1809) (Lepidoptera: Noctuidae) im Landkreis Limburg-Weilburg gefunden – ein Erstnachweis für Hessen. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22: 192. [Germany]
- Kameda, M.
2001. Seven species of the Acontiinae (Noctuidae) from souther part of Hokkaido. *Yugato* (Niigata), 164:67-69. [Japan] [in Japanese]
- Kidd, K. A., and D. B. Orr
2001. Comparative feeding and development of *Pseudoplusia includens* (Lepidoptera: Noctuidae) on kudzu and soybean foliage. *Ann. Ent. Soc.*

- Amer.* (Lanham), 94:219-225. [USA]
- Knudson, E., and C. Bordelon**
2001. Noctuidae of Texas: species near the Stiriinae. *So. Lepid. News* (Gainesville), 23:47-49, pl. B. [USA]
- Koehn, L. C.**
2001. A Kentucky record of the European cutworm, *Noctua pronuba* (L.). *Ky. Lepid.* (Louisville), 28:16. [USA]
- Kononenko, V. S.**
2001a. Revisional notes of the Palaearctic species of the genus *Atrachea* Warren (Lepidoptera, Noctuidae, Amphipyrinae), with descriptions of two new species from China. *Ins. Koreana* (Chuncheon), 18:51-68.
2001b. Two new genera and four new species of the Noctuidae (Lepidoptera) from China. *Japan Heteroc. J.* (Tokyo), 216:299-306.
- Kouji, S.**
2001. [On *Catocala*]. *Yadoriga* (Tokyo), 190:2-3. [Japan] [in Japanese]
- Kravchenko, V., H. H. Hacker, and E. Nevo**
2001. List of Noctuidae (Lepidoptera) collected in Israel. *Esperiana* (Staffelstein), 8:459-474.
- Kuznetsova, T. L.**
2001. Peculiarities of the feeding behavior of the cotton bollworm *Helicoverpa armigera* Hbn. (Lepidoptera, Noctuidae) early instar larvae on cotton plants. *Ent. Obozr.* (Moscow), 80:40-48. [Russia] [in Russian]
- LaMunyon, C. W.**
2001. Determinants of sperm precedence in a noctuid moth *Heliothis virescens*: a role for male age. *Ecol. Ent.* (London), 26:388-394. [USA]
- Leutsch, H.**
2001. Weitere Beobachtungen von *Eucarta virgo* (Treitschke, 1835) in der Oberlausitz (Lep., Noctuidae). *Ent. Nachr. Ber.* (Dresden), 45:135-136. [Germany]
- López, C., A. Sans, L. Asin, and M. Eizaguirre**
2001. Phenological model for *Sesamia nonagrioides* (Lepidoptera: Noctuidae). *Environ. Ent.* (Lanham), 30:23-30. [Spain]
- Meagher, R. L., Jr.**
2001. Collection of soybean looper and other noctuids in phenylacetaldehyde-baited field traps. *Fla. Ent.* (Gainesville), 84:154-155. [USA]
- Meyer, M.**
2001. *Sideridis albicolon* (Hübner, 1813) is definitely documented for the fauna of Luxembourg (Lepidoptera, Noctuidae). *Bull. Soc. Natural. Luxembourg*, 101:175-178. [in German]
- Mitamura, T.**
2001. A record of *Eudocima salaminia* (Fabricius) (Noctuidae) from Fukushima Prefecture, Honshu. *Japan Heteroc. J.* (Tokyo), 213:246. [Japan] [in Japanese]
- Miyahara, Y.**
2001a. *Grammodes geometrica* (Noctuidae) larvae occurred in Nobeoka, Miyazaki Prefecture. *Japan Heteroc. J.* (Tokyo), 212:231. [Japan] [in Japanese]
2001b. Larva and hostplant of *Trigonodes hyppasia* (Cramer) (Noctuidae, Catocalinae). *Japan Heteroc. J.* (Tokyo), 213:241-242. [Japan] [in Japanese]
- Miyano, A.**
2001. *Euplexia albilineola* (Wileman) and *Hyposemansis singha* Guenée (Noctuidae) from Gifu Prefecture. *Yugato* (Niigata), 164:64. [Japan] [in Japanese]
- Monti, L., M. Baylac, and B. Lalanne-Cassou**
2001. Elliptic Fourier analysis of the form of genitalia in two *Spodoptera* species and their hybrids (Lepidoptera: Noctuidae). *Biol. J. Linn. Soc.* (London), 72:391-400. [France]
- Müller, R.**
2001. *Epilecta linogrisea* (Denis & Schiffermüller, 1775) (Lep., Noctuidae) bei Jena (Thüringen). *Ent. Nachr. Ber.* (Dresden), 45:127. [Germany]
- Murase, M.**
2001a. An *Idaea* and an *Aethis* larvae found feeding on withered catkin of *Castanea* on the ground. *Japan Heteroc. J.* (Tokyo), 213:243. [Japan] [in Japanese]
2001b. Larva of *Callopietria albolineola* (Graeser) (Noctuidae, Amphipyrinae) feeding on *Selaginella* (Lycopphyta). *Japan Heteroc. J.* (Tokyo), 216:295-296. [Japan] [in Japanese]
- Nishio, N.**
2001. *Catocala columbina* Leech (Noctuidae) from Myoko in Niigata Prefecture. *Yugato* (Niigata), 165:82. [Japan] [in Japanese]
- Nowacki, J., M. Holowiński, and K. Palka**
2001. *Aethis lepigone* (Möschler) (Lepidoptera: Noctuidae), a noctuid new to the Polish fauna. *Polsk. Pismo Ent.* (Gdynia), 70:271-275. [Poland]
- Nowacki, J., and R. Wasala**
2001. *Calyptra thalictri* (Borkhausen) (Lepidoptera: Noctuidae), a new species for the Polish fauna. *Polsk. Pismo Ent.* (Gdynia), 70:267-269. [Poland]
- Nupponen, K., M. Ahola, and J. Kullberg**
2001. *Agrotis iremeli* sp. n. from the southern Ural Mountains, with description of the larval stage (Lepidoptera: Noctuidae). *Ent. Fenn.* (Helsinki), 12: 217-226. [Russia]
- Oh, S.-H.**
2001. A review of the subfamily Nolinae (Lepidoptera, Noctuidae) in Korea (I): genus *Nola* Leech. *Ins. Koreana* (Chuncheon), 18:123-137.
- Okyar, Z., and S. Tezcan**
2001. On the noctuid fauna (Lepidoptera: Noctuidae) of ecological cherry orchards in western Turkey. *Zool. Mid. East* (Heidelberg), 22:95-102.
- Ortner, S.**
[2001]. Neu zur Fauna mitteleuropas hinzugekommene Makrolepidopteren seit dem Standardwerk von Forster & Wohlfahrt. Eulen (Noctuidae) (Insecta: Lepidoptera). *Mitt. Ent. Arbeitsgem. Salzkammergut* (Bad Ischl), 3:150-154. (2000) [Europe]
- Palmer, S. M.**
2001a. Clouded-bordered brindle *Apamea crenata* (Hufn.) (Lep.: Noctuidae). Some unusual dates in East Lancashire. *Ent. Rec. J. Var.* (Surrey), 113:18. [England]
2001b. Dusky sallow *Eremobia ochroleuca* (D. & S.) (Lep.: Noctuidae) in Lancashire and some notes on other species. *Ent. Rec. J. Var.* (Surrey), 113:37-38. [England]
- Peacock, J. W., and L. F. Gall**
2001. Immature stages of the marbled underwing, *Catocala marmorata* (Noctuidae). *J. Lepid. Soc.* (Los Angeles), 54:107-110. (2000) [USA]
- Quero, C., H. Y. Fadamiro, and T. C. Baker**
2001. Responses of male *Helicoverpa zea* to single pulses of sex pheromone and behavioural antagonist. *Physiol. Ent.* (London), 26:106-115. [USA]
- Rogue, R.**
2001. An exceptionally early common quaker *Orthosia cerasi* (Fabr.) (Lep.: Noctuidae) from Devon. *Ent. Rec. J. Var.* (Surrey), 113:17. [England]
- Rojas, J. C., T. D. Wyatt, and M. C. Birch**
2001. Oviposition by *Mamestra brassicae* (L.) (Lep., Noctuidae) in relation to age, time of day and host plant. *J. Appl. Ent.* (Hamburg), 125:161-163. [Mexico]
- Ronkay, G., J. L. Yela, and M. Hreblay**
2001. *Hadeninae II*. In *Noctuidae Europaeae*. Vol. 5. Sørø: Ent. Pr. 452pp.
- Ronkay, G., and L. Ronkay**
2001. New *Agrochola* Hübner, 1821 and *Owadaglaea* Hacker et Ronkay, 1996 species from Central Asia and Indochina (Lepidoptera, Noctuidae, Xylenini). *Acta Zool. Acad. Sci. Hung.* (Budapest), 46:351-382.
- Sappington, T. W., S. M. Greenberg, and R. A. Tisdale**
2001. Location of beet armyworm (Lepidoptera: Noctuidae) egg mass deposition within canopies of cotton and pigweed. *Environ. Ent.* (Lanham), 30:511-516. [USA]
- Seino, A.**
2001. *Camptoloma interiorata* (Walker) (Noctuidae, Camptolominae) taken at Suibara, Niigata Prefecture. *Yugato* (Niigata), 166:125. [Japan] [in Japanese]
- Seino, A., and R. Sato**
2001. *Eublemma miasma* (Hampson) (Noctuidae) from Niigata City and Yamato-machi, Niigata Prefecture. *Yugato* (Niigata), 163:33. [Japan] [in Japanese]
- Selman, C. L., and R. Leuschner**
2001. Nine new species of *Lacinipolia* (Noctuidae) from Arizona, California and vicinity. *Taxon. Rep.* (Goose Creek), 2(8):1-9. (2000) [USA]
- Sohn, J.-C., and L. Ronkay**
2001. New records of Korean Noctuidae (Lepidoptera), with description of a new species. *Ins. Koreana* (Chuncheon), 18:219-227. [South Korea]
- Stewart, B.**
2001. Sand dart *Agrotis ripae* Hb (Lep.: Noctuidae) in Glamorgan — a strandline specialist. *Br. J. Ent. Nat. Hist.* (London), 14:45-47. [England]
- Strassburg, H.**
2001. *Hadena luteago* (Denis & Schiffermüller) (Lep., Noctuidae) — Erstnachweis für Sachsen. *Ent. Nachr. Ber.* (Dresden), 45:128. [Germany]
- Sugi, S.**
2001a. Late autumn larvae of *Trichosea champa* (Moore) (Noctuidae, Patheinae [sic]) on *Rhododendron metternichii*. *Japan Heteroc. J.* (Tokyo), 213:242. [Japan] [in Japanese]
2001b. Records of host ferns for two *Callopietria* species (Noctuidae) in urban area of Tokyo. *Japan Heteroc. J.* (Tokyo), 213:251. [Japan] [in Japanese]
- Sugi, S., and M. Murase**

2001. Larva of *Earias pudicana* Staudinger (Noctuidae, Chloephorinae) feeding on samara of *Ulmus parvifolia*, a new hostplant. *Japan Heteroc. J.* (Tokyo), 212:221-222. [Japan] [in Japanese]
- Sugi, S., and A. Sasaki
2001. Larva of *Imosca coreana* (Matsumura) (Noctuidae), with notes on the Bagisarinae in Japan. *Japan Heteroc. J.* (Tokyo), 215:285-287. [in Japanese]
- Sugi, S., and S. Tominaga
2001. Occurrence of *Tiracola plagiata* Walker (Noctuidae), a second species of the genus in Japan. *Japan Heteroc. J.* (Tokyo), 212:217-219. [in Japanese]
- Sviridov, A. V., and A. M. Tikhomirov
[2001]. Noctuid moths (Lepidoptera) of Ivanovo area. *Russ. Ent. J.* (Moscow), 9:366-374. (2000) [Russia] [in Russian]
- Talbot, P.
2001. A December record of the common quaker *Orthosia cerasi* (Fabr.) (Lep.: Noctuidae) in West Yorkshire. *Ent. Rec. J. Var.* (Surrey), 113: 17-18. [England]
- Tercas, R.
[2001]. A study of the parameters triggering the exit of the troglodyte species *Scoliopteryx libatrix* L. (Lepidoptera Noctuidae) at the end of the winter ecophase. *Mem. Biospeol.* (St. Girons), 27:131-139. (2000) [Belgium]
- Thomas, S., A. Wagstaff, and A. Wander
2001. Sandhill rustic *Luperina nickerlii* (Freyer) *gueneei* (Doubl.) (Lep.: Noctuidae): new to Denbighshire (VC 50). *Ent. Rec. J. Var.* (Surrey), 113:234. [England]
- Tisdale, R. A., and T. W. Sappington
2001. Realized and potential fecundity, egg fertility, and longevity of laboratory-reared female beet armyworm (Lepidoptera: Noctuidae) under different adult diet regimes. *Ann. Ent. Soc. Amer.* (Lanham), 94:415-419. [USA]
- Tominaga, S.
2001. Larvae of *Achaea serva* (Fabricius) (Noctuidae) captured in Is. Kikaijima, Kagoshima Pref. *Yugato* (Niigata), 164:42. [Japan] [in Japanese]
- Torres-V., L. M., and J. N. McNeil
2001. Male-made abdominal marks as an indicator of female mating status in noctuid species. *Ann. Ent. Soc. Amer.* (Lanham), 94:226-229. [Spain]
- Torres-V., L. M., M. C. Rodriguez-M., J. Gragera, and P. Bielza-L.
2001. Polyandry in Lepidoptera: a heritable trait in *Spodoptera exigua* Hübner. *Hered.* (Oxford), 86:177-183. [Spain]
- Tremewan, W. G.
2001. A record of *Helicoverpa armigera* (Hübner, 1808) (Lepidoptera: Noctuidae) reared from roses imported from Kenya. *Ent. Gaz.* (Wallingford), 52: 70. [England]
- Troukens, W.
2001. Rupsenplaag op goudsbloem (Lepidoptera: Noctuidae). *Phegea* (Antwerp), 29:111.
- Varga, Z., and P. Gyulai
2001. New species of the genera: *Euxoa*, *Dichagyris* and *Chersotis* from Central Asia (Lepidoptera: Noctuidae, Noctuinae). *Esperiana* (Staffelstein), 8:771-790.
- Varkonyi, G., and M. Ahola
2001. Notes on the larval biology of *Xestia borealis* (Lepidoptera: Noctuidae). *Ent. Fenn.* (Helsinki), 12:78-80. [Finland]
- Vieira, V.
2001. *Ophiura tirhaca* (Cramer, 1777), uma espécie paleotropical-subtropical observada nos Açores (Lepidoptera: Noctuidae). *SHILAP Revta. Lepid.* (Madrid), 29:121-124. [Azores]
- Wander, A.
2001. White colon *Sideridis albicolon* (Hb.) (Lep.: Noctuidae): new to Denbighshire (VC 50). *Ent. Rec. J. Var.* (Surrey), 113:12. [England]
- Waring, P.
2001. Two immaculate sand dart *Agrotis ripae* (Hb.) at the island site of Calceby Beck Marsh SSSI, Lincolnshire. *Ent. Rec. J. Var.* (Surrey), 113:113-116. [England]
- Young, D.
2001. *Xestia rhomboidea* (Esper) (square-spotted clay) (Lepidoptera): request for information. *Br. J. Ent. Nat. Hist.* (London), 14:92. [England]
- NOTODONTIDAE**
- Pimentel, C., A. Tavares, and M. R. Paiva
2001. Pine processionary moth *Thaumetopoea pityocampa* (Lepidoptera, Thaumetopoeidae): population dynamics and feeding ecology studies in Portugal. *Revta. Biol.* (Lisbon), 18:105-115. (2000) [in Portuguese]
- NYMPHALIDAE**
- Abadjiev, S. P.
2001. Description of a new subspecies of *Erebia cassioides* (Reiner & Hohenwarth, 1792) (Lepidoptera: Nymphalidae: Satyrinae) from Bulgaria. *Rev. Suisse. Zool.* (Geneva), 108:57-64.
- Allen, A. A.
2001. What is happening to the small tortoiseshell *Aglais urticae* (L.) (Lep.: Nymphalidae). *Ent. Rec. J. Var.* (Surrey), 113:261-262. [England]
- Belik, A. G.
2001. Notes on the taxonomy and geographical distribution of *Erebia dabanensis* Erschoff, 1871 and *Erebia fletcheri* Elwes, 1899 with the description of two new subspecies from the south Transbaikalia, Russia (Lepidoptera, Satyridae). *Atalanta* (Munich), 32:197-215, pl.13-14.
- Benyamini, D.
2001. *Hipparchia syriaca* in Israel? *News Israeli Lepid. Soc.* (Bet Arye), 18(2):16. [in Hebrew]
- Bergman, K.-O.
2001. Population dynamics and the importance of habitat management for conservation of the butterfly *Lopinga achine*. *J. Appl. Ecol.* (Oxford), 38:1303-1313. [Sweden]
- Bergman, K.-O., and J. Landin
2001. Distribution of occupied and vacant sites and migration of *Lopinga achine* (Nymphalidae: Satyrinae) in a fragmented landscape. *Biol. Conserv.* (Oxford), 102:183-190. [Sweden]
- Berwaerts, K., H. Van Dyck, E. Vints, and E. Matthysen
2001. Effect of manipulated wing characteristics and basking posture on thermal properties of the butterfly *Pararge aegeria* (L.). *J. Zool.* (London), 255:261-267. [Belgium]
- Calvert, W. H.
2001. Monarch butterfly (*Danaus plexippus* L., Nymphalidae) fall migration: flight behavior and direction in relation to celestial and physiographic cues. *J. Lepid. Soc.* (Los Angeles), 55:162-168. [Mexico, USA]
- Cassel, A., J. Windig, S. Nylin, and C. Wiklund
2001. Effects of population size and food stress on fitness-related characters in the scarce heath, a rare butterfly in western Europe. *Conserv. Biol.* (Cambridge), 15:1667-1673. [Nymphalidae] [Sweden]
- Charmeux, J.-F.
2001. Une nouvelle espèce de *Lasiommata* (Lepidoptera: Nymphalidae, Satyrinae) du nord-ouest Pakistan. *Phegea* (Antwerp), 29:113-119.
- Conradt, L., T. J. Roper, and C. D. Thomas
2001. Dispersal behaviour of individuals in metapopulations of two British butterflies. *Oikos* (Copenhagen), 95:416-424. [Satyrinae] [England]
- Danner, F.
2001. Die Raupe von *Charaxes jasius* (Linnaeus, 1767) auf Aprikose (Lepidoptera, Nymphalidae). *Atalanta* (Munich), 32:401, pl. 18. [Crete]
- Della Bruna, C., E. Gallo, M. Lucarelli, and V. Sbordoni
[2001]. *Eugrurnia*, a new name for *Grurnia* (Lepidoptera: Satyridae, Satyrinae, Ypthimini). *Frag. Ent.* (Rome), 32:297-298. (2000) [Tibet]
- Dening, R. C.
2001. Pearl bordered fritillary *Boloria euphrosyne* L. (Lep.: Nymphalidae): a March record? *Ent. Rec. J. Var.* (Surrey), 113:151. [England]
- Dover, J. W., and G. L. A. Fry
2001. Experimental simulation of some visual and physical components of a hedge and the effects on butterfly behaviour in an agricultural landscape. *Ent. Exp. Appl.* (Amsterdam), 100:221-233. [England]
- Ehrhardt, W.
2001. Beobachtungen zu einer Arealerweiterung von *Pararge aegeria* (Linnaeus, 1758) (Lepidoptera: Nymphalidae) und einem auffallenden Vorkommen von *Atolmis rubricollis* (Linnaeus, 1758) (Arctiidae) in der südlichen Lüneburger Heide. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 21:235. [Germany]
- Eliasson, C. U.
2001. A study of the scarce fritillary (*Euphydryas maturna*) (Lepidoptera: Nymphalidae) in Sweden, Västmanland 2: phenology, protandry, sex-rate and mating behaviour. *Ent. Tidsk.* (Stockholm), 122:153-167. [in Swedish]
- Ellis, H. A.
2001. The wall brown *Lasiommata megera* L. (Lep.: Nymphalidae) in Northumberland, 1976-2000. *Ent. Rec. J. Var.* (Surrey), 113:161-170. [England]
- Ertz, D., and E. Graiton
2001. Effectifs des populations, répartition et statut du petit nacré, *Issoria lathonia* L., sur les terrains calaminaires du bassin de la Vesdre (province de Liège, Belgique) (Lepidoptera: Nymphalidae). *Linn. Belg.* (Beersel), 18:87-92. [Belgium]

- Essayan, R.**
2001. Contribution à la connaissance du Damier du Frêne (*Euphydryas maturna* Linné, 1758) en Bourgogne: statut et protection (Lepidoptera Nymphalidae). *Alexandor* (Paris), 21:241-249. (1999) [France]
- Everett, C. M.**
2001. Notes on possible overwintering of red admirals *Vanessa atalanta* (L.) (Lep.: Nymphalidae) in Cambridge. *Ent. Rec. J. Var.* (Surrey), 113:203. [England]
- Glassberg, J.**
2001a. Mitchell's satyr rides again. *Amer. Butt.* (Morristown), 9(3):16-21. [USA]
2001b. Cracking the code. *Amer. Butt.* (Morristown), 9(4):16-27. [Hamadryas] [Neotropical]
- Gouillard, J.**
2001. Le monarque. *Ent.* (Paris), 57:97-100. [USA]
- Grange, J.-C.**
2001. Une forme albinisante d'*Euphydryas maturna* (Linnaeus, 1758) (Lepidoptera Nymphalidae). *Alexandor* (Paris), 21:191-192. (1999) [France]
- Hadashi, D., and O. Tomer**
2001. Two aberrants of *Pararge maera* and *Papilio machaon* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):44. [in Hebrew]
- Halpern, S.**
2001. Four Wings and a Prayer: Caught in the Mystery of the Monarch Butterfly. *News Lepid. Soc.* (Los Angeles), 43:106-107. [Mexico, USA]
- Hansen, M. D. D.**
2001. Observations on migrating red admirals (*Vanessa atalanta* L.) in Denmark 1995-2000. *Flora Fauna* (Copenhagen), 107:1-5. [in Danish]
- Heckford, R. J.**
2001. Grayling butterflies, *Hipparchia semele* (Linnaeus, 1758) (Lepidoptera: Nymphalidae, Satyrinae), and my mother's dress. *Ent. Gaz.* (Wallingford), 52:194. [England]
- Heino, M., and I. Hanski**
2001. Evolution of migration rate in a spatially realistic metapopulation model. *Amer. Nat.* (Chicago), 157:495-511. [Finland]
- Hellmich, R. L., B. D. Siegfried, M. K. Sears, D. E. Stanley-Horn, M. J. Daniels, H. R. Matilla, T. Spencer, K. G. Bidne, and L. C. Lewis**
2001. Monarch larvae sensitivity to *Bacillus thuringiensis*-purified proteins and pollen. *Proc. Natl. Acad. Sci.* (Washington), 98:11925-11930. [USA]
- Hensle, J.**
2001a. *Vanessa atalanta*, *Cynthia cardui*, *Inachis io*, *Aglais urticae* und *Polygonia c-album* 1998. *Atalanta* (Munich), 32:51-62. [Germany]
2001b. *Vanessa atalanta*, *Cynthia cardui*, *Inachis io*, *Aglais urticae* und *Polygonia c-album* 1999. *Atalanta* (Munich), 32:63-74, 366. [Germany]
2001c. *Nymphalis polychloros*, *Nymphalis antiopa* und *Issoria lathonia* 1993. *Atalanta* (Munich), 32:321-324. [Germany]
2001d. *Nymphalis polychloros*, *Nymphalis antiopa* und *Issoria lathonia* 1994. *Atalanta* (Munich), 32:325-328. [Germany]
2001e. *Nymphalis polychloros*, *Nymphalis antiopa* und *Issoria lathonia* 1995. *Atalanta* (Munich), 32:329-332. [Germany]
2001e. *Nymphalis polychloros*, *Nymphalis antiopa* und *Issoria lathonia* 1996. *Atalanta* (Munich), 32:333-337. [Germany]
2001f. *Nymphalis polychloros*, *Nymphalis antiopa* und *Issoria lathonia* 1997. *Atalanta* (Munich), 32:338-341. [Germany]
2001g. *Nymphalis polychloros*, *Nymphalis antiopa* und *Cynthia virginensis* 1998. *Atalanta* (Munich), 32:342-345. [Germany]
2001h. *Nymphalis polychloros*, *Nymphalis antiopa* und *Issoria lathonia* 1999. *Atalanta* (Munich), 32:346-348. [Germany]
2001i. Nymphalidae s. str. 2000. *Atalanta* (Munich), 1 32:349-365. [Germany]
2001j. Die Überwinterung von *Vanessa atalanta* (Linnaeus, 1758) am Kaisersstuhl (Südwestdeutschland) (Lepidoptera, Nymphalidae). *Atalanta* (Munich), 32:379-388, pl. 17. [Germany]
- Hirai, N., and M. Ishii**
2001. Rearing larvae of the chestnut tiger butterfly, *Parantica sita* (Kollar) (Lepidoptera, Danaidae), on artificial diets. *Trans. Lepid. Soc. Japan*, 52:109-113. [Japan]
- Hirukawa, N.**
2001. Observation of *Hestina persilis japonica*'s larva hibernating in the dead leaf at the top of *Celtis sinensis* branch. *Yadoriga* (Tokyo), 189:3. [Japan] [in Japanese]
- Ide, J.-Y.**
2001a. Summer disappearance of territoriality in the satyrine butterfly *Lethe sicelis*. *Trans. Lepid. Soc. Japan* (Tokyo), 52:168-170. [Japan]
2001b. Microhabitat differences in two *Lethe* butterflies (Lepidoptera: Nymphalidae) concerning thermoregulation. *Ent. Sci.* (Tokyo), 4:279-285. [Japan]
- Itô, Y.**
2001. Ecology of a subtropical fritillary, *Argyreus hyperbius*, in an urban area near Nagoya City, Honshu, Japan. *Japan. J. Ent.* (Tokyo), (n.s.) 4:73-89. [in Japanese]
- Ivinskis, P., and A. Saldaitis**
2001. A gynandromorph of *Hyponephele narica* (Lepidoptera: Nymphalidae, Satyrinae). *Phegea* (Antwerp), 29:33-34. [Kazakhstan]
- Jakšić, P.**
2001. The distribution of *Erebia rhodopensis* Nicholl, 1900 (Lepidoptera: Nymphalidae, Satyrinae) on the Šar-Planina, Prokletije and Rila. *Ent. Gaz.* (Wallingford), 52:83-90. [Serbia]
- Janz, N., K. Nyblom, and S. Nylin**
2001. Evolutionary dynamics of host-plant specialization: a case study of the tribe Nymphalini. *Evol.* (Lawrence), 55:783-796. [Sweden]
- John, E.**
2001. Migration of *Vanessa cardui* (L.) (Lep.: Nymphalidae) through Cyprus, March 2001. *Ent. Rec. J. Var.* (Surrey), 113:269-281.
- Joyce, D. A., and A. S. Pullin**
2001. Phylogeography of the marsh fritillary *Euphydryas aurinia* (Lepidoptera: Nymphalidae) in the UK. *Biol. J. Linn. Soc.* (London), 72:129-141.
- Jutzeler, D., F. Rebeusek, G. Sala, and R. Verovnik**
2001. The confirmation of the specificity of *Erebia stiri* (Godart, 1824) and *Erebia styx* (Freyer, 1834), diagnosed by Lorković (1952) with a nomenclatural abstract concerning the specific names of the *styx/stiri*-complex (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 18:113-124, 175-186. [Austria, Switzerland]
- Kondla, N. G.**
2001. Clarification of and comments on northern *Speyeria hydaspe* subspecies (Lepidoptera: Nymphalidae). *Taxon. Rep.* (Goose Creek), 3(1):1-5. [USA]
- Kopper, B. J., D. C. Margolies, and R. E. Charlton**
2001. Notes on the behavior of *Speyeria idalia* (Drury) (Nymphalidae) larvae with implications that they are diurnal foragers. *J. Lepid. Soc.* (Los Angeles), 54:96-97. (2000) [USA]
- Kopper, B. J., S.-Q. Shu, R. E. Charlton, and S. B. Ramaswamy**
2001. Evidence for reproductive diapause in the fritillary *Speyeria idalia* (Lepidoptera: Nymphalidae). *Ann. Ent. Soc. Amer.* (Lanham), 94:427-432. [USA]
- Krenn, H. W., K. P. Zülka, and T. Gatschnegg**
2001. Proboscis morphology and food preferences in nymphalid butterflies (Lepidoptera: Nymphalidae). *J. Zool.* (London), 254:171-26.
- Krogen, R.**
2001. On the occurrence of *Vanessa atalanta* (Linnaeus, 1758) and *Vanessa cardui* (Linnaeus, 1758) in central Norway 1999 and 2000, and earlier stage records of both species north of the Arctic Circle in north Norway 2000 (Lepidoptera, Nymphalidae). *Atalanta* (Munich), 32:75-79.
- Kronforst, M. R., and T. H. Fleming**
2001. Lack of genetic differentiation among widely spaced subpopulations of a butterfly with home range behaviour. *Hered.* (Oxford), 86:243-250. [Heliconius] [Florida]
- Kuras, T., J. Beneš, M. Konvička, and L. Honč**
2001. Life histories of *Erebia sudetica sudetica* and *E. epiphron silesiana* with description of immature stages (Lepidoptera, Nymphalidae, Satyrinae). *Atalanta* (Munich), 32:187-196, pl.12. [Czech Rep.]
- Kuznetsov, V. I., and A. A. Stekolnikov**
2001. Comparative morphology of the male genitalia in the subfamilies Morphinae and Brassolinae and the resurrection of the family Satyridae, status resurr. (Lepidoptera) in new limits. *Ent. Obozr.* (Moscow), 80: 121-136. [in Russian]
- Lafranchis, T.**
2001. Écologie et biologie de l'Hermite (*Chazara briseis* Linné, 1758) sur les causses du Quercy (Lot, France) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 18:65-72.
- Leestmans, R.**
2001. Une nouvelle station de *Melitaea consulis* Wiltshire, 1941 en Iran et considérations sur les espèces affines (Lepidoptera: Nymphalidae). *Linn. Belg.* (Beersel), 18:57-64.
- Lukhtanov, V., and U. Eitschberger**
2001. Catalogue of the genera *Oeneis* and *Davidina*. In E. Bauer and T. Frankenhach (eds.), *Butterflies of the World*. Suppl. 4. Keltern: Goecke & Evers. 37pp.
- Miyata, A.**
2001. Observations on 'territories' occupied by imagines of *Mycalis gotama* and *Ypthima argus* (Lepidoptera, Satyridae) in Japan. *Trans. Lepid. Soc. Japan* (Tokyo), 52:115-121.
- Moskowitz, D. P.**
2001. First record of the queen butterfly (*Danaus gilippus* Cramer) in New

- Jersey. *News Lepid. Soc.* (Los Angeles), 43:72, 74. [USA]
- Nakatani, T., and A. Kitagawa
2001. On the habitat of *Erebia nipponica* (Lepidoptera, Nymphalidae) in northern Honshu, Japan, II. Study on the ecological relations to subalpine coniferous forests. *Trans. Lepid. Soc. Japan* (Tokyo), 52:393-308. [in Japanese]
- Nekrutenko, Y. P.
2001. A catalogue of the type specimens of Nymphalidae deposited in the collection of the Staatliches Museum für Tierkunde Dresden (Insecta: Lepidoptera: Rhopalocera). *Ent. Abh.* (Dresden), 59:325-403.
- Neves, V. C., J. C. Fraga, H. Schaefer, V. Veira, A. Bivar de Sousa, and P. V. Borges
2001. The occurrence of the monarch butterfly, *Danaus plexippus* L. in the Azores, with a brief review of its biology. *Arq. Bol. Univ. Acores Cienc. Biol. Marin.* (Ponta Delgada), 18A:17-24.
- Nice, C. C., and A. M. Shapiro
2001. Patterns of morphological, biochemical, and molecular evolution in the *Oeneis chryxus* complex (Lepidoptera: Satyridae): a test of historical biogeographical hypotheses. *Molec. Phylogen. Evol.* (San Diego), 20: 111-123. [USA]
- Nylin, S., K. Nyblom, F. Ronquist, N. Janz, J. Belicek, and M. Kallersjö
2001. Phylogeny of *Polygonia*, *Nymphalis* and related butterflies (Lepidoptera: Nymphalidae): a total-evidence analysis. *Zool. J. Linn. Soc.* (London), 132:441-468. [Eurasia]
- Oberhauser, K. S., M. D. Prysby, H. R. Mattila, D. E. Stanley-Horn, M. K. Sears, G. Dively, E. Olson, J. M. Peasants, W.-K. F. Lam, and R. L. Hellmich
2001. Temporal and spatial overlap between monarch larvae and corn pollen. *Proc. Natl. Acad. Sci.* (Washington), 98:11913-11918. [USA]
- Petit, S., A. Moilanen, I. Hanski, and M. Baguette
2001. Metapopulation dynamics of the bog fritillary butterfly: movements between habitat patches. *Oikos* (Copenhagen), 92:491-500. [Belgium]
- Platt, A. P., and J. F. Allen
2001. Sperm precedence and compition in doubly-mated *Limnitis arthemis-astyanax* butterflies (Rhopalocera: Nymphalidae). *Ann. Ent. Soc. Amer.* (Lanham), 94:654-663. [USA]
- Pratt, G. F., E. W. Hein, and D. M. Krofta
2001. Newly discovered populations and food plants extend the range of the endangered quino checkerspot butterfly, *Euphydryas editha quino* (Nymphalidae) in southern California. *J. Lepid. Soc.* (Los Angeles), 55:169-171. [USA]
- Priddle, T. R.
2001. Observations of red admiral, *Vanessa atalanta* (Nymphalidae), larval behavior. *News Lepid. Soc.* (Los Angeles), 43:69. [Canada]
- Rákossy, L., and Z. Varga
2001. *Carcharodus orientalis* Reverdin, 1913 (Hesperiidae) und *Melitaea (punica) telona* Fruhstorfer, 1908 (Nymphalidae) (Lepidoptera) in der Fauna Romäniens. *Ent. Rom.* (Cluj), 5:45-49. (2000) [Romania]
- Robakiewicz, P., and J. E. Robbins
2001. Oviposition site choice in Harris' checkerspot, *Charidryas harrisii* (Nymphalidae). *NE Nat.* (Steuben), 8:293-300. [USA]
- Ross, G. N.
2001a. The monarch: what's in a name? *News Lepid. Soc.* (Los Angeles), 43: 20-21, 31. [USA]
2001b. New host plant for the silvery checkerspot, *Chlosyne nycteis*. *News Lepid. Soc.* (Los Angeles), 43:101, 105. [USA]
2001c. Clearwing leks induce jungle fever. *Amer. Butt.* (Morristown), 9(4):28-31. [Mexico]
- Rutowski, R. L., L. McCoy, and M. J. Demlong
2001. Visual mate detection in a territorial male butterfly (*Asterocampa leilia*): effects of distance and perch location. *Behav.* (Leiden), 138:31-43. [USA]
- Sala, G.
2001. An interesting aberration of *Limnitis populi* (Linnaeus, 1758) (Lepidoptera, Nymphalidae) from Italy. *Linn. Belg.* (Beersel), 18:93-94.
- Samodurov, G. D., V. A. Korolev, and V. V. Tshikolovets
2001. Eine Übersicht über die Satyriden der Gattung *Hyponephele* Muschamp, 1915. VII. Die Arten *Hyponephele lycaon* (Rottensburg, 1775), *H. pasimelas* (Staudinger, 1886), *H. lycaonoides* D. Weiss, 1978, *H. przhewalskyi* Dubatov, Sergeev & Zhdanko, 1994, *H. dzhungarica* Samodurov, 1996, *H. galtscha* (Grum-Grshimailo, 1893) und *H. lupina* (Costa, 1836) (Lepidoptera, Satyridae). *Atalanta* (Munich), 32: 111-186, pl. 8-11. [C. Asia]
- Schappert, P., and H. Reumkens
2001. American painted lady, *Vanessa virginiensis* (Nymphalidae), in Europe. *News Lepid. Soc.* (Los Angeles), 43:85.
- Schmitt, T., and A. Seitz
2001a. Analysis of the genetic structure and the areal system of central European populations of *Erebia medusa* (Lepidoptera: Nymphalidae). *Verh. Gesell. Ökol.* (Stuttgart), 29:381-387. [Germany] [in German]
2001b. Intraspecific allozymatic differentiation reveals the glacial refugia and the postglacial expansions of European *Erebia medusa* (Lepidoptera: Nymphalidae). *Biol. J. Linn. Soc.* (London), 74:419-458. [Germany]
- Schöps, K., and I. Hanski
2001. Population level correlation between pre-alighting and post-alighting host plant preference in the Glanville fritillary butterfly. *Ecol. Ent.* (London), 26:517-524. [Melitaea] [Finland]
- Sears, M. K., R. L. Hellmich, D. E. Stanley-Horn, K. S. Oberhauser, J. M. Pleasants, H. R. Mattila, B. D. Siegfried, and G. P. Dively
2001. Impact of Bt corn pollen on monarch butterfly populations: a risk assessment. *Proc. Natl. Acad. Sci.* (Washington), 98:11937-11942. [N. Amer.]
- Shahak, D.
2001. A recent record of *Junonia hieta* from the Jordan Valley. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):8. [in Hebrew]
- Shelton, A. M., and M. K. Sears
2001. The monarch butterfly controversy: scientific interpretations of a phenomenon. *Plant J. Cell Molec. Biol.* (Oxford), 27:483-488. [USA]
- Shemesh, Y.
2001. A strange territoriality of *Vanessa atalanta*. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):4. [Israel] [in Hebrew]
- Showler, A.
2001. The possible introduction to Madeira of the monarch butterfly, *Danaus plexippus* (L.) (Lepidoptera). *Br. J. Ent. Nat. Hist.* (London), 14:43-44. [Madeira]
- Sōichirō, K.
2001. How to write etiquette, with a note on *Erebia pharte* collected by Hermann Hesse. *Yadoriga* (Tokyo), 189:41-45. [Austria] [in Japanese]
- Skala, P., K. G. Schurian, and W. ten Hagen
2001. A new subspecies of the genus *Pseudochazara* de Lesse, 1951 from Iran: *Pseudochazara schakuhensis* ssp. n. (Lepidoptera: Nymphalidae, Satyrinae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:141-144.
- Stefanescu, C.
2001. The nature of migration in the red admiral butterfly *Vanessa atalanta*: evidence from the population ecology in its southern range. *Ecol. Ent.* (London), 26:525-536. [Spain]
- Swanson, H. F., and J. Monge-N.
[2001]. The effects of methodological limitations in the study of butterfly behavior and demography: a daily study of *Vanessa atalanta* (Lepidoptera: Nymphalidae) for 22 years. *Revta. Biol. Trop.* (San Jose), 48:605-614. (2000) [USA]
- Tarrier, M. R.
2001. Une nouvelle plante-hôte de *Didymaeformia deserticola* (Oberthür, 1876) (Lepidoptera: Nymphalidae). *Linn. Belg.* (Beersel), 18:157-158. [Morocco]
- Taylor, O. R., T. A. Aschenbach, S. M. Ashworth, O. Komar, W. W. Spotts, and S. Williamson
2001. Magnetic compass orientation of monarch butterflies (Lepidoptera: Danaidae: *Danaus plexippus* L.): did observer effects lead to false positive results? *J. Kansas Ent. Soc.* (Lawrence), 73:71-76. (2000) [USA]
- Tomer, O.
2001. *Cyperus rotundus*, a new host plant of *Pararge maera* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):12. [in Hebrew]
- Tschenn, J., J. E. Losey, L. Hansen-Jesse, J. J. Obrycki, and R. Hufbauer
2001. Effects of corn plants and corn pollen on monarch butterfly (Lepidoptera: Danaidae) oviposition behavior. *Environ. Ent.* (Lanham), 30:495-500. [USA]
- Tyler-Smith, C.
2001. An albino gatekeeper *Pyronia tithonus britanniae* Verity ab. *albinotica* Goodson (Lep.: Nymphalidae). *Ent. Rec. J. Var.* (Surrey), 113:41. [England]
- Volpe, G., and D. Jutzeler
2001. Différenciation spécifique d'*Hipparchia fagi* (Scopoli, 1763) et d'*Hipparchia alcyone* (Denis & Schiffermüller, 1776) de Campanie (Talieu) et des régions limitrophes selon les caractères des ailes, des armatures génitales, de l'oeuf et de la chenille (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 18:1-26. [Italy]
- Wahlberg, N.
2001a. The phylogenetics and biochemistry of host-plant specialization in melitaeine butterflies (Lepidoptera: Nymphalidae). *Evol.* (Lawrence), 55:

- 522-537. [Sweden]
- 2001b. On the status of the scarce fritillary *Euphydryas maturna* (Lepidoptera: Nymphalidae) in Finland. *Ent. Fenn.* (Helsinki), 12:244-250.
- Wahlberg, N., J. Kullberg, and I. Hanski**
2001. Natural history of some Siberian melitaeine butterfly species (Nymphalidae: Melitaeini) and their parasitoids. *Ent. Fenn.* (Helsinki), 12:72-77. [Russia]
- Wakeham-Dawson, A., and R. L. H. Dennis**
2001. A quantitative description of the male genitalia of 23 taxa of *Pseudochazara* de Lesse, 1951 (Lepidoptera: Nymphalidae, Satyrinae). *Ent. Gaz.* (Wallingford), 52:227-250. [C. Asia, Europe]
- Williams, B. L.**
- 2001a. Patterns of morphological variation in *Speyeria idalia* (Lepidoptera: Nymphalidae) with implications for taxonomy and conservation. *Ann. Ent. Soc. Amer.* (Lanham), 94:239-243. [USA]
- 2001b. Recognition of western populations of *Speyeria idalia* (Nymphalidae) as a new subspecies. *J. Lepid. Soc.* (Los Angeles), 55:144-149. [USA]
- Williams, E. H.**
2001. Gillett's Checkerspot: life in a mountain meadow. *Amer. Butt.* (Morristown), 9(2):6-13. [USA]
- Windig, J. J., P. T. Rintamäki, A. Cassel, and S. Nylin**
2001. How useful is fluctuating asymmetry in conservation biology: asymmetry in rare and abundant *Coenonympha* butterflies. *J. Ins. Conserv.* (Dordrecht), 4:253-261. (2000) [Sweden]
- Zalucki, M., L. P. Brower, and A. Alonso-M.**
2001. Detrimental effects of latex and cardiac glycosides on survival and growth of first-instar monarch butterfly larvae *Danaus plexippus* feeding on the sandhill milkweed *Asclepias humistrata*. *Ecol. Ent.* (London), 26:212-224. [USA]
- Zirlin, H.**
2001. Occam's razor: was Gillett's checkerspot named? *Amer. Butt.* (Morristown), 9(2):43-47. [USA]
- OECOPHORIDAE**
- Bolshakov, L. V.**
- [2001]. Microlepidoptera of Tula area. 7. Oecophorid, depressariid, ethmiid moths (Lepidoptera). *Russ. Ent. J.* (Moscow), 9:359-365. (2000) [Russia] [in Russian]
- Edmunds, R., and R. Parfitt**
2001. A further note on the occurrence of *Tachystola acroantha* (Meyr.) (Lep.: Oecophoridae) and additional Cornish records. *Ent. Rec. J. Var.* (Surrey), 113:192. [England]
- Gozmány, L.**
2001. *Symmoca deprinsi* sp. nov. and *Amselina olympi* from Asia Minor (Lepidoptera: Symmoceridae). *Phegea* (Antwerp), 29:121-124.
- Häslér, R., and W. Topp**
2001. Adaptations of the brown house moth (*Hofmannophila pseudospretella* Stainton 1849) for a development in storerooms. *Verh. Gesell. Ökol.* (Stuttgart), 29:231-236. [Germany] [in German]
- Heckford, R. J., and M. R. Young**
2001. *Exaeretia ciniflonella* (Lienig & Zeller, 1846) (Lepidoptera: Oecophoridae) in the British Isles. *Ent. Gaz.* (Wallingford), 52:209-212.
- Huemer, P.**
2001. *Denisia fusciccapitella* sp. n., a new moth species of the southwest Alps (Lepidoptera: Oecophoridae). *Linzer Biol. Beitr.* (Linz), 33:339-345. [Austria] [in German]
- Kameda, M.**
2001. Oecophoridae of Hokkaido IV. *Yugato* (Niigata), 165:83-89. [Japan] [in Japanese]
- Lvovsky, A. L.**
- 2001a. *Pseudocryptolechia*, a new genus from south Russia (Lepidoptera, Oecophoridae). *Atalanta* (Munich), 32:259-261.
- 2001b. New and little known species of flat and [broad]-winged moths (Lepidoptera, Depressariidae, Oecophoridae) in the fauna of Russia and adjacent countries. *Zool. Zhurn.* (Moscow), 80:1459-1467. [in Russian]
- Miyano, A.**
2001. *Pantelamprus staudingeri* Christoph (Xyloryctidae) from Gifu Prefecture. *Yugato* (Niigata), 164:57. [Japan] [in Japanese]
- Sutter, R.**
2001. Zur Identität von *Oegoconia ariadne* Gozmany, 1988 (Lep., Symmoceridae). *Ent. Nachr. Ber.* (Dresden), 45:111-114. [Germany]
- Wang, S.-X., H.-H. Li, Z.-M. Zheng**
2001. One new species and one new record of the genus *Promalactis* Meyrick from China (Lepidoptera: Oecophoridae). *Acta Ent. Sinica* (Beijing), 44:92-94.
- PAPILIONIDAE**
- Brock, J.**
2001. Life styles of the scaled and beautiful: pipevine swallowtail. *Amer. Butt.* (Morristown), 9(1):42-45. [USA]
- Caterino, M. S., R. D. Reed, M. M. Kuo, and F. A. H. Sperling**
2001. A partitioned likelihood analysis of swallowtail butterfly phylogeny (Lepidoptera: Papilionidae). *Syst. Biol.* (Bristol, Pa), 50:106-127.
- Descimon, H.**
2001. A propos de la Thais d'Honnorat (morpho *honnorati* de la proserpine, *Zerynthia rumina* Esper) (Lepidoptera, Papilionidae). *Bull. Soc. Ent. Fr.* (Paris), 106:109-126. [France]
- Eitschberger, U., and H. Steiniger**
2001. Papilionidae und Pieridae 2000. *Atalanta* (Munich), 32:311-318. [Germany]
- Forsy, E. A., A. Quistorff, and C. R. Allen**
2001. Potential fire ant (Hymenoptera: Formicidae) impact on the endangered Schaus swallowtail (Lepidoptera: Papilionidae). *Fla. Ent.* (Gainesville), 84:254-258. [USA]
- Hadashi, D., and O. Tomer**
2001. Two aberrants of *Pararge maera* and *Papilio machaon* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):44. [in Hebrew]
- Heinkele, P.**
- 2001a. *Parnassius*-Abenteuer auf dem Dach der Welt. *Ent. Zeit.* (Stuttgart), 111:141-146. [Tibet]
- 2001b. Über die Zucht von *Parnassius bremeri* (Bremer, 1864), *Parnassius nomion mandschuriae* (Oberthür, 1891) und *Parnassius tianschanicus astrictio* (Ohya, 1988) mit Beschreibung der Praeimagnalstadien (Lepidoptera: Papilionidae). *Ent. Zeit.* (Stuttgart), 111:360-364. [C. Asia]
- Heppner, J. B.**
- 2001a. Relationship between the giant swallowtail and citrus. *Lepid. News* (Gainesville), 2001(3):6. [USA]
- 2001b. *Papilio eurymedon* conserved. *Lepid. News* (Gainesville), 2001(3):9. [USA]
- 2001c. Atlas of North American Lepidoptera. Checklist: Part 1. Papilionidae. *Lepid. News* (Gainesville), 2001(3):57-67.
- Hürter, W.**
2001. Ein Beitrag zur Biologie einiger Populationen des *Zerynthia* (*Allancastria*)-Artenkreises in der östlichen Mediterraneis (Lepidoptera: Papilionidae). *Ent. Zeit.* (Stuttgart), 111:8-17. [Crete; Turkey]
- Ito, T., A. Yamanaka, H. Tanaka, M. Watanabe, and K. Endo**
2001. Evidence for the presence of the summer-morph-producing hormone in the swallowtail butterfly, *Papilio xuthus* L. (Lepidoptera: Papilionidae). *Zool. Sci.* (Tokyo), 18:1117-1122. [Japan]
- Kato, Y.**
2001. Seasonal occurrence of the *Aristolochia*-feeding butterfly *Atrophaneura alcinous* (Lepidoptera, Papilionidae): comparison between the lowland and mountain populations. *Trans. Lepid. Soc. Japan* (Tokyo), 52:139-149. [Japan] [in Japanese]
- Kato, Y., and H. Yamada**
2001. Effect of light irradiation on blue-green coloration of larval integument and adult wing in the butterfly *Graphium sarpedon* (Lepidoptera, Papilionidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:279-287. [Japan]
- Kawagoe, T., N. Suzuki, and K. Matsumoto**
2001. Multiple mating reduces longevity of females of the windmill butterfly *Atrophaneura alcinous*. *Ecol. Ent.* (London), 26:258-262. [Japan]
- Kitahara, M., M. Iriki, and G. Shimizu**
2001. On the relationship between the northward distributional expansion of the great mormon butterfly, *Papilio memnon* Linnaeus, and climatic warming in Japan. *Trans. Lepid. Soc. Japan* (Tokyo), 52:253-264. [in Japanese]
- Konvička, M., M. Duchoslav, M. Harašková, J. Beneš, S. Foldynová, M. Jirků, and T. Kuras**
2001. Habitat utilization and behaviour of adult *Parnassius mnemosyne* (Lepidoptera: Papilionidae) in the Litovelské Pomoraví, Czech Republic. *Nota Lepid.* (Karlsruhe), 24(1/2):39-51.
- Kumazawa, K., and H. Tabata**
2001. A three-dimensional fluorescence analysis of the wings of male *Morpha sulowskyi* and *Papilio xuthus* butterflies. *Zool. Sci.* (Tokyo), 18:1073-1079. [Japan]
- Luoto, M., M. Kuussaari, H. Rita, J. Salminen, and T. von Bonsdorff**
2001. Determinants of disruption and abundance in the clouded apollo butterfly: a landscape ecological approach. *Ecography* (Copenhagen), 24:601-617. [Finland]
- Matsumura, T.**
2001. Conservation of the declining *Luehdorfia puziloi inexpecta* Sheljuzhko

- (Lepidoptera, Papilionidae) at Mt. Akagi in Gunma Prefecture, Japan. *Trans. Lepid. Soc. Japan* (Tokyo), 52:91-100.
- Miller, E.**
2001. Breeding experiments of *Papilio machaon*. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):5-6. [Israel] [in Hebrew]
- Nekrutenko, Y. P.**
2001. A catalogue of the type specimens of Papilionidae deposited in the collection of the Staatliches Museum für Tierkunde Dresden (Insecta: Lepidoptera: Rhopalocera). *Ent. Abh.* (Dresden), 59:405-453.
- Nieminen, M., P. Nuorteva, and E. Tulisalo**
2001. The effect of mentals on the mortality of *Parnassius apollo* larvae (Lepidoptera: Papilionidae). *J. Ins. Conserv.* (Dordrecht), 5:1-7. [Finland]
- Pierrat, V.**
2001. Essais d'évaluation quantitative de populations de *Papilio machaon* L. sur le Massif vosgien, et données originales pour la protection de l'espèce (Lepidoptera: Papilionidae). *Bull. Soc. Ent. Mulhouse*, 57:62-67. [France]
- Rose, K.**
2001. Zur Verbreitung und subspezifischen Gliederung von *Parnassius labeyriei* Weiss & Michel, 1989 und *Parnassius hide Koiwaya*, 1987 in China (Lepidoptera: Papilionidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:129-135. [China, Tibet]
- Scriber, J. M., N. Margraf, and T. Wells**
2001. Suitability of four families of Florida "bay" species for *Papilio palamedes* and *P. glaucus* (Papilionidae). *J. Lepid. Soc.* (Los Angeles), 54:131-136. (2000) [USA]
- Stetten, M. von**
2001. Beobachtungen zur Biologie von *Zerynthia (Allancastris) cerisy* Godart, 1822, auf der Insel Zypern (Lepidoptera: Papilionidae). *Ent. Zeit.* (Stuttgart), 111:108-112. [Cyprus]
- Takakuwa, M., and S. Nakamura**
2001. Notes on discovery of the spinning behaviour before pupation in *Leuhdorfia japonica* (Lepidoptera, Papilionidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:122-126. [Japan] [in Japanese]
- Wagener, P. S.**
2001. Auf der Jagd nach Parnassien in den chinesischen Provinzen Kansu und Hsinghao vor 60 bis 70 Jahren — eine historische Skizze. *Ent. Zeit.* (Stuttgart), 111:66-74. [China]
- Weindel, V.**
2001. Der Apollofalter (*Parnassius apollo* Linnaeus, 1758) in Siebenbürgen. *Ent. Rom.* (Cluj), 5:5-10. (2000) [Romania]
- Yagi, T., T. Katoh, A. Chichvarkhin, T. Shinkawa, and K. Omoto**
2001. Molecular phylogeny of butterflies *Parnassius glacialis* and *P. stubbendorfi* at various localities in East Asia. *Genes Gen. Syst.* (Tokyo), 76:229-234. [Japan]
- Yagi, T., and K. Omoto**
2001. Molecular identification of maternal species of natural hybrids between *Parnassius citrinarius* and *P. stubbendorfi* (Lepidoptera, Papilionidae) in Hokkaido. *Trans. Lepid. Soc. Japan* (Tokyo), 52:163-167. [Japan]
- Yoshio, M., and M. Ishii**
2001. Relationship between cold hardiness and northward invasion in the great mormon butterfly, *Papilio memnon* L. (Lepidoptera: Papilionidae) in Japan. *Appl. Ent. Zool.* (Tokyo), 36:329-335.
- PIERIDAE**
- Agrawal, A. A.**
2001. Transgenerational consequences of plant responses to herbivory: an adaptive maternal effect? *Amer. Nat.* (Chicago), 157:555-569. [Canada]
- Aguiar, A. M. F., and A. Wakeham-Dawson**
2001. On the status of *Catopsilia florella* (Fabricius, 1775) (Lepidoptera: Pieridae) in Madeira, Portugal, nine months after its arrival. *Ent. Gaz.* (Wallingford), 52:77-79.
- Back, W.**
2001a. Beschreibung einer neuen Unterart von *Euchloe tagis* Hübner, 1804: *Euchloe tagis piemonti* subsp. nov. (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:99-102, pl. 3-4. [Italy]
2001b. Zur Biologie von *Euchloe belemia hesperidum* Rothschild, 1913 (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:103-106, pl. 5-6a. [Canary Is.]
- Back, W., and R. Leestmans**
2001a. Une nouvelle sous-espèce d'*Euchloe lessei* Bernardi, 1957 dans la chaîne de Qohrud (Iran centrale): *E. lessei qohrudicus* ssp. nov. (Lepidoptera: Pieridae). *Linn. Belg.* (Beersel), 18:187-190.
2001b. Une nouvelle sous-espèce d'*Euchloe penia* (Freyer, 1852) du nord-ouest de l'Iran: *taleschicus* ssp. nova (Lepidoptera: Pieridae). *Linn. Belg.* (Beersel), 18:193-198.
- Benyamini, D.**
2001a. *Hirshfeldia incana*, a new host plant of *Anthocharis cardamines* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):11. [in Hebrew]
2001b. *Diplotaxis erucoides*, a new host plant of *Euchloe belemia* and *Euchloe ausonia* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):13. [in Hebrew]
2001c. *Colotis chrysonome* is getting closer to Sdom, s. Dead Sea. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):33. [in Hebrew]
- Casini, P. M.**
2001. Les premiers états d'*Euchloe tagis calvensis* Casini, 1993. Carte de répartition d'*Euchloe tagis* (Hübner, 1804) en Italie centrale. Considérations géologiques et zoogéographiques (Lepidoptera: Pieridae). *Linn. Belg.* (Beersel), 18:75-86. [Italy]
- Churkin, S., J. Grieshuber, P. Bogdanov, and D. Zamolodchikov**
2001. Ein Ersatzname für eine kürzlich beschriebene Unterart von *Colias tyche* Böber, 1812 (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:262-263.
- Corke, D.**
2001. *Leptidea reali* not known from Britain. *Ent. Rec. J. Var.* (Surrey), 113:254.
- Eales, H. T.**
2001. Postponed emergence in the orange-tip butterfly *Anthocharis* [sic] *cardamines* (L.) — a footnote. *Ent. Rec. J. Var.* (Surrey), 113:40. [England]
- Eitschberger, U.**
2001. Fünfzehnte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)." Eine neue Unterart von *Pieris napi* (Linnaeus, 1758) vom Polar Ural (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:85-88, pl. 1. [Russia]
- Grieshuber, J., V. A. Lukhtanov, and A. L. Lvovsky**
2001. Die Lectotypen von *Colias hyperborea* Grum-Grshimailo, 1900, *Colias aquilonaris* Grum-Grshimailo, 1900, und *Colias hecla* var. *orientalis* Grum-Grshimailo, 1900 (Lepidoptera: Pieridae). *Ent. Zeit.* (Stuttgart), 111:168-172. [Russia]
- Haughum, J.**
2001. The lectotypes of *chrysoptera* Grum-Grshimailo, 1888 and *seres* Grum-Grshimailo, 1890 — two lectotypes in the *wiskotti*-group. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:9-11. [Afghanistan, Tadzhikistan]
- Hensle, J.**
2001a. Zur Frage der subspezifischen Zuordnung von "*Pieris bryoniae lappona*" Tangnow, 1935 (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:89-95, pl. 2. [Sweden]
2001b. Kleiner Beitrag zur Kenntnis der Biologie von *Pieris cheiranthe benchoavensis* Pinker, 1968 (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:97-98. [Canary Is.]
2001c. Die ökologische Variation von *Pieris napi* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:389-394, pl. 18. [Germany]
- Hirota, T., K. Hamano, and Y. Obara**
2001. The influence of female post-emergence behavior on the time schedule of male mate-locating in *Pieris rapae crucivora*. *Zool. Sci.* (Tokyo), 18:475-482. [Japan]
- Hirschfeld, G., and W. Back**
2001. *Anthocharis bieti tsangpoana* Riley, 1928: Biotop und Status (Lepidoptera, Pieridae). *Atalanta* (Munich), 32:107-109, pl. 7. [Tibet]
- Hofmann, P. J., and W. Eckweiler**
2001. Eine neue Unterart von *Aporia crataegi* (Linnaeus, 1758) aus Zentraliran (Lepidoptera: Pieridae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:137-140. [Iran]
- Hopkins, R. J., and J. J. A. van Loon**
2001. The effect of host acceptability on oviposition and egg accumulation by the small white butterfly, *Pieris rapae*. *Physiol. Ent.* (London), 26:149-157. [Netherlands]
- Jones, R. A.**
2001. Clouded yellow breeding in urban London. *Ent. Rec. J. Var.* (Surrey), 113:160. [England]
- Korb, S. K.**
2001. Une nouvelle sous-espèce d'*Artogeia banghaasi* (Sheljuzhko, 1910) de la chaîne Kirghize (Lepidoptera Pieridae). *Alexandor* (Paris), 21:151-152. (1999) [Kirghizstan]
- Langan, A. M., C. P. Wheeler, and P. J. Dunleavy**
2001. Does the small white butterfly (*Pieris rapae* L.) aggregate eggs on plants with greater gas exchange activity? *J. Ins. Behav.* (New York), 14:459-468. [England]
- Leestmans, R., and W. Back**
2001. Discovery of a new *Euchloe* species and additional data on the distribution of the taxa of the subgenus *Elphinstonia* in Iran (Lepidoptera

- Pieridae). *Linn. Belg.* (Beersel), 18:137-144.
- Lewis, O. T., and C. D. Thomas**
2001. Adaptations to captivity in the butterfly *Pieris brassicae* (L.) and the implications for ex situ conservation. *J. Ins. Conserv.* (Dordrecht), 5:55-663. [England]
- Lyytinen, A., R. V. Alatalo, L. Lindstrom, and J. Mappessugim**
2001. Are European white butterflies aposematic? *Evol. Ecol.* (London), 13: 709-719. (1999) [Finland]
- Mazel, R.**
2001a. Le polymorphisme de deux "espèces jumelles" *Leptidea sinapis* L. Et *L. reali* Reissinger en France (Lepidoptera: Pieridae). *Linn. Belg.* (Beersel), 18:37-43.
2001b. Une sous-espèce asiatique de *Leptidea reali* Reissinger: *L. reali yakovlevi* ssp. nova (Lepidoptera, Pieridae, Dismorphinae). *Linn. Belg.* (Beersel), 18:103-104. [Russia (Siberia)]
200c. *Leptidea sinapis* L., 1758 – *L. reali* Reissinger, 1989, le point de la situation (Lepidoptera: Pieridae, Dismorphinae). *Linn. Belg.* (Beersel), 18:199-202. [Ireland]
- Miller, E.**
2001. *Armoracia lapathifolia* a host plant of *Pieris brassicae* in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):14. [in Hebrew]
- Nelson, B., M. Hughes, R. Nash, and M. Warren**
2001. *Leptidea reali* Reissinger 1989 (Lep.: Pieridae): a butterfly new to Britain and Ireland. *Ent. Rec. J. Var.* (Surrey), 113:97-101.
- Rose, K.**
2001. Eine neue Unterart von *Colias wiskotti* Staudinger, 1882 aus Chitral (Nordpakistan) und Probleme der Unterartenabgrenzung im südsüdöstlichen Verbreitungsgebiet (Lepidoptera: Pieridae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.), 22:5-9, 11. [Afghanistan, Pakistan]
- Rothschild, M.**
2001. The marbled white (*Melanargia galathea*) a toxic butterfly. *Antenna* (London), 25:176-177. [England]
- Schappert, P.**
2001. Falcate orangetips, *Anthocharis midea* Hübner, at the Stengl "Lost Pines" Biological Station near Smithville, Bastrop Co., TX. *News Lepid. Soc.* (Los Angeles), 43:61. [USA]
- Spieth, H. R., and E. Schwarzer**
2001. Aestivation in *Pieris brassicae* (Lepidoptera: Pieridae): implications for parasitism. *Eur. J. Ent.* (České Budějovice), 98:171-176. [Germany]
- Sutherland, J. P.**
2001. Orange-tip *Anthocharis cardamines* (L.) (Lep.: Pieridae) recorded from *Brassica rapa*. *Ent. Rec. J. Var.* (Surrey), 113:200-201. [England]
- Ueno, M.**
2001. A note on *Pieris brassicae* (V.) invading the whole area of Hokkaido. *Yadoriga* (Tokyo), 189:14-19. [Japan] [in Japanese]
- Verhulst, J.**
2001a. Fiches spécifiques des *Colias* Fabricius (*Colias* data sheets) (Lepidoptera, Pieridae). Quarante-cinquième fiche. *Lambill.* (Tervuren), 101:23-30. [Canada, USA]
2001b. Fiches spécifiques des *Colias* Fabricius (*Colias* data sheets) (Lepidoptera, Pieridae). Quarante-sixième fiche. *Lambill.* (Tervuren), 101:251-259. [Canada, USA]
2001c. Fiches spécifiques des *Colias* Fabricius (*Colias* data sheets) (Lepidoptera, Pieridae). Quarante-septième fiche. *Lambill.* (Tervuren), 101:482-487. [Canada, USA]
2001d. Fiches spécifiques des *Colias* Fabricius (*Colias* data sheets) (Lepidoptera, Pieridae). Quarante-huitième fiche. *Lambill.* (Tervuren), 101:617-620. [USA]
- Yakovlev, R. V.**
2001. New data on the fauna of the Pieridae (Lepidoptera: Rhopalocera) of the Asian part of Russia. *Russ. Ent. J.* (Moscow), 10:431.
- Yamamura, K.**
2001. Theoretical studies on the relationship between the spatial distribution of insects and population dynamics. *Bull. Natl. Inst. Agro-Environ. Sci.* (Tokyo), 19:1-60. [Pieridae] [in Japanese]
- PRODOXIDAE**
Althoff, D. M., J. D. Groman, K. A. Segraves, and O. Pellmyr
2001. Phylogeographic structure in the bogus yucca moth *Prodoxus quinquepunctellus* (Prodoxidae): comparisons with coexisting pollinator yucca moths. *Molec. Phylogen. Evol.* (San Diego), 21:117-127. [USA]
- Hollowell, V. C., and P. M. Richardson**
2001. Coevolution: biological observations from yucca moths to molecules, an introduction. *Ann. Mo. Bot. Garden* (St. Louis), 88:1-4. [USA]
- Pellmyr, O., M., Balcázar-L., and J. Leebens-M.**
2001. Las interacciones de especies y la coevolución en la generación de la biodiversidad. In H. Hernandez, A. N. Garcia-A., F. Alvarez, and M. Ulloa (eds.), *En Focos Contemporáneos: Estudio de la Biodiversidad*, 39-56. Mexico City: Univ. Nac. Auton. Mex. [Mexico, USA]
- Powell, J. A.**
2001. Longest insect dormancy: yucca moth larvae (Lepidoptera: Prodoxidae) metamorphose after 20, 25, and 30 years of diapause. *Ann. Ent. Soc. Amer.* (Lanham), 94:677-680. [USA]
- Segraves, K. A., and O. Pellmyr**
2001. Phylogeography of the yucca moth *Tegeticula maculata*: the role of historical biogeography in reconciling high genetic structure with limited speciation. *Molec. Ecol.* (Oxford), 10:1247-1253. [USA]
- PSYCHIDAE**
Solyanikov, V. P.
2001. New genus and species of bagworm moths (Lepidoptera, Psychidae) from Armenia and Moscow region. *Zool. Zhurn.* (Moscow), 80:503-508. [Armenia, Russia] [in Russian]
- Sugimoto, M., and T. Saigusa**
2001. External morphology and musculature of the female of a specialized psychid, *Acanthopsyche nigraplaga* (Wileman) (Lepidoptera, Psychidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:313-331. [Japan]
- Weidlich, M.**
[2001]. Psychidae studies in Central Asia, part II. A new genus of Psychidae *Sauterelia* n. gen., with description of *lukhtanovi* n. sp. from western Tienshan, Kazakhstan (Lep. Psychidae). *Linzer Biol. Beitr.* (Linz), 32:1275-1284. (2000) [in German]
2001. Studies of Psychidae in Central Asia. III. The description of the new Psychidae genus *Armialia* n. gen. with two new species, *ornamentalis* n. sp. and *orientalis* n. sp. from the northern Tienshan in Kazakhstan (Lepidoptera: Psychidae). *Linzer Biol. Beitr.* (Linz), 33:561-577. [in German]
- PTEROPHORIDAE**
Agassiz, D. J. L.
2001. *Alucita ochrodactyla* (Denis & Schiffermüller, 1775) (currently *Gillmeria* or *Platyptilia ochrodactyla*; Insecta, Lepidoptera): proposed conservation of usage of the specific name by the designation of a neotype for *Phalaena tetradactyla* Linnaeus, 1758. *Bull. Zool. Nomencl.* (London), 58:282-285. [Europe]
- Bolshakov, L. V.**
2001. Regional chorology-ecological and nature protection analysis of the fauna of plume moths (Lepidoptera, Pterophoridae) of the Tula region. *Byull. Moskov. Obshch. Isp. Priro. Biol.* (Moscow), 106:55-61. [Russia] [in Russian]
- Gastón, J., and A. Vives-M.**
[2001]. *Emmeline argoteles* (Meyrick, 1922), *Stenoptilia nepetellae* Bigot & Picard, 1983 y *Myrmecozela diacona* Walsingham, 1907, nuevas especies para España (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 28:429-433. (2000) [Spain]
- Nupponen, K., and M. Ahola**
2001. Notes on the biology of *Pterophorus volgensis* (Möschler, 1862) with description of the larval stage (Lepidoptera, Pterophoridae). *Ent. Fenn.* (Helsinki), 12:22-27. [Russia]
- Nupponen, K., and T. Nupponen**
2001. *Pterophorus poculidactyla* sp. n. from the Altai Mountains (Lepidoptera: Pterophoridae). *Ent. Fenn.* (Helsinki), 12:50-52. [Russia]
- Spronck, R.**
2001. *Buszkoiana capnodacylus*, une nouvelle espèce pour la faune belge (Lepidoptera: Pterophoridae). *Phegea* (Antwerp), 29:73-75. [Belgium]
- Ustjuzhanin, P. Y.**
2001. New species, distribution records and synonymies of plume moths (Lepidoptera, Pterophoridae) from the Palaearctic region. *Nota Lepid.* (Karlsruhe), 24(3):11-32. [Kazakhstan, Russia, Tajikistan, Turkmenistan]
- PYRALIDAE**
Andow, D. A.
2001. Patterns of feeding and mortality of adult European corn borer (Lepidoptera: Crambidae) in the laboratory. *Ann. Ent. Soc. Amer.* (Lanham), 94:563-565. [USA]
- Baskauf, S. J., and D. E. McCauley**
2001. Evaluation of low temperature mortality as a range-limiting factor for the southwestern corn borer (Lepidoptera: Crambidae). *Environ. Ent.* (Lanham), 30:181-188. [USA]
- Brusseaux, G., G. C. Luquet, R. Mazel, S. Peslier, and P. Zagatti**

2001. Les pyrales des Pyrénées-Orientales inventaire raisonné (suite et fin) (Lepidoptera Pyraloidea). *Alexandor* (Paris), 131-150. (1999) [France]
- Carpenter, J. E., S. Bloem, and K. A. Bloem**
2001. Inherited sterility in *Cactoblastis cactorum* (Lepidoptera: Pyralidae). *Fla. Ent.* (Gainesville), 84:537-542. [USA]
- Chen, T.-M., S.-M. Song, and D.-C. Yuan**
2001. The genus *Chrysoteuchia* Hübner (Lepidoptera: Pyralidae: Crambinae) from China with descriptions of five new species. *Oriental Ins.* (Gainesville), 35:177-192.
- Clifton, J., and A. Wander**
2001. A further late record of the mother of pearl moth *Pleuroptya ruralis* (Scop.) (Lep.: Pyralidae). *Ent. Rec. J. Var.* (Surrey), 113:82. [England]
- Cook, R. R.**
2001. *Dioryctria schuetzeella* Fuchs (Lep.: Pyralidae) in Dorset. *Ent. Rec. J. Var.* (Surrey), 113:64. [England]
- Heckford, R. J.**
2001a. A further note on the larva of *Crambus uliginosellus* Zeller (Lepidoptera: Pyralidae). *Ent. Gaz.* (Wallingford), 52:80-81. [England]
2001b. *Apomyelois ceratoniae* (Zeller) (Lepidoptera: Pyralidae) bred from pomegranates and a larval description. *Ent. Gaz.* (Wallingford), 52:81-82. [England]
- Kameda, M.**
2001. Records of two phycitini species (Pyralidae) from the southern part of Tokachi in Hokkaido. *Yugato* (Niigata), 165:90. [Japan] [in Japanese]
- Kim, Y.-K., and Y.-S. Bae**
2001. Taxonomic study of four unrecorded species of Pyraustinae (Lepidoptera, Crambidae) from Korea. *Ins. Koreana* (Chuncheon), 18:79-86.
- Knill-Jones, S. A.**
2001. A further late occurrence of the mother-of-pearl moth *Pleuroptya ruralis* (Scop.) (Lep.: Pyralidae) in the Isle of Wight. *Ent. Rec. J. Var.* (Surrey), 113:83. [England]
- Kogi, H.**
2001a. Larvae and hostplants of *Herpetogramma magna* (Butler) (Crambidae) and *Calguia defigialis* Walker (Pyralidae) in Hokkaido. *Yugato* (Niigata), 163:15-16. [Japan] [in Japanese]
2001b. Hostplants and larvae of *Nascia ciliatilis* (Hübner) and *Sitochroa verticalis* (Linnaeus) (Crambidae) in Hokkaido. *Yugato* (Niigata), 166:105-106. [Japan] [in Japanese]
- Langmaid, J. R.**
2001. *Catoptria verellus* (Zincken) (Lepidoptera: Pyralidae) in Hampshire. *Ent. Gaz.* (Wallingford), 52:226. [England]
- Leraut, P. J. A.**
2001a. Contribution à l'étude de phycites paléarctiques (Lepidoptera, Pyralidae, Phycitinae). *Rev. Fr. Ent.* (Paris), (n.s.) 23:129-141. [Algeria; Europe]
2001b. Contribution à l'étude de pyrales paléarctiques (Lepidoptera, Pyraloidea). *Nouv. Rev. Ent.* (Paris), (n.s.) 18:173-185. [France, Morocco, Turkey, Yugoslavia]
- Mahr, D. L.**
2001. *Cactoblastis cactorum* (Lepidoptera: Pyralidae) in North America: a workshop of assessment and planning. *Fla. Ent.* (Gainesville), 84:465-473.
- Manning, D.**
2001. *Chrysoteuchia culmella* (L.) (Lep.: Pyralidae) flight period. *Ent. Rec. J. Var.* (Surrey), 113:70. [England]
2001. The life history of *Dasyphyga alternosquamella* Ragonot (Pyralidae) feeding on the southwestern dwarf mistletoe (*Arceuthobium vaginatum*) in Colorado. *J. Lepid. Soc.* (Los Angeles), 55:140-143. [USA]
- Murase, M.**
2001a. *Herpetogramma albipennis* Inoue (Crambidae, Pyraustinae) from Wakayama. *Japan Heteroc. J.* (Tokyo), 212:234. [Japan] [in Japanese]
2001b. Life-cycle of *Glyphodes bipunctalis* Leech (Pyralidae) occurring in my garden in Wakayama. *Japan Heteroc. J.* (Tokyo), 213:253-254. [in Japanese]
2001c. Larva of *Carminibotys carminalis iwawakisana* Munroe & Mutuura (Crambidae, Pyraustinae) feeding on *Phyllanthus flexuosus* (Euphorbiaceae). *Japan Heteroc. J.* (Tokyo), 214:268-269. [Japan]
2001d. Hostplant of *Trachycera hollandella* (Ragonot) (Pyralidae, Phycitinae) in Wakayama. *Yugato* (Niigata), 166:106. [Japan] [in Japanese]
- Murata, M., and S. Tojo**
2001. Seasonal fluctuation of residual flight energy source in the rice leaf roller, *Cnaphalocrocis medinalis* (Lepidoptera: Pyralidae) adults. *Japan. J. Ent.* (Tokyo), (n.s.) 4:1-9. [Japan] [in Japanese]
- Nuss, M., and A. Kallies**
2001. *Titanio caradjae* (Rebel, 1902) comb. n., transferred from Brachodidae (Sesiioidea) to Crambidae (Pyraloidea). *Nota Lepid.* (Karlsruhe), 24(3):33-39. [Armenia, Romania]
- Ohno, S.**
2001. New records for geographical distributions of the genus *Ostrinia* (Lepidoptera: Crambidae) in Japan. *Japan. J. Ent.* (Tokyo), (n.s.) 4:63-64. [in Japanese]
- Paek, M.-K., and Y.-S. Bae**
2001. A revision of the genus *Nephoterix* Hübner (Lepidoptera, Pyralidae, Phycitinae, Phycitini) from Korea. *Ins. Koreana* (Chuncheon), 18:293-306.
- Patocka, J.**
2001a. Die Puppen der mitteleuropäischen Zünsler (Lepidoptera: Pyraloidea, Pyralidae). Unterfamilien Acentropinae, Odontiinae, Evergestinae und Pyraustinae. *Linzer Biol. Beitr.* (Linz), 33:339-345. [Europe]
2001b. Die Puppen der mitteleuropäischen Zünsler: Charakteristik, Bestimmungsstabelle der Unterfamilien Galleriinae, Pyralinae und Phycitinae. *Beitr. Ent.* (Berlin), 51:411-516. [Europe]
- Piao, M.-H., and C.-Y. Lee**
2001. Description of larvae of three species in Pyralidae of Korea (Lepidoptera: Pyralidae). *Korean J. Ent.* (Seoul), 31:109-113.
- Pinckney, R. D., K. Kanton, C. N. Foster, H. Steinberg, and P. Pellitteri**
2001. Infestation of a bird and two cats by larvae of *Plodia interpunctella* (Lepidoptera: Pyralidae). *J. Med. Ent.* (Lanham), 38:725-727. [USA]
- Plant, C. W.**
2001. A late occurrence of the mother of pearl moth *Pleuroptya ruralis* (Scop.) (Lep.: Pyralidae). *Ent. Rec. J. Var.* (Surrey), 113:2. [England]
2001. *Duponchelia fovealis* Zell. (Lep.: Pyralidae) and other moths new to Hertfordshire during 2001. *Ent. Rec. J. Var.* (Surrey), 113:255-256. [England]
- Rings, R. W., and L. F. Rings**
2001. Moth collecting in central Florida Part III. Pyralidae (second section). *So. Lepid. News* (Gainesville), 23:39-42. [USA]
- Schoettle, A. W., and J. F. Negron**
2001. First report of two cone and seed insects on *Pinus flexilis*. *W. N. Amer. Nat.* (Provo), 61:252-254. [USA]
- Showers, J. B., R. L. Hellmich, M. E. Derrick-Robinson, and W. H. Hendrix III**
2001. Aggregation and dispersal behavior of marked and released European corn borer (Lepidoptera: Crambidae) adults. *Environ. Ent.* (Lanham), 30:700-710. [USA]
- Slade, B. E.**
2001. *Evergestis extimalis* (Scop.) (Lep.: Pyralidae) in Somerset. *Ent. Rec. J. Var.* (Surrey), 113:39. [England]
- Spangler, S. M., and D. D. Calvin**
2001. Vertical distribution of European corn borer (Lepidoptera: Crambidae) egg masses on sweet corn. *Environ. Ent.* (Lanham), 30:274-279. [USA]
- Steel, T.**
2001. A late occurrence of the mother of pearl moth *Pleurotype ruralis* (Scop.) (Lep.: Pyralidae). *Ent. Rec. J. Var.* (Surrey), 113:2. [England]
- Takamura, T.**
2001. New localities of two *Pseudopanolis* species (Noctuidae) in central Honshu. *Japan Heteroc. J.* (Tokyo), 212:235. [Japan] [in Japanese]
- Thirlwell, I. R.**
2001. *Sciota adelphella* (Fischer von Röslerstamm) (Lepidoptera: Pyralidae) new to Hampshire. *Ent. Gaz.* (Wallingford), 52:226. [England]
- Wilson, T. A., and R. L. Wilson**
2001. Leaf extracts from Peruvian maize affect larval feeding and development of European corn borer (Lepidoptera: Crambidae). *J. Kansas Ent. Soc.* (Lawrence), 74:32-39. [USA]
- Yamanaka, H.**
2001a. Two new species of the genus *Cotachena* Moore (Lepidoptera, Crambidae, Pyraustinae) from Japan and Taiwan. *Tinea* (Tokyo), 16: 297-300.
2001b. Notes on three unrecorded and two little known species of the Phycitinae (Pyralidae) from Japan. *Japan Heteroc. J.* (Tokyo), 215:275-282. [in Japanese]
- Zimmermann, H. G., V. C. Moran, and J. H. Hoffmann**
2001. The renowned cactus moth, *Cactoblastis cactorum* (Lepidoptera: Pyralidae): its natural history and threat to native *Opuntia* floras in Mexico and the United States of America. *Fla. Ent.* (Gainesville), 84:543-551.
- RHOPALOCERA**
Abadjiev, S.
2001a. An annotated list of type specimens of Lepidoptera deposited in the collection of the Institute of Zoology, Sofia. I. Butterflies (Lep.: Papilionoidea). *Ent. Rec. J. Var.* (Surrey), 113:19-23. [Europe]

- 2001b. *An Atlas of the Distribution of the Butterflies in Bulgaria. Lepidoptera: Hesperioidea & Papilionoidea*. Sofia: Pensoft Publ. 335pp.
- 2001c. The butterflies of Kresna Gorge (SW Bulgaria) (Lepidoptera: Hesperioidea & Papilionoidea). In P. Beron (ed.), *Biodiversity of Kresna Gorge*, 237-254. Sofia: Natl. Mus. Nat. Hist. [in Bulgarian]
- Akkermans, R. W., R. A. J. Pahlplatz, and K. Veling**
2001. *Dagvlinders in Limburg: Verspreiding en Ecologie, 1990-1999*. Maastricht: Natuurhist. Genootsch. Limburg. 381pp.
- Altermatt, F.**
2001. Observations on nectar plants for butterflies (Lepidoptera). *Mitt. Ent. Ges. Basel*, 51:15-24. [Switzerland]
- Arikawa, K.**
2001. Hindsight of butterflies. *Biosci.* (Washington), 51:219-225. [Papilionidae; Japan]
- Asher, J., M. Warren, R. Fox, P. Harding, G. Jeffcoate, and S. Jeffcoate**
2001. *The Millennium Atlas of Butterflies in Britain and Ireland*. Oxford: Oxford Univ. Pr. 433pp.
- Avni, T.**
2001. Summary of butterfly records from the 4/2001 annual field survey, in the steppe belt of south & southwest Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):27-28. [in Hebrew]
- Bálint, Z., and A. Olivier**
2001. Butterfly species-group taxa from the Balkans and western Anatolia attributed to Imre Frivaldszky (1799-1870) (Lepidoptera: Hesperioidea & Papilionoidea). *Ann. Hist.-Nat. Mus. Natl. Hung.* (Budapest), 93:151-198.
- Benyamini, D.**
2001a. The butterflies of Dana Reserve, Edom, Jordan (Lepidoptera: Papilionoidea et Hesperioidea). *Linn. Belg.* (Beersel), 18:95-102.
2001b. The butterflies of Hatay (Antiochia), s. Turkey. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):17-26. [in Hebrew]
- Beshkov, S.**
2001. Lepidoptera species (Macrolepidoptera) recorded and reported from the western Stara Planina Mountain, NW Bulgaria. *Ent. Rom.* (Cluj), 5:11-43. (2000)
- Bouseman, J. K., and J. G. Sternburg**
2001. *Field Guide to Butterflies of Illinois*. Champaign: Ill. Nat. Hist. Surv. 264pp. (INHS Manual 9). [USA]
- Burnaz, S.**
2001. Data concerning the butterflies (Subord. Rhopalocera, Ord. Lepidoptera) from the eastern and north-eastern part of the Poiana Ruscă Mountains (western Carpathians, Romania). *Ent. Rom.* (Cluj), 5:51-67. (2000) [in Romanian]
- Cook, L. M., R. L. H. Dennis, and P. B. Hardy**
2001. Butterfly-hostplant fidelity, vagrancy and measuring mobility from distribution maps. *Ecography* (Copenhagen), 24:497-504. [England]
- Cooper, L., and B. Cooper**
2001. Spring nectar in Florida. *Amer. Butt.* (Morristown), 9(1):28-34. [USA]
- Coutsis, J. G., and N. Ghalavás**
2001. The skippers and butterflies of the Greek part of the Rodópi massif (Lepidoptera: Hesperioidea & Papilionoidea). *Phegea* (Antwerp), 29:143-158. [Greece]
- Cowley, M. J. R., C. D. Thomas, D. B. Roy, R. J. Wilson, L. Leon-C., D. Gutierrez, C. R. Bulman, R. M. Quin, D. Moss, and K. J. Gaston**
2001. Density-distribution relationships in British butterflies. I. The effect of mobility and spatial scale. *J. Anim. Ecol.* (Oxford), 70:410-425. [England]
- Cowley, M. J. R., C. D. Thomas, R. J. Wilson, L. Leon-C., D. Gutierrez, and C. R. Bulman**
2001. Density-distribution relationships in British butterflies. II. An assessment of mechanisms. *J. Anim. Ecol.* (Oxford), 70:426-441. [England]
- Dennis, R. L. H., J. G. Coutsis, and A. Olivier**
2001. Butterflies (Hesperioidea, Papilionoidea) on islands in the Aegean Archipelago: a correction, additions, an aid to identification and a cautionary tale. *Ent. Rec. J. Var.* (Surrey), 113:265-268. [Greece]
- Dennis, R. L. H., A. Olivier, J. G. Coutsis, and T. G. Shreeve**
2001. Butterflies on islands in the Aegean Archipelago: predicting numbers of species and incidence of species using geographical variables. *Ent. Gaz.* (Wallingford), 52:3-39. [Greece]
- Descimon, H.**
2001. Genetic variation, geographic variation and gene flow in some French butterfly species. *Genet. Selection Evol.* (Paris), 33(suppl. 1):S223-S249. [Nymphalidae, Papilionidae] [France] [in French]
- Desio, F., and I. Pecile**
[2001]. *Guida al Sentiero delle Farfalle. Il Paese delle Farfalle Bordano*. Bordano: Comune Bordano. 32pp.
- Dover, J. W., and G. L. A. Fry**
2001. Experimental simulation of some visual and physical components of a hedge and the effects on butterfly behaviour in an agricultural landscape. *Ent. Exp. Appl.* (Amsterdam), 100:221-233. [Nymphalidae] [England]
- Ebert, G. (ed.)**
2001. *Die Schmetterlinge Baden-Württembergs. Band 8. Nachtfalter VI*. Karlsruhe: E. Ulmer. 541pp. [Germany]
- Eisenberg, U.**
2001. Anmerkungen und Ergänzungen zur "Roten Liste gefährdeter Tierarten Südtirols, Tagfalter" (Lepidoptera: Rhopalocera). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:159-170. [Austria]
- Fleishman, E., G. T. Austin, and D. D. Murphy**
2001. Biogeography of Great Basin butterflies: revisiting patterns, paradigms, and climate change scenarios. *Biol. J. Linn. Soc.* (London), 74:501-515. [USA]
- Fleishman, E., R. MacNally, J. P. Fay, and D. D. Murphy**
2001. Modeling and predicting species occurrence using broad-scale environmental variables: an example with butterflies in the Great Basin. *Conserv. Biol.* (Cambridge), 15:1674-1685. [USA]
- Fox, R., M. Warren, J. Asher, G. Jeffcoate, S. Jeffcoate, and P. Harding**
2001. Migrant butterflies and the millennium atlas. *Ent. Rec. J. Var.* (Surrey), 113:103-112. [England]
- Gardiner, B. O. C.**
2001a. Little-known entomological literature - 6. *Ent. Rec. J. Var.* (Surrey), 113:31-34. [England]
2001b. Little-known entomological literature - 7. *Ent. Rec. J. Var.* (Surrey), 113:71-72. [England]
2001c. Little-known entomological literature - 8. *Ent. Rec. J. Var.* (Surrey), 113:102. [England]
- Glassberg, J.**
2001. *Butterflies through Binoculars: the West*. Oxford: Oxford Univ. Pr. 374pp.
- Guppy, C. S., and J. H. Shepard**
2001. *Butterflies of British Columbia, including Western Alberta, Southern Yukon, the Alaska Panhandle, Washington, Northern Oregon, Northern Idaho and Northwestern Montana*. Vancouver: Univ. Br. Colum. Pr. 414pp.
- Hanski, I., and M. C. Singer**
2001. Extinction-colonization dynamics and host-plant choice in butterfly metapopulations. *Amer. Nat.* (Chicago), 158:341-353. [Nymphalidae]
- Hill, J. K., Y. C. Collingham, C. D. Thomas, D. S. Blakeley, R. Fox, D. Moss, and B. Huntley**
2001. Impacts of landscape structure on butterfly range expansion. *Ecol. Lett.* (London), 4:313-321. [England]
- Honey, M., and M. J. Scoble**
2001. Linnaeus's butterflies (Lepidoptera: Papilionoidea and Hesperioidea). *Zool. J. Linn. Soc.* (London), 132:277-399.
- Igarashi, Y.**
2001. *The Butterflies of Central Mongolia*. Tokyo: Stage. 191pp.
- Ilonczai, Z., and Z. Bálint**
2001. New data to the knowledge of butterflies (Lepidoptera: Lycaenidae, Nymphalidae) protected in Hungary. *Termeszt.Közlem.* (Budapest), 9:209-218. [in Hungarian]
- Joyce, D., and A. S. Pullin**
2001. The role of genetics in the conservation of British butterflies; the chequered skipper and the marsh fritillary, as two examples. *Antenna* (London), 25:91-93. [England]
- Kassarov, L.**
2001. Do cyanogenic glycosides and pyrrolizidine alkaloids provide some butterflies with a chemical defense against their bird predators? A different point of view. *Behav.* (Leiden), 138:45-67. [Nymphalidae, Zygaenidae]
- Kerr, J. T.**
2001. Butterfly species richness patterns in Canada: energy, heterogeneity, and the potential consequences of climate change. *Conserv. Ecol.* (Ottawa), 5:1-17.
- Kerr, J. T., T. R. E. Southwood, and J. Cihlar**
2001. Remotely sensed habitat diversity predicts butterfly species richness and community similarity in Canada. *Proc. Natl. Acad. Sci.* (Washington), 98:11365-11370.
- Koch, P. B., U. Lorenz, P. M. Brakefield, and R. H. French-Constant**
2001. Butterfly wing pattern mutants: developmental heterochrony and coordinately regulated phenotypes. *Devel. Genes Evol.* (Berlin), 210:536-544. (2000) [Germany]

- Kudrna, O.**
2001a. Miscellaneous notes on the taxonomy of four European butterflies (Lepidoptera: Rhopalocera). *Ent. Gaz.* (Wallingford), 52:253-261.
2001b. Zur Bestandssituation von Tagfalterarten auf einigen durch die Schwammspinnerkalamität von 1993 bis 1995 betroffenen Flächen im südlichen Steigerwald. *Oedipp.* (Schweinfurt), 19:1-30. [Germany]
- Luquet, G. C.**
2001. Chroniques lépidoptériques franciliennes de jadis. III. Rhopalocères observés dans la boucle de la Varenne-Saint-Maur et dans les massifs boisés de l'est parisien (forêt de Bondy, bois de Villiers et bois Notre-Dame) (Seine-Saint-Denis et Val-de-Marne) par E/mile Louis Ragonot en 1869 (Insecta Lepidoptera). *Alexanor* (Paris), 21:209-239, 2 pl. (1999) [France]
- Maes, D., and H. Van Dyck**
2001. Butterfly diversity loss in Flanders (north Belgium): Europe's worst case scenario? *Biol. Conserv.* (Oxford), 99:263-276.
- Manton, P.**
2001. Evasive actions. *News Lepid. Soc.* (Los Angeles), 43:86-87. [USA]
- Monteiro, A., V. French, G. Smit, P. M. Brakefield, and J. A. J. Metz**
2001. Butterfly eyespot patterns: evidence for speciation by a morphogen diffusion gradient. *Acta Biotheor.* (Dordrecht), 49:77-88. [Netherlands]
- Moskowitz, D., J. Moskowitz, S. Moskowitz, and H. Moskowitz**
2001. Notes on a large dragonfly and butterfly migration in New Jersey. *NE Nat.* (Steuben), 8:483-490. [Nymphalidae] [USA]
- Müller, G.**
2001. Winterbeobachtungen von Tagfalter auf Zypern (Lepidoptera, Diurna). *Atalanta* (Munich), 32:80-82. [Cyprus]
- Murata, Y., and D. Okumoto**
2001. *Flying Jewels: Butterfly Images*. Tokyo: Shueisha. 76pp. [in Japanese]
- Neill, W.**
2001. *The Guide to Butterflies of Oregon and Washington*. Englewood, Co: Westcliffe Publ. 150pp.
- Nijhout, H. F.**
2001. Elements of butterfly wing patterns. *J. Exp. Zool.* (New York), 291:213-225. [USA]
- Pérez-F., R.**
2001. Ropalóceros de la preserranía occidental de la provincia de Guadalajara, España (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 29:65-84. [Spain]
- Reinhardt, R.**
2001. Kleine Ergänzungen zur Tagfalterfauna der Türkei (Lepidoptera, Rhopalocera). *Atalanta* (Munich), 32:399-400. [Turkey]
- Ries, L., and D. M. Debinski**
2001. Butterfly responses to habitat edges in the highly fragmented prairies of central Iowa. *J. Anim. Ecol.* (Oxford), 70:840-852. [USA]
- Ries, L., D. M. Debinski, and M. L. Wieland**
2001. Conservation value of roadside prairie restoration to butterfly communities. *Conserv. Biol.* (Cambridge), 15:401-411. [USA]
- Roberts, T. J.**
2001. *The Butterflies of Pakistan*. Oxford: Oxford Univ. Pr. 200pp, 56 pl.
- Salmon, M. A.**
2001. *The Aurelian Legacy: British Butterflies and their Collectors*. Colchester: Harley Bks. 432pp, 41 pl.
- Salvato, M. H.**
2001. Influence of mosquito control chemicals on butterflies (Nymphalidae, Lycaenidae, Hesperidae) of the Lower Florida Keys. *J. Lepid. Soc.* (Los Angeles), 55:8-14. [USA]
- Schneider, C., and G. L. A. Fry**
2001. The influence of landscape grain size on butterfly diversity in grasslands. *J. Ins. Conserv.* (Dordrecht), 5:163-171. [Sweden]
- Schwibinger, M., and M. Bräu**
2001. Die Tagfalterfauna des Naturraums Münchener Ebene gestern und heute (Insecta, Lepidoptera [sic], Rhopalocera). *NachBl. Bayer. Ent.* (Munich), 50:152-176. [Germany]
- Shreeve, T. G., R. L. H. Dennis, D. B. Roy, and D. Moss**
2001. An ecological classification of British butterflies: ecological attributes and biotope occupancy. *J. Ins. Conserv.* (Dordrecht), 5:145-161. [England]
- Simonson, S. E., P. A. Opler, T. J. Stohlgren, and G. W. Chong**
2001. Rapid assessment of butterfly diversity in a montane landscape. *Biodivers. Conserv.* (Amsterdam), 10:1369-1386. [USA]
- Sprandel, G. L.**
2001. Fall dragonfly (Odonata) and butterfly (Lepidoptera) migration at St. Joseph Peninsula, Gulf County, Florida. *Fla. Ent.* (Gainesville), 84:234-238. [USA]
- Stewart, R., P. Brodtkin, and H. Brodtkin**
2001. *Butterflies of Arizona: a Photographic Guide*. Arcata: West Coast Lady Pr. 415pp. [USA]
- Swengel, A. B.**
2001a. Legal immigrants: butterflies on the move. *Amer. Butt.* (Morristown), 9(1):18-27. [USA]
2001b. Spring nectar in the upper Midwest. *Amer. Butt.* (Morristown), 9(4):32-40. [USA]
- Swengel, A. B., and S. R. Swengel**
2001. Effects of prairie and barrens management on butterfly faunal composition. *Biodivers. Conserv.* (Amsterdam), 10:1757-1785. [USA]
- Tarrier, M. R.**
2001. Les Papillons diurnes du Parc Naturel d'Ifrane (Maroc): biodiversité, affinités écologiques et conservation (Papilionoidea et Zygaeninae). *Linn. Belg.* (Beersel), 18:145-156. [Morocco]
- Thomas, J. A., N. A. D. Bourn, R. T. Clarke, K. E. Stewart, D. J. Simcox, G. S. Pearman, R. Curtis, and B. Goodger**
2001. The quality and isolation of habitat patches both determine where butterflies persist in fragmented landscapes. *Proc. Roy. Soc. Biol. Sci.* (London), (B) 268:1791-1796. [England]
- Thomas, J. R.**
2001. *The Butterflies of Pakistan*. Oxford: Oxford Univ. Pr. 200pp, 66 pl.
- Tolman, T.**
2001. *Photographic Guide to the Butterflies of Britain & Europe*. Oxford: Oxford Univ. Pr. 305pp.
- Tomer, O.**
2001a. Puddling phenomenon in Israel. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):3. [in Hebrew]
2001b. Israeli butterflies nectar sources and their colors around the year. *News Israeli Lepid. Soc.* (Bet Arye), 18(2):31-32. [Israel] [in Hebrew]
- Wakeham-Dawson, A., T. Benton, and B. Watts**
2001. Butterflies in Hungary, 9-20 July 1999. *Ent. Rec. J. Var.* (Surrey), 113:3-11.
- Walker, T. J.**
2001. Butterfly migrations in Florida: seasonal patterns and long-term changes. *Environ. Ent.* (Lanham), 30:1052-1060. [USA]
- Wallis De Vries, M. F., and I. Raemakers**
2001. Does extensive grazing benefit butterflies in coastal dunes? *Restor. Ecol.* (Malden), 9:179-188. [Netherlands]
- Warren, M. S., J. K. Hill, J. A. Thomas, J. Asher, R. Fox, B. Huntley, D. B. Roy, M. G. Telfer, S. Jeffcoate, P. Harding, G. Jeffcoate, S. G. Willis, J. N. Greatorex-Davies, D. Moss, and C. D. Thomas**
2001. Rapid responses of British butterflies to opposing forces of climate and habitat change. *Nature* (London), 414:65-69. [England]
- Wedell, N.**
2001. Female remating in butterflies: interaction between female genotype and nonfertile sperm. *J. Evol. Biol.* (Basel), 14:746-754. [England]
- Wiklund, C., B. Karlsson, and O. Leimar**
2001. Sexual conflict and cooperation in butterfly reproduction: a comparative study of polyandry and female fitness. *Proc. Roy. Soc. Biol. Sci.* (London) (B) 268:1661-1667. [Europe]
- Williams, K. F.**
2001. Two, possibly new, aberrations of British butterflies. *Ent. Rec. J. Var.* (Surrey), 113:39.
- Williams, L. R.**
2001. London butterfly monitoring report for 2000. *London Nat.*, 80:169-180. [England]
- Winiarska, G.**
2001. Butterflies (Lepidoptera: Hesperioidea, Papilionoidea) in Narew National Park. *Frag. Faun.* (Warsaw), 44:73-78. [Poland]
- Witt, R.**
2001. *Ein Garten für Schmetterlinge*. Stuttgart: Kosmos. 62pp.
- Yakovlev, R. V.**
[2001]. New data on the fauna and taxonomy of butterflies (Lepidoptera: Rhopalocera) in Siberia. *Russ. Ent. J.* (Moscow), 9:375-376. (2000) [Russia] [in Russian]
- RIODINIDAE**
Knudson, E., C. Bordelon, and R. Wauer
2001. Zela metelmark (*Emesis zela* Butler): a new record for Texas. *News Lepid. Soc.* (Los Angeles), 43:8. [USA]
- Nekrutenko, Y. P.**
2001. A catalogue of the type specimens of Riodinidae deposited in the collection of the Staatliches Museum für Tierkunde Dresden (Insecta: Lepidoptera: Rhopalocera). *Ent. Abh.* (Dresden), 59:319-323.

Sutshkov, S. A.

2001. A new record of *Hamaeris lucina* (Lepidoptera, Riodinidae) from southern Ukraine. *Vest. Zool. (Kiev)*, 34:128. (2000) [in Russian]

SATURNIIDAE

Burkhardt, D., and S. Whitebread

2001. An additional finding of the Viennese emperor moth (*Saturnia pyri* (Denis & Schiffermüller), Lepidoptera, Saturniidae) from Basel. *Mitt. Ent. Gesell. Basel*, 50:151-152. (2000) [in German] [Switzerland]

Doyle, J. F., III

2001. Occurrence and life history notes for *Eacles imperialis imperialis* (Drury, 1773) in central Texas. *So. Lepid. News* (Gainesville), 23:49-52, pl. C. [USA]

García-B., E.

2001. Nuevas localidades de *Proserpinus proserpina* (Pallas, 1772) y *Graellsia isabellae* (Graells, 1849) del centro peninsular. *SHILAP Revta. Lepid. (Madrid)*, 29:183-184.

McElfresh, J. S., A. M. Hammond, and J. G. Millar

2001. Sex pheromone components of the buck moth *Hemileuca maia*. *J. Chem. Ecol.* (New York), 27:1409-1422. [USA]

Nässig, W. A.

2001. *Attacus atlas* (Linnaeus, 1758) in der Innenstadt von Frankfurt am Main beobachtet (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:182. [Germany]

Naumann, S.

2001. A new species of the genus *Rhodinia* from Tibet (Lepidoptera: Saturniidae) and some general notes on the genus. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 21:201-206.

Paukstadt, L. H., and U. Paukstadt

2001. Liste der bei der Gattung *Antheraea* Hübner, 1819 ("1816") bekannten Präimaginalstadien, sowie Literaturnachweise (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):34-46.

Peigler, R. S.

2001. We now know what happened to our biggest moths. *News Lepid. Soc.* (Los Angeles), 43:30-31. [USA]

Speer, J. H., T. W. Swetman, B. E. Wickman, and A. Youngblood

2001. Changes in pandora moth outbreak dynamics during the past 622 years. *Ecol.* (Washington), 82:679-697. [USA]

Streng, D. L., and R. S. Zack

2001. Observations on the life history of the sagebrush sheep moth, *Hemileuca hera hera* (Lepidoptera: Saturniidae). *NW Sci.* (Tacoma), 75:118-121. [USA]

Weast, R. D.

2001. *Rothschildia* hosts and hybrids. *News Lepid. Soc.* (Los Angeles), 43:3-4, 6. [USA]

SCYTHRIDIDAE

Hellers, M.

2001. *Enolmis acanthella*, a new species for central Europe (Lepidoptera: Scythrididae). *Phegea* (Antwerp), 29:5-8.

Nupponen, K.

2001. Records of scythridids from Tunisia, with description of two new species (Lepidoptera: Scythrididae). *Ent. Fenn.* (Helsinki), 12:53-58.

Nupponen, K., and T. Nupponen

2001. Notes on the scythridid fauna of the Altai Mountains, with description of four new species (Lepidoptera: Scythrididae). *Ent. Fenn.* (Helsinki), 12:81-93. [Russia]

Parsons, M. S., D. Green, and P. H. Sterling

2001. The rediscovery of *Scythris empetrella* Karsholt & Nielsen, 1976 (Lepidoptera: Scythrididae) in the New Forest, with notes on the distribution of the species in Britain. *Ent. Gaz.* (Wallingford), 52:149-150. [England]

SESIIDAE

Bennett, R. G., T. D. Eichlin, and B. Staffan Lindgren

2001. *Synanthedon canadensis*: a new clearwing moth record for British Columbia with notes on its response to pheromones (Lepidoptera: Sesiidae). *Pan-Pac. Ent.* (San Francisco), 77:226-227. [Canada]

Brou, V. A., Jr.

- 2001a. *Sannina uroceriformis* Walker (Sesiidae) in Florida. *So. Lepid. News* (Gainesville), 23:43. [USA]

- 2001b. Sibling species *Synanthedon kathyae* Duck. & Eich. and *Synanthedon alleri* (Engel. [sic]) in southeast Louisiana. *So. Lepid. News* (Gainesville), 23:62-64. [USA]

Dutreix, C., and D. Morel

2001. Données temporelles sur la sésie *Paranthrene insolita* Le Cerf. Étude de cas: résultats en Saône-et-Loire (Bourgogne). *Bull. Soc. Ent. Mulhouse*, 57:32-34. [France]

Gorbunov, O. G., and Y. Arita

2001. A new species of the genus *Ravitra* Gorbunov & Arita (Lepidoptera, Sesiidae) from Yunnan, China. *Trans. Lepid. Soc. Japan* (Tokyo), 52:245-249.

Hamborg, D.

- [2001]. Der Steinbruch Klausen – ein Refugium thermophiler Pflanzen- und Tierarten. Eine botanisch-zoologische Bestandsaufnahme. Glasflügler-Sesiidae. *Mitt. Ent. Arbeitsgem. Salzkammergut* (Bad Ischl), 3:34-46. (2000) [Austria]

Holodya, J.

2001. Sesiidae: observations of unusual behavior of a male *Synanthedon exitiosa* (Say). *So. Lepid. News* (Gainesville), 23:44. [USA]

Kallies, A., and T. Sobczyk

2001. Verbreitung und Ökologie des Grasnelken-Glasflüglers, *Pyropteron muscaeforme* (Esper, 1783), in Deutschland (Lepidoptera: Sesiidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:149-158. [Germany]

Karalius, V., R. Mozuraitis, J. Miatleuski, V. Buda, and P. Ivinskis

2001. Sex attractants for six clearwing and tineid species (Lepidoptera, Sesiidae and Tineidae) from Kazakhstan and Lithuania. *Zeit. Naturfor. (C) Biosci.* (Tübingen), 56:1120-1125.

Kirkbride-Smith, A. E., H. A. Bell, and J. P. Edwards

2001. Effects of three vertebrate hormones on the growth, development, and reproduction of the tomato moth, *Lacanobia oleracea* L. (Lepidoptera: Noctuidae). *Environ. Toxicol. Chem.* (Oxford), 20:1838-1845. [England]

Knudson, E., and C. Bordelon

2001. Observations on Texas Sesiidae. *Paranthrene* species and *Synanthedon kathyae*. *So. Lepid. News* (Gainesville), 23:28-29. [USA]

Laštůvka, Z., and A. Laštůvka

2001. *The Sesiidae of Europe*. Stenstrup: Apollo Bks. 245pp (9 pl.).

Petersen, M.

- 2001a. Sesiidae aus dem Jemen. *Esperiana* (Staffelstein), 8:574, pl. 28. [Yemen].

- 2001b. Zwei neue Glasflüglerarten aus Nepal (Lepidoptera, Sesiidae). *Esperiana* (Staffelstein), 8:704-708, pl. 30.

Pühringer, F.

- [2001a]. 1. Nachtrag zu den Glasflüglernachweisen in Österreich (Lepidoptera, Sesiidae). *Mitt. Ent. Arbeitsgem. Salzkammergut* (Bad Ischl), 3:47-64. (2000) [Austria]

- [2001b]. Pheromonanflug europäischer Glasflügler (Lepidoptera, Sesiidae). *Mitt. Ent. Arbeitsgem. Salzkammergut* (Bad Ischl), 3:65-72. (2000) [Europe]

- [2001c]. Bibliographia Sesiidarum orbis terrarum (Lepidoptera, Sesiidae). *Mitt. Ent. Arbeitsgem. Salzkammergut* (Bad Ischl), 3:73-146. (2000)

Purington, F. F., and N. L. Evenhuis

2001. A clearwing moth host (Lepidoptera: Sesiidae) for the bee fly, *Geron argutus* (Diptera: Bombyliidae). *Ent. News* (Philadelphia), 112:178-182. [USA]

Špatenka, K.

2001. Neue paläarktische Glasflügler-Arten (Lepidoptera: Sesiidae). *Ent. Zeit.* (Stuttgart), 111:75-80. [Crete; Kashmir; Syria]

Špatenka, K., and A. Kallies

2001. Zur Taxonomie, Bionomie und Verbreitung zentral-asiatischer Sesiidae und Brachodidae (Lepidoptera, Sesiioidea). *Ent. Zeit.* (Stuttgart), 111: 199-205, 234-237. [C. Asia]

SPHINGIDAE

Brou, V. A., Jr.

2001. Portrait of Sphingidae flight in Louisiana. *News So. Lepid. Soc.* (Gainesville), 23(1):9. [USA]

Firmin, J.

2001. A March humming-bird hawk-moth *Macroglossum stellatarum* (L.) (Lep.: Sphingidae) in north-east Essex. *Ent. Rec. J. Var.* (Surrey), 113: 140. [England]

Harbich, H.

2001. Sphingidae 2000. *Atalanta* (Munich), 32:367-371. [Germany]

Hooper, R. R.

2001. Additional Saskatchewan sphinx moth records. *Blue Jay* (Winnipeg), 59: 157-160. [Canada]

Meyer, J., and A. Meyer

2001. White-lined sphinx in Dallas Co, Tx. *News Lepid. Soc.* (Los Angeles), 43:91. [USA]

Murase, M.

2001. Larva of *Ampelophaga rubiginosa* Bremer & Grey (Sphingidae) feeding

- on *Hydrangea involucrata*. *Japan Heteroc. J.* (Tokyo), 215:290. [Japan] [in Japanese]
- Regier, J. C., C. Mitter, T. P. Friedlander, and R. S. Peigler**
2001. Phylogenetic relationships in Sphingidae (Insecta: Lepidoptera): initial evidence from two nuclear genes. *Molec. Phylog. Evol.* (San Diego), 20:311-325. [USA]
- Thiele, J. H. R.**
2001. *Acherontia atropos* (Linnaeus, 1758) — die Überraschung im Ferienhaus (Lepidoptera, Sphingidae). *Atalanta* (Munich), 32:83-84. [France]
- Viette, P. E. L.**
2001. Remarques concernant le travail de I. J. Kitching et J.-M. Cadiou sur les Sphingides du Monde (2000) (Lepidoptera). *Ent.* (Paris), 57:157-162.
- THYATIRIDAE**
- Choi, S.-W.**
2001. New record of *Horithyatira kawamurae* (Matsumura) (Lepidoptera, Thyatiridae) from Korea. *Ins. Koreana* (Chuncheon), 18:311-313.
- Tremewan, W. G.**
2001. *Achyla flavicornis* (Linnaeus, 1758) (Lepidoptera: Drepanidae, Thyatirinae) in West Cornwall. *Ent. Gaz.* (Wallingford), 52:194. [England]
- THYRIDIDAE**
- Kameda, M.**
2001. *Mesopsestis undosa* (Wileman) (Thyatiridae) newly recorded from the southern part of Hokkaido. *Yugato* (Niigata), 165:76. [Japan] [in Japanese]
- Mitamura, T., and A. Arakawa**
2001. Larva of *Herdonia margarita* Inoue (Thyrididae) boring into trig of *Punica granatum* L. *Japan Heteroc. J.* (Tokyo), 215:289-290. [Japan] [in Japanese]
- Murase, M.**
2001. Biological notes on *Herdonia margarita* Inoue (Thyrididae) in Wakayama. *Japan Heteroc. J.* (Tokyo), 215:287-288. [Japan] [in Japanese]
- TINEIDAE**
- Bolshakov, L. V.**
2001. Microlepidoptera of Tula area. 9. True moths (Tineidae). *Russ. Ent. J.* (Moscow), 10:425-430. (2000) [Russia] [in Russian]
- Costen, P. M.**
2001. *Nemopogon variatella* (Clemens) (Lep.: Tineidae) imported in Spanish mushrooms, and a larval description. *Ent. Rec. J. Var.* (Surrey), 113:263-264. [England]
- Gaedike, R., and O. Karsholt**
2001. Contribution to the Lepidoptera fauna of the Madeira Islands. Part 2. Tineidae, Acrolepiidae, Epermeniidae. *Beitr. Ent.* (Berlin), 51:161-213.
- Gastón, J., and A. Vives-M.**
[2001]. *Emmeline argoteles* (Meyrick, 1922), *Stenoptilia nepetellae* Bigot & Picard, 1983 y *Myrmecozela diacona* Walsingham, 1907, nuevas especies para España (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 28:429-433. (2000) [Spain]
- Karalius, V., R. Mozuraitis, J. Miatleuski, V. Buda, and P. Ivinskis**
2001. Sex attractants for six clearwing and tineid species (Lepidoptera, Sesiidae and Tineidae) from Kazakhstan and Lithuania. *Zeit. Naturfor. (C) Biosci.* (Tübingen), 56:1120-1125.
- Komonen, A.**
2001. Structure of insect communities inhabiting old-growth forest specialist bracket fungi. *Ecol. Ent.* (London), 26:63-75. [Finland]
- Koshino, S.**
2001. *Monopis crocicapitella* (Clemens) or close (Tineidae) from Japan. *Japan Heteroc. Soc.* (Tokyo), 214:267-268. [in Japanese]
- Takács, S., and G. Gries**
2001. Communication ecology of webbing clothes moth: evidence for male-produced aggregation signal(s). *Can. Ent.* (Ottawa), 133:725-727. [Canada]
- TORTRICIDAE**
- Adamski, D., and J. W. Brown**
2001. Systematic revision of the *Ecdytolopha* group of genera (Lepidoptera: Tortricidae: Grapholitini) in the New World. *Ent. Scand.* (Copenhagen), Suppl. 58:1-86.
- Al-Zyoud, F. A., and H. M. Elmosa**
2001. Population dynamics of the grape berry moth, *Lobesia botrana* Schiff. (Lepidoptera: Tortricidae), and its parasites in Jerash area, Jordan. *Dirasat Agr. Sci.* (Amman), 28:6-13.
- Asaro, C., and C. W. Berisford**
2001. Seasonal changes in adult longevity and pupal weight of the Nantucket pine tip moth (Lepidoptera: Tortricidae) with implications for interpreting pheromone trap catch. *Environ. Ent.* (Lanham), 30:999-1005. [USA]
- Asaro, C., M. J. Dalusky, and C. W. Berisford**
2001. Quantity and ratio of pheromone components among multiple generations of the Nantucket pine tip moth (Lepidoptera: Tortricidae) in Georgia and Virginia. *Environ. Ent.* (Lanham), 30:1006-1011. [USA]
- Bauce, E., and E. Han**
2001. Desiccation resistance in pre-diapause, diapause and post-diapause larvae of *Choristoneura fumiferana* (Lepidoptera: Tortricidae). *Bull. Ent. Res.* (London), 91:321-326. [Canada]
- Bento, J. M. S., J. R. P. Parra, E. F. Vilela, J. M. Walder, and W. S. Leal**
2001. Sexual behavior and diel activity of citrus fruit borer *Ecdytolopha aurantiana*. *J. Chem. Ecol.* (New York), 27:2053-2065. [USA]
- Bolshakov, L. V.**
[2001a]. Microlepidoptera of Tula area. 4. Tortricid moths of the tribes Bactrini, Olethreutini, Endotheniini (Lepidoptera: Tortricidae: Olethreutinae). *Russ. Ent. J.* (Moscow), 9:91-96. (2000) [Russia] [in Russian]
[2001b]. Microlepidoptera of Tula area. 5. Tortricid moths of the tribes Enarmoniini, Grapholitini (Lepidoptera: Tortricidae: Olethreutinae). *Russ. Ent. J.* (Moscow), 9:177-183. (2000) [Russia] [in Russian]
- Brown, J. W.**
2001. Species turnover in the leafrollers (Lepidoptera: Tortricidae) of Plummers Island, Maryland: assessing a century of inventory data. *Proc. Ent. Soc. Washington*, 103:673-685. [USA]
- Clifton, J.**
2001a. *Acleris kochiella* (Goeze) (Lep.: Tortricidae) new to Norfolk. *Ent. Rec. J. Var.* (Surrey), 113:12. [England]
2001b. *Eana incanana* (Steph.) (Lep.: Tortricidae) in Cheshire. *Ent. Rec. J. Var.* (Surrey), 113:40. [England]
- Courtois, J.-M.**
2001. Un microlépidoptère caractéristique des éboulis calcaires et des pelouses en gradins de Lorraine: *Thiodia trochilana* Frölich, 1828 (Lepidoptera Tortricidae). *Alexanor* (Paris), 21:201-202. (1999) [France]
- Dickson, R.**
2001. *Cydia amplana* (Hubner) (Lep.: Tortricidae) in Hampshire. *Ent. Rec. J. Var.* (Surrey), 113:120. [England]
- Fournier, F.**
2001. New places for *A. inundana* (D. et S., 1775) in France (Lepidoptera Tortricidae). *Bull. Mens. Soc. Linn. Lyon*, 70:150. [in French]
- Fraser, H. W., and R. M. Trimble**
2001. Effect of delayed mating on reproductive biology of the Oriental fruit moth (Lepidoptera: Tortricidae). *Can. Ent.* (Ottawa), 13:219-227. [Canada]
- Han, K.-S., J.-K. Jung, K.-H. Choi, S.-W. Lee, and K.-S. Boo**
2001. Sex pheromone composition and male trapping og the Oriental fruit moth, *Grapholita molesta* (Lepidoptera: Tortricidae) in Korea. *J. Asia-Pac. Ent.* (Seoul), 4:31-35.
- Hellers, M.**
2001. The second contribution to the recording of the Tortricidae of Luxembourg (Lepidoptera, Tortricidae). *Bull. Soc. Natural. Luxembourg*, 101:147-174. [in German]
- Heppner, J. B.**
2001. *Argyrotaenia citrana* not in Florida. *Lepid. News* (Gainesville), 2000(3): 6. (2000) [USA]
- Ivashov, A. V.**
2001a. Color polymorphism of *Tortrix viridana* (Lepidoptera, Tortricidae) larvae and pupae. *Zool. Zhurn.* (Moscow), 80:412-420. [Russia] [in Russian]
2001b. Variation in cremaster structure in *Tortrix viridana* (Lepidoptera, Tortricidae) pupae. *Zool. Zhurn.* (Moscow), 80:534-537. [Russia] [in Russian]
- Jo, H.-M., and Y.-G. Kim**
2001. Relationship between cold hardiness and diapause in the smaller fruit tortrix, *Adoxophyes orana* (Fischer von Roeslerstamm). *J. Asia-Pac. Ent.* (Seoul), 4:1-9. [Korea]
- King, G. E.**
2001. Contribución al conocimiento de la biología de *Oxypteron schawerdai* (Rebel, 1936) (Lepidoptera: Tortricidae). *SHILAP Revta. Lepid.* (Madrid), 29:125-129. [Spain]
- Kopeć, and L. Przybyłowicz**
2001. *Grapholita lobarzewskii* (Nowicki, 1860) (Lepidoptera: Tortricidae), a tortricine moth new to the Polish fauna. *Polsk. Pismo Ent.* (Gdynia), 70:115-120. [Poland]
- Kovács, Z., S. Kovács, and G. Szabó**
[2001]. The occurrence of *Cochylimorpha fucosa* (Razowski, 1970) (Lepidop-

- tera: Tortricidae: Cochylini) in Romania. *Trav. Mus. Natl. Hist. Nat. G. Antipa* (Bucharest), 41:309-313. (1999).
- Kruse, J. J., and F. A. H. Sperling
2001. Molecular phylogeny within and between species of the *Archips argyrospila* complex (Lepidoptera: Tortricidae). *Ann. Ent. Soc. Amer.* (Lanham), 94:166-173. [USA]
- Kuchlein, J. H.
2001. The rediscovery of *Cydia jungiella* in the Netherlands (Lepidoptera: Tortricidae) and the insertion of old records in our checklists. *Ent. Ber.* (Amsterdam), 61:94-96. [in Dutch]
- Kuznetsov, V. I.
2001. Tortricidae (Olethreutidae, Cochylidae) - Listovertki. In P. A. Ler (ed.), *Key to the Insects of Russian Far East*, 5(3):11-472. Vladivostok: Dal'Nauka.
- Li, S. Y., and I. S. Ötvös
2001. Differences in activity enhancement of a baculovirus by an optical brightener between *Choristoneura fumiferana* and *Choristoneura occidentalis* (Lepidoptera: Tortricidae). *Can. Ent.* (Ottawa), 133:329-332. [Canada]
- Liu, Y.-Q., and C.-S. Wu
2001. A new species of the genus *Retinia* attacking *Pseudotsuga sinensis* Dode in China (Lepidoptera: Tortricidae). *Acta Ent. Sinica* (Beijing), 44:345-347.
- Miller, W. E., R. L. Brown, and K. R. Tuck
2001. Taxonomic clarification of *Notocelia rosaecolana* (Doubleday) and *N. trimaculana* (Haworth) (Tortricidae). *J. Lepid. Soc.* (Los Angeles), 54: 111-118. (2000) [USA]
- Miller, W. E., and E. H. LaGasa
2001. First report of *Gypsonoma aceriana* (Duponchel) (Lepidoptera: Tortricidae), an Old World poplar pest, in North America. *Proc. Ent. Soc. Washington*, 103:1020-1022.
- Milonas, P. G., M. Savopoulou-Soulitani, and D. G. Stavridis
2001. Day-degree models for predicting the generation time and flight activity of local populations of *Lobesia botrana* (Den. & Schiff.) (Lep., Tortricidae) in Greece. *J. Appl. Ent.* (Hamburg), 125:515-518.
- Murase, M.
2001a. Three tortricid moths feeding on Leguminosae in Wakayama Prefecture II. *Yugato* (Niigata), 164:56-57. [Japan] [in Japanese]
2001b. *Cochylidia subroseana* (Haworth) (Cochylidae) taken from Compositae lant. *Yugato* (Niigata), 165:75. [Japan] [in Japanese]
2001c. *Epiblema sugii* Kawabe (Tortricidae) taken in Ehime Prefecture. *Yugato* (Niigata), 165:78. [Japan] [in Japanese]
- Nagarkatti, S., P. C. Tobin, and M. C. Saunders
2001. Diapause induction in the grape berry moth (Lepidoptera: Tortricidae). *Environ. Ent.* (Lanham), 30:540-544. [USA]
- Nel, J., and R. Mazel
2001. Sur deux microlépidoptères méconnus, nouveaux pour la faune de France, observés dans les Pyrénées-Orientales (Lepidoptera, Tortricidae et Elachistidae). *Bull. Soc. Ent. Fr.* (Paris), 106:273-276. [France]
- Nupponen, K., J. Junnilainen, T. Nupponen, and V. Olschwang
2001. The cocylid fauna of the southern Ural Mountains, with description of *Cochylimorpha ignicolorana* Junnilainen & K. Nupponen sp. n. (Lepidoptera: Tortricidae: Cochylini). *Ent. Fenn.* (Helsinki), 12:94-107. [Russia]
- Razowski, J.
2001. Miscellaneous notes on Tortricidae - 3. *Polsk. Pismo Ent.* (Gdynia), 70:91-94. [Europe]
- Saethre, M.-G., and T. Edland
2001. Distribution of the codling moth, *Cydia pomonella* L. (Lepidoptera: Tortricidae) in southern Norway. *Norw. J. Ent.* (Oslo), 48:251-262.
- Safonkin, A. F.
2001. Population homeostasis and sexual behavior of *Archips podana* (Scop.) (Lepidoptera: Tortricidae). *Russ. Ent. J.* (Moscow), 433-436. [Russia] [in Russian]
- Shepherd, R. F., and T. G. Gray
2001. Comparative rates of density change in declining populations of the blackheaded nudworm *Acleris gloverana* (Lepidoptera: Tortricidae) among different sites on Vancouver Island. *Environ. Ent.* (Lanham), 30: 883-891. [Canada]
- Stara, J., and F. Kocourek
2001. Flight patterns of *Hedya dimidia* alba, *Spilonota ocellana* and *Pandemis heparana* (Lep.: Tortricidae) based on data from pheromone traps. *Plant Prot. Sci.* (Brno), 37:129-137. [Czech Rep.]
- Story, J. M., W. R. Good, and L. J. White
2001. Response of the knapweed biocontrol agent *Agapeta zoegana* L. (Lepidoptera: Cochylidae) to portable lights. *Pan-Pac. Ent.* (San Francisco), 77:219-225. [USA]
- Tobin, P. C., S. Nagarkatti, and M. C. Saunders
2001. Modeling development in grape berry moth (Lepidoptera: Tortricidae). *Environ. Ent.* (Lanham), 30:692-699. [USA]
- Vakenti, J. M., J. E. Cossentine, B. E. Cooper, M. J. Sharkey, C. M. Yoshimoto, and L. B. M. Jensen
2001. Host-plant range and parasitoids of obliquebanded and three-lined leafrollers (Lepidoptera: Tortricidae) [in British Columbia]. *Can. Ent.* (Ottawa), 133:139-146. [Canada]
- Waldstein, D. E., W. H. Reissig, and J. P. Nyrop
2001. Larval movement and its potential impact on the management of the obliquebanded leafroller (Lepidoptera: Tortricidae). *Can. Ent.* (Ottawa), 133:687-696. [USA]
- Zhang, G.-F., X.-H. Yan, C.-F. Sheng, and X.-Z. Meng
2001. Mating disruption of the Chinese tortrix *Cydia trassias* (Lepidoptera: Olethreutidae) by atmospheric premeation with synthetic sex pheromone. *Environ. Ent.* (Lanham), 30:7-11. [China]
- ### URODIDAE
- Sperry, C. E., W. R. Chaney, G.-F. Shao, and C. S. Sadof
2001. Effects of tree density, tree species diversity, and percentage of hardscape on three insect pests of honeylocust. *J. Arboricult.* (Savoy), 27:263-271. [USA]
- ### YPONOMEUTIDAE
- Byun, B.-K., and Y.-S. Bae
2001. Korean species of the genus *Ypsolopha* Latreille (Lepidoptera, Yponomeutidae). *Ins. Koreana* (Chuncheon), 18:153-162
- Heckford, R. J.
2001. Observations on the larval habits of *Kessleria saxifragae* (Stainton) (Lepidoptera: Yponomeutidae). *Ent. Gaz.* (Wallingford), 52:49-50. [England]
- Junnilainen, J.
2001. Two new species of *Swammerdamia* from the southern Ural Mountains and southern Siberia (Lepidoptera: Yponomeutidae). *Ent. Fenn.* (Helsinki), 12:112-118. [Russia]
- ### ZYGAENIDAE
- Bland, K. P.
2001. A new site for *Zygaena lonicerae latomarginata* Tutt, 1899 (Lepidoptera: Zygaenidae) in Scotland. *Ent. Gaz.* (Wallingford), 52:70.
- Buntebarth, G.
2001. Beitrag zur Kenntnis von *Zygaena (Zygaena) mana* Kirby, 1892 (Lepidoptera: Zygaenidae). *Ent. Zeit.* (Stuttgart), 111:113-115. [Georgia]
- Efetov, K. A.
2001a. On the biology of *Jordanita (Rjabovia) homi* (Alberti, 1937) (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 52:40. [Armenia]
2001b. On the systematic position of *Zygaenoprocris* Hampson, 1900 (Lepidoptera: Zygaenidae, Procrinae) and the erection of two new subgenera. *Ent. Gaz.* (Wallingford), 52:41-48. [Palearctic]
2001c. On the systematic position of some taxa of forester moths (Lepidoptera: Zygaenidae, Procrinae) described by Ruggero Verity. *Ent. Gaz.* (Wallingford), 52:128. [Italy]
2001d. An annotated check-list of forester moths (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 52:153-162. [Europe]
2001e. Newly recorded larval foodplants for *Rhagades (Rhagades) pruni* (Denis & Schiffermüller, 1775) and *Jordanita (Roccia) budensis* (Speyer & Speyer, 1858) (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 52:290.
- Fänger, H., and C. M. Naumann
2001. The morphology of the last instar larva of *Aglaope infausta* (Lepidoptera: Zygaenidae: Chalcosiinae). *Eur. J. Ent.* (České Budějovice), 98:201-218. [Germany]
- Hofmann, A., and W. G. Tremewan
2001. Contribution to the knowledge of the genus *Zygaena* Fabricius, 1775, in Iran (Lepidoptera, Zygaenidae). *Linn. Belg.* (Beersel), 18:125-136.
- Kogi, H.
2001a. *Acroclita elaeagnivora* Oku (Tortricidae) taken from Hokkaido. *Yugato* (Niigata), 163:16. [Japan] [in Japanese]
2001b. *Notocelia nimia* Falkovitsh (Tortricidae) collected in Hokkaido. *Yugato* (Niigata), 163:32. [Japan] [in Japanese]
- Mollet, B.
2001. A new subgenus of the genus *Zygaenoprocris* Hampson, 1900 (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 52:51-53.

[Palearctic]

Tarmann, G. M., and W. G. Tremewan

2001. Notes on the biology and ecology of *Adscita* (*Adscita*) *obscura* (Zeller, 1847) (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 52:91-99. [Turkey]

Tarrier, M. R.

- 2001a. Redécouverte de *Zygaena orana tatla* Reiss, 1943 (Lepidoptera: Zygaenidae). *Linn. Belg.* (Beersel), 18:171-174. [Morocco]
- 2001b. Les zygènes de l'Anti-Atlas marocain: découvertes, inventaire commenté et bio-indication (Lepidoptera, Zygaeninae). *Bull. Soc. Ent. Fr.* (Paris), 106:163-172. [Morocco]

Troukens, W.

2001. *Clepsis rurinana* (Lepidoptera: Tortricidae) op kamerplant. *Phegea* (Antwerp), 29:110-111. [Belgium]

Yukinari, M.

2001. Outbreak of *Elcysma westwoodii* (Vollenhoven) (Lepidoptera: Zygaenidae) on *Prunus* spp. (cherry) in Tokushima. *Yadoriga* (Tokyo), 188:50-53. [Japan] [in Japanese]

TROPICAL LEPIDOPTERA

ADELIDAE

Kozlov, M. V.

2001. *Nematopogon taiwanella* sp. n. from the mountains of Taiwan (Lepidoptera, Adelidae). *Tijds. Ent.* (Amsterdam), 144:41-44.

AGATHIPHAGIDAE

Simonsen, T. J., and N. P. Kristensen

2001. *Agathipha* wing vestiture revisited: evidence for complex early evolution of lepidopteran scales (Lepidoptera: Agathiphaeidae). *Ins. Syst. Evol.* (Copenhagen), 32:169-175. [Australia]

AMPHITHERIDAE

Huemer, P., and A. H. Segerer

2001. Polyphänismus bei "Kleinschmetterlinge" am Beispiel von *Roeslerstammia erxlebelli* (Fabricius, 1787) und *R. pronubella* (Denis & Schiffermüller, 1775) (Lepidoptera: Roeslerstammiidae). *Ent. Zeit.* (Stuttgart), 111:207-211. [Europe]

ARCTIIDAE

Durante, M. A., and S. Panzera

- 2001a. I lepidotteri del delta del Niger (secundo contributo) (Lepidoptera, Arctiidae, Lithosiinae). *Lambill.* (Turvuren), 101:203-215.
- 2001b. I lepidotteri del Delta del Niger (terzo contributo) (Lepidoptera, Arctiidae, Lithosiinae). *Lambill.* (Turvuren), 101:465-472.

Goel, S. C., D. K. Bhardwaj, and B. Yadav

2001. Male genitalia of four Indian arctiids from western Uttar Pradesh (Lepidoptera: Arctiidae). *Uttar Pradesh J. Zool.* (Muzaffarnagar), 21:17-22. [India]

Holloway, J. D.

2001. *The Moths of Borneo. 7. Family Arctiidae, subfamily Lithosiinae.* Kuala Lumpur: Malayan Nat. Soc. (*Malay. Nat. J.*, 55:279-469, 8 pl.).

Kaleka, A. S.

2001. A new species of moth under genus *Lemyra* (Arctiinae: Arctiidae: Lepidoptera). *J. Bombay Nat. Hist. Soc.*, 98:422-424. [India]

Kaleka, A. S., and J. S. Kirti

2001. A new genus *Mangina* along with the taxonomy of *Argina* Hubner (Arctiinae: Arctiidae: Lepidoptera). *J. Bombay Nat. Hist. Soc.*, 98:250-253. [Asia]

Tougoët, H. de

- 2001a. Description de nouvelles Arctiides néotropicales et d'un nouveau genre (Lepidoptera, Arctiidae, Arctiinae). *Nouv. Rev. Ent.* (Paris), (n.s.) 18: 113-121. [S. Amer.]
- 2001b. Description de nouvelles arctiides néotropicales (Lepidoptera Arctiidae Arctiinae). *Lambill.* (Turvuren), 101:399-402. [Guatemala]

Yoshimoto, H.

2001. Description of a new species of *Brana* Walker (Lepidoptera, Noctuidae, Ophiderinae) from Thailand. *Trans. Lepid. Soc. Japan* (Tokyo), 52:250-252.

BOMBYCIDAE

Koul, A., K. Ram, D. Singh, and R. K. Arora

2001. Oviposition pattern of silkworm, *Bombyx mori*. *J. Ins. Sci.* (Ludhiana), 11:169-170. [India]

Shirakawa, K., and Y. Kishida

2001. *Ernolatia moorei* (Hutton) (Bombycidae) from Ishigaki Island, Ryukyus. *Japan Heteroc. J.* (Tokyo), 213:248. [in Japanese]

CASTNIIDAE

O'Dwyer, C.

2001. The habitat of the golden sun moth *Synemon plana* (Lepidoptera: Castniidae). *Trans. Roy. Zool. Soc. NSW* (Sydney), 1999:322-324. [Australia]

COSMOPTERIGIDAE

Landry, B.

2001. The Cosmopterigidae (Lepidoptera) of the Galápagos Islands, Ecuador. *Rev. Suiss. Zool.* (Geneva), 108:513-539.

COSSIDAE

Schoorl, J. W., Jr.

2001. A new species of *Trismelasmos* (Lepidoptera: Cossidae) from Irian Jaya. *Ent. Ber.* (Amsterdam), 61:99-100.

GELECHIIDAE

Kumar, P. S., T. R. Goud, and T. V. K. Singh

- [2001]. Life-fertility tables and stable-age distribution of groundnut leafminer, *Aproaerema modicella* Dev. *Indian J. Pl. Prot.* (Hyderabad), 26:115-124. (1998) [India]

Park, K.-T.

2001. Two new species of *Dichomeris* (Lepidoptera, Gelechiidae) from Taiwan. *Ins. Koreana* (Chuncheon), 18:307-310.

GEOMETRIDAE

Abraham, D., N. Ryrholm, H. Wittzell, J. D. Holloway, M. J. Scoble, and C. Lofstedt

2001. Molecular phylogeny of the subfamilies of Geometridae (Geometroidea: Lepidoptera). *Molec. Phylogen. Evol.* (San Diego), 20:65-77.

Garlacz, R.

2001. Species of the genus *Zamarada* Moore in Nigeria with notes on their geographical distribution (Rhopalocera, Geometridae, Ennominae). *Lambill.* (Tervuren), 101:610-616.

Hausmann, A., and M. Sommerer

2001. *Oenospila kopperi*, spec. nov., eine neue grüne Geometride aus Sumatra (Insecta, Lepidoptera, Geometridae, Geometrinae). *Spixiana* (Munich), 24:241-244.

Hausmann, A., and R. Trusch

2001. Proceedings of the Forum Herbulot 2001. Neotropical Geometridae: approaches to a modern concept of the geometrid system on genus and tribe level (8.3-9.32001). *Spixiana* (Munich), 24:193-202.

Herbulot, C.

- 2001a. Nouveaux Geometridae neotropicaux (Lepidoptera). *Lambill.* (Turvuren), 101:103-106. [Bolivia, Dominica, Ecuador, Peru]
- 2001b. Nouveaux Larentiinae et Ennominae africains (Lepidoptera Geometridae). *Bull. Soc. Ent. Mulhouse*, 57:73-78. [Africa]

Inoue, H.

2001. Subspeciation of *Milionia philippinensis* Rothschild in the Philippines (Geometridae, Ennominae). *Tinea* (Tokyo), 16:293-206.

Intachat, J., J. D. Holloway, and H. Staines

2001. Effects of weather and phenology on the abundance and diversity of geometroid moths in a natural Malaysian tropical rain forest. *J. Trop. Ecol.* (Cambridge), 17:411-429. [Malaysia]

Karisch, T.

2001. Zur Geometridenfauna von Bioko (Lepidoptera: Geometridae). *Lambill.* (Tervuren), 101:161-184.

Krüger, M.

2001. A revision of the tribe Macariini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. *Bull. Nat. Hist. Mus.* (London), *Ent.*, 70(1):1-502.

McQuillan, P. B.

2001. The effect of changes in Tasmanian grasslands on the geometrid moth tribe Xanthorhoini (Geometridae: Larentiinae). *Trans. Roy. Zool. Soc. NSW* (Sydney), 1999:121-128. [Tasmania]

McQuillan, P. B., C. J. Young, and A. M. M. Richardson

2001. A revision of the Australian moth genus *Paralaea* Guest (Lepidoptera: Geometridae: Ennominae). *Invert. Taxon.* (Canberra), 15:277-317.

Olivares, T. S., L. Zúñiga, and A. O. Angulo

2001. Description de la hembra y huevo de *Mallomus anguloi* Parra & Henriquez (Lepidoptera: Geometridae: Nacophorini). *Revta. Chil. Ent.* (Santiago), 28:59-61. [Chile]

Parra, L. E., and H. A. Vargas

2001. Revision del género *Neorumia* Bartlett-Calvert, 1893 (Lepidoptera: Geometridae). *Revta. Chil. Ent.* (Santiago), 27:91-98. (2000) [Chile]

Pasenow, B., S. Maria, M. M. Dias, and A. M. Penteado-Dias

2001. Bionomic aspects of *Eois tegularia* (Guenée) and *Eois glauculata* (Walker) (Lepidoptera, Geometridae, Larentiinae) and their parasitoids. *Revta. Bras. Zool.* (Curitiba), 18:837-840. [Brazil] [in Portuguese]

Sato, R.

2001. Larva of *Biston marginata* Shiraki (Geometridae, Ennominae) in Okinawa. *Yugato* (Niigata), 164:58-60. [in Japanese]

Schmidt, O.

2001. Australian species of *Anachloris* Meyrick (Lepidoptera: Geometridae: Larentiinae): taxonomy, musculature of the male genitalia and systematic position. *Austr. J. Ent.* (Carlton), 40:219-230.

Tominaga, S.

- 2001a. Additional notes on the host plants of *Perixera* sp. (Geometridae). *Yugato* (Niigata), 164:48. [Okinawa] [in Japanese]
- 2001b. Larval food plants of five species of Geometridae in Okinawa. *Yugato* (Niigata), 164:61-65. [in Japanese]
- 2001c. Notes on the larvae of six geometrid moths in Okinawa Island. *Yugato* (Niigata), 166:119-122. [in Japanese]

Wojtusiak, J., and R. Garlacz

2001. The Geometridae of the Sao Tomé and Principe Islands in the Gulf of Guinea. A Checklist with notes on their geographical distribution. *Lam-bill.* (Turvuren), 101:473-481.

Young, C. J., and P. B. McQuillan

2001. Redescription of the little-known Australian geometrid moth *Palleopa innotata* Walker, 1866 (Lepidoptera: Geometridae: Ennominae). *Ins. Syst. Evol.* (Copenhagen), 32:263-278. [Australia]

Zanuncio, J. C., R. N. C. Guedes, T. V. Zanuncio, and A. S. Fabres

2001. Species richness and abundance of defoliating Lepidoptera associated with *Eucalyptus grandis* in Brazil and their response to plant age. *Austral Ecol.* (Carlton), 26:582-589. [Geometridae] [Brazil]

GRACILLARIIDAE**Chagas, M. C. M., J. R. P. Parra, T. Namekata, J. S. Hartung, and P. T. Yamamoto**

2001. *Phyllocnistis citrella* Stainton (Lepidoptera: Gracillariidae) and its relationship with the citrus canker bacterium *Xanthomonas axonopodis* pv *citri* in Brazil. *Neotrop. Ent.* (Itabuna), 30:55-59.

HEPIALIDAE**Allan, R. A., and Q. Wang**

2001. Mating behaviour, and evidence of a female-released sex pheromone, in *Wiseana copularis* (Meyrick) (Lepidoptera: Hepialidae). *New Zealand J. Zool.* (Wellington), 28:257-262. [New Zealand]

Main, A. R.

2001. Case history studies of the effects of vegetation succession and fire on the moth *Fraus simulans* (Lepidoptera, Hepialidae) and its food plant, the sedge *Ecdeiocolea monostachya* (Ecdeiocoleaceae) in the Western Australia wheatbelt: implications for retention of biodiversity. *Pac. Conserv. Biol.* (Chipping Norton, NSW), 7:93-100.

HESPERIIDAE**Austin, G. T., and A. D. Warren**

2001. Taxonomic notes on some Neotropical skippers (Lepidoptera: Hesperidae): *Pyrgus*, *Heliopyrgus*, and *Heliopetes* (Pyrginae). *Dugesiana* (Guadalajara), 8:1-13.

Burns, J. M., and D. H. Janzen

2001. Biodiversity of pyrrhopygine skipper butterflies (Hesperidae) in the Area de Conservación Guanacaste, Costa Rica. *J. Lepid. Soc.* (Los Angeles), 55:15-43.

Devyatkin, A. L.

2001. Hesperidae of Vietnam, 9. Three new species and one new subspecies from the subfamily Pyrginae (Lepidoptera, Hesperidae). *Atalanta* (Munich), 32:403-410, pl. 19.

Lamas, G.

2001. Los Riodinidae, Lycaenidae y Hesperidae americanos descritos por J. Röber (Lepidoptera). *Revta. Peru. Ent.* (Lima), 42:41-48. [Neotropical]

Mielke, O. H. H.

2001. Cladistic study and descriptions of tribes in Pyrrhopyginae (Lepidoptera, Hesperidae). *Revta. Bras. Zool.* (Curitiba), 18:897-905.

Steinhauser, S. R., and A. D. Warren

2001. A new species of *Euphyes* Scudder from western Mexico (Hesperidae: Hesperinae). *J. Lepid. Soc.* (Los Angeles), 55:158-161.

Valentine, P. S., and S. J. Johnson

2001. The life history of *Telicota brachydesma* Lower (Lepidoptera: Hesperidae). *Austr. Ent.* (Indooroopilly), 27:103-108. [Australia]

Warren, A. D.

- 2001a. A new genus and species of Cyclopidinae from Zamora, Ecuador (Lepidoptera: Hesperidae). *Bol. Cient. Mus. Hist. Nat. Univ. Caldas* (Manizales), 5:138-153.
- 2001b. A replacement name for *Freemania* A. Warren, with notes on the higher classification of the genus (Lepidoptera: Hesperidae). *Proc. Ent. Soc. Washington*, 103:1028-1029. [Ecuador]

HETEROCERA**Becker, V. O.**

2001. The identity of some unrecognized Neotropical Bombycoidea (Lepidoptera) described by Francis Walker. *Revta. Bras. Zool.* (Curitiba), 18:153-157.

Gregg, P. C., A. P. del Socorro, and W. A. Rochester

2001. Field test of a model of migration of moths (Lepidoptera: Noctuidae) in inland Australia. *Austr. J. Ent.* (Carlton), 40:249-256. [Australia]

Heppner, J. B.

2001. *Exotic Microlepidoptera* of Edward Meyrick - 1. *Lepid. News* (Gainesville), 2001(3):20-56.

Ricketts, T. H., G. C. Daily, P. R. Ehrlich, and J. P. Fay

2001. Countryside biogeography of moths in a fragmented landscape: biodiversity in native and agricultural habitats. *Conserv. Biol.* (Cambridge), 15:378-388. [Costa Rica]

Rosch, M., S. L. Chown, and M. A. McGeoch

2001. Testing a bioindicator assemblage: gall-inhabiting moths and urbanization. *African Ent.* (Pretoria), 9:85-94. [South Africa]

Sato, R.

2001. Bibliography of the moth fauna of Niigata Prefecture, supplement 38. *Yugato* (Niigata), 163:4-5. [Japan] [in Japanese]

Tominaga, S.

- 2001a. Notes on the occurrence of *Daphnis nerii* (Sphingidae), *Parasa lepida* (Limacodidae) and *Nyctemera lactinia* (Arctiidae) from Okinawa in 2000. *Yugato* (Niigata), 163:33. [in Japanese]
- 2001b. Hostplants of *Cirrhochrista kosemponialis* Strand (Crambidae), *Edulicodes inouella* Roesler (Pyralidae) and [*Neasura melanopyga* Hampson] (Arctiidae) in Okinawa. *Yugato* (Niigata), 165:95-97. [in Japanese]

Vun Khen, C.

2001. Moth diversity in the tropical rain forest of Lanjak-Entimau, Sarawak, Malaysia. *Malay. Nat. J.* (Kuala Lumpur), 54:305-318. (2000)

LASIOCAMPIDAE**Orhant, G. E. R. J.**

2001. Une nouvelle espèce de Lasiocampidae de Thaïlande (Lepidoptera, Lasiocampidae). *Bull. Soc. Ent. Mulhouse*, 57:6-7.

Zolotuhin, V. V.

2001. Contributions to the study of Asiatic Lasiocampidae. 5. Descriptions of new species of *Euthrix* Meigen, 1830 and of related genera, with a synonymic note (Lepidoptera, Lasiocampidae). *Atalanta* (Munich), 32:453-471, pl. 22. [SE Asia]

LECITHOCERIDAE**Park, K.-T., and H.-Y. Wang**

- [2001]. A tentative check list of the Lecithoceridae (Lepidoptera) of Taiwan, with notes on two new records. *J. Natl. Taiwan Mus.* (Taipei), 53(2):1-12. (2000)

Park, K.-T., and C.-S. Wu

2001. Additional faunistic data and discussions of Lecithoceridae (Lepidoptera) from Sri Lanka, with descriptions of seven new species. *Ins. Koreana* (Chuncheon), 18:139-152.

LEPIDOPTERA**Brakefield, P. M.**

2001. Structure of a character and the evolution of butterfly eyespot patterns. *J. Exp. Zool.* (New York), 291:94-104. [Africa]

Buchsbaum, U.

2001. Entomologische Reise ins neue Jahrtausend — die ersten Schmetterlinge des Jahres 2000 aus Borneo. *Ent. Zeit.* (Stuttgart), 111:212-217. [Sabah]

Diniz, I. R., H. C. Morais, and A. J. A. Camargo

2001. Host plants of lepidopteran caterpillars in the cerrado of the Distrito Federal, Brazil. *Revta. Bras. Ent.* (Sao Paulo), 45:107-122.

Hoare, R. J. B.

2001. Adventive species of Lepidoptera recorded for the first time in New Zealand. *New Zealand Ent.* (Auckland), 24:23-47.
- Holloway, J. D., G. Kibby, and D. Pegg**
2001. *The Families of Malesian Moths and Butterflies*. Leiden: E. J. Brill. 455pp (8 pl.).
- Karisch, T.**
2001. On the Lepidoptera fauna of St. Helena. Part I: Macrolepidoptera (Insecta: Lepidoptera). *Linzer Biol. Beitr.* (Linz), 33:407-434. [in German]
- Morishita, K.**
2001. A flying visit to N. W. Yunnan, China. *Yadoriga* (Tokyo), 191:14-23. [in Japanese]
- Morris, S. J.**
2001. An insect survey in the Landsborough Valley-West Coast. *Rec. Canterbury Mus.*, 12:44-48. (1998) [New Zealand]
- Patrick, B. H., and R. Cuthbert**
2001. Lepidoptera and other insects of the Seaward Kaikoura Range. *Rec. Canterbury Mus.* (Canterbury), 13:123-127. (1999) [New Zealand]
- Robinson, G. S., P. R. Ackery, I. J. Kitching, G. W. Beccaloni, and L. M. Hernández**
2001. *Hostplants of the Moth and Butterfly Caterpillars of the Oriental Region*. London: Nat. Hist. Mus. 744pp.
- Schulze, C. H., K. E. Linsenmair, and K. Fiedler**
2001. Understory versus canopy: patterns of vertical stratification and diversity among Lepidoptera in a Bornean rain forest. *Plant Ecol.* (Dordrecht), 153:133-152. [Borneo]
- Robinson, G. S., P. R. Ackery, I. J. Kitching, G. W. Beccaloni, and L. M. Hernández**
2001. *Hostplants of the Moth and Butterfly Caterpillars of the Oriental Region*. London: Nat. Hist. Mus. 744pp.
- Zanuncio, J. C., R. N. C. Guedes, T. V. Zanuncio, and A. S. Fabres**
2001. Species richness and abundance of defoliating Lepidoptera associated with *Eucalyptus grandis* in Brazil and their response to plant age. *Austral Ecol.* (Carlton), 26:582-589. [Geometridae] [Brazil]
- LIMACODIDAE**
Corrales, J. F., and M. E. Epstein
[2001]. New species of the New World *Natada* complex (Lepidoptera: Limacodidae). *Revta. Biol. Trop.* (San Jose), 48:591-604. (2000) [Costa Rica]
- Sasaki, A., I. Tanahara, and M. Tanahara**
2001. Redescription of *Narosoideus ochridorsalis* Inoue, new status (Limacodidae) and notes on its larva. *Japan Heteroc. Soc.* (Tokyo), 214:264-266. [Okinawa] [in Japanese]
- LYCAENIDAE**
Bálint, Z.
2001. Three new eumaeine species from the Andes (Lepidoptera: Lycaenidae). *Fol. Ent. Hung.* (Budapest), 62:167-175. [Peru, Venezuela]
- Bálint, Z., and D. Benyamini**
2001. Taxonomic notes, faunistics and species descriptions of the austral South American polyommata lycaenid genus *Pseudolucia* (Lepidoptera: Lycaenidae): the *chilensis* and *collina* species-groups. *Ann. Hist.-Nat. Mus. Natl. Hung.* (Budapest), 93:107-149. [Argentina, Chile]
- Bálint, Z., D. Benyamini, and K. Johnson**
2001. Species descriptions and miscellaneous notes on the genus *Pseudolucia* (Lepidoptera: Lycaenidae). *Fol. Ent. Hung.* (Budapest), 62:151-165. [Chile]
- Bálint, Z., and A. Moser**
2001. Notes on the genus *Paraspiculatus* (Insecta: Lepidoptera: Lycaenidae: Eumaeini) with a synopsis of the taxa occurring in southern Brazil. *Ann. Naturhist. Mus. Wien*, 103B:249-262.
- Bálint, Z., and J. Wojtusiak**
2001. The genus *Pons* Johnson, 1992 (Lepidoptera: Lycaenidae: Eumaeini). *Genus* (Wrocław), 12:373-383. [Neotropical]
- Brévignon, C.**
2001. Le genre *Chlorostymon* Clench, 1961 en Guadeloupe (Lepidoptera, Lycaenidae, Theclinae). *Lambill.* (Tervuren), 101:561-566.
- Cordero, C.**
2001. A different look at the false head of butterflies. *Ecol. Ent.* (London), 26:106-108. [Mexico]
- Duarte, M., C. L. de Almeida, M. M. Casagrande, and O. H. H. Mielke**
2001. Notes on the last instar larva and pupa of *Hemiargus hanno* (Stoll) (Lepidoptera, Lycaenidae, Polyommatainae). *Revta. Bras. Zool.* (Curitiba), 18:1097-1105. [Brazil]
- Duarte, M., M. M. Casagrande, and O. H. H. Mielke**
2001. Adult exoskeletal morphology of *Hemiargus hanno* (Stoll) (Lepidoptera, Lycaenidae, Polyommatainae, Polyommataini). I. Head morphology. *Revta. Bras. Zool.* (Curitiba), 18:225-238. [Brazil]
- Fiedler, K.**
2001. Ants that associate with Lycaeninae butterfly larvae: diversity, ecology and biogeography. *Divers. Distrib.* (Oxford), 7:45-60.
- Johnson, S. J., and P. S. Valentine**
2001. The life history of *Nesolycaena medicea* Braby (Lepidoptera: Lycaenidae). *Austr. Ent.* (Indooroopilly), 27:109-112. (2000) [Australia]
- Lamas, G.**
2001. Los Riodinidae, Lycaenidae y Hesperidae americanos descritos por J. Röber (Lepidoptera). *Revta. Peru. Ent.* (Lima), 42:41-48. [Neotropical]
- Larsen, T. B.**
2001. Hazards of butterfly collecting: *Ornipholidotos larseni* - Nigeria, 1967-69. *Ent. Rec. J. Var.* (Surrey), 113:80-81.
- Libert, M.**
2001a. Le genre *Ornipholidotos* Bethune-Baker au Cameroun. Descriptions du genre *Torbenia* n. gen. et de onze nouvelles espèces (Lepidoptera, Lycaenidae). *Bull. Soc. Ent. Fr.* (Paris), 105:433-466. (2000) [Cameroun]
- 2001b. *Euchrysops* Butler et *Lepidochrysops* Hedicke: deux genres distincts? Description de quatre nouvelles espèces et de deux nouvelles-espèces (Lepidoptera, Lycaenidae). *Lambill.* (Tervuren), 101:351-371. [Cameroun]
- Osada, S.**
2001. A new species of Lycaenidae (Lepidoptera), *Horaga sohmai*, from Sulawesi, Indonesia. *Trans. Lepid. Soc. Japan* (Tokyo), 52:183-186.
- Schroeder, H. G., C. G. Treadaway, I. Schroeder, and J. Nuyda**
2001. Zur Kenntnis philippinischer Taxa des Genus *Horaga* Moore, 1881 (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:109-118. [Philippines]
- Silberbauer, L. X., and D. R. Britton**
2001. Holiday houses or habitat: conservation of the Brenton blue butterfly *Orachrysops niobe* (Trimen) (Lepidoptera: Lycaenidae), in Knysna, South Africa. *Trans. Roy. Zool. Soc. NSW*, 1999:394-397.
- Tennent, W. J.**
2001a. A new species of *Ionolyce* Toxopeus from the Solomon Islands (Santa Cruz group) and Vanuatu (Lepidoptera: Lycaenidae). *Austr. Ent.* (Indooroopilly), 28:41-44.
- 2001b. Notes on *bochus*-group of species of the genus *Jamides* Hübner in the Santa Cruz Islands (Solomon Islands), with description of a new subspecies of *Jamides amarae* Druce (Lepidoptera: Lycaenidae). *Austr. Ent.* (Indooroopilly), 28:45-48.
- 2001c. What is *Nacaduba mallicollo markira* Tite? A new species of *Nacaduba* Moore from the Solomon Islands (Lepidoptera: Lycaenidae). *Aust. Ent.* (Indooroopilly), 28:85-90.
- 2001d. Three new *Hypochrysops* C. & R. Felder taxa from the Solomon Islands, including a new species from the Santa Cruz group (Lepidoptera: Lycaenidae). *Aust. Ent.* (Indooroopilly), 28:91-96.
- 2001e. Further notes on the *Deudorix affinis* group in the South Pacific (Lepidoptera: Lycaenidae). *Aust. Ent.* (Indooroopilly), 28:137-140.
- Vincens, P.**
2001. *Lampides boeticus* Linné, 1767, espèce présente dans le nouveau monde? (Lepidoptera Lycaenidae). *Alexanor* (Paris), 21:203-205. (1999) [Martinique]
- Williams, M. R., and H. H. Bollam**
2001. A new subspecies of *Candalides hyacinthinus* (Semper) (Lepidoptera: Lycaenidae) from Western Australia. *Austr. Ent.* (Indooroopilly), 28: 49-54.
- Williams, M. R., and R. W. Hay**
2001. Two new subspecies of *Ogyris otares* C. & R. Felder (Lepidoptera: Lycaenidae) from Western Australia. *Austr. Ent.* (Indooroopilly), 28: 55-63.
- LYMANTRIIDAE**
Chao, J.-T., S.-S. Lu, Y.-M. Chen, L.-M. Juang, N.-K. Chao, and W.-C. Yeh
2001. How fecund is *Lymantria xyliana* Swinhoe (Lepidoptera: Lymantriidae) in Taiwan? *Taiwan J. For. Sci.* (Taipei), 16:259-266.
- Tominaga, S.**
2001. Colour variation of larvae of three *Euproctis* species (Lymantriidae) in Okinawa. *Yugato* (Niigata), 165:79-82. [in Japanese]
- LYONETIIDAE**
Reis, R., Jr., E. R. Lima, E. F. Vilela, and R. S. Barros
[2001]. Method for maintenance of coffee leaves in vitro for mass rearing of

Leucoptera coffeellum (Guérin-Méneville) (Lepidoptera: Lyonetiidae). *An. Soc. Ent. Bras.* (Itabuna), 29:849-854. (2000) [Brazil]

MEGALOPYGIDAE

Deml, R., and M. E. Epstein

- 2001a. Hydroquinone and other secondary compounds in hairs of fire caterpillars (Lepidoptera: Zygaenoidea: Megalopygidae). *Ent. Gener.* (Stuttgart), 25:131-134. [Venezuela]
- 2001b. Illustration of a caterpillar of Megalopyginae (Lepidoptera: Megalopygidae) whose hairs contain antiseptic compounds. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:187-189. [Venezuela]

METARBELIDAE

Babu, B. S., S. R. Pandravada, N. Sivaraj, and K. Venkateswaran

- [2001]. An introduced oil yielding plant from El Salvador, *Simarouba glauca* DC., a new host record for bark eating caterpillar *Indarbela quadrinotata* (Walker). *Indian J. Plant Prot.* (Hyderabad), 28:111-112. (2000) [India]

NOCTUIDAE

Adams, M. S.

2001. A revision of the moth genus *Leucania* Ochsenheimer in the Antilles (Insecta: Lepidoptera: Noctuidae). *Ann. Carnegie Mus.* (Pittsburgh), 70: 179-220. [West Indies]

Angulo, A. O., and T. S. Olivares

2001. Clave para identificar pupas de especies de noctuidos Chilenos (Lepidoptera: Noctuidae). *Revta. Chil. Ent.* (Santiago), 28:55-58. [Chile]

Angulo, A. O., T. S. Olivares, and R. Badilla

2001. Sur une nouvelle espèce du genre *Copitarsia* Hampson au Chili (Lepidoptera, Noctuidae, Cucullinae [sic]). *Gayana* (Concepcion), 65:1-4. [Chile]

Becker, V. O.

- 2001a. A new Antillean moth of the genus *Enigmogramma* Lafontaine & Poole (Noctuidae, Plusiinae). *Revta. Bras. Zool.* (Curitiba), 18:145-147. [West Indies]
- 2001b. The identity of *Hemeroblemma lienaris* Hübner and a review of the Neotropical moths of the *pannosa*-complex of *Epidromia* Guenée (Noctuidae, Catocalinae). *Revta. Bras. Zool.* (Curitiba), 18:961-964.

Behounek, G.

2001. Beschreibung einer neuen Art der Gattung *Chrysodeixis* Hübner, [1821] 1816, aus Indonesien (Lepidoptera: Noctuidae, Plusiinae). *Ent. Zeit.* (Stuttgart), 111:277-278. [Indonesia: Ceram]

Dewhurst, C. F., W. W. Page, and D. J. W. Rose

2001. The relationship between outbreaks, rainfall and low density populations of the African armyworm, *Spodoptera exempta*, in Kenya. *Ent. Exp. Appl.* (Amsterdam), 98:285-294.

Eda, K.

2001. *Dysgonia palumba* (Guenée) (Noctuidae, Catocalinae) from Okinawa Island. *Japan Heteroc. J.* (Tokyo), 213:244. [in Japanese]

Gregg, P. C., A. P. del Socorro, and W. A. Rochester

2001. Field test of a model of migration of moths (Lepidoptera: Noctuidae) in inland Australia. *Aust. J. Ent.* (Carlton), 40:249-256. [Australia]

Inoue, H.

2001. On the Nolinae (Noctuidae) from Okinawa Prefecture, with descriptions of two new species. *Japan Heteroc. J.* (Tokyo), 212:223-230. [in Japanese]

Kononenko, V. S., and L. Ronkay

2001. A revision of the genus *Stenoloba* Staudinger (Lepidoptera, Noctuidae, Bryophilinae) with descriptions of 15 new species and 3 new subspecies from East Asia (II). *Ins. Koreana* (Chuncheon), 18:95-121.

Krüger, M.

- 2001a. A review of the genus *Acronicta* Ochsenheimer in southern Africa, with descriptions of three new species (Lepidoptera: Noctuidae: Acronictinae). *Ann. Transvaal Mus.* (Pretoria), 38:1-8.
- 2001b. A revision of the montane *Athetis aurogrisea* and *A. perplexa* species groups (Lepidoptera: Noctuidae: Amphipyriinae). *Ann. Transvaal Mus.* (Pretoria), 38:19-42. [South Africa]

Lödl, M.

- 2001a. A peculiar evolutive lineage of the uncus in the genus *Catada* Walker, [1859] 1858. *Spixiana* (Munich), 24:77-84. [Old World tropics]
- 2001b. *Catada ja* sp. n., eine neue Hypeninae aus der äquatorialen Afrika (Lepidoptera: Noctuidae). *Zeit. Arbeitsgem. Österr. Ent.* (Vienna), 53:105-109. [Cameroon]

Lödl, M., and P. Paumkirkner

2001. *Catada psychis* sp.n., ein neuen noctuide aus West-Afrika (Insecta:

Lepidoptera: Noctuidae). *Ann. Naturhist. Mus. Wien*, (B) 103:263-268. [Africa]

Mielke, O. H. H., and M. M. Casagrande

2001. About the types of Lepidoptera deposited in Brazilian museums. XXVI. Zygaenidae (supplement) and Noctuidae described by A. M. da Costa Lima. *Revta. Bras. Zool.* (Curitiba), 18:1341-1342. [Brazil] [in Portuguese]

Oh, S.-H.

2001. A review of the subfamily Nolinae (Lepidoptera, Noctuidae) in Korea (I): genus *Nola* Leech. *Ins. Koreana* (Chuncheon), 18:123-137.

Ohbayashi, T.

2001. On the additional host plants of *Condica illecta* (Walker) (Noctuidae, Amphipyriinae). *Japan Heteroc. J.* (Tokyo), 215:291. [Bonin Is.] [in Japanese]

Ohbayashi, T., and K. Takeuchi

2001. Larva of *Anomis fulvida* (Guenée) (Noctuidae). *Japan Heteroc. J.* (Tokyo), 212:220. [Bonin Is.] [in Japanese]

Orhant, G. E. R. J.

2001. *Progonia matilei* n. sp., espèce distincte de *P. pileusalis* (Walker) (Lepidoptera, Noctuidae, Herminiinae). *Rev. Fr. Ent.* (Paris), 23:124-126. [Madagascar, Reunion, Seychelles]

Rodríguez, M. A., and A. O. Angulo

2001. Tres nuevas especies del genero *Scriptana* Hampson 1905, en Chile (Lepidoptera: Noctuidae: Hadeninae). *Gayana* (Concepcion), 65:27-36.

Rosaiah, B., and A. S. Reddy

- [2001]. Bioecology of *Helicoverpa armigera* (Hübner) in Nagarjuna Sugar Project area of Andhra Pradesh. *J. Ins. Sci.* (Ludhiana), 12:27-33. (1999) [India]

Socorro, A. P. Del, and P. C. Gregg

2001. Sunflower (*Helianthus annuus* L.) pollen as a marker for studies of local movement in *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Aust. J. Ent.* (Carlton), 40:257-263. [Australia]

Sugi, S.

2001. Further specimens examined of *Tiracola plagiata* Walker (Noctuidae) from Okinawa. *Japan Heteroc. J.* (Tokyo), 213:246. [in Japanese]

Sugi, S., and S. Tominaga

- 2001a. Early stages of *Miaromima kobesi* (Sugi) (Noctuidae, Chloephorinae). *Japan Heteroc. J.* (Tokyo), 214:257-258. [Okinawa] [in Japanese]
- 2001b. *Selepa molybdea* Hampson (Nolidae in revised sense, Eligminae) from Okinawa, with notes on the larva feeding on *Smilax* (Smilacaceae). *Japan Heteroc. J.* (Tokyo), 216:313-315. [in Japanese]

Tanahara, I., and M. Tanahara

- 2001a. Larva and hostplant of *Chalciope mygdon* (Cramer) (Noctuidae, Catocalinae). *Japan Heteroc. J.* (Tokyo), 213:252. [Okinawa] [in Japanese]
- 2001b. Larva and hostplant of *Eudocima salaminia* (Fabricius) (Noctuidae, Catocalinae) in Okinawa Island. *Japan Heteroc. J.* (Tokyo), 216:293-294. [in Japanese]
- 2001c. Outbreak of *Pericyma cruegeri* (Butler) (Noctuidae, Catocalinae) in Okinawa Island in the year 2000. *Japan Heteroc. J.* (Tokyo), 216:311-312. [in Japanese]

Teixeira, E. P., J. P. S. Novo, C. P. Stein, and I. J. Godoy

2001. First record of *Spodoptera albula* (Walker) (Lepidoptera: Noctuidae) damaging peanuts (*Arachis hypogaea* L.), in the state of São Paulo, Brazil. *Neotrop. Ent.* (Londrina), 30:723-724. [in Portuguese]

Teston, J. A., A. Specht, and E. Corseuil

2001. Biology of *Anicla infecta* (Ochsenheimer, 1816) (Lepidoptera, Noctuidae, Noctuinae), under laboratory conditions. *Revta. Bras. Biol.* (Rio de Janeiro), 61:661-666. [Brazil]

Thöny, H.

- 2001a. 10. Beitrag zur Heterocera-Fauna von Brasilien. 1. Studie zur Gattung *Chalcoecia* Hampson, 1910 (Lepidoptera, Noctuidae, Amphipyriinae). *Facetta* (Ingolstadt), 20:2-10, pl. 1-2, 9, 11. [Brazil]
- 2001b. 11. Beitrag zur Heterocera-Fauna von Brasilien. 1. Studie zur Gattung *Trogotoma* Hampson, 1910 (Lepidoptera, Noctuidae, Acontiinae). *Facetta* (Ingolstadt), 20:11-10, pl. 4, 9-13. [Brazil]
- 2001b. 12. Beitrag zur Heterocera-Fauna von Brasilien. Neue Daten zur Verbreitung der Gattung *Gonodonta* Hübner, 1818, nebst Beschreibung vonm zwei neuen Arten (Lepidoptera, Noctuidae, Catocalinae). *Facetta* (Ingolstadt), 20:18-22, 35-36, pl. 3, 12. [Brazil]

Tominaga, S.

- 2001a. Larvae and host plants of four noctuid species in Okinawa. *Yugato* (Niigata), 163:1-3. [in Japanese]
- 2001b. Hostplants of three noctuid species in Okinawa. *Yugato* (Niigata), 165: 91-93. [in Japanese]

- 2001c. Breeding experiments of larvae of *Asota plana* Walker (Hypsiidae). *Yugato* (Niigata), 166:111. [Okinawa] [in Japanese]
- 2001d. Biological notes on *Plataplecta pruinosa* (Guenée) (Noctuidae) in Okinawa Island. *Yugato* (Niigata), 166:115-118. [in Japanese]
- 2001e. Larvae of three species of *Callopietria* (Noctuidae) found in Okinawa. *Japan Heteroc. J.* (Tokyo), 216:308-310. [in Japanese]
- Yoshimatsu, S., and A. Legrain**
2001. Review of the genus *Mythinna* Ochschenheimer [sic] (Lepidoptera, Noctuidae, Hadeninae) in Taiwan, with description of a new species and checklist. *Ent. Sci.* (Tokyo), 4:431-437.
- Yoshimoto, H.**
- 2001a. Two new species of *Dionea* Walker (Lepidoptera, Noctuidae) from Japan, Taiwan and Myanmar. *Trans. Lepid. Soc. Japan* (Tokyo), 52: 150-156.
- 2001b. Notes on the genus *Panilla* Moore (Lepidoptera, Noctuidae, Ophiderinae), with description of a new species from Taiwan. *Tinea* (Tokyo), 16:342-347.
- 2001c. Notes on *Niaccaba sumptualis* Walker (Noctuidae, Acontiinae) new to Japan. *Japan Heteroc. J.* (Tokyo), 215:273-274. [Ryukyus] [in Japanese]
- Zilli, A.**
- 2001a. On the identity of *Iontha acerces* A. E. Prout (Lepidoptera, Noctuidae), with descriptions of a new species of *Iontha* Doubleday from Borneo. *Trans. Lepid. Soc. Japan* (Tokyo), 52:101-108.
- 2001b. A new African *Attatha* (Moore) (Lepidoptera, Noctuidae). *Esperiana* (Staffelstein), 8:633-636, pl. 30. [Cameroon]
- NOTODONTIDAE**
- Schintlmeister, A.**
2001. *Resto* gen. N. and *Rosemera* gen.n., two new Oriental genera with descriptions of four new species. *Reichenbachia* (Dresden), 34:175-180. [SE Asia]
- Schintlmeister, A., and C.-L. Fang**
2001. New and less known Notodontidae from mainland China (Insecta, Lepidoptera, Notodontidae). *Neue Ent. Nachr.* (Markt-leuthen), 50:1-141.
- Thiaucourt, P.**
- 2001a. Notes complémentaires sur le genre *Sericochroa* Felder (Lepidoptera, Notodontidae). *Nouv. Rev. Ent.* (Paris), (n.s.) 17:375-383. (2000) [S. Amer.]
- 2001b. Deux nouveaux *Sericochroa* Felder (Lepidoptera, Notodontidae). *Nouv. Rev. Ent.* (Paris), (n.s.) 18:49-51. [Peru]
- 2001c. Nouvelles espèces de Notodontidae guyano-amazoniennes (Lepidoptera, Heterocera). *Lambill.* (Turvuren), 101:413-423. [S. Amer.]
- NYMPHALIDAE**
- Amiet, J.-L.**
2001. Les premiers états des *Cymothoe*: morphologie et intérêt phylogénique (Lepidoptera, Nymphalidae). *Bull. Soc. Ent. Fr.* (Paris), 106:349-390. [Cameroon]
- Anuradha, R.**
2001. Some observations on larval and pupal dimorphism in the common nawab butterfly (*Eriboea athamus*). *J. Bombay Nat. Hist. Soc.*, 98:303-304. [India]
- Atluri, J. B., S. P. V. Ramana, and C. S. Reddi**
- [2001]. Life cycle of *Acraea terpsicore* (Lepidoptera: Rhopalocera: Acraeidae) from India. *J. Natl. Taiwan Mus.* (Taipei), 52:113-115. (1999)
- Azerefegna, F., C. Solbreck, and A. R. Ives**
2001. Environmental forcing and high amplitude fluctuations in the population dynamics of the tropical butterfly *Acraea acerata* (Lepidoptera: Nymphalidae). *J. Anim. Ecol.* (Oxford), 70:1032-1045. [Ethiopia]
- Bernaudo, D.**
2001. Premiers états d'*Acraea jodutta* au Cameroun (Lepidoptera Nymphalidae). *Lambill.* (Turvuren), 101:197-202. [Cameroon]
- Brabant, R., and J.-M. Maes**
2001. Une nouvelle espèce de *Pteronymia* Butler & Druce, 1862 pour le Nicaragua (Lepidoptera, Ithomiidae). *Lambill.* (Tervuren), 101:135-138.
- Brakefield, P. M., E. El Filali, R. van der Laan, C. J. Breuker, I. J. Saccheri, and B. Zwaan**
2001. Effective population size, reproductive success and sperm precedence in the butterfly, *Bicyclus anynana*, in captivity. *J. Evol. Biol.* (Basel), 14: 148-156. [Africa]
- Brévignon, C.**
2001. *Marpesia petreus* (Cramer, 1776) dans les petites Antilles (Lepidoptera, Nymphalidae, Biblidinae). *Lambill.* (Tervuren), 101:575-578. [Caribbean]
- Brunetti, C. R., J. E. Selegue, A. Monteiro, V. French, P. M. Brakefield, and S. B. Carroll**
2001. The generation and diversification of butterfly eyespot color patterns. *Curr. Biol.* (London), 11:1578-1585. [Africa]
- Calvert, W. H.**
2001. Monarch butterfly (*Danaus plexippus* L., Nymphalidae) fall migration: flight behavior and direction in relation to celestial and physiographic cues. *J. Lepid. Soc.* (Los Angeles), 55:162-168. [Mexico, USA]
- Chaturvedi, N., V. Giri, and V. Hegde**
2001. Migration of the commander butterfly *Limnitis procris* (Cramer). *J. Bombay Nat. Hist. Soc.*, 98:301. [India]
- Einem, G. E.**
2001. Behavior of junco silverspot, *Dione junco huascama*, larvae: wood eating? *News Lepid. Soc.* (Los Angeles), 43:114-115. [Mexico]
- Freitas, A. V. L., K. S. Brown, Jr., and A. Aiello**
2001. Biology of *Adelpha mythra* feeding on Asteraceae, a novel plant family for the Neotropical Limenitidinae (Nymphalidae), and new data on *Adelpha* "species-group VII". *J. Lepid. Soc.* (Los Angeles), 54:97-100. (2000) [Brazil]
- Freitas, A. V. L., J. Vasconcellos-N., F. Vanini, J. R. Trigo, and K. S. Brown, Jr.**
2001. Population studies of *Aeria olena* and *Tithorea harmonia* (Nymphalidae, Ithomiinae) in southeastern Brazil. *J. Lepid. Soc.* (Los Angeles), 55:150-157.
- Furtado, E.**
2001. *Prepona pheridamas pheridamas* (Cramer) and its immature stages (Lepidoptera, Nymphalidae, Charaxinae). *Revta. Bras. Zool.* (Curitiba), 18:689-694. [Brazil] [in Portuguese]
- Greeney, H. F., and N. M. Gerardo**
2001. Descriptions of the immature stages and oviposition behavior of *Pyrrhogyra otolais* (Nymphalidae). *J. Lepid. Soc.* (Los Angeles), 54: 88-90. (2000) [Ecuador]
- Haribal, M.**
2001. Overwintering population of *Danaus (Salathura) genutia* in Tiger Valley in Sanjay Gandhi National Park, Mumbai, Maharashtra. *J. Bombay Nat. Hist. Soc.*, 98:469-473. [India]
- Hecq, J.**
- 2001a. Une nouvelle espèce de *Bebearia*? (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 101:77. [Ivory Coast]
- 2001b. Description de la femelle de *Bebearia warrengashi* Hecq (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 101:78. [Ivory Coast]
- 2001c. Nouvelle espèce d'*Euphaedra* d'Afrique équatoriale (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 101:225-226. [Congo]
- 2001d. Une nouvelle espèce de *Bebearia* du Congo-Kinshasa (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 101:227-228. [Congo]
- 2001e. *Euphaedras* d'Uganda: mise au point et rectifications (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 101:542-549.
- 2001f. Un gynandromorphe chez les *Euphaedra* (Nymphalidae africains). *Lambill.* (Tervuren), 101:550. [Uganda]
- Holmes, C. W. N.**
2001. A reappraisal of the *Bebearia mardania* complex (Lepidoptera Nymphalidae). *Trop. Zool.* (Florence), 14:31-62. [Africa]
- Hsu, R., A. D. Briscoe, B. S. W. Chang, and N. E. Pierce**
2001. Molecular evolution of a long wavelength-sensitive opsin in mimetic *Heliconius* butterflies (Lepidoptera: Nymphalidae). *Biol. J. Linn. Soc.* (London), 72:435-449. [Neotropical]
- Jiggins, C. D., M. Linares, R. E. Naisbit, C. Salazar, Z. H. Yang, and J. Mallet**
2001. Sex-linked hybrid sterility in a butterfly. *Evol.* (Lawrence), 55:1631-1638. [Panama]
- Jiggins, C. D., R. E. Naisbit, R. L. Coe, and J. Mallet**
2001. Reproductive isolation caused by colour pattern mimicry. *Nature* (London), 411:302-305. [*Heliconius*; Neotropical]
- Johnson, K., and R. De Candido**
2001. Devastating March for monarchs in Mexico. *News Lepid. Soc.* (Los Angeles), 43:44-45.
- Joron, M., I. R. Wynne, G. Lamas, and J. Mallet**
2001. Variable selection and the coexistence of multiple mimetic forms of the butterfly *Heliconius numata*. *Evol. Ecol.* (London), 13:721-754. (1999) [Nymphalidae; Peru]
- Kapan, D. D.**
2001. Three-butterfly system provides a field test of Müllerian mimicry. *Nature* (London), 409:338-340. [Nymphalidae; Puerto Rico]
- Kemp, D. J.**
- 2001a. Age-related site fidelity in the territorial butterfly *Hypolimnas bolina* (L.) (Lepidoptera: Nymphalidae). *Aust. J. Ent.* (Carlton), 40:65-68. [Australia]
- 2001b. Investigating the consistency of mate-locating behavior in the territorial

- butterfly *Hypolimnas bolina* (Lepidoptera: Nymphalidae). *J. Ins. Behav.* (New York), 14:129-147. [Australia]
- 2001c. The ecology of female receptivity in the territorial butterfly *Hypolimnas bolina* (L.) (Nymphalidae): implications for mate location by males. *Aust. J. Zool.* (Melbourne), 49:203-211. [Australia]
- 2001d. Reproductive seasonality in the tropical butterfly *Hypolimnas bolina* (Lepidoptera: Nymphalidae) in northern Australia. *J. Trop. Ecol.* (Cambridge), 17:483-494.
- 2001e. Contest behavior in territorial male butterflies: does size matter? *Behav. Ecol.* (Cary), 11:591-596. [Australia]
- Kemp, D. J., and R. E. Jones**
2001. Phenotypic plasticity in field populations of the tropical butterfly *Hypolimnas bolina* (L.) (Nymphalidae). *Biol. J. Linn. Soc.* (London), 72:33-45. [Australia]
- Kemp, D. J., and R. L. Rutkowski**
2001. Spatial and temporal patterns of territorial male locating behaviour in *Hypolimnas bolina* (L.) (Lepidoptera: Nymphalidae). *J. Nat. Hist.* (London), 36:1399-1411. [Australia]
- Lamas, G.**
2001. Los Papilionidae y Nymphalidae (Morphinae, Satyrinae, Biblidinae y Heliconiinae) americanos descritos por J. Röber (Lepidoptera). *Revta. Peru. Ent.* (Lima), 42:27-40. [Neotropical]
- Lampkin, T. A.**
2001. The life history of *Euploea alcathe monilifera* (Moore) and its relationship to *E. a. eichorni* Staudinger (Lepidoptera: Nymphalidae: Danaeinae). *Aust. Ent.* (Indooroopilly), 28:129-136. [Australia]
- Machado, G., and A. V. L. Freitas**
2001. Larval defence against ant predation in the butterfly *Smyrna blomfieldia*. *Ecol. Ent.* (London), 26:436-439. [Brazil]
- Monteiro, A., and N. E. Pierce**
2001. Phylogeny of *Bicyclus* (Lepidoptera: Nymphalidae) inferred from COI, COII, and EF-1 α gene sequences. *Molecul. Phylogen. Evol.* (San Diego), 18:264-281. [Africa]
- Moulds, M. S., and R. B. Lachlan**
2001. First record of white monarchs, *Danaus plexippus* (L.) form *nivosus* (Lepidoptera: Nymphalidae: Danaeinae) from Vanuatu. *Austr. Ent.* (Indooroopilly), 27:113-116. (2000)
- Naisbit, R. E., C. D. Jiggins, and J. Mallet**
2001. Disruptive sexual selection against hybrids contributes to speciation between *Heliconius cydno* and *Heliconius melpomene*. *Proc. Roy. Soc. Biol. Sci.* (London), (B) 268:1849-1854. [Neotropical]
- Neild, A. F. E.**
2001. A new Venezuelan subspecies of *Morpho theseus* Deyrolle, 1860 with notes on the nomenclature, systematics and type specimens of the species (Lepidoptera: Nymphalidae: Morphinae). *Lambill.* (Turvuren), 101:431-454. [S. Amer.]
- Nekrutenko, Y. P.**
2001. A catalogue of the type specimens of Nymphalidae deposited in the collection of the Staatliches Museum für Tierkunde Dresden (Insecta: Lepidoptera: Rhopalocera). *Ent. Abh.* (Dresden), 59:325-403.
- Orellana, A. M.**
- [2001]. Adiciones, rectificaciones y actualizaciones a "Mariposas de Venezuela" por Théophile Raymond. Introducción, Charaxinae y Brassolinae (Lepidoptera: Nymphalidae). *Bol. Ent. Venez.* (Maracay), 15:255-258. (2000)
- Paluch, M., M. M. Casagrande, and O. H. H. Mielke**
2001. Immature stages of *Actinote carycina* Jordan (Lepidoptera, Nymphalidae, Acraeinae). *Revta. Bras. Zool.* (Curitiba), 18:883-896. [Brazil] [in Portuguese]
- Pieloor, M. J., and J. E. Seymour**
2001. Factors affecting adult diapause initiation in the tropical butterfly *Hypolimnas bolina* L. (Lepidoptera: Nymphalidae). *Aust. J. Ent.* (Carlton), 40:376-379. [Australia]
- Rishi, S., G. Sahni, and K. K. Rishi**
2001. Karyological study in *Ergolis merione* Cram. (Nymphalidae: Lepidoptera) with indications of localized centromeres and female heterogamety. *Entomon* (Trivandrum), 25:313-322. (2000) [India]
- Rocha, C. F. D. da, and M. Duarte**
2001. Territorial-like defensive behavior of floral resources by *Heliconius ethilla narcaea* Godart over *H. sara apseudes* (Hübner) (Lepidoptera, Nymphalidae, Heliconiinae). *Revta. Bras. Zool.* (Curitiba), 18(Suppl. 1): 323-328. [Brazil]
- Saccheri, I. J., R. A. Nichols, and P. M. Brakefield**
2001. Effects of bottlenecks on quantitative genetic variation in the butterfly *Bicyclus anynana*. *Genet. Res.* (Cambridge), 77:167-181. [Africa]
- Salazar, J. A.**
2001. Las especies de los géneros *Callicore* Hübner, [1819]. *Paulogramma* Dillon, 1948, y *Catacore* Dillon, 1948, depositadas en la colección E. W. Schmidt-Mumm, Bogotá, Colombia (Lepidoptera: Nymphalidae). *SHILAP Revta. Lepid.* (Madrid), 29:179-182.
2001. Contribución al conocimiento de los Morphinae colombianos V. Estudio de una población de *Morpho amathonte* (Deyrolle, 1860) y de *Morpho niepelti statudingeri* Niepelt, 1927 en el occidente de Colombia (Lepidoptera: Nymphalidae, Morphinae). *SHILAP Revta. Lepid.* (Madrid), 29:371-377. [Colombia]
- Salazar, J. A., and L. M. Constantino**
2001. Synthesis of the Colombian Charaxidae and description of new genera for South America: *Rydonia*, *Annagrapta*, *Pseudocharaxes*, *Muyshondtia*, *Zikania* (Lepidoptera, Nymphalidae). *Lambill.* (Turvuren), 101:344-369, 506.
- Sato, H.**
2001. Some notes on African Charaxinae. *Yadoriga* (Tokyo), 189:5-9. [in Japanese]
- Sharma, N., and H. S. Rose**
- [2001]. Additional notes on a Himalayan satyrid *Dallacha hyagriva* (Moore) family Satyridae, Lepidoptera. *J. Bombay Nat. Hist. Soc.*, 97:448-450. (2000). [India]
- Smetacek, P.**
2001. Forms of *Danaus chrysippus* Linn. (Lepidoptera: Nymphalidae) in the Kumaon Himalaya. *J. Bombay Nat. Hist. Soc.*, 98:131-132. [India]
- Srygley, R. B.**
2001. Larval description and hostplant record for *Ithomia diasia* Hewitson (Nymphalidae: Ithomiinae) in Panama. *J. Lepid. Soc.* (Los Angeles), 54:145-146. (2000)
- Tennent, W. J.**
2001. Migration of nymphalid butterflies in southern Laos, Indo-China (Lep.: Nymphalinae [sic]: Danaeinae). *Ent. Rec. J. Var.* (Surrey), 113:176-177.
- Tsubuki, T., and K. Seta**
2001. The flight and sleeping activities of *Idea leuconoe liukiensis* Holland (Lepidoptera, Danaidae) in relation to the environmental factors in agreenhouse. *Trans. Lepid. Soc. Japan* (Tokyo), 52:171-182. [Ryukyu Islands]
- Turlin, B.**
2001. Notes sur le genre *Polyura* Billberg dans les Archipels du Pacifique (Lepidoptera, Nymphalidae, Charaxinae). *Lambill.* (Turvuren), 101:243-247. [Fiji]
- Uehara, J., and T. Yokochi**
2001. Two new species of *Euthalia* (Lepidoptera, Nymphalidae) from northern Laos and northern Vietnam. *Trans. Lepid. Soc. Japan* (Tokyo), 52:237-244.
- Uémura, Y.**
2001. What is *Lethe dora* Staudinger (Lepidoptera, Satyridae)? *Trans. Lepid. Soc. Japan* (Tokyo), 52:81-87. [Borneo]
- Vargas, J. I., and J. A. Salazar-E.**
- 2001a. Mariposas colombianas I. Sobre un extraordinario híbrido de *Consul fabius cecrops* (Dbl. & Hew.) X *Consul panariste pandrosa* (Niep.) (Lep.: Charaxidae). *Bol. Cient. Mus. Hist. Nat.* (Manizales), 5:22-25. [Colombia]
- 2001b. Mariposas colombianas II. Sobre estados inmaduros de ropalóceros colombianos: crisálides de *Agrias aedon* (Hew.), *Caligo eurilochus* (Cr.), *Thracides phidon* (Cr., *Adelpha lycorias wallisii* (Dwtz.), *Parides anchises nielsenii* (Boll. & Salz.) & *Necyria incendiaria* (Th.). *Bol. Cient. Mus. Hist. Nat.* (Manizales), 5:115-124. [Colombia]
- Viloria, A. L., M. J. Adams, T. W. Pyrcz, and F. Romero**
2001. Noticia histórica sobre satíridos venezolanos coleccionados por Karl Moritz (1797-1866) y discusión de la identidad taxonómica y la distribución de *Pedaliodes pisonia* (Hewitson, 1862) (Lepidoptera: Nymphalidae, Satyrinae). *SHILAP Revta. Lepid.* (Madrid), 29:31-42. [Venezuela]
- Vitale, F., and M. Bollino**
- 2001a. Descrizione di due nuove Sottospecie di *Napeogenes cranto* Felder & Felder, 1865 (Lepidoptera: Ithomiidae). *Lambill.* (Turvuren), 101:391-394. [Colombia, Ecuador]
- 2001b. Note sur genre *Hypomenitis* Fox, 1945, elementi di determinazione e descrizione di nuovi taxa (Lepidoptera: Ithomiidae). *Lambill.* (Turvuren), 101:551-557. [Colombia, Ecuador]
- 2001c. Due nuove *Hypocada* Godman & Salvin, 1879 dell'Ecuador (Lepidoptera: Ithomiidae). *Lambill.* (Turvuren), 101:558-560. [Ecuador]
- Wijngaarden, P. J., and P. M. Brakefield**
2001. Lack of response to artificial selection on the slope of reaction norms for

- seasonal polyphenism in the butterfly *Bicyclus anynana*. *Hered.* (Oxford), 87:410-420. [Africa]
- Willmott, K. R., L. M. Constantino, and J. P. W. Hall**
2001. A review of *Colobura* (Lepidoptera: Nymphalidae) with comments on larval and adult ecology and description of a sibling species. *Ann. Ent. Soc. Amer.* (Lanham), 94:185-196. [Neotropical]
- Willmott, K. R., J. P. W. Hall, and G. Lamas**
2001. Systematics of *Hypanartia* (Lepidoptera: Nymphalidae: Nymphalinae), with a test for geographic speciation mechanisms in the Andes. *Syst. Ent.* (London), 26:369-399. [Neotropical]
- Zikan-C., M.**
2001. Patterns of pollen collection and flower visitation by *Heliconius* butterflies in southwestern Mexico. *J. Trop. Ecol.* (Cambridge), 17:763-768.
- OECOPHORIDAE**
Adamski, D., and R. L. Brown
2001. Life history of *Pachliopta aristolochiae* (Lepidoptera: Gelechioidea: Glyphidoceridae) of Cerro de la Neblina and adjacent areas in Amazonas, Venezuela. *Proc. Ent. Soc. Washington*, 103:968-998.
- Heath-Ogden, T., and L. E. Parra**
2001. Taxonomy and biology of a new Oecophoridae (Lepidoptera) from central Chile. *Revta. Chil. Hist. Nat.* (Santiago), 74:533-538.
- PAPILIONIDAE**
Alturi, J. B., S. P. V. Ramana, and C. S. Reddi
2001. Life history of *Pachliopta aristolochiae* (Lepidoptera: Rhopalocera: Papilionidae) from India. *J. Natl. Taiwan Mus.* (Taipei), 54:9-12.
- Bollino, M., and J. A. Salazar-E.**
2001. Una nuova sottospecie Colombiana del genere *Parides* (Lepidoptera: Papilionidae). *Lambill.* (Turvuren), 101:641-644. [Colombia]
- Braby, M. F., and J. Armstrong**
2001. A note on the larval food plants of *Graphium weiskei* (Ribbe) (Lepidoptera: Papilionidae) in Papua New Guinea. *Aust. Ent.* (Indooroopilly), 28:65-68.
- Chaturvedi, N., and V. Hegde**
2001. Migration of blue mormon butterfly *Papilio polymnester* in Mumbai (Maharashtra). *J. Bombay Nat. Hist. Soc.*, 98:130. [India]
- Deslisle, G.**
2001a. Nouvelle forme locale chez *Troides magellanus* Felder de l'île Cuyo, Philippines (Lepidoptera, Papilionidae). *Lambill.* (Tervuren), 101:93-97.
2001b. *Zeunera*: a new subgenus in the genus *Ornithoptera* Bdl 1832 for the species *alexandrae* Roths. 1907 (Lepidoptera, Papilionidae). *Lambill.* (Tervuren), 101: 288-320. [Papua New Guinea]
- Freitas, A. V. L., and R. R. Ramos**
2001. Population biology of *Parides anchises nephalion* (Papilionidae) in a coastal site in southeast Brazil. *Revta. Bras. Biol.* (Rio de Janeiro), 61: 623-630.
- Hürter, W.**
2001. Ein Beitrag zur Biologie einiger Populationen des *Zerynthia* (*Allancastria*)-Artenkreises in der östlichen Mediterraneis (Lepidoptera: Papilionidae). *Ent. Zeit.* (Stuttgart), 111:8-17. [Greece, Turkey]
- Lamas, G.**
2001. Los Papilionidae y Nymphalidae (Morphinae, Satyrinae, Biblidinae y Heliconiinae) americanos descritos por J. Röber (Lepidoptera). *Revta. Peru. Ent.* (Lima), 42:27-40. [Neotropical]
- Nekrutenko, Y. P.**
2001. A catalogue of the type specimens of Papilionidae deposited in the collection of the Staatliches Museum für Tierkunde Dresden (Insecta: Lepidoptera: Rhopalocera). *Ent. Abh.* (Dresden), 59:405-453.
- Schäffler, O.**
2001. Papilionidae VI. *Ornithoptera*. In *Butterflies of the World*. Pt. 12. Keltern: Goecke & Evers. 19pp, 52 pl.
- Seta, K.**
2001. A study on hybridization of *Papilio protenor demetrius* Stoll and *P. p. liukiensis* Fruhstorfer (Lepidoptera, Papilionidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:288-292. [Ryukyus] [in Japanese]
- Smith, C. R., and R. I. Vane-Wright**
2001. A review of the afrotropical species of the genus *Graphium* (Lepidoptera: Rhopalocera: Papilionidae). *Bull. Nat. Hist. Mus. London (Ent.)*, 70:503-719. [Africa]
- Tennent, W. J.**
2001a. The Vanuatu subspecies of *Papilio fuscus* Goeze (Lepidoptera: Papilionidae). *Austr. Ent.* (Indooroopilly), 28:33-40.
2001b. Predation by bird (white-brasted woodswallow, *Artamus leucorhynchus*) on butterfly (*Papilio* species) in Kuching, Sarawak (Borneo). *Ent. Rec. J. Var.* (Surrey), 113:152.
- Tumuhimbise, G., M. J. N. Okwakol, and T. N. Kangwagye**
2001. Species diversity of swallowtail butterflies (Papilionidae: Lepidoptera) in North Maramagambo forest. *Afr. J. Ecol.* (London), 39:113-115. [Uganda]
- Wu, C.-S., and J.-W. Bai**
2001. A review of the genus *Byasa* Moore in China (Lepidoptera: Papilionidae). *Oriental Ins.* (Gainesville), 35:67-82.
- Yoshino, K.**
2001. Notes on *Chilasa agestor* and *Pazala hoenei*, stat. nov. (Lepidoptera, Papilionidae) from South China. *Trans. Lepid. Soc. Japan* (Tokyo), 52: 136-138.
- PIERIDAE**
Barros-Bellanda, H. C. H., and F. S. Zucoloto
2001. Influence of chorion ingestion on the performance of *Ascia monuste* and its association with cannibalism. *Ecol. Ent.* (London), 26:557-561. [Brazil]
- Chaturvedi, N., and I. Kehinkar**
2001a. Butterflies: their early stages. The pierids. *Hornbill* (Bombay), Jan-Mar 2001:[14-15]. [India]
2001b. Butterflies: their early stages. *Hornbill* (Bombay), Apr-Jun 2001:[14-15]. [India]
2001c. Butterflies: their early stages. *Hornbill* (Bombay), Jul-Sep 2001:[14-15]. [India]
- Chou, I., and X.-Q. Yuan**
2001. New species, new subspecies and new record of butterflies (Lepidoptera) from China (IV). *Entomotaxon.* (Yangling), 23:141-146. [in Chinese]
- Chou, I., Y.-L. Zhang, and Y.-L. Wang**
2001. New species new subspecies and new record of butterflies (Lepidoptera) from China, III. *Entomotaxon.* (Yangling), 23:38-46. [in Chinese]
- Fitzgerald, T. D.**
2001. Nightlife of social caterpillars. *Nat. Hist.* (New York), 110(1):38-43. [Mexico]
- Hecq, J.**
2001. Quatre entites spécifiques sous le vocable "*Mylothris ruandana* Strand"? (Lepidoptera, Pieridae). *Lambill.* (Tervuren), 101:74-76. [Congo]
- Morinaka, S., K. Funahashi, I. K. Ginarsa, T. Miyata, and K. Yanaka**
2001. *Delias* butterflies (Lepidoptera, Pieridae) cohabiting in the highlands of New Guinea Island. *Trans. Lepid. Soc. Japan* (Tokyo), 52:127-135.
- Ooi, P. A. C.**
2001. Larval development in three species of Malaysian *Catopsilia* (Lepidoptera: Pieridae). *Malay. Nat. J.* (Kuala Lumpur), 54:369-372. (2000)
- Smetacek, P.**
2001. Resolution of the controversial western limit of the range of *Delias acalis* Godart (Lepidoptera: Pieridae). *J. Bombay Nat. Hist. Soc.*, 98: 298-300. [India]
- Srygley, R.B.**
2001. Sexual differences in tailwind drift compensation in *Phoebis sennae* butterflies (Lepidoptera: Pieridae) migrating over seas. *Behav. Ecol.* (Cary), 12:607-611. [West Indies]
- PRODOXIDAE**
Pellmyr, O., M., Balcázar-L., and J. Leebens-M.
2001. Las interacciones de especies y la coevolución en la generación de la biodiversidad. In H. Hernandez, A. N. Garcia-A., F. Alvarez, and M. Ulloa (eds.), *En Focos Contemporaneos: Estudio de la Biodiversidad*, 39-56. Mexico City: Univ. Nac. Auton. Mex. [Mexico, USA]
- PROTOTHORIDAE**
Davis, D. R.
2001. A new species of *Prototheora* from Malawi, with additional notes on the distribution and morphology of the genus (Lepidoptera: Prototheoridae). *Proc. Ent. Soc. Washington*, 103:452-456.
- PSYCHIDAE**
Sugimoto, M., and T. Saigusa
2001a. A new genus of the subfamily Oiketicinae from Asia (Lepidoptera, Psychidae). *Tinea* (Tokyo), 16:327-336. [Ryukyus]
2001b. The systematic position, morphology and bionomics of *Acanthopsyche* (*Eumetisa*) *taiwana* Sonan, 1935, newly recorded from the Ryukyus, Japan (Lepidoptera: Psychidae). *Ent. Sci.* (Tokyo), 4:407-430.
- PTEROPHORIDAE**

Arenberger, E.

- 2001a. Beitrag zur Pterophoridenfauna Kenyas (Lepidoptera). *Zeit. Arbeitsgem. Österr. Ent.* (Vienna), 53:31-36. [Kenya]
- 2001b. Zur Verbreitung der Gattung *Agdistis* im südlichen Afrika – 4. Beitrag (Lepidoptera). *Zeit. Arbeitsgem. Österr. Ent.* (Vienna), 53:37-40. [Namibia, South Africa]

Kovtunovich, V. N.

2001. A new species of Pterophoridae (Lepidoptera) from Sri Lanka: *Hellinsia nuwara* sp. n. *Ent. Rec. J. Var.* (Surrey), 113:227-229.

PYRALIDAE**Arias-C., Q., and J. Clavijo**

2001. Clave pictórica de las especies de *Diaphania* Hübner, 1818 (Lepidoptera: Crambidae) de Venezuela. *Entomotrop.* (Maracay), 16:1-13.

Chandel, R. S., and N. P. Bhrot

2001. Occurrence and attack of *Hypsipyla robusta* Moore on seeds of *Toona ciliata* M. Roem: a report. *Indian For.* (Dehra Dun), 127:487-488. [India]

Chen, T.-M., S.-M. Song, and D.-C. Yuan

- 2001a. Five new species of *Glaucoschisma* Meyrick from China (Lepidoptera: Pyralidae: Crambinae). *Oriental Ins.* (Gainesville), 35:171-176.
- 2001b. The genus *Chrysoteuchia* Hübner (Lepidoptera: Pyralidae: Crambinae) from China with descriptions of five new species. *Oriental Ins.* (Gainesville), 35:177-192.

Fang, J.-C., Z.-W. Du, X.-N. Cheng, and H.-F. Guo

2001. Ecological mechanism for population homeostasis of the yellow stem borer *Scirpophaga incertulas*. *Acta Ent. Sinica* (Beijing), 44:337-344. [China] [in Chinese]

Hattori, M., S. Wakamura, K. Igita, K. Yasuda, and Tridjaka

2001. Comparison of the characteristics and sex pheromone of *Etiella behrii* (Zeller), a newly identified pod borer of soybean in Indonesia, with *E. zinckenella* (Treit.). *Japan Agr. Res. Qtr.* (Tsukuba), 35:19-24.

Malhi, B. S., and D. S. Brar

- [2001]. Biology of yellow stem borer, *Scirpophaga incertulas* (Walker) on basmati rice. *J. Ins. Sci.* (Ludhiana), 11:127-129. (1998) [India]

Nájara-R., A. J., E. Espitia-M., and J. M. Arrieta

2001. Biología y hábitos de *Ensina hyalipennis* (Diptera: Tephritidae) y *Homoeosoma oconequensis* (Lepidoptera: Pyralidae), insectos fitófagos de malezas en la Sabana de Bogotá. *Revta. Colomb. Ent.* (Bogotá), 27:159-167. [Colombia]

Oigiangbe, N. O., L. E. N. Jackai, F. K. Ewete, and L. Lajide

2001. The nutritional ecology of *Maruca vitrata* Fabricius: I. Development on flowers of wild and cultivated *Vigna* species. *Ins. Sci. Appl.* (Nairobi), 20:259-268. (2000) [Nigeria]

Sánchez-S., S.

2001. Ocurrencia de *Lamprosema indicata* (Fabricius) (Lepidoptera: Pyralidae) en el cultivo de frijol en Tabasco, Mexico. *Fol. Ent. Mex.* (Veracruz), 40:281-282.

Sasaki, A.

2001. Some crambid and pyralid moths unrecorded from Okinawa Is., Ryukyu. *Yugato* (Niigata), 163:35-38. [in Japanese]

Sharma, M. L., and S. C. Pathak

- [2001]. Natural biotic factors for the population regulation of sorghum stem borer, *Chilo partellus* (Swinhoe). *J. Ins. Sci.* (Ludhiana), 12:68-69. (1999) [India]

Tominaga, S.

- 2001a. Mature larva of *Locastra muscosalis* (Pyralidae) dropped from the branch to the ground before pupation. *Yugato* (Niigata), 163:6. [Okinawa] [in Japanese]
- 2001b. Larva of *Glaucoschisma deductalis* (Walker) (Crambidae, Pyraustinae) feeding on *Marsdenia* (Asclepiadaceae). *Japan Heteroc. J.* (Tokyo), 214:269.
- 2001c. Notes on three species of the Pyraloidea from Okinawa Island. *Yugato* (Niigata), 166:123-125. [in Japanese]

Vargas, H. A., D. E. Bobadilla, R. Medozal, and H. E. Vargas

- [2001]. *Diaphania hyalinata* (Linnaeus) (Lepidoptera: Pyralidae): a new record from Africa. *Idesia* (Arica), 17:135-139. (1999) [Chile] [in Spanish]

Wang, H.-Y.

- [2001]. A tentative catalogue of the Pyraloidea (Lepidoptera) of Taiwan. *J. Natl. Taiwan Mus.* (Taipei), 52:91-102. (1999)

Yamanaka, H.

2001. Two new species of the genus *Cotachena* Moore (Lepidoptera, Crambidae, Pyraustinae) from Japan and Taiwan. *Tinea* (Tokyo), 16: 297-300.

RHOPALOCERA**d'Abrera, B.**

2001. *The Concise Atlas of Butterflies of the World*. Melbourne: Hill House. 353pp. (150 pl).

Andheria, A. P.

2001. Diversity of butterflies near a pool in the Sanjay Gandhi National Park, Mumbai. *J. Bombay Nat. Hist. Soc.*, 98:302-303. [India]

Arias-B., J. J., and B. C. Huertas-H.

2001. Mariposas diurnas de la Serranía de los Churumbelos, Cauca. Distribución altitudinal y diversidad de especies (Lepidoptera: Rhopalocera: Papilionoidea). *Revta. Colomb. Ent.* (Bogotá), 27:169-176. [Colombia]

Atluri, J. B., S. P. Venkata Ramana, and C. Subba Reddi

- [2001]. New host plants for two tropical butterflies at Visakhapatnam, Andhra Pradesh. *J. Bombay Nat. Hist. Soc.*, 97:452. (2000) [India]

Bizuet-F., Y., A. Luis-M., and J. Llorente-B.

2001. Mariposas del Parque Nacional El Chico, Hidalgo y sus relaciones biogeográficas con cinco zonas aledañas al Valle de México, México (Lepidoptera: Papilionoidea). *SHILAP Revta. Lepid.* (Madrid), 29:145-159.

Brown, K. S., Jr., and A. V. L. Freitas

2001. Atlantic forest butterflies: indicators for landscape conservation. *Biotrop.* (Lawrence), 32:934-956. [Brazil]

Burger, J., and M. Gochfeld

2001. Smooth-billed ani (*Crotophaga ani*) predation on butterflies in Mato Grosso, Brazil: risk decreases with increased group size. *Behav. Ecol. Sociobiol.* (Berlin), 49:482-492.

Chou, I., X.-Q. Yuan, and C.-S. Zhang

2001. New species, new subspecies and new records of butterflies (Lepidoptera: Satyridae) from China (V). *Entomotaxon.* (Yangling), 23:201-216. [in Chinese]

Cordero, C.

2001. A different look at the false head of butterflies. *Ecol. Ent.* (London), 26:106-108. [Mexico]

DeVries, P. J., and T. R. Walla

2001. Species diversity and community structure in Neotropical fruit-feeding butterflies. *Biol. J. Linn. Soc.* (London), 74:1-15.

Eeley, H. A. C., M. J. Lawes, and B. Reyers

2001. Priority areas for the conservation of subtropical indigenous forest in southern Africa: a case study from KwaZulu-Natal. *Biodivers. Conserv.* (Amsterdam), 10:1221-1246. [Rhopalocera] [South Africa]

Ehrlich, P. R.

2001. Tropical butterflies: a key model group that can be "completed." *Lepid. News* (Gainesville), 2001(2):1, 10-12.

Fernon, H., C. H. Sculze, M. Waltert, and M. Muehlenberg

2001. The butterfly fauna of the Noyau Central, Lama Forest (Republic of Benin), with notes on its ecological composition and geographic distribution. *Afr. Ent.* (Pretoria), 9:177-185.

Fernández, D. M.

2001. New oviposition and larval hostplant records for twenty-three Cuban butterflies, with observations on the biology and distribution of some species. *Carib. J. Sci.* (Mayagüez), 37:122-125. [Cuba]

Fratello, S.

2001. Guyana montane expeditions, II. *Lepid. News* (Gainesville), 2001(2):8-9.

Honey, M., and M. J. Scoble

2001. Linnaeus's butterflies (Lepidoptera: Papilionoidea and Hesperioidea). *Zool. J. Linn. Soc.* (London), 132:277-399.

Jafer Palot, M.

- [2001]. An aggregation of butterflies at Hyderabad, Andhra Pradesh. *J. Bombay Nat. Hist. Soc.* 97:450-452. (2000) [India]

Kassarov, L.

2001. Do cyanogenic glycosides and pyrrolizidine alkaloids provide some butterflies with a chemical defense against their bird predators? A different point of view. *Behav.* (Leiden), 138:45-67. [Nymphalidae, Zygaenidae]

Kemp, D. J.

- 2001a. Contest behavior in territorial male butterflies: does size matter? *Behav. Ecol.* (Cary), 11:591-596. [Australia]
- 2001b. Fighting without weaponry: a review of male-male contest competition in butterflies. *Behav. Ecol. Sociobiol.* (Berlin), 49:429-442. [Australia]

Krizek, G. O.

2001. Selective predation on iridescent blue butterflies by birds. *News Lepid. Soc.* (Los Angeles), 43:5-6. [Mexico]

Kühne, L.

2001. Contribution to the Lepidoptera-Fauna of Ghana – Part II: the butterfly collection of the Department of Zoology in Legon, University of Ghana (Lepidoptera, Papilionoidea). *Esperiana* (Staffelstein), 8:637-648.

Lamas, G.

2001. Additions and corrections to the *Bibliography of Butterflies*, in the *Atlas of Neotropical Lepidoptera*. IV. Comprising mostly works published in 1999. *Lepid. News* (Gainesville), 2000(3):21-35. (2000)

Lewis, O. T.

2001. Effect of experimental selective logging on tropical butterflies. *Conserv. Biol.* (Cambridge), 15:389-400. [Belize]

Maes, J.-M., and R. Brabant

- [2001]. Mariposas de Nicaragua. *Revta. Nicarag. Ent.* (Leon), 51:54:3-6; cd.

Mallet, J.

2001. Mimicry: an interface between psychology and evolution. *Proc. Natl. Acad. Sci.* (Washington), 98:8928-8930.

Monteagudo-S., D., A. Luis-M., I. Vargas-F., and J. Llorente-B.

2001. Patrones altitudinales de diversidad de mariposas en la Sierra Madre del Sur (México) (Lepidoptera: Papilionoidea). *SHILAP Revta. Lepid.* (Madrid), 29:207-237.

Nielsen, G., J. A. Salazar-E., and J. I. Vargas

2001. Reconocimiento de Rhopalocera en algunas taxocenosis de lepidopteros chocoanos y amazónicos. *Bol. Cient. Mus. Hist. Nat.* (Manizales), 5:93-110. [Colombia]

Rogo, L., and A. Odulaja

2001. Butterfly populations in two forest fragments at the Kenya coast. *Afr. J. Ecol.* (London), 39:266-275.

Salazar-E., J. A.

2001. Nuevas observaciones sobre la concentración de Lepidopteros Rhopaloceros en las cumbres de algunos cerros de Caldas y Antioquia, Colombia (Insecta: Lepidoptera). *Bol. Cient. Mus. Hist. Nat.* (Manizales), 5:66-91.

Sreekumar, P. G., and M. Balakrishnan

- 2001a. Diversity and habitat preference of butterflies in Neyyar Wildlife Sanctuary, south India. *Entomon* (Trivandrum), 26:11-22.
2001b. Habitat and altitude preferences of butterflies in Aralam Wildlife Sanctuary. *Kerala. Trop. Ecol.* (Varanasi), 42:277-281. [India]

Srygley, R. B.

2001. Compensation for fluctuations in crosswind drift without stationary landmarks in butterflies migrating over seas. *Anim. Behav.* (London), 61:191-203. [Caribbean]

Tennent, W. J.

2001. Twenty new butterflies from the Solomon Islands (Lepidoptera: Hesperidae; Lycaenidae; Nymphalidae; Satyrinae; Danainae). *Br. J. Ent. Nat. Hist.* (London), 14:1-27.

Tobar-L., D., J. O. Rangel-C., and M. G. Andrada-C.

2001. Las cargas polínicas en las mariposas (Lepidoptera: Ropalocera [sic]) de la parte alta de la Cuenca del Río Roble-Quindío-Colombia. *Caldasia* (Bogotá), 23:549-557.

Torres, R., D. C. Lees, R. I. Vane-Wright, C. Kremen, J. A. Leonard, and R. K. Wayne

2001. Examining monophyly in a large radiation of Madagascan butterflies (Lepidoptera: Satyrinae: Mycalesina) based on mitochondrial DNA data. *Molec. Phylogen. Evol.* (San Diego), 20:460-473. [Madagascar]

Verovnik, R., and G. Glavan

2001. Notes on butterflies collected in the Philippines from January to March 1994 (Lepidoptera: Rhopalocera). *Opusc. Zool. Flumin.* (Flumserberg), 195:1-12.

RIODINIDAE**Callaghan, C. J.**

- 2001a. The genus *Hypophylla* Boisduval, 1836 (Riodinidae) with descriptions of new taxa. *J. Lepid. Soc.* (Los Angeles), 54:119-130. [Neotropical]
2001b. New riodinids from the central Brazilian plateau (Lepidoptera, Riodinidae). *Revta. Bras. Zool.* (Curitiba), 18:765-778. [Brazil]

Furtado, E.

2001. *Pirascia crocostigma* (Bates, 1868): notas etológicas edescrição da fêmea (Lepidoptera, Riodinidae). *Lambill.* (Tervuren), 101:638-640. [Brazil]

Hall, J. P. W.

2001. A revision of the new riodinid butterfly genus *Dachetola* (Lepidoptera: Riodinidae). *J. New York Ent. Soc.*, 109:183-195. [S. Amer.]

Hall, J. P. W., and D. J. Harvey

- 2001a. A reassessment of *Calociasma* with the description of a new genus and a new species (Lepidoptera: Riodinidae: Nymphidiini). *J. New York Ent. Soc.*, 109:196-205. [S. Amer.]
2001b. Phylogenetic revision of the *Charis gymaea* group (Lepidoptera: Riodinidae) with comments on historical relationships among Neotropical areas of endemism. *Ann. Ent. Soc. Amer.* (Lanham), 94:631-647.
2001c. A phylogenetic analysis of the Neotropical riodinid butterfly genera

Juditha, *Lemonias*, *Thisbe* and *Uraneis*, with a revision of *Juditha* (Lepidoptera: Riodinidae: Nymphidiini). *Syst. Ent.* (London), 26:453-490.

Nekrutenko, Y. P.

2001. A catalogue of the type specimens of Riodinidae deposited in the collection of the Staatliches Museum für Tierkunde Dresden (Insecta: Lepidoptera: Rhopalocera). *Ent. Abh.* (Dresden), 59:319-323.

Penz, C. M., and P. J. DeVries

2001. A phylogenetic reassessment of *Thisbe* and *Uraneis* butterflies (Riodinidae, Nymphidiini). *Contr. Sci. Nat. Hist. Mus. Los Angeles Co.*, 485:1-27. [Neotropical]

Hall, J. P. W., and G. Lamas

2001. Five new riodinid species from northwestern dry forest and northeastern Andean cloud forest habitats in Peru (Lepidoptera: Riodinidae). *Revta. Peru. Ent.* (Lima), 42:9-19.

Lamas, G.

2001. Los Riodinidae, Lycaenidae y Hesperidae americanos descritos por J. Röber (Lepidoptera). *Revta. Peru. Ent.* (Lima), 42:41-48. [Neotropical]

Salazar-E., J. A., and L. M. Constantino

- [2001]. Contribución al conocimiento de las especies del género *Symphachia* Hübner, [1819] en Colombia (Lepidoptera: Lycaenidae, Riodininae). *SHILAP Revta. Lepid.* (Madrid), 28:375-383. (2000)

SATURNIIDAE**Becker, V. O., and A. J. A. de Camargo**

2001. Three new species of Saturniidae (Lepidoptera) from central Brazil. *Revta. Bras. Zool.* (Curitiba), 18:163-170.

Becker, V. O., and I. A. Chacon

2001. A new *Xanthodirphia* Michener (Lepidoptera, Saturniidae, Hemileucinae) from Costa Rica. *Revta. Bras. Zool.* (Curitiba), 18:149-152.

Brechlin, R.

- 2001a. *Lemaireia naessigi* n.sp., eine neue Saturniide aus Südostasien (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 21:207-212. (2000) [Myanmar]
2001b. Beschreibung des bisher unbekannten Weibchens von *Antheraea* (*Antheraeopsis*) *sahi* Nässig & Treadaway, 1998 stat. nov. (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:37-40. [Philippines]
2001c. Eine neue Art der Gattung *Cricula* Walker, 1855 von Palawan, Philippinen (Lepidoptera, Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:41-44. [Philippines]
2001d. *Rhodinia broschii* n. sp., eine neue Saturniide aus China (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:45-48.
2001e. Einige Anmerkungen zur Gattung *Saturnia* Schrank, 1802 mit Beschreibung von zwei neuen Arten (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:89-100. [China]
2001f. *Rhodinia rudloffii* n. sp., eine neue Saturniide aus dem nördlichen Vietnam (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:124-128. [Vietnam]

Brechlin, R., and I. J. Kitching

2001. Neue Informationen zu einigen Arten der Gattung *Antheraea* Hübner 1819 ["1816"] von den Andamanen, Indien (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:119-123. [India]

Brechlin, R., and W. A. Nässig

2001. Ein neuer Inselnachweis von *Attacus lorquini* C. & R. Felder, 1861 aus dem Norden der Philippinen (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:183-186. [Philippines]

Chaturvedi, N.

2001. On the distribution of saturnid [sic] moths *Sonthomaxia maenas* (Doubleday) and *Loepa katinka* (Westwood). *J. Bombay Nat. Hist. Soc.*, 98:132. [India]

Fornés, L., and J. V. Hernández

- [2001]. Algunos aspectos de la biología de *Hylesia metabus* (Cramer, 1775) (Lepidoptera: Saturniidae). *Bol. Ent. Venez.* (Maracay), 15:127-145. (2000) [Venezuela]

Fukuda, H.

2001. A new record of *Archaeoattacus edwardsii* (White, 1859) (Lepidoptera, Saturniidae, Saturniinae) from Borneo (Sarawak). *Trans. Lepid. Soc. Japan* (Tokyo), 52:88-90.

Furtado, E.

2001. *Arsenura orbignyana* (Guérin-Méneville, [1844]) e seus estágios imaturos (Lepidoptera: Saturniidae, Arsenurinae). *SHILAP Revta. Lepid.* (Madrid), 29:385-389. [Brazil]

Lemaire, C., and C. G. C. Mielke

2001. A new *Kentroleuca* Draudt, 1929 from the Cerrado region of Brazil (Lepidoptera: Saturniidae, Hemileucinae). *Nachr. Ent. Ver. Apollo*

- (Frankfurt), (n.s.) 22:85-87.
- Lemaire, C., K. L. Wolfe, and J. Monzón-S.**
2001. A new *Hylesia* from Guatemala (Lepidoptera: Saturniidae, Hemileucinae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:171-173.
- Lorina, L. M., and E. Corseuil**
2001. Aspectos morfológicos de *Lenomia obliqua* Walker (Lepidoptera: Saturniidae). *Neotrop. Ent.* (Londrina), 30:373-378. [Brazil] [in Portuguese]
- Nässig, W. A., and G. Ragus**
2001. Annotations on selected *Loepa* species and their preimaginal instars. 1. The larval morphology of *Loepa miranda* Atkinson in Moore, 1865 (Lepidoptera: Saturniidae, Saturniinae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 21:247-251. (2000) [Thailand]
- Naumann, S.**
2001. Notes on some *Antheraea* of Sundaland, with descriptions of a new species (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:67-74. [Borneo]
- Naumann, S., and R. Brechlin**
2001. Zwei neue Arten der Gattung *Syntherata* Maassen, 1873 von den Molukken, Indonesien (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 21:237-246. (2000) [Indonesia]
- Naumann, S., and Y. Kishida**
2001. A new species of the genus *Loepa* Moore, 1859 (Lepidoptera, Saturniidae) from southern China. *Tinea* (Tokyo), 16:337-341.
- Paukstadt, L. H., and U. Paukstadt**
2001a. Beschreibung der Präimaginalstadien von *Antheraea* (*Antheraeopsis*) *youngi* Watson, 1915 von Jawa, Indonesien (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):17-33. [Indonesia]
2001b. Liste der bei der Gattung *Antheraea* Hübner, 1819 ("1816") bekannten Präimaginalstadien, sowie Literaturnachweise (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):34-46.
- Paukstadt, U., and L. H. Paukstadt**
2001a. Beobachtungen zu Aktivitätsphasen indonesischer Saturniiden (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):3-16. [Indonesia]
2001b. Die saturniiden des Mt. Halimung National Parks, West Jawa, Indonesien (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):50-52. [Indonesia]
2001c. Beitrag zum taxonomischen Status einiger Taxa der Gattung *Cricula* Walker, 1855 (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):53-55. [SE Asia]
2001d. Beobachtungen zu Generationsfolgen bei den Saturniiden Indonesiens (Lepidoptera). *Galathea* (Nuremberg), 17 (Suppl. 10):56-57. [Indonesia]
2001e. Die Saturniiden der Kleinen Sundainseln, Indonesien, sowie deren Verbreitung (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):61-63. [Indonesia]
2001f. Beitrag zur Variabilität von *Antheraea* (*Antheraea*) *tengaensis* Brechlin, 2000 von der Insel Sumba, Indonesien (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):64-65. [Indonesia]
2001g. Beitrag zur Kenntnis der Verbreitung des Genus *Coscinocera* Butler, 1879 in Indonesien (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):66-67. [Indonesia]
2001h. Beschreibung des unbekannten Weibchens von *Antheraea* (*Antheraeopsis*) *youngi* Watson, 1915 aus javanischen Populationen (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17 (Suppl. 10):68-71. [Indonesia]
2001i. Beitrag zur Kenntnis der Variabilität von *Actias groenendaeli* Roepke, 1954 von den Kleinen Sundainseln, Indonesien (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), 17:143-150. [Indonesia]
- Naumann, S., and R. S. Peigler**
2001. Four new species of the silkmoth genus *Samia* (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:75-83. [Indonesia]
- Rosales, C. J.**
2001. Observaciones sobre natación en larvas de *Periphoba hircia* (Cramer) y *Pseudodirphia albosignata* (Bouvier) (Lepidoptera: Saturniidae). *Entomotrop.* (Maracay), 16:63-65. [Venezuela]
- Vitelli, M. P., C. Garcia, C. J. Lockett, G. M. West, and B. W. Wilson**
2001. Host specificity and biology of the moth *Psigada walkeri* (Lepidoptera: Citheroniidae), a potential biological control agent for *Mimosa diplotricha* in Australia and the South Pacific. *Biol. Contr.* (Orlando), 22:1-8. [Brazil]
- Wang, H.-Y., and J. B. Heppner**
2001. Larval morphology of Taiwan Saturniidae (Lepidoptera): *Caligula thibeta okurai* Okano. *J. Natl. Taiwan Mus.* (Taipei), 54:9-17.
- Salazar-E., J. A.**
2001. Contribución al conocimiento de las especies pertenecientes a los géneros *Homidiana* Strand y *Sematura* Dalman (Lepidoptera: Sematuridae) de Colombia. *Bol. Cient. Mus. Hist. Nat* (Manizales), 5:125-126.
- SESIIDAE**
- Arita, Y., and O. G. Gorbunov**
2001. Sesiidae of Taiwan. I. The tribes Tinthiini, Similipepsini, Paraglossocini, Pennisetiini, Paranthrenini and Cissuvorini. *Japan. J. Syst. Ent.* (Tokyo), 7:131-188.
- Kallies, A.**
2001. New records and a revised checklist of the Australian clearwing moths (Lepidoptera: Sesiidae). *Aust. J. Ent.* (Carlton), 40:342-348. [Australia]
- Kallies, A., and Y. Arita**
2001. The Tinthiinae of North Vietnam (Lepidoptera, Sesiidae). *Trans. Lepid. Soc. Japan* (Tokyo), 52:187-235.
- Kallies, A., and W. Garrevoet**
2001. A new clearwing moth of the genus *Macroscylesia* Hampson, 1919 from Java, Indonesia (Lepidoptera: Sesiidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:14-16.
- Pühringer, F.**
[2001]. Bibliographia Sesiidarum orbis terrarum (Lepidoptera, Sesiidae). *Mitt. Ent. Arbeitsgem. Salzkammergut* (Bad Ischl), 3:73-146. (2000)
- Špatenka, K., and A. Kallies**
2001. Zur Taxonomie, Bionomie und Verbreitung zentral-asiatischer Sesiidae und Brachodidae (Lepidoptera, Sesiioidea). *Ent. Zeit.* (Stuttgart), 111:198-205.
- Vickers, R. A., and E. R. Rumbo**
2001. Sex pheromone components of the clearwing borer, *Carmenta chrysophanes* (Meyrick) (Lepidoptera: Sesiidae): provisional identification and field tests. *Aust. J. Ent.* (Carlton), 40:69-73. [Australia]
- SPHINGIDAE**
- Alvarez-C., J. R.**
2001. Descripción de un nuevo Sphingidae de Venezuela: *Xylophanes alvarezsierrai* n. sp. (Lepidoptera). *Nouv. Re. Ent.* (Paris), (n.s.) 18:313-315.
- Alves, L. F. A., D. L. Q. Santana, and R. M. C. Brancalhão**
2001. Ocorrência de *Perigonia lusca* (Fabr.) (Lep.: Sphingidae) em Erva-Mate (*Ilex paraguariensis*) no Brasil. *Neotrop. Ent.* (Londrina), 30:339-340. [Brazil]
- Balcázar-L., M. A., and C. R. Beutelspacher**
2001. A new species of *Adhemarius* Oiticica (Lepidoptera: Sphingidae) from Mexico. *Proc. Ent. Soc. Washington*, 103:312-318.
- Becker, V. O.**
2001. A new *Nyceryx* Boisduval (Lepidoptera, Sphingidae) from central Brazil. *Revta. Bras. Zool.* (Curitiba), 18:159-161.
- Brechlin, R.**
2001. *Rhodambulyx hainanensis*, eine neue Schwärmerart aus China (Lepidoptera: Sphingidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:145-147. [China (Hainan)]
- Brechlin, R., I. J. Kitching, and J.-M. Cadiou**
2001. Description of a new species of the genus *Polyptychus* Hübner, [1819] "1816" from the Lesser Sunda Islands, Indonesia, with notes on several species of the subtribe Choerocampina (Lepidoptera: Sphingidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:31-35.
- Cadiou, J.-M., and H. Schnitzler**
2001. A new *Macroglossum* from the Lesser Sunda Islands (Lepidoptera, Sphingidae). *Lambill.* (Turvuren), 101:115-117. [Indonesia]
- Eitschberger, U.**
2001a. Die Gattung *Callionima* Lucas, 1857 (Lepidoptera, Sphingidae). *Neue Ent. Nachr.* (Marktleuthen), 51:153-224. [Neotropical]
2001b. Neubeschreibungen von Arten in der Gattung *Psilogamma* Rothschild & Jordan, 1903 (Lepidoptera, Sphingidae). *Neue Ent. Nachr.* (Marktleuthen), Suppl. 1:1-63. [SE Asia]
2001c. Revision der Gattung *Psilogamma* Rothschild & Jordan, 1903 mit der Beschreibung weiterer neuer Arten (Lepidoptera, Sphingidae). *Neue Ent. Nachr.* (Marktleuthen), 52:1-174. [SE Asia]
2001d. Eine neue *Isoparce*-Art aus Mexico (Lepidoptera, Sphingidae). *Atalanta* (Munich), 32:411-418, pl. 18.
2001e. Die *Xylophanes ockendeni*-Gruppe mit der Beschreibung einer neuen Art (Lepidoptera, Sphingidae). *Atalanta* (Munich), 32:419-433, pl. 20. [Neotropical]
2001f. Die *Xylophanes rothschildi*-Gruppe mit der Beschreibung einer neuen Art (Lepidoptera, Sphingidae). *Atalanta* (Munich), 32:435-452, pl. 21.

[Neotropical]

Furtado, E., and J. Haxaire

2001. *Manduca manducoides* (Rothschild 1894) and its immature stages (Lepidoptera, Sphingidae, Sphinginae). *Lambill.* (Turvuren), 101:98-102. [Brazil]

Haxaire, J.

- 2001a. Un nouveau Sphingidae de Malaisie peninsulaire et de Sumatra: *Clanis orhanti* (Lepidoptera Sphingidae). *Lambill.* (Turvuren), 101:125-128. [Malaysia]
- 2001b. Description d'une nouvelle espece de Sphingidae du genre *Protaleuron* Rothschild & Jordan 1903 (Lepidoptera Sphingidae). *Lambill.* (Turvuren), 101:139-143. [Bolivia]
- 2001c. Un nouveau Sphingidae du nord-est de Madagascar: *Hippotion melichari* (Lepidoptera Sphingidae). *Lambill.* (Turvuren), 101:600-604.

Haxaire, J., and P. Schmit

2001. Un nouveau Sphingidae de Republique Dominicaine: *Cauthetia carsusi* (Lepidoptera Sphingidae). *Lambill.* (Turvuren), 101:605-600. [Dominican Rep.]

Kishida, Y., and T. Yano

2001. A new subspecies of *Amperophaga rubiginosa* (Lepidoptera, Sphingidae) from Yakushima I. *Trans. Lepid. Soc. Japan* (Tokyo), 52:277-278. [Ryukyus] [in Japanese]

Kitching, I. J., J. Ledezma, and J. Baixeras

2001. An annotated checklist of the Sphingidae of Bolivia (Insecta: Lepidoptera). *Gayana* (Concepción), 65:79-111.

Kühne, L.

2001. Contribution to the Lepidoptera-Fauna of Ghana - Part III: the Sphingidae (Lepidoptera) of the expeditions 1992-1997. *Esperiana* (Staffelstein), 8:649-653.

Lachlan, R. B., and I. J. Kitching

- 2001a. A new species of hawk moth (Lepidoptera: Sphingidae) from Papua New Guinea. *Aust. Ent.* (Indooroopilly), 28:117-122.
- 2001b. A new species of *Gnathothlibus* Wallengren (Lepidoptera: Sphingidae) from Vanuatu. *Aust. Ent.* (Indooroopilly), 28:123-128.

Pierre, J.

- 2001a. Un nouveau *Polyptychus* du Nigeria (Lepidoptera, Sphingidae). *Bull. Soc. Ent. Fr.* (Paris), 106:215.
- 2001b. Les sphinx du Gabon (Lepidoptera, Sphingidae). *Bull. Soc. Ent. Fr.* (Paris), 106:261-271.

Touroult, J., and P. le Gall

2001. Les Sphingidae du Sud-Benin. Étude de la faune des îlots forestiers et des milieux adjacents. *Lambill.* (Turvuren), 101:275-284. [Benin]

Zwick, A., and C. G. Treadaway

2001. Notes on the hawkmoths of the Philippines (Lepidoptera: Sphingidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22:177-181.

THYATIRIDAE

Laszlo, G. M., and G. Ronkay

2001. New *Epipsestis* Matsumura, 1921 (Lepidoptera, Thyatiridae) from Vietnam and from Nepal. *Acta Zool. Acad. Sci. Hung.* (Budapest), 46:337-349. (2000)

THYRIDIDAE

Inoue, H.

2001. Supplementary report of the genus *Herdonia* Walker including descriptions of seventeen new species and one new subspecies and notes on the genus *Picrostomastis* Meyrick (Thyrididae). *Tinea* (Tokyo), 16:301-326. [SE Asia]

TINEIDAE

Tominaga, S.

2001. Occurrence of *Dasyces rugosella* (Stainton) (Tineidae, Hapsiferinae) in Okinawa: new record to Japanese fauna. *Japan Heteroc. J.* (Tokyo), 213:245-246. [in Japanese]

TORTRICIDAE

Adamski, D., and J. W. Brown

2001. Systematic revision of the *Ecdytolopha* group of genera (Lepidoptera: Tortricidae: Grapholitini) in the New World. *Ent. Scand.* (Copenhagen), Suppl. 58:1-86.

Blanco-Metzler, H., A. D. Watt, and D. Cosens

2001. Within-tree distribution of *Ecdytolopha tortricornis* (Lepidoptera: Tortricidae) oviposition on macadamia nuts. *Revta. Biol. Trop.* (San Jose), 49:693-696. [Costa Rica]

Botton, M., O. Nakano, and A. Kovalski

- [2001]. Thermal requirements of *Bonagota cranaodes* (Meyrick) (Lepidoptera: Tortricidae) and estimation of the number of generations in apple growing regions in the south of Brazil. *An. Soc. Ent. Bras.* (Itabuna), 29:633-637. (2000). [in Portuguese]

Brown, J. W., and T. Y. McPherson

2001. Review of *Rebinea* Razowski and *Eliachna* Razowski (Tortricidae: Eulini) — sister groups endemic to Chile and Argentina. *J. Lepid. Soc.* (Los Angeles), 55:129-139.

Burnip, G. M., and D. M. Suckling

2001. Leafroller larval and adult phenology at two Canterbury, New Zealand, organic apple orchards. *New Zealand J. Crop Hort. Sci.* (Wellington), 29:15-22. [Tortricidae]

Imamura, N., T. Ishikawa, K. Takeda, H. Fukami, A. Konno, and R. Nishida

2001. The relationship between a leaf-rolling moth (*Dactyloglyphia tonica*) and fungi covering the cocoon. *Biosci. Biotech. Biochem.* (Tokyo), 65: 1965-1969. [Japan]

Jiménez-P., A., and Q. Wang

2001. Growth and reproduction of '*Cnephasia*' *jactatana* Walker (Lepidoptera: Tortricidae) under two rearing systems. *New Zealand Ent.* (Auckland), 24:75-77. [New Zealand]

Jones, V. P., and M. Aihara-Sasaki

2001. Demographic analysis of delayed mating in mating disruption: a case study with *Cryptophlebia illepidia* (Lepidoptera: Tortricidae). *J. Econ. Ent.* (Lanham), 94:785-792. [Hawaii]

Landry, B., and J. A. Powell

2001. Systematics and phylogeny of *Sparganothina* and related taxa (Lepidoptera: Tortricidae: Sparganothini). *Univ. Calif. Publ. Ent.* (Berkeley), 121:1-82+[34].

Manfredi-C., S., M. S. Garcia, and M. Botton

2001. Thermal requirements and estimate of the number of generations of *Argyrotaenia sphaleropa* (Meyrick) (Lepidoptera: Tortricidae). *Neotrop. Ent.* (Londrina), 30:553-557. [Brazil] [in Portuguese]

Nasu, Y.

2001. The occurrence of *Herphystis tinctoria* Meyrick (Lepidoptera, Tortricidae) from Japan. *Japan Heteroc. J.* (Tokyo), 116:297-298. [Ryukyus] [in Japanese]

Razowski, J.

- 2001a. Description of *Chamelania* Razowski, gen.n., one new species of *Proathorybia* Razowski, 1999, and a proposal for three replacement names for Neotropical Euliini (Lepidoptera: Tortricidae). *SHILAP Revta. Lepid.* (Madrid), 29:275-279.

- 2001b. *Tuckia*, a new Afrotropical Archipini genus, with description of one new species (Lepidoptera: Tortricidae). *Polak. Pismo Ent.* (Gdynia), 70:87-90. [South Africa]

Razowski, J., and V. O. Becker

- [2001]. Description of six Brazilian genera of Euliini and their species (Lepidoptera: Tortricidae). *SHILAP Revta. Lepid.* (Madrid), 28:385-393. (2000) [Brazil]

- 2001a. Description of *Eristparcula* Razowski & Becker, gen. n. and its two species from Ecuador (Lepidoptera: Tortricidae, Euliini). *SHILAP Revta. Lepid.* (Madrid), 29:379-383.

- 2001b. Revision of the Neotropical Euliini genus *Terinebrica* Razowski, 1987 (Lepidoptera: Tortricidae). *Acta Zool. Cracov.* (Krakow), 44:235-251.

- 2001c. Two new species of *Icteralia* Razowski (Lepidoptera: Tortricidae). *Polak. Pismo Ent.* (Gdynia), 70:95-99. [Costa Rica]

- 2001d. Description of three new genera of Euliini close to *Netechma* Razowski and a new species of *Clarkenia* Razowski (Lepidoptera: Tortricidae). *Polak. Pismo Ent.* (Gdynia), 70:101-108. [Brazil, Ecuador]

- 2001e. Two new species of *Transtillaspis* Razowski, 1987 from Brazil, with systematic and distributional notes on the genus. *Polak. Pismo Ent.* (Gdynia), 70:109-113.

- 2001f. *Gravicornutia*, a new genus of Neotropical Euliini moths (Lepidoptera, Tortricidae, Tortricinae). *Revta. Bras. Ent.* (Sao Paulo), 45:257-265. [Brazil]

Razowski, J., and V. Pelz

2001. Tortricidae (Lepidoptera) collected in Ecuador in the years 1996-1999: Tortricini and Cochylini. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 22: 17-28.

Wearing, C. H., and G. F. McLaren

2001. Evidence that sweet cherry, *Prunus avium* L. is not a host of codling moth, *Cydia pomonella* (Lepidoptera: Tortricidae). *Crop Prot.* (Oxford), 20:571-579. [New Zealand]

URANIIDAE

Hernández-B., F., and L. N. Quiroz-R.

2001. La familia Uraniidae (Insecta: Lepidoptera) del Municipio de Xalapa, Veracruz, México. *Dugesiana* (Guadalajara), 8:1-7.

YPONOMEUTIDAE

Yu, H.-L., and H.-H. Li

2001. A taxonomic study on the genus *Thecobathra* Meyrick, 1922 from China (Lepidoptera, Yponomeutidae). *SHILAP Revta. Lepid.* (Madrid), 29:115-120.

ZYGAENIDAE

Mielke, O. H. H., and M. M. Casagrande

2001. About the types of Lepidoptera deposited in Brazilian museums. XXVI. Zygaenidae (supplement) and Noctuidae described by A. M. da Costa Lima. *Revta. Bras. Zool.* (Curitiba), 18:1341-1342. [Brazil] [in Portuguese]

Okumura, Y.

2001. The record of day flying moths in Malay Peninsula. *Yadoriga* (Tokyo), 191:24-25. [Malaysia] [in Japanese]

Owada, M.

2001. Further notes on geographical forms of the chalcosiine moth *Eterusia aedea* (Lepidoptera, Zygaenidae). *Mem. Natl. Sci. Mus.* (Tokyo), 37: 293-310.

ATLAS OF NEOTROPICAL LEPIDOPTERA

Series ISBN: 0-945417-25-X

- SERIES EDITOR: Dr. J. B. Heppner Plan: 125 vol., including color synopsis and LSDS species pages
- Checklist, Part 1: Micropterigoidea - Immoidea. 1984. xxvii + 112 pp. ISBN: 90-6193-038-3 \$18.50 (non-ATL: \$35.00)
- Checklist, Part 2: Hyblaeoidea - Pyraloidea - Tortricoidea. 1995. liv+243 pp. ISBN: 0-945417-26-8 \$19.95 (non-ATL: \$37.95)
- Checklist, Part 3: Uranoidea - Geometroidea In prep.
- Checklist, Part 4A: Hesperioidea - Papilionoidea (Lamas) 2004. xxxvi+439 pp. ISBN: 0-945417-28-4 \$35.00 (non-ATL: \$95.00)
- Checklist, Part 4B: Drepanoidea - Bombycoidea - Sphingoidea. 1996. l+87 pp. ISBN: 0-945417-32-2 \$14.95 (non-ATL: \$29.95)
- Checklist, Part 5A: Noctuoidea (Notodontidae - Arctiidae) In prep.
- Checklist, Part 5B: Noctuoidea (Noctiidae) In prep.
- Checklist, Part 6: General Index In prep.
- Vol. 124. Bibliography of Butterflies and Skippers. 1995. xiv + 463 pp. ISBN: 0-945417-31-4 \$32.50 (non-ATL: \$95.00)

ATLAS OF NORTH AMERICAN LEPIDOPTERA

Series ISBN: 0-945417-00-4

- SERIES EDITOR: Dr. J. B. Heppner Plan: 26 vol., including color synopsis and LSDS species pages
- Checklist of North American Butterflies. In prep. ca. 120 pp. ISBN: 0-945417-24-1 \$10.95 (non-ATL: 19.95)
- Fasc. 95. Papilionidae In prep.

ATLAS OF PALEARCTIC LEPIDOPTERA

Series ISBN: 0-945417-96-9

- SERIES EDITOR: Dr. J. B. Heppner Plan: 30 vol., including color synopsis and LSDS species pages
- Future series to illustrate and catalog all Eurasian Lepidoptera, including temperate regions of Japan. A new catalog (replacing the Staudinger/Rebel catalog of 1901) will be produced first, following the LSDS numbering format.

LEPIDOPTERA OF TAIWAN

Series ISBN: 0-945417-75-6

- SERIES EDITORS: Dr. J. B. Heppner & Dr. Hiroshi Inoue Plan: 10 vol., includes color synopsis; LSDS species pages
- Vol. 1. Part 1: Introduction and Color Synopsis \$81.50 (non-ATL: \$195.00)
2005. ca. 200 pp (including 75 color pl). (8½ x 11 in). ISBN: 0-945417-76-4
- Vol. 1. Part 2: Checklist. 1992. xlix + 276 pp. (8½ x 11 in). ISBN: 0-945417-77-2 \$21.50 (non-ATL: \$39.95)

LEPIDOPTERORUM CATALOGUS (NEW SERIES)

Series ISBN: 0-945417-50-0

- SERIES EDITOR: Dr. J. B. Heppner Plan: 125 parts
- Fasc. 7. Neopseustidae (Davis) 1997. viii + 8pp. ISBN: 0-945417-51-9 (Fasc. 7) \$1.50 (non-ATL: \$4.50)
- Fasc. 9. Neotheoridae (Kristensen). viii + 8pp. ISBN: 0-945417-51-9 (Fasc. 9) in prep.
- Fasc. 11. Prototheoridae (Davis). 2005. viii + 8pp. ISBN: 0-945417-51-9 (Fasc. 11) \$1.50 (non-ATL: \$4.50)
- Fasc. 29. Amphitheridae (Heppner). In prep. viii + 12pp. ISBN: 0-945417-52-7 (Fasc. 29) \$2.00 (non-ATL: \$6.00)
- Fasc. 30. Schreckensteiniidae (Heppner) In prep. viii + 8pp. ISBN: 0-945417-52-7 (Fasc. 29) \$1.50 (non-ATL: \$4.50)
- Fasc. 48. Epermeniidae (Gaedike) 1996. viii + 16pp. ISBN: 0-945417-54-3 (Fasc. 47) \$2.50 (non-ATL: \$7.50)
- Fasc. 49. Ochsenheimeriidae (Davis) 1998. viii + 8pp. ISBN: 0-945417-55-1 (Fasc. 48) \$1.50 (non-ATL: \$4.50)
- Fasc. 50. Glyhipterigidae (Heppner). viii + 48pp. ISBN: 0-945417-55-1 (Fasc. 49) in prep.
- Fasc. [56] 55. Acrolepiidae (Gaedike) 1997. viii + 16pp. ISBN: 0-945417-55-1 (Fasc. 55) \$2.50 (non-ATL: \$7.50)
- Fasc. [62] 61. Tineodidae (Heppner) 1998. viii + 8pp. ISBN: 0-945417-58-6 (Fasc. 61) \$1.50 (non-ATL: \$4.50)
- Fasc. [63] 62. Oxychirotidae (Heppner) 1997. viii + 8pp. ISBN: 0-945417-58-6 (Fasc. 62) \$1.50 (non-ATL: \$4.50)
- Fasc. 65. Brachodidae (Heppner). In prep. viii + 24pp. ISBN: 0-945417-58-6 (Fasc. 64) \$3.50 (non-ATL: \$9.50)
- Fasc. 67. Urodidae (Heppner). In prep. viii + 28pp. ISBN: 0-945417-59-4 (Fasc. 66) \$2.50 (non-ATL: \$7.50)
- Fasc. 72. Lacturidae (Heppner). In prep. viii + 32pp. ISBN: 0-945417-60-8 (Fasc. 71) \$4.50 (non-ATL: \$12.50)
- Fasc. 73. Somabrachyridae (Heppner). In prep. viii + 8pp. ISBN: 0-945417-60-8 (Fasc. 72) \$1.50 (non-ATL: \$4.50)
- Fasc. 85. Ratardidae (Owada). In prep. viii + 8pp. ISBN: 0-945417-64-0 (Fasc. 84) \$1.50 (non-ATL: \$4.50)
- Fasc. [94] 93. Hedyliidae (Scoble) 1998. viii + 16pp. ISBN: 0-945417-66-7 (Fasc. 93) \$2.50 (non-ATL: \$7.50)
- Fasc. 100. Libytheidae (Heppner). In prep. viii + 8pp. ISBN: 0-945417-67-5 (Fasc. 99) \$1.50 (non-ATL: \$4.50)
- Fasc. 106. Carthaeidae (Heppner). In prep. viii + 8pp. ISBN: 0-945417-69-1 (Fasc. 105) \$1.50 (non-ATL: \$4.50)
- Fasc. 116. Oxytenidae (Heppner). In prep. viii + 8pp. ISBN: 0-945417-69-1 (Fasc. 115) \$1.50 (non-ATL: \$4.50)
- Fasc. 117. Cercophanidae (Heppner). In prep. viii + 8pp. ISBN: 0-945417-69-1 (Fasc. 116) \$1.50 (non-ATL: \$4.50)
- Fasc. 118. Saturniidae (Lemaire/Peigler). viii + 120pp. ISBN: 0-945417-69-1 (Fasc. 117) in prep.
- Fasc. 119. Sphingidae (Heppner). viii + 120pp. ISBN: 0-945417-70-5 (Fasc. 118) in prep.
- Fasc. [125] 118. Noctuidae (Poole) 1989. 3 pts., 1314pp. ISBN: 0-916846-45-8 \$50.00 (non-ATL: \$150.00)
- Fasc. 125A. Noctuidae: Introduction (Heppner). ca. 260 pp. (8½ x 11 in). ISBN: 0-945417-99-3 in prep.

SHIPPING HANDLING: \$3 first book, \$1 each added book (outside USA, add another \$1 for each book).

Lepidopterorum Catalogus only: \$2 for first 80 pages (e.g., 5 parts each with viii+8 pp. = 80pp), \$1 each added 40 pages (outside USA, add \$1 for first 80pp and another \$1 for each added 250pp) [NOTE: Fasc. 124 ships at bookrate of \$7 in the USA, for 3 volumes].

LEPIDOPTERA NEWS

September / December 2002 No. 3-4

- | | | |
|--------------------|---|--|
| CHEN <i>et al.</i> | 1 | A New Species of the Genus <i>Glaucocharis</i> from China (Pyralidae: Crambinae) |
| CHEN <i>et al.</i> | 3 | The Genus <i>Ancylolomia</i> from China, with Descriptions of Two New Species (Pyralidae: Crambinae) |
| HEPPNER | 6 | Notes on <i>Euchlaena 'pectinaria'</i> in the United States (Geometridae: Ennominae) |
| | 8 | 2001 Literature Review |