

- Soc. Japan* (Osaka), 49:48-52. [in Japanese] [Japan]
- Nekrutenko, Y. P.**
1998. A catalogue of the type specimens of Riodinidae and Lycaenidae deposited in the collection of Zoologisches Forschungsinstitut und Museum Alexander Koenig (Bonn). *Nota Lepid.* (Basel), 21:119-148. [Palearctic]
- Olivier, A.**
1998. *Pseudophilotes vicrama schiffermuelleri* confirmed from the Greek island of Kós (Lycaenidae). *Nota Lepid.* (Basel), 21:296-297. [Greece]
- Packer, L., J. S. Taylor, D. A. Savignano, C. A. Bleser, C. P. Lane, and L. A. Sommers**
1998. Population biology of an endangered butterfly, *Lycaeides melissa samuelis* (Lepidoptera: Lycaenidae): genetic variation, gene flow, and taxonomic status. *Can. J. Zool.* (Ottawa), 76:320-329. [USA]
- Pasquier, G.**
1998. A new species found in the Girunde *Cacyreus marshalli* Butler 1897 (Lepidoptera, Lycaenidae). *Bull. Soc. Linn. Bordeaux*, 26:79-80. [France] [in French]
- Pavulaan, H.**
1998. A new subspecies of *Incisalis henrici* (Grote and Robinson) (Lepidoptera: Lycaenidae) from the Outer Banks of North Carolina. *Maryland Ent.* (Baltimore), 4(2):1-26. [USA]
- Pratt, G. F., and J. F. Emmel**
1998a. Revision of the *Euphilotes enoptes* and *E. battoides* complexes (Lepidoptera: Lycaenidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 207-270. Gainesville: Mariposa Pr. [USA]
1998b. A new subspecies of *Euphilotes pallescens* (Lepidoptera: Lycaenidae) from the Death Valley region of California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 271-275. Gainesville: Mariposa Pr. [USA]
- Priestaf, R. C., and J. F. Emmel**
1998. An extraordinary new subspecies of *Philotiella speciosa* (Lepidoptera: Lycaenidae) from coastal Santa Barbara County, California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 283-286. Gainesville: Mariposa Pr. [USA]
- Pullen, A. S., Z. Bálint, E. Balletto, J. Buszko, J. G. Coutsis, P. Goffart, M. Kulfan, J. E. Lhonore, J. Settele, and J. van der Made**
1998. The status, ecology and conservation of *Lycaena dispar* (Lycaenidae: Lycaenini) in Europe. *Nota Lepid.* (Basel), 21:94-100.
- Reid, J.**
1998. The discovery of *Cacyreus marshalli* (Butler, 1898) (Lepidoptera: Lycaenidae) in France. *Ent. Gaz.* (Wallingford), 49:253-256.
- Rozier, Y.**
1998. *Maculinea* (Lepidoptera, Lycaenidae) in wetland areas: Lavours Natural Reserve as an example (Ain, France). *Bull. Mens. Soc. Linn. Lyon*, 67:291-294. [in French]
- Salk, A., and J.-C. Weiss**
1998. Description d'un nouveau *Cupido* du nord du Pakistan (Lepidoptera: Lycaenidae). *Linn. Belg.* (Beersel), 16:242-244.
- Sarto I Monteys, V.**
1998. El taladro de los geranios *Cacyreus marshalli* Butler, 1898 se establece en Francia. Nuevos datos sobre su biología (Lepidoptera: Lycaenidae). *SHILAP Revta. Lepid.* (Madrid), 26:221-227. [France]
- Scott, J. A., and D. M. Wright**
1998. A new *Celastrina* from the eastern slope of Colorado. *Papilio* (Lake-wood), (n.s.) 9:1-15. [USA]
- Smyllie, B.**
1998. Similarities between British and north-west European *Aricia* "subspecies" (Lepidoptera: Lycaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:69-88.
- Spomer, S. M., and W. W. Hoback**
1998. New ant associations for *Glauropsyche lygdamus* Doubleday (Lycaenidae). *J. Lepid. Soc.* (Los Angeles), 52:216-217. [USA]
- Swengel, A. B., and S. R. Swengel**
1998. Density-dependent and -independent behaviors of the adult Karner blue (*Lycaeides melissa samuelis*) (Lepidoptera: Lycaenidae). *Gt. Lakes Ent.* (East Lansing), 31:59-72. [USA]
- Tarrier, M. R.**
1998a. *Cacyreus marshalli* Butler, 1898, espèce nouvelle pour la France, le Portugal et le Maroc (Lepidoptera Lycaenidae). *Alexanor* (Paris), 20: 143-144 (1997). [France, Morocco, Portugal]
1998b. Note phénologique en apport à la connaissance de *Plebejus (Maurus) vogelii* (Oberthür, 1920) (Lepidoptera: Lycaenidae). *Linn. Belg.* (Beersel), 16:216-218. [Morocco]
1998c. Une nouvelle localisation de *Plebejus (Maurus) vogelii* (Oberthür, 1920) dans le Haut Atlas oriental (Maroc) (Lepidoptera: Lycaenidae). *Linn. Belg.* (Beersel), 16:339-340. [Morocco]
- Thomas, C. D., J. K. Hill, and O. T. Lewis**
1998. Evolutionary consequences of habitat fragmentation in a localized butterfly. *J. Anim. Ecol.* (Oxford), 67:485-497. [England]
- Thomas, J. A., and G. W. Elmes**
1998. Higher productivity at the cost of increased host-specificity when *Maculinea* butterfly larvae exploit ant colonies through trophallaxis rather than by predation. *Ecol. Ent.* (London), 23:457-464. [Europe]
- Wakeham-Dawson, A.**
1998. Butterflies of southern Greece, June 1997, with notes on species of *Agrodiaetus* Hübner (Lepidoptera: Lycaenidae). *Ent. Gaz.* (Wallingford), 49:249-252.
- Wang, M., and I. Chou**
1998. A revision of the genus *Gonerilia* Shirôzu et Yamamoto (Lepidoptera: Lycaenidae). *Entomotaxon.* (Yangling), 20:51-56. [China (Shaanxi)]
- Wardlaw, J. C., G. W. Elmes, and J. A. Thomas**
1998. Techniques for studying *Maculinea* butterflies: II. Identification guide to *Myrmica* ants found on *Maculinea* sites in Europe. *J. Ins. Conserv.* (.), 2:119-127.
- West, B. K.**
1998. *Quercusia quercus* L. (Lep.: Lycaenidae) at light in London area. *Ent. Rec. J. Var.* (Surrey), 110:82.
- Zhdanko, A. B.**
1998. Type specimens of *Bidaspa caerulea* and *Atara micans* (Lepidoptera, Lycaenidae) and taxonomy of some genera from the tribe Dendrorigini. *Zool. Zhurn.* (Moscow), 77:1297-1304. [in Russian] [Kazakhstan]
- LYMANTRIIDAE**
Mason, R. R., D. W. Scott, M. D. Loewen, and H. G. Paul
1998. Recurrent outbreak of the Douglas-fir tussock moth in the Malheur National Forest: a case history. *U. S. For. Serv. Gen. Tech. Rep. PNW* (Seattle), 402:1-14. [Lymantriidae; USA]
- Morewood, W. D., and R. A. Ring**
1998. Revision of the life history of the high arctic moth *Gynaephora groenlandica* (Wocke) (Lepidoptera: Lymantriidae). *Can. J. Zool.* (Ottawa), 76:1371-1381. [Canada]
- Smitley, D., J. Andresen, R. Priest, R. Mech, and D. McCullough**
1998. Winter mortality of gypso moth (Lepidoptera: Lymantriidae) eggs in Michigan. *Environ. Ent.* (Lanham), 27:700-708. [USA]
- LYONETIIDAE**
Mey, W.
1998. Description of a new species of *Leucoptera* from Oman (Lyonetiidae). *Nota Lepid.* (Basel), 21:106-110.
- Olivella-P., E., and H. Vogt**
1998. Comparative study of abundance, parasitism and leaf damage caused by leafminers in apple orchards of south-west Germany and north-east Spain. *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:107-115.
- MICROPTERIGIDAE**
Kovács, Z., and S. Kovács
1998. The occurrence of *Micropterix aureoviridella* (Höfner 1898) (Lepidoptera Micropterigidae) in Romania. *Ent. Roman.* (Cluj), 2:83-84 (1997).
- Langohr, G. R., and J. H. Kuchlein**
1998. The species of *Microppterix* (Lepidoptera: Micropterigidae) recorded from the Netherlands. *Ent. Ber.* (Amsterdam), 58:224-228.
- NEPTICULIDAE**
Laštůvka, Z., and A. Laštůvka
1998. Beitrag zur Kenntnis der Nepticulidenfauna Griechenlands (Lepidoptera, Nepticulidae). *Stapfia* (Linz), 55:313-326. [Greece]
- Sims, I.**
1998. *Stigmella ulmariae* (Wocke) (Lep.: Nepticulidae) in Buckinghamshire. *Ent. Rec. J. Var.* (Surrey), 110:251-252. [England]
- Smith, M. H.**
1998. Recent records of *Fedalmia headleyella* (Staint.) (Lep.: Nepticulidae) in Wiltshire. *Ent. Rec. J. Var.* (Surrey), 110:245-246. [England]
- NOCTUIDAE**
Baisch, G., S. V. Beshkov, J. Gelbrecht, H. Hacker, K. Huber, A. Kallies, P. Kautt, H. Löbel, L. Lehmann, and M. Petersen
1998. Bausteine zur Fauna der Noctuoidea der Türkei, mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). *Esperiana* (Schwanfeld), 6:213-373. [Turkey]
- Cunningham, J. P., S. A. West, and D. J. Wright**
1998. Learning in the nectar behaviour of *Helicoverpa armigera*. *Ecol. Ent.*

- (London), 23:363-369. [England]
- Denton, J.**
1998a. An unusual encounter with dotted chestnut moths *Conistra rubiginea* (Noctuidae). *Brit. J. Ent. Nat. Hist.* (Reading), 10:209. (1997) [England]
1998b. An unusual refugium site for old lady moths? *Brit. J. Ent. Nat. Hist.* (Reading), 10:229. [England]
- Descombes, J.-P.**
1998. *Xestia sincera* H.-S., noctuelle nouvelle pour le Doubs et la Suisse (Lepidoptera Noctuidae Noctuinae). *Alexanor* (Paris), 20:142 (1997). [France, Switzerland]
- Elmqvist, H.**
1998. *Cryptocala chardinyi* (Bois.), Lep., new record for Sweden. *Ent. Tidsk.* (Stockholm), 119:96.
- Falkenhahn, H.-J.**
1998. *Rhyacia lucipeta* ([D. & S.], 1775) und *Hadena filigrana* (Esp., [1788]) (Lepidoptera: Noctuidae) in trockenwarmen Biotopen des nordöstlichen Rheinischen Schiefergebirges. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:101-108. [Germany]
- Fibiger, M., and H. Hacker**
1998. Systematic list of the Noctuidae of Europe. Corrigenda et addenda II. *Esperiana* (Schwanfeld), 6:9-40, pl. A.
- Fibiger, M., and O. Karsholt**
1998. First records of *Nola harouni* from Europe and comments on the taxonomic status of *N. centonialis holsatica* (Nolidae). *Nota Lepid.* (Basel), 21:194-205. [Denmark, Germany, Netherlands]
- Freytag, K.**
1998a. Bemerkungen zu weiteren 3 Hadeninae sowie 11 Noctuinae-Arten (Lepidoptera, Noctuidae, Hadeninae, Noctuinae). *Facetta* (Ingolstadt), 14:13-17, pl. 2-3 (1997).
1998a. Bemerkungen zu weiteren 14 Amphipyridae sowie 4 Cucullinae [sic]-Arten (Lepidoptera, Noctuidae, Amphipyridae, Cucullinae [sic]). *Facetta* (Ingolstadt), 15:12-17, pl. 2-3. [Europe]
- Gibeaux, C. A.**
1998a. *Brachionycha nubeculosa* (Esper, 1785) retrouvé en Île-de-France (Lep. Noctuidae Cucullinae). *Alexanor* (Paris), 20:73-74 (1997). [France]
1998b. *Eugnorisma depuncta* (Linné, 1761) en Île-de-France (Lepidoptera Noctuidae). *Alexanor* (Paris), 20:162 (1997). [France]
- Hacker, H.**
1998a. Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). *Esperiana* (Schwanfeld), 6:185-212, pl. K-L. [Turkey]
1998b. Die Typen der von E. J. Ch. Esper (1742-1810) in seinem "Die Schmetterlinge in Abbildungen nach der Natur" beschriebenen Noctuidae (Lepidoptera). *Esperiana* (Schwanfeld), 6:433-468, pl. N-O. [Europe]
1998c. Revision der Gattungen *Hadula* Staudinger, 1889 (= *Discestro* Hampson, 1905; = *Aglossastra* Hampson, 1905; = *Cardiastrea* Boursin, 1963), *Anartomorpha* Alphéraky, 1892, *Trichanarta* Hampson, 1895, *Anarta* Ochsenheimer, 1816 und *Cardepi* Hampson, 1905 mit Beschreibung einer neuen Gattung *Hadumorphia* gen. n. (Lepidoptera, Noctuidae). *Esperiana* (Schwanfeld), 6:577-843, pl. U, 1-12. [Palearctic]
- Hacker, H., and A. S. Talhouk**
1998. Contribution to the Noctuidae fauna of Lebanon with the first proof of ten species and taxonomic comments (Lepidoptera, Noctuidae). *Esperiana* (Schwanfeld), 6:376-380.
- Hendricks, P.**
1998. A migration of adult army cutworms, *Euxoa auxiliaris* (Grote) (Lepidoptera: Noctuidae) at high elevation. *Can. Field-Nat.* (Ottawa), 112:165-166. [Canada]
- Heppner, J. B.**
1998. Gold moths of the southwestern United States and northern Mexico (Lepidoptera: Noctuidae). *Holarctic Lepid.* (Gainesville), 5:15-16.
- Howard, R.**
1998. A winter record of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Ent. Gaz.* (Wallingford), 49:237-238. [England]
- Hreblay, M.**
1998. Eine neue Gattung und Art aus Nepal. *Facetta* (Ingolstadt), 16:7-11, pl. 1.
- Hreblay, M., A. Legrain, and S. Yoshimatsu**
1998. Beschreibung von achtundzwanzig neuen Arten und einer Unterart mit Übersicht der Artengruppe aus dem *Mythimna* Ochsenheimer, 1816-Komplex aus der südostasiatischen Region. Festlegung von vierzehn Lectotypen, zwei Neotypen, neuen Synonymen und Kombinationen (I.) (Lepidoptera, Noctuidae). *Esperiana* (Schwanfeld), 6:381-432, pl. P-S. [East Asia]
- Hreblay, M., L. Ronkay, and J. Plante**
1998. Contribution to the Noctuidae (Lepidoptera) fauna of Tibet and the adjacent regions (II.). A systematic survey of the Tibetan Noctuidae fauna based on the material of the Schäfer-Expedition (1938-1939) and recent expeditions (1993-1997) (Lepidoptera: Noctuidae). *Esperiana* (Schwanfeld), 6:69-184, pl. C-J.
- Janzon, L.-A.**
1998. First record of golden twin-spot, *Chrysodeixis chalcites* (Lepidoptera: Noctuidae) in Sweden. *Ent. Tidsk.* (Stockholm), 119:131-134. [in Swedish]
- Jost, D. J., and H. N. Pitre**
1998. Thoracic leg coloration of soybean looper and cabbage looper larvae (Lepidoptera: Noctuidae): an unreliable field identification character for species separation. *J. Ent. Sci.* (Tifton), 33:421-424. [USA]
- Kishida, Y.**
1998a. *Parhylophila celsiana* (Staudinger) (Noctuidae) from Hibarako, Fukushima Prefecture. *Japan Heteroc. J.* (Tokyo), (200):437.
1998b. *Condica illecta* (Walker) (Noctuidae) collected in Yamanashi Prefecture. *Japan Heteroc. J.* (Tokyo), (201):6. [Japan] [in Japanese]
- Kljutschko, Z., and E. Kljutschko**
1998. The Noctuidae (Lepidoptera) fauna of Ukraine. *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:187-189.
- Kobes, L. W. R.**
1998a. Die ersten Stände und die Zucht von *Euxoa canariensis* (Rebel, 1902). *Galathea* (Nuremberg), 14:2-8. [Canary Is.]
1998b. *Metopoceras* (subgenus *Tritomoceras* Berio 1980) *khalildja* subsp. nov. *suenderi* (Lepidoptera, Noctuidae, Cucullinae), a new subspecies to science occurring in the Pityuses Island of Formentera, Balears, Hispania. *Esperiana* (Schwanfeld), 6:63-65, pl. C. [Spain]
- Kononenko, V. S.**
1998a. A revision of the collection of Noctuidae (Lepidoptera) reported from Korea by O. Herz in 1904. *Ins. Koreana* (Chuncheon), 15:77-94.
1998b. New or little known species of the Noctuidae from China. *Japan Heteroc. J.* (Tokyo), (198):383-389.
- Kononenko, V. S., S. B. Ahn, and L. Ronkay**
1998. *Illustrated Catalogue of Noctuidae in Korea (Lepidoptera)*. In *Insects of Korea*. 3. Chuncheon: Korea Res. Inst. Biosci. Biotech., Ctr. Insect Syst. 507pp (38 pl.).
- Kononenko, V. S., and L. Ronkay**
1998. Description of a new species of *Xylota* Ochsenheimer, 1816 (Lepidoptera, Noctuidae) from the Far East, with notes on distribution of little known species. *Japan Heteroc. J.* (Tokyo), (197):360-366. [China, Japan, Korea, Nepal, Russia, Taiwan]
- Kovács, S., and Z. Kovács**
1998. *Cucullia dracunculi* (Hübner [1813]) (Lepidoptera: Noctuidae) specie nouă pentru fauna României. *Bul. Inf. Soc. Lepid. Roman.* (Cluj), 8: 163-164 (1997). [in Romanian] [Romania]
- Kučinić, M., and Z. Loković**
1998. The distribution of the genus *Chersotis* Boisduval, 1840 (Insecta, Lepidoptera, Noctuidae) in Croatia. *Nat. Croat.* (Zagreb), 7:113-120.
- Lafontaine, J. D.**
1998. *Noctuoidea. Noctuidae (part): Noctuinae (part)*. In *Moths of America North of Mexico. Fasc. 27.3*. Washington: Wedge Ent. Res. Found. 348pp (8 pl.).
- Landolt, P. J.**
1998. *Lacanobia subjuncta* (Lepidoptera: Noctuidae) on tree fruits in the Pacific Northwest. *Pan-Pac. Ent.* (San Francisco), 74:32-38. [USA]
- Langmaid, J. R.**
1998. *Ctenoplusia limbirena* (Guenée) (Lepidoptera: Noctuidae) in Hampshire. *Ent. Gaz.* (Wallingford), 49:90. [England]
- Leather, S. R., J. A. Beare, R. C. A. Cooke, and M. D. E. Fellowes**
1998. Are differences in life history parameters of the pine beauty moth *Panolis flammea* modified by host plant quality or gender? *Ent. Exp. Appl.* (Amsterdam), 87:237-243. [England]
- Leblonde, J.**
1998. Nouvelle capture de *Dasypolia templi* Thunberg dans la Manche (Lepidoptera Noctuidae Caradrininae). *Alexanor* (Paris), 20:80 (1997). [France]
- Lehmann, L.**
1998. Eine neue Subspezies von *Archanara dissoluta* (Treitschke, 1825) aus der Südtürkei (Lepidoptera, Noctuidae). *Esperiana* (Schwanfeld), 6:374-375. [Turkey]
- Lehmann, L., H. Hacker, A. Kallies, Z. Kljutschko, and M. Petersen**
1998. Noctuoidea (Lepidoptera) aus Zentralasien. *Esperiana* (Schwanfeld), 6:472-532, pl. M. [Central Asia]
- Leverton, R.**
1998a. Length of pupal stage in *Xanthia citrigo* Linn. (Lep.: Noctuidae). *Ent. Rec. J. Var.* (Surrey), 110:72. [England]
1998b. Cross-species pairings of noctuids (Lep.: Noctuidae) at sugar. *Ent. Rec.*

- J. Var. (Surrey)*, 110:86. [England]
- Löbel, H.**
1998. Beobachtungen zur Population von *Noctua janthina* (Denis & Schiffermüller, 1775) und *Noctua janthe* (Borkhausen, 1792) in Nordthüringen 1996. *Mitt. Thür. Ent. (Kranichfeld)*, 5:26-28. [Germany]
- Lopez, J. D., Jr.**
1998. Evaluation of some commercially available trap designs and sex pheromone lures for *Spodoptera exigua* (Lepidoptera: Noctuidae). *J. Econ. Ent. (Lanham)*, 91:517-521. [USA]
- Mason, P. G., A. P. Arthur, O. O. Olfert, and M. A. Erlandson**
1998. The bertha armyworm (*Mamestra configurata*) (Lepidoptera: Noctuidae) in western Canada. *Can. Ent. (Ottawa)*, 130:321-336.
- McCabe, T. L., and V. Vargas**
1998. The larva of *Hypena manalis* (Lepidoptera: Noctuidae: Hypeninae). *J. New York Ent. Soc.*, 106:109-113. [USA]
- McCormick, R.**
1998. Scarce Merveille du Jour *Moma alpium* Osbeck (Lep.: Noctuidae) re-found in Devon. *Ent. Rec. J. Var. (Surrey)*, 110:299. [England]
- Metzler, E. H.**
1998. Presidential address 1997: a new species of *Lithophane* (Noctuidae), from the midwestern United States dedicated to the purpose of the Lepidopterists' Society. *J. Lepid. Soc. (Los Angeles)*, 52:1-8.
- Mey, W.**
1998. Contribution to the Noctuidae (Lepidoptera) fauna of Tibet and the adjacent regions (I.). *Esperiana* (Schwanfeld), 6:57-68.
- Mikkola, K.**
1998. Revision of the genus *Xylomoia* Staudinger (Lepidoptera: Noctuidae), with descriptions of two new species. *Syst. Ent. (London)*, 23:173-186. [Holarctic]
- Murase, M.**
1998. *Brithys crini* (Fabricius) (Noctuidae, Hadeninae) occurring in Hyogo Prefecture. *Japan Heteroc. J. (Tokyo)*, (197):370. [in Japanese] [Japan]
- Murata, M., T. Etoh, K. Itoyama, and S. Tojo**
1998. Sudden occurrence of the common cutworm, *Spodoptera litura* (Lepidoptera: Noctuidae) in southern Japan during the typhoon season. *Appl. Ent. Zool. (Tokyo)*, 33:419-427.
- Neumann, H.**
1998. *Saragossa porosa kenderesiensis* Kovács 1968 und *Cucullia dracunculi* Hübner 1813 in Rumänien (Lepidoptera: Noctuidae). *Ent. Roman. (Cluj)*, 2:85-88 (1997). [Romania]
- Nibouche, S.**
1998. High temperature induced diapause in the cotton bollworm *Helicoverpa armigera*. *Ent. Exper. Appl. (Amsterdam)*, 87:271-274. [France]
- Nicolescu, M. A., and G. Stan**
1998. Emergence behavior of some noctuid Lepidoptera species under laboratory and field conditions. *Bul. Inf. Soc. Lepid. Roman. (Cluj)*, 8: 213-224 (1997). [in Romanian] [Romania]
- Nomura, M.**
1998. Allozyme variation and phylogenetic analyses of genera and species of Japanese Plusiinae Lepidoptera: Noctuidae. *Appl. Ent. Zool. (Tokyo)*, 33:513-523. [Japan]
- Ohbayashi, T.**
1998. The larva of *Condica serva* (Walker) (Noctuidae, Amphipyrrinae) from Yonaguni Island. *Yugato* (Niigata), 151:40. [Japan] [in Japanese]
- Plante, J.**
1998. Quatre espèces nouvelles de Caradrininae d'Arabie (Lepidoptera Noctuidae Caradrininae). *Alexanor* (Paris), 20:75-80 (1997). [Saudi Arabia]
- Pogue, M. G.**
1998. Misplaced holotypes from the A. E. Brower collection. *J. Lepid. Soc. (Los Angeles)*, 52:118-119. [USA]
- Pogue, M. G., and D. C. Ferguson**
1998. A revision of the cypress-feeding moths of the genus *Cutina* Walker (Lepidoptera: Noctuidae). *Proc. Ent. Soc. Washington*, 100:331-352. [USA]
- Riley, A. M., and J. E. Bater**
1998. The small Quaker *Orthosia cruda* ([D. and S.]) (Lep.: Noctuidae) in Kincardineshire. *Ent. Rec. J. Var. (Surrey)*, 110:252. [England]
- Robert, P., and B. Frerot**
1998. Comportement d'oviposition chez *Sesamia nonagrioides* Lefebvre (Lepidoptera: Noctuidae) et effet de la présence de pontes conspécifiques. *Ann. Soc. Ent. Fr. (Paris)*, (n.s.) 34:189-194. [France]
- Ronkay, L., Z. Varga, and M. Hreblay**
1998. Twenty two new species and six new subspecies of Noctuidae from Turkmenistan and adjacent regions (Lepidoptera). *Acta Zool. Acad. Sci. Hung. (Budapest)*, 44:205-281.
- Sannino, L., B. Espinosa, and P. Lombardi**
1998. Description of immature stages of *Noctua tirrenica* Biebing, Speidel et Hanigk, 1983, and morphological comparison with adults of *Noctua fimbriata* (Schreber, 1759) (Lepidoptera Noctuidae Noctuinae). *Boll. Lab. Ent. Agrar. (Portici)*, 54:17-30. [Italy]
- Sato, R.**
1998a. *Craniophora fasciata* (Moore) (Noctuidae) taken at Yoshida-machi in Niigata Pref. *Yugato* (Niigata), 151:10. [Japan] [in Japanese]
1998b. *Eublemma cochylionides* (Guenée) (Noctuidae) taken at Yoshida-machi in Niigata Pref. *Yugato* (Niigata), 151:14. [Japan] [in Japanese]
1998c. *Siderides unica* (Leech) (Noctuidae) newly found from in Niigata Prefecture. *Yugato* (Niigata), 153:99. [Japan] [in Japanese]
- Stan, G.**
1998. Studies on reproductive capacity in *Mamestra brassicae* L. (Lepidoptera: Noctuidae): effects of sex ratio, adult density and space availability on adults mating and longevity under laboratory conditions. *Bul. Inf. Soc. Lepid. Roman. (Cluj)*, 8:225-236 (1997). [in Romanian] [Romania]
- Stan, G., and M. A. Nicolescu**
1998. Pupal biology, sex ratio and factors that influenced pupal quality in some Noctuidae (Lepidoptera) species, under laboratory conditions. *Bul. Inf. Soc. Lepid. Roman. (Cluj)*, 8:79-100 (1997). [in Romanian] [Romania]
- Sugi, S.**
1998. *Amphipyra horiei* Owada (Noctuidae) from larva on *Elaeagnus*. *Japan Heteroc. J. (Tokyo)*, (199):409. [in Japanese] [Japan]
- Sugi, S., and K. Shibahara**
1998. *Calyptra minuticornis* (Guenée) and *C. orthograpta* (Butler) (Noctuidae) from Kyushu. *Japan Heteroc. J. (Tokyo)*, (197):371-372. [in Japanese] [Japan]
- Svensen, P., and M. Fibiger**
1998. New endemic taxa from Crete: *Cryphia omalosi* sp. n. And *Chersotis larixia idai*, subsp. n. (Noctuidae, Bryophilinae, Noctuinae). *Esperiana* (Schwanfeld), 6:469-471, pl. A. [Greece]
- Takashima, A.**
1998. *Paracolax japonica* Owada (Noctuidae) from Hyogo Prefecture. *Yugato* (Niigata), 151:1. [Japan] [in Japanese]
- Takasu, A., M. Murase, and K. Maki**
1998. Host range of *Brithys crini* (Fabricius) (Noctuidae, Hadeninae) larvae in Wakayama. *Japan Heteroc. J. (Tokyo)*, (197):368-370. [in Japanese] [Japan]
- Tannert, R.**
1998. Anmerkungen zu den Arten *Euxoa tritici* (Linnaeus 1761) und *Euxoa crypta* (Dadd 1927), nebst Randnotizen zu *Euxoa vitta* (Esper 1789) und *Euxoa obelisca* (Denis & Schiffermüller 1775) (Lep., Noctuidae). *Galathea* (Nuremberg), 14:134-140. [Germany]
- Thöny, H.**
1998. Beschreibung des unbekannten Weibchens von *Pyrocleptria naumanni* Krusek & Behounek, 1996 (Lepidoptera, Noctuidae, Heliethinae). *Facetta* (Ingolstadt), 15:6-7, pl. 1. [China (Gansu)]
- Tillotson, I. J. L., and K. Spitzer**
1998. The rosy marsh moth, *Coenophila subrosea* (Stephens, 1829) (Lepidoptera: Noctuidae) — a review of its bionomics, distribution and conservation status with special reference to Britain. *Ent. Gaz. (Wallingford)*, 49:75-89.
- Tominaga, S.**
1998a. Transverse linear imprint made on leaf by plusiine larva, *Trichoplusia ni* (Hübner) (Noctuidae). *Japan Heteroc. J. (Tokyo)*, (197):354. [in Japanese] [Japan]
1998b. The larva of *Condica illecta* (Walker) (Noctuidae, Amphipyrrinae) feeding on *Bidens pilosa* Linnaeus var. *radiata* in Okinawa. *Japan Heteroc. J. (Tokyo)*, (197):370. [in Japanese] [Japan]
- Troubridge, J., and L. Crabo**
1998. New *Oncocnemis* (Lepidoptera: Noctuidae) from the Pacific Northwest. *J. Ent. Soc. Br. Colum. (Victoria)*, 95:33-52. [Canada]
- West, B. K.**
1998. *Eumichtis licheneae* Hb. (Lep.: Noctuidae) in north-west Kent. *Ent. Rec. J. Var. (Surrey)*, 110:244-245. [England]
- Yamamoto, M.**
1998. Larva of *Pyrrhivalva sordida* (Butler) (Noctuidae, Amphipyrrinae). *Japan Heteroc. J. (Tokyo)*, (199):397-414. [in Japanese] [Japan]
- Yamazaki, K.**
1998. Communities of early spring noctuid and thyatirid moths (Lepidoptera) molasses-trapped in secondary forests. *Ent. Sci. (Tokyo)*, 1:171-178. [Japan]
- Yoshimatsu, S., and M. Hreblay**
1998. Three new species of the genus *Mythimna* (Lepidoptera, Noctuidae) from China. *Trans. Lepid. Soc. Japan* (Osaka), 49:9-15.

- Yu, S.-Q.
1998. A preliminary study on the fauna of Noctuidae (Lepidoptera: Ditrysia) insects in China. *Entomotaxon*. (Yangling), 20:44-50. [in Chinese]
- NOTODONTIDAE**
Starzewski, J. C.
1998. Caterpillars of the pine processionary moth *Thaumetopoea pityocampa* ([Denis & Schiffermüller], 1775) (Lepidoptera: Thaumetopoeidae) overwintering in Britain on imported *Pinus sylvestris* L. *Ent. Gaz.* (Wallingford), 49:247-248. [England]
- NYMPHALIDAE**
Aston, A.
1998. *Aglais urticae* L. (Lep.: Nymphalidae) in January. *Ent. Rec. J. Var.* (Surrey), 110:250. [England]
- Austin, G. T.**
1998a. New subspecies of Nymphalidae (Lepidoptera) from Nevada and Arizona. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 573-585. Gainesville: Mariposa Pr. [USA]
1998b. Variation of *Phyciodes pulchellus* (Boisduval) (Lepidoptera: Nymphalidae) in the Great Basin of Nevada. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 737-747. Gainesville: Mariposa Pr. [USA]
1998c. The correct name of the *Danaus gilippus* (Cramer) (Lepidoptera: Nymphalidae) in the southwestern United States. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 749-750. Gainesville: Mariposa Pr.
1998d. *Limnitis archippus* (Cramer) (Lepidoptera: Nymphalidae) in western United States with special reference to its biogeography in the Great Basin. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 751-761. Gainesville: Mariposa Pr.
- Austin, G. T., and R. E. Gray**
1998. The *Coenonympha tullia* (Müller) complex (Lepidoptera: Nymphalidae: Satyrinae) of the Great Basin region. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 587-611. Gainesville: Mariposa Pr. [USA]
- Austin, G. T., and D. D. Murphy**
1998a. *Euphydryas editha* of the Great Basin, with descriptions of three new subspecies (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 407-418. Gainesville: Mariposa Pr. [USA]
1998b. Patterns of phenotypic variation in the *Euphydryas chalcedona* complex (Lepidoptera: Nymphalidae) of the southern intermountain region. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 419-431. Gainesville: Mariposa Pr. [USA]
- Austin, G. T., and M. J. Smith**
1998a. Revision of the *Thessalia leanira* complex (Lepidoptera: Nymphalidae: Melitaeinae): *Thessalia leanira* (C. & R. Felder), with descriptions of four new subspecies. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 333-358. Gainesville: Mariposa Pr. [USA]
1998b. Revision of the *Thessalia theona* complex (Lepidoptera: Nymphalidae: Melitaeinae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 359-396. Gainesville: Mariposa Pr. [USA]
- Bailey, K. E. J.**
1998. A new pupal and imaginal aberration of the marsh fritillary *Euphydryas aurinia* Rott. (Lep., Nymphalidae). *Brit. J. Ent. Nat. Hist.* (Reading), 11:7-11, pl. 1. [England]
- Baughman, J. F., and D. D. Murphy**
1998. Differentiated in a widely distributed, polytopic butterfly genus: five new subspecies of California *Euphydryas* (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 397-406. Gainesville: Mariposa Pr. [USA]
- Baur, R., M. Haribal, J. A. A. Renwick, and E. Stadler**
1998. Contact chemoreception related to host selection and oviposition behaviour in the monarch butterfly, *Danaus plexippus*. *Physiol. Ent.* (Oxford), 23:7-19. [USA]
- Berwaerts, K., H. Van Dyck, S. Van Dongen, and E. Matthysen**
1998. Morphological and genetic variation in the speckled wood butterfly (*Pararge aegeria* L.) among differently fragmented landscapes. *Netherlands J. Zool.* (Leiden), 48:241-253. [Netherlands]
- Catling, P. M., and R. A. Layberry**
1998. Distribution and biology of *Chlosyne gorgone carlota* (Nymphalidae) at its northeastern limit. *J. Lepid. Soc.* (Los Angeles), 52:98-104. [Canada]
- Churkin, S. V., and V. K. Tuzov**
1998. Revision of the *Paralasa hades* species-group from Ghissaro-Darvaz and Pamiro-Alai regions (Lepidoptera, Satyridae). *Neue Ent. Nachr.* (Marktleuthen), 41:183-196. [Kirghizstan, Tadjikistan]
- Davenport, K.**
1998. New observations of three fritillaries (*Speyeria* sp.: Argynninae) in the southern Sierra. *News Lepid. Soc.* (Los Angeles), 40:26-27, 29. [USA]
- Debinski, D. M., and L. Kelly**
1998. Decline of Iowa populations of the regal fritillary (*Speyeria idalia*) Drury. *J. Iowa Acad. Sci.* (Dubuque), 105:16-22. [USA]
- Dennis, R. L. H.**
1998. Thanatosis in *Inachia io* (L.) (Nymphalidae). *Ent. Rec. J. Var.* (Surrey), 110:115-116. [England]
- Dennis, R. L. H., T. G. Shreeve, and T. H. Sparks**
1998. The effects of island area, isolation and source population size on the presence of the grayling butterfly *Hipparchia semele* (L.) (Lepidoptera: Satyridae) on British and Irish offshore islands. *Biodiv. Conserv.* (London), 7:765-776. [England]
- Dennis, R. L. H., T. H. Sparks, and T. G. Shreeve**
1998. Geographical factors influencing the probability of *Hipparchia semele* (L.) (Lepidoptera: Satyridae) occurring on British and Irish off-shore islands. *Global Ecol. Biogeog. Lett.* (Oxford), 7:205-214. [England]
- Dubatolov, V. V., Y. P. Korshunov, P. Y. Gorbunov, O. E. Kosterin, and A. L. Lvovsky**
1998. A review of the *Erebia ligea*-complex (Lepidoptera, Satyridae) from eastern Asia. *Trans. Lepid. Soc. Japan* (Osaka), 49:177-193. [Japan, Korea, Russia]
- Dyck, H. van, E. Matthysen, and C. Wiklund**
1998. Phenotypic variation in adult morphology and pupal colour within and among families of the speckled wood butterfly *Pararge aegeria*. *Ecol. Ent.* (London), 23:465-472. [Sweden]
- Eales, H. T., and R. L. H. Dennis**
1998. Predicting site occupancy for *Coenonympha tullia* (Müller, 1764) (Lepidoptera: Nymphalidae, Satyrinae) using habitat parameters. *Ent. Gaz.* (Wallingford), 49:3-16. [England]
- Ellis, A.**
1998. Effects of hostplant species and artificial diet on growth of buckeye (*Junonia coenia*) and painted lady (*Vanessa cardui*) caterpillars (Nymphalidae). *J. Lepid. Soc.* (Los Angeles), 52:73-83. [USA]
- Emmel, J. F., and T. C. Emmel**
1998a. A review of the *Speyeria egleis* complex in California, with the description of two new subspecies (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 437-442. Gainesville: Mariposa Pr. [USA]
1998b. A previously unrecognized subspecies of *Speyeria zerene* (Lepidoptera: Nymphalidae) from coastal northern California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 451-454. Gainesville: Mariposa Pr. [USA]
- Emmel, J. F., T. C. Emmel, and S. O. Mattoon**
1998a. Designation of lectotype and fixation of a type locality for *Lemonias edithana* Strand (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 123-126. Gainesville: Mariposa Pr. [USA]
1998b. New subspecies of Nymphalidae (Lepidoptera) from California and a neotype designation for *Argynnis rupestris* Behr (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 139-158. Gainesville: Mariposa Pr. [USA]
1998c. A new subspecies of *Speyeria zerene* (Lepidoptera: Nymphalidae) from the San Francisco Bay area of California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 455-459. Gainesville: Mariposa Pr. [USA]
- Emmel, T. C., and G. T. Austin**
1998. What is *Argynnis carolae*? The cytotaxonomy and systematic position of a *Speyeria* relic from Nevada (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 443-450. Gainesville: Mariposa Pr. [USA]
- Emmel, T. C., and J. F. Emmel**
1998a. A neotype designation for *Satyrus behrii* Grinnell (Lepidoptera: Satyridae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 117-120. Gainesville: Mariposa Pr. [USA]
1998b. Designation of a type locality for *Satyrus silvestris* W. H. Edwards (Lepidoptera: Satyridae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 121. Gainesville: Mariposa Pr. [USA]
- Emmel, T. C., and L. N. Harris**
1998. A new subspecies of *Euphydryas anicia* (Lepidoptera: Nymphalidae) from the South Park area of central Colorado. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 432-436. Gainesville: Mariposa Pr. [USA]

- Frey, D., K. L. Leong, E. Pepper, R. K. Smidt**
1998. Mate pairing patterns of monarch butterflies (*Danaus plexippus* L.) at a California overwintering site. *J. Lepid. Soc.* (Los Angeles), 52:84-97. [USA]
- Fujimori, K.**
1998. [*Coenonympha oedippus annuliter* in Kirigamine, Nagano]. *Yadoriga* (Osaka), 175:7-8. [Japan] [in Japanese]
- Fukuda, H., N. Minotani, and H. Iwano**
1998. Restoration of *Neptis rivularis shirozui* Okano (Lepidoptera, Nymphalidae), a good subspecies for the Iwate Prefecture population. *Trans. Lepid. Soc. Japan* (Osaka), 49:65-72. [in Japanese] [Japan]
- Gatrelle, R. R.**
1998a. The rediscovery, taxonomy and biology of *Chlosyne gorgone gorgone* and *Chlosyne ismeria* (Nymphalidae) in Burke County, Georgia. *Taxon. Rep.* (Goose Creek), 1(2):1-9. [USA]
1998b. Two new Nymphalidae from western North Carolina: new subspecies of *Speyeria aphrodite* and *Phyciodes batesii*. *Taxon. Rep.* (Goose Creek), 1(3):1-7. [USA]
- Giuliani, D., and O. Shields**
1998. Migration of *Cynthia cardui* (L.) (Lep.: Nymphalidae) in North America, with special reference to Inyo County, California. *Ent. Rec. J. Var.* (Surrey), 110:275-282. [USA]
- Gorbach, V. V.**
1998. The seasonal dynamics and sex ratio of a population of the butterfly *Boloria aquilonaris* (Lepidoptera, Nymphalidae). *Zool. Zhurn.* (Moscow), 77:576-581. [Russia] [in Russian]
- Grishin, N. V.**
1998. *Enodia anhedon* (Nymphalidae, Satyrinae): a new record for Texas. *News Lepid. Soc.* (Los Angeles), 40:33. [USA]
- Hawkes, D., and J. F. Emmel**
1998. New subspecies of *Cercyonis sthenele* (Boisduval) (Lepidoptera: Satyridae) and *Chlosyne (Charidryas) gabbii* (Behr) (Nymphalidae) from the California islands. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 321-326. Gainesville: Mariposa Pr. [USA]
- Huang, H.**
1998a. Two new butterflies from northwestern Tibet (Lepidoptera: Pieridae, Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:249-255.
1998b. Two new Rhopalocera from central Tibet (Lepidoptera: Rhopalocera). *Neue Ent. Nachr.* (Markt-leuthen), 41:265-269. [Nymphalidae, Lycaenidae]
- Hürter, W.**
1998. Ein neuer Fund von *Danaus chrysippus* auf der Insel Rhodos (Lepidoptera: Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:463-465. [Greece (Rhodes)]
- Jones, R. W.**
1998. Monarch butterfly *Danaus plexippus* L. (Lep.: Danaidae) in Gwynedd. *Ent. Rec. J. Var.* (Surrey), 110:81. [England]
- Jugan, D.**
1998. Sur la répartition en France de deux hôtes de l'Arbousier: *Charaxes jasius* L. Et *Callophrys avis* Chapman (Lepidoptera Nymphalidae et Lycaenidae). *Alexanor* (Paris), 20:259-270. [France]
- Jutzeler, D.**
1998a. *Coenonympha gardetta lecerfi* (de Lesse, 1949), une ssp. isolée du complexe *gardetta* des Monts du Forez (Pyr-de-Dôme, Auvergne, F.) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:192-195. [France]
1998b. *Lasiommata paramegaera* (Hübner, 1824) des Îles Tyrrhéniennes: une "bonne espèce" (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:267-276. [France (Sardinia), Italy]
1998c. Au sujet de la biologie de *Pryonia cecilia* (Vallantin, 1894) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:303-306. [Italy (Sicily)]
- Jutzeler, D., V. Cameron-Curry, G. Hesselbarth, and N. Meyer-Westfeld**
1998. A comparison between *Hipparchia pellucida* (Stauder, 1923) from Georgia and *Hipparchia semele* (Linnaeus, 1758) from NW Germany (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:277-284. [Georgia, Germany, Turkey]
- Jutzeler, D., G. Hesselbarth, and V. Cameron-Curry**
1998. Ecology and rearing of *Hipparchia statilinus* (Hufnagel, 1766) from Mount Faito (Campania, Italy) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:236-241.
- Kesküla, T.**
1998. A new subspecies of *Hyponomephele capella* (Christoph, 1877) from the southern part of Uzbekistan (Lepidoptera: Satyridae). *Neue Ent. Nachr.* (Markt-leuthen), 41:201-205.
- Kesküla, T., and A. Lindt**
1998. A new subspecies of *Paralasa ida* (Groum-Grshimailo, 1890) from Tajik Badakhstan (Lepidoptera: Satyridae). *Neue Ent. Nachr.* (Markt-leuthen), 41:197-199. [Tadjikistan]
- Korb, S. K.**
1998a. Eine neue Unterart von *Oeneis tarpeia* (Pallas, 1771) aus dem Südaltau (Lepidoptera Nymphalidae Satyrinae). *Alexanor* (Paris), 20:144-146 (1997). [Russia]
1998b. Le complexe d'*Oeneis bore* (Schneider, 1792) en région paléarctique. Description d'une nouvelle sous-espèce d'*O. ammon* (Lepidoptera Nymphalidae Satyrinae). *Alexanor* (Paris), 20:305-309. [Russia]
- Kreitsberg, A. V. A.**
1998. Distribution and biology of rare species of Nymphalidae (Lepidoptera) — *Melitaea acraeina* Staudinger, 1886. *Bul. Moskovs. Obshch. Ispytat. Biol.* (Moscow), 103:38-40. [Russia]
- Kubota, N., M. Inujima, Y. Ichino, F. Kubo, M. Kawamoto, M. Nakanishi, T. Suwa, K. Iwata, H. Hashimoto, S. Ohshima, and H. Tanaka**
1998. Researchs on the migration of the chestnut tiger butterfly, *Parantica sita nipponica* (Lepidoptera Danaidae), by marking method in the Chita Peninsula, Aichi Prefecture and their results in the autumn of 1997. *Yadoriga* (Osaka), 178:44-51. [in Japanese] [Japan]
- Kubota, N., and Y. Kubota**
1998. Researches on the migration of the chestnut tiger butterfly, *Parantica sita nipponica* (Lepidoptera Danaidae), by marking method in the Takeshi, Nagano Prefecture. *Yadoriga* (Osaka), 179:8-13. [Japan] [in Japanese]
- Kuusaari, M., I. Saccheri, M. Camara, and I. Hanski**
1998. Allee effect and population dynamics in the Glanville fritillary butterfly. *Oikos* (Copenhagen), 82:384-392. [Finland]
- Leestmans, R., and A. Karbalaye**
1998. On the geographical distribution of a little known species: *Lyela myops* (Staudinger, 1881) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:219-222. [Iran]
- Leigheb, G., V. Cameron-Curry, E. Riboni, and S. Cecchin**
1998. Present knowledge on the distribution of *Erebia christi* (Nymphalidae: Satyrinae) in the Italian Alps. *Nota Lepid.* (Basel), 21:290-295. [Italy]
- Lencina, F., and F. Albert**
1998. Una nueva especie para la fauna lepidopterológica de Murcia (España) *Erebia epistygne* (Hübner, 1824) (Lepidoptera: Satyridae). *SHILAP Revta. Lepid.* (Madrid), 26:215-220. [Spain]
- Lentenois, P.**
1998. Four gynandromorph Lepidoptera from south-eastern France. *Bull. Mens. Soc. Linn. Lyon*, 67:79-80. [Libytheidae, Nymphalidae] [in French]
- Leverton, R.**
1998. Mass predation of hibernating *Aglais urticae* (L.) (Lep.: Nymphalidae) by wren. *Ent. Rec. J. Var.* (Surrey), 110:294. [England]
- Lörtscher, M., H. Geiger, and A. Scholl**
1998. A contribution to the systematics of alpine species of the genus *Erebia* (Nymphalidae: Satyrinae). *Nota Lepid.* (Basel), 21:5-13. [Europe]
- Miller, M.**
1998. First sighting of Carolina satyr, *Hermeuptychia sosybius*, in Pennsylvania. *News Lepid. Soc.* (Los Angeles), 40:77.
- Molina, J. M.**
1998. Dispersión de *Danaus chrysippus* (Linnaeus, 1758) (Nymphalidae, Danaidae) en el Valle del Guadalquivir (Sevilla, España). *Graellsia* (Madrid), 54:111-113. [Spain]
- Nagaoka, H.**
1998a. [*Erebia nipponica* (Satyridae) from Mt. Kurikoma?]. *Yadoriga* (Osaka), 174:2-6. [in Japanese]
1998b. [*Erebia* of Hokkaido]. *Yadoriga* (Osaka), 178:2-18. [in Japanese] [Japan]
- Nardelli, U., J. Olivares, and D. Jutzeler**
1998. Études sur l'écologie et le développement de *Melanargia ines* (Hoffmannsegg, 1804) en Andalousie et comparaison avec les espèces les plus proches (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:183-191. [Spain]
- Pennington, M. G.**
1998. A sighting of *Apatura iris* (Linnaeus) (Lepidoptera: Nymphalidae) in central Spain. *Ent. Gaz.* (Wallingford), 49:244. [England]
- Pfretzschner, H. U.**
1998. Another specimen of *Lethe? corbiere* Nel 1993 (Lepidoptera, Satyridae) from the Lower Oligocene of Cereste (southern France). *Palaeontol. Zeit.* (Stuttgart), 72:59-64.
- Platt, A. P.**
1998. A late season oviposition record for the viceroy, *Limenitis archippus* (Cramer) (Lepidoptera: Nymphalidae) in southern Maryland. *Maryland Ent.* (Baltimore), 4(2):33-35. [USA]
- Porter, A. H., and J. C. Mueller**

1998. Partial genetic isolation between *Phyciodes tharos* and *P. cocyta* (Nymphalidae). *J. Lepid. Soc.* (Los Angeles), 52:182-205. [USA]
- Priestaf, R. C., and J. F. Emmel**
1998. A new subspecies of *Thessalia leanira* (Lepidoptera: Nymphalidae) from the coastal sand dunes of central California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 327-332. Gainesville: Mariposa Pr. [USA]
- Rose, H. S., and N. Sharma**
1998. Comments on the *Maniola* complex (Lepidoptera: Papilionoidea: Satyridae). *J. Ent. Res.* (New Delhi), 22:213-222. [India (Himalaya)]
- Ross, G. N.**
1998. Monarchs offshore in the Gulf of Mexico. *Holarctic Lepid.* (Gainesville), 5:52. [USA]
- Russo, L.**
1998. Les formes individuelles chez *Melanargia arge* (Sulzer, 1776) (Lepidoptera: Nymphalidae, Satyrinae). *Linn. Belg.* (Beersel), 16:223-224. [Italy]
- Schurian, K. G.**
1998. Die Danainen in Marokko (Lepidoptera: Nymphalidae, Danainae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:216-218. [Morocco]
- Schurian, K. G., W. Ehrhardt, and W. Hergenroth**
1998. Die Zucht von *Argynnis paphia* (Linnaeus, 1758) (Lepidoptera, Nymphalidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:205-215. [Switzerland]
- Scott, J. A.**
1998. *Phyciodes* (*Phyciodes*): new discoveries, new subspecies, and convergence. *Papilio* (Lakewood), (n.s.) 10:1-42. [USA]
- Scott, J. A., N. G. Kondla, and S. M. Spomer**
1998. *Speyeria hesperis* and *Speyeria atlantis* are distinct species. *Papilio* (Lakewood), (n.s.) 8:1-31. [USA]
- Shepard, J. H.**
1998. The correct name for the *Boloria chariclea/titania* complex in North America (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 727-730. Gainesville: Mariposa Pr. [Canada, Norway, Russia, USA]
- Shepard, J. H., L. Crabo, and J. P. Pelham**
1998. Revision of *Boloria natazhati* (Gibson) (Lepidoptera: Nymphalidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 731-735. Gainesville: Mariposa Pr. [Canada, USA]
- Shibuya, M.**
1998. [*Anosia chrysippus* passing a night in a mass]. *Yadoriga* (Osaka), 174: 27. [Japan] [in Japanese]
- Sibatani, A.**
1998. An instance of co-rotating flight in *Mycalesis gotama* Moore. *Yadoriga* (Osaka), 179:20-22. [Japan] [in Japanese]
- Smith, K. G. V., and J. M. E. Smith**
1998. The white Admiral *Ladoga camilla* (L.) (Lep.: Nymphalidae) and other unexpected butterflies in north London, Middlesex. *Ent. Rec. J. Var.* (Surrey), 110:79. [England]
- Sourakov, A.**
1998. "Social" egg-laying in *Aglais cashmirensis*, the Indian tortoiseshell. *News Lepid. Soc.* (Los Angeles), 40:28-29. [Nepal]
- Sturm, R.**
1998a. Die *Apatura*-Situation bei Hausmetting in der Nähe von Straubing in Niederbayern (Lepidoptera: Nymphalidae). *Ent. Zeit.* (Frankfurt), 108: 241-248. [Germany]
1998b. Habitat, Ökologie und Phänotypus der wenig bekannten *Apatura ilia theia* Dannehl aus Norditalien (Lepidoptera: Nymphalidae, Apaturini). *Ent. Zeit.* (Frankfurt), 108:473-482. [Italy]
- Takahashi, M.**
1998a. Ecological notes and geographical variation of *Neope nipponica* Butler (Lepidoptera, Satyridae) from the Ôe mountains, Kyôto Prefecture, western Honshû, Japan. *Trans. Lepid. Soc. Japan* (Osaka), 49:33-47. [in Japanese]
1998b. Distribution, habitats and geographical variation of *Neope nipponica* Butler (Lepidoptera, Satyridae) from Sakhalin, Far-Eastern Russia. *Trans. Lepid. Soc. Japan* (Osaka), 49:229-241. [in Japanese]
- Tilley, R. J. D.**
1998. The speckled wood butterfly, *Pararge aegeria* (L.) (Lepidoptera: Satyridae), as a host of *Pales pavida* (Meigen) (Diptera: Tachinidae) in south Wales. *Ent. Gaz.* (Wallingford), 49:17-20. [England]
- Vincent, J.-N.**
1998. *Charaxes jasius* L.: le chaînon manquant (Lepidoptera Nymphalidae). *Alexanor* (Paris), 20:128 (1997). [France]
- Vitaz, L.**
1998. On the occurrence of *Coenonympha hero* L. (Lepidoptera-Satyridae) in the high Tatras. *Oecologia Montana* (), 6:55-56. (1997) [Slovakia]
- Wahlberg, N.**
1998. The life history and ecology of *Auphydryas maturna* (Nymphalidae: Melitaeini) in Finland. *Nota Lepid.* (Basel), 21:154-169.
- Wakeham-Dawson, A.**
1998. A quantitative comparison of the male genitalia and androconia of *Hipparchia volgensis delatini* Kudrna and *Hipparchia volgensis muelleri* Kudrna (Lepidoptera: Nymphalidae, Satyrinae) from Greece. *Ent. Gaz.* (Wallingford), 49:171-178.
- Wassenaar, L. I., and K. A. Hobson**
1998. Natal origins of migratory monarch butterflies at wintering colonies in Mexico: new isotopic evidence. *Proc. Natl. Acad. Sci.* (Washington), 95:15436-15439. [Nymphalidae; Nearctic]
- Weiss, S. B., and A. D. Weiss**
1998. Landscape-level phenology of a threatened butterfly: a GIS-based modeling approach. *Ecosystems* (New York), 1:299-309. [USA]
- Whitehead, P. F.**
1998. Does the plain tiger, *Danaus chrysippus* (Linnaeus, 1758) (Lepidoptera: Nymphalidae, Danainae) breed in Greece? *Ent. Gaz.* (Wallingford), 49:140.
- Wiemers, M.**
1998. *Coenonympha darwiniana* — a hybrid taxon? New insights through allozyme electrophoresis (Lepidoptera, Nymphalidae, Satyrinae). *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:41-70. [Italy, Switzerland]
- Williams, L. R., A. Rix, and I. Greenwood**
1998. Monitoring butterflies at four open spaces in north-west London. *London Natural.*, 77:91-106. [England]
- OCHSENHEIMERIIDAE**
Davis, D. R.
1998. Fasc. 48. Ochsenheimeriidae. In *Lepidopterorum Catalogus*. Gainesville: Assoc. Trop. Lepid. 11pp.
- OECOPHORIDAE**
Dubatolov, V. V., and P. Y. Ustjuzhanin
1998. A new *Ethmia* species (Ethmiidae) from Turkmenistan. *Nota Lepid.* (Basel), 21:101-105.
- Edmunds, R., and R. Parfitt**
1998. *Tachystola acroxantha* (Meyr.) (Lep.: Oecophoridae): A first record for North Hampshire. *Ent. Rec. J. Var.* (Surrey), 110:83. [England]
- Huemer, P.**
1998. Neue Erkenntnisse zur Identität und Verbreitung europäischer *Oegoconia*-Arten (Lepidoptera, Autostichidae). *Mitt. Münch. Ent. Ges.* (Munich), 88:99-117. [Europe]
- Lvovsky, A. L.**
1998. New and little known species of flat moths (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries. *Ent. Obozr.* (Moscow), 77:432-442. [in Russian]
- Naka, H., N. Kobayashi, K. Tsuchida, and H. Sakurai**
1998. A method for rearing the persimmon fruit moth, *Stathmopoda masinissa* (Lepidoptera: Stathmopodidae) using cultured tip tissue of Japanese persimmon, *Diospyros khaki*. *Japan. J. Appl. Ent. Zool.* (Tokyo), 42:221-226. [Japan] [in Japanese]
- Nicholls, J.**
1998. *Tachystola acroxantha* (Meyr.) (Lepidoptera: Oecophoridae) reaches Suffolk. *Brit. J. Ent. Nat. Hist.* (Reading), 10:253. (1997) [England]
- Park, K.-T., and K. Chung**
1998. Two unrecorded species of Gelechioidea (Lepidoptera) from Korea. *Korean J. Ent.* (Seoul), 28:55-58. [Lecithoceridae, Oecophoridae (Xyloryctinae)]
- Park, K.-T., and Y.-M. Park**
1998. A review of the genus *Promalactis* (Lepidoptera, Oecophoridae) from Korea. *J. Asia-Pac. Ent.* (Seoul), 1:51-70.
- Varenne, T., R. Buvat, and J. Nel**
1998. Un remarquable microlépidoptère, nouveau pour la faune de France : *Neomariania partinicensis* (Rebel) (Lep., Stathmopodidae). *Bull. Soc. Ent. Fr.* (Paris), 103:353-354.
- PAPILIONIDAE**
Austin, G. T., and J. F. Emmel
1998. A review of *Papilio multicaudatus* Kirby (Lepidoptera: Papilionidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 691-700. Gainesville: Mariposa Pr. [USA]
- Beskokotov, J. A.**
1998. Notes on the biology and ecology of *Parnassius mnemosyne* L. and *Parnassius apollonius* Eversm. (Lepidoptera, Papilionidae) in the Aksu-Dzhabagly Reserve (western Tian Shan, Kazakhstan). *Ent. News Russia*

- (Saratov), 1:1-2.
- Binagot, J. F., and D. Lartigue**
1998. Une nouvelle entité subsécifique de *Zerynthia rumina* (Linné, 1758) dans le sud-ouest marocain (Lepidoptera Papilionidae). *Linn. Belg.* (Beersel), 16:323-334. [Morocco]
- Bossart, J. L.**
1998. Genetic architecture of host use in a widely distributed, polyphagous butterfly (Lepidoptera: Papilionidae): adaptive inferences based on comparison of spatio-temporal populations. *Biol. J. Linn. Soc.* (London), 65:279-300. [USA]
- Brower, A. V. Z.**
1998. A reconsideration of mimicry and aposematism in caterpillars of the *Papilio machaon* group. *J. Lepid. Soc.* (Los Angeles), 52:206-212. [USA]
- Carbonell, F., and A. Karbalaye**
1998. Contribution à la connaissance des genres *Allancastris* Bryk, 1934 et *Archon* Hübner, 1822 en Iran (Lepidoptera: Papilionidae). *Linn. Belg.* (Beersel), 16:245-248.
- Carter, M., K. Sachdev-Gupta, and P. Feeny**
1998. Tyramine from the leaves of wild parsnip: a stimulant and synergist for oviposition by the black swallowtail butterfly. *Physiol. Ent.* (London), 23:303-312. [USA]
- Davenport, K.**
1998. The status of the desert swallowtail, *Papilio polyxenes color* Wright, in the southern Sierra and adjacent Mojave Desert. *News Lepid. Soc.* (Los Angeles), 40:71-73. [USA]
- Deering, M. D., and J. M. Scriber**
1998. Heterospecific mating behavior of *Papilio palamedes* in Florida (Lepidoptera: Papilionidae). *Holarctic Lepid.* (Gainesville), 5:49-51. [USA]
- Elmqvist, H.**
1998. Rearing *Parnassius apollo* larvae at different temperature and humidity. *Ent. Tidsk.* (Stockholm), 119:93-95. [Sweden]
- Emmel, J. F., and T. C. Emmel**
1998. A new subspecies of *Papilio indra* (Lepidoptera: Papilionidae) from northwestern California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 701-705. Gainesville: Mariposa Pr. [USA]
- Emmel, J. F., T. C. Emmel, and B. M. Griffin**
1998. A new dwarfed subspecies of *Papilio indra* (Lepidoptera: Papilionidae) from the Dead Mountains of southeastern California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 711-715. Gainesville: Mariposa Pr. [USA]
- Emmel, J. F., and B. M. Griffin**
1998. A new subspecies of *Papilio indra* (Lepidoptera: Papilionidae) from the Muddy Mountains of southern Nevada. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 707-710. Gainesville: Mariposa Pr. [USA]
- Gundorov, S.**
1998. Taxonomic notes on the *Parnassius simonius* complex (Lepidoptera, Papilionidae) from Middle Asia (Alai and Transalai mountains). *Trans. Lepid. Soc. Japan* (Osaka), 49:194-198. [Russia]
- Guppy, C. S.**
1998. Notes on *Parnassius smintheus* Doubleday (Papilionidae) on Vancouver Island. *J. Lepid. Soc.* (Los Angeles), 52:115-118. [Canada]
- Haas, L., and J. M. Scriber**
1998. Phylloplane sterilization with bleach does not reduce Btk toxicity for *Papilio glaucus* larvae (Lepidoptera: Papilionidae). *Gt. Lakes Ent.* (East Lansing), 31:49-57. [USA]
- Huang, H.**
1998a. Research on the butterflies of the Namjagbarwa Region, S. E. Tibet (Lepidoptera: Rhopalocera). *Neue Ent. Nachr.* (Marktleuthen), 41:207-263.
1998b. Five new butterflies from N. W. Tibet (Lepidoptera: Rhopalocera). *Neue Ent. Nachr.* (Marktleuthen), 41:271-281. [Papilionidae, Pieridae]
- Inomata, T.**
1998. Parnassiinae from Nepal. In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):117-310, pl. 311-314, pl. 158-160.
- Katô, T.**
1998. A phylogeny for four species of the genus *Luehdorfia* (Lepidoptera, Papilionidae) based on the morphological characters of the genitalia. *Trans. Lepid. Soc. Japan* (Osaka), 49:93-103. [in Japanese] [China, Japan]
- Köstler, W., and S. Abadjiev**
1998. Die wahrscheinliche Entstehung einer Population von *Archon apollinus* (Herbst 1798) in Griechenland (Lepidoptera: Papilionidae). *Galathea* (Nuremberg), 14:153-158. [Greece]
- Matsumura, T.**
1998. [On "A petition in relation to the artificial multiplication of *Luehdorfia puziloi* in the mountain of Akagi-yama" and its result]. *Yadoriga* (Osaka), 175:10-12. [Japan] [in Japanese]
- Nakanishi, M.**
1998. [Changes of the habitats of *Luehdorfia japonica* at the hills in south-western area of Ueno, Mie]. *Yadoriga* (Osaka), 175:20-21. [Japan] [in Japanese]
- Nanba, M.**
1998. [*Luehdorfia japonica* in Okutsu, Okayama: its endangered status and future]. *Yadoriga* (Osaka), 175:31-32. [Japan] [in Japanese]
- Omoto, K., and Y. Kawasaki**
1998. Some new parnassiine butterflies (Lepidoptera, Papilionidae) from Nepal in the Haruta collection. *Trans. Lepid. Soc. Japan* (Osaka), 49: 147-155.
- Scriber, J. M.**
1998. The inheritance of diagnostic larval traits for interspecific hybrids of *Papilio canadensis* and *P. glaucus* (Lepidoptera: Papilionidae). *Gt. Lakes Ent.* (East Lansing), 31:113-123. [USA]
- Scriber, J. M., M. D. Deering, L. N. Francke, W. F. Wehling, and R. C. Lederhouse**
1998. Notes on swallowtail population dynamics of three *Papilio* species in south-central Florida (Lepidoptera: Papilionidae). *Holarctic Lepid.* (Gainesville), 5:53-62. [USA]
- Scriber, J. M., M. D. Deering, and A. D. Stump**
1998. Evidence of long range transport of a dark morph swallowtail butterfly (*Papilio glaucus*) on a storm front into northern Michigan (Lepidoptera: Papilionidae). *Gt. Lakes Ent.* (East Lansing), 31:151-160. [USA]
- Shepard, J. H., and T. R. Manley**
1998. A species revision of the *Parnassius phoebus* complex in North America (Lepidoptera: Papilionidae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 717-726. Gainesville: Mariposa Pr. [Canada, USA]
- Starnecker, G., M. Burret, and A. Nissler**
1998. The exposed butterfly pupa of *Zerynthia polyxena* and its attachment to the substrate of the pupation site (Lepidoptera: Papilionidae: Zerynthiinae). *Ent. Zeit.* (Frankfurt), 108:157-164. [Slovakia]
- Sturm, R.**
1998. Langzeitbeobachtung des Populationscharakters von *Papilio machaon* L. Im Raum Straubing, Niederbayern (Lepidoptera: Papilionidae). *Ent. Zeit.* (Frankfurt), 108:105-113. [Germany]
- Takáhashi, M.**
1998. [Conservation of the habitats of *Luehdorfia japonica* in Inasa and Tenryu, western Shizuoka]. *Yadoriga* (Osaka), 175:17-19. [Japan] [in Japanese]
- Thompson, J. N.**
1998. The evolution of diet breadth: monophagy and polyphagy in swallowtail butterflies. *J. Evol. Biol.* (Basel), 11:563-578. [USA]
- Tsubaki, Y., and K. Matsumoto**
1998. Fluctuating asymmetry and male mating success in a sphragis-bearing butterfly *Luehdorfia japonica* (Lepidoptera: Papilionidae). *J. Ins. Behav.* (New York), 11:571-582. [Japan]
- Yakovlev, R. V.**
1998. New information about *Parnassius stubbendorfi* (Menetries, 1849) and *Parnassius clarius* (Eversmann, 1843) (Lepidoptera, Papilionidae) from the south-west and central Altai. *Ent. News Russia* (Saratov), 1:19-21. [Russia]
- Yoshio, M., and M. Ishii**
1998. Geographical variation of pupal diapause in the great mormon butterfly, *Papilio memnon* L. (Lepidoptera: Papilionidae), in western Japan. *Appl. Ent. Zool.* (Tokyo), 33:281-288.

PIERIDAE

- Anken, R. H.**
1998. 2. Beitrag zur Kenntnis der Tagfalterfauna von Poté. Bearbeitung der um den Jahreswechsel 1996/1997 in Poté (Minas Gerais, Brasilien) gesammelten Tagfalter. Zeiter Teil: Pieridae (Lepidoptera: Rhopalocera). *Facetta* (Ingolstadt), 16:19-24, 27-50. [Brazil]
- Austin, G. T.**
1998. New subspecies of Pieridae (Lepidoptera) from Nevada. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 533-538. Gainesville: Mariposa Pr. [USA]
- Brunton, C. F. A.**
1998. The evolution of ultraviolet patterns in European *Colias* butterflies (Lepidoptera, Pieridae): a phylogeny using mitochondrial DNA. *Heredity* (Oxford), 80:611-616.

- Dennis, R. L. H.**
1998. Egg-laying bias in *Pieris brassicae* (L.) and *Pieris rapae* (L.) (Pieridae) on garden nasturtium. *Ent. Rec. J. Var.* (Surrey), 110:85-68. [England]
- Emmel, J. F., T. C. Emmel, and S. O. Mattoon**
1998. New subspecies of Pieridae (Lepidoptera) from California, Nevada, and Baja California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 127-138. Gainesville: Mariposa Pr. [USA]
- Gardiner, B. O. C.**
1998. Diapause can occur in *Pieris brassicae* L. ssp. *cheiranthi* Hb. (Lep.: Pieridae). *Ent. Rec. J. Var.* (Surrey), 110:117-118. [England]
- Gatrelle, R. R.**
1998. An addendum to *Anthocharis midea* dos Passos and Klots 1969. (Description of a new subspecies from Texas.). *Taxon. Rep.* (Goose Creek), 1(1):1-5. [USA]
- Grieshuber, J.**
1998a. Zur Verbreitung und Subspezifischen Gliederung von *Colias tyche* Boeber, 1812 (Lepidoptera: Pieridae). *Lambill.* (Tervuren), 98:126-134. [Palearctic]
1998b. *Colias* Spezies und ihre Lebensräume. Teil II: *Colias montium* Oberthür, 1886 (Lepidoptera: Pieridae). *Lambill.* (Tervuren), 98:451-452. [China, Tibet]
1998c. Zur Verbreitung und Subspezifischen Gliederung von *Colias tyche* Boeber, 1812 (Lepidoptera: Pieridae). Teil II. *Lambill.* (Tervuren), 98:453-468. [China, Mongolia, Russia]
1998d. Zur Verbreitung und Subspezifischen Gliederung von *Colias tyche* Boeber, 1812 (Lepidoptera: Pieridae). Teil II (Folge). *Lambill.* (Tervuren), 98:509-522. [Alaska, Canada, Mongolia, Russia]
- Hiroki, M., and Y. Obara**
1998. Delayed mating and its cost to female reproduction in the butterfly, *Eurema hecabe*. *J. Ethol.* (Kyoto), 15:79-85. (1997) [Japan]
- Hiroki, M., Y. Obara, and Y. Kato**
1998. Changes in age-related reproductive tactics in the female butterfly, *Eurema hecabe*. *Naturwiss.* (Berlin), 85:551-552. [Japan]
- Huang, H.**
1998a. Two new butterflies from northwestern Tibet (Lepidoptera: Pieridae, Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:249-255.
1998b. Five new butterflies from N. W. Tibet (Lepidoptera: Rhopalocera). *Neue Ent. Nachr.* (Marktleuthen), 41:271-281. [Papilionidae, Pieridae]
- Jutzeler, D., M. Bollino, L. Russo, and G. Sala**
1998. Études sur *Anthocharis damone* (Boisduval, 1836) et *Euchloe ausonia* (Hübner, 1804) de l'Italie méridionale (Lepidoptera: Pieridae). *Linn. Belg.* (Beersel), 16:227-235. [Italy]
- Kan, E., and T. Hidaka**
1998. Role of male scent in the mating behavior of *Pieris melete* Ménétrière (Lepidoptera: Pieridae). *J. Ethol.* (Kyoto), 15:87-93. (1997) [Japan]
- Karlsson, B.**
1998. Nuptial gifts, resource budgets and reproductive output in a polyandrous butterfly. *Ecol.* (Washington), 79:2931-2940. [Sweden]
- Kinoshita, M.**
1998. Effects of time-dependent intraspecific competition on offspring survival in the butterfly, *Anthocharis scolymus* (L.) (Lepidoptera: Pieridae). *Oecolog.* (Berlin), 114:31-36. [Japan]
- Korb, S. K.**
1998. Eine neue Art der Gattung *Metaporia* Butler, 1870 aus Mittelasien (Lepidoptera: Pieridae). *Lambill.* (Tervuren), 98:469-470. [Kirghistan]
- Maux, P.**
1998. Description d'une nouvelle espece de *Colias* de Chine, probable espece jumelle de *Colias diva* Grum Grshimailo 1891 (Lepidoptera: Pieridae). *Lambill.* (Tervuren), 98:122-125. [China (Gansu)]
- Pollock, D. D., W. B. Watt, V. K. Rashbrook, and E. V. Iyengar**
1998. Molecular phylogeny for *Colias* butterflies and their relatives (Lepidoptera: Pieridae). *Ann. Ent. Soc. Amer.* (Lanham), 91:524-531.
- Srygley, R. B., and J. G. Kingsolver**
1998. Red-wing blackbird reproductive behaviour and the palatability, flight performance, and morphology of temperate pierid butterflies (*Colias*, *Pieris*, and *Pontia*). *Biol. J. Linn. Soc.* (London), 63:41-55. [USA]
- Tomonaga, M.**
1998. *Anthocharis* of the world. *Yadoriga* (Osaka), (176):2-18. [Holarctic]
- Ueno, M.**
1998. [A note on the large white, *Pieris brassicae*. III]. *Yadoriga* (Osaka), 174:7-11. [Japan] [in Japanese]
- Verhulst, J.**
1998a. Fiches spécifiques des *Colias* (colias data sheets) (Lepidoptera, Pieridae). *Lambill.* (Tervuren), 98:29-37. [Europe]
1998b. Fiches spécifiques des *Colias* Fabricius (colias data sheets) (Lepidoptera, Pieridae). *Lambill.* (Tervuren), 98:211-214. [Tadjikistan]
- 1998c. Fiches spécifiques des *Colias* Fabricius (colias data sheets) (Lepidoptera, Pieridae). *Lambill.* (Tervuren), 98:402-410. [Afghanistan, Kirghistan, Russia, Tadjikistan, Uzbekistan]
- West, B. K.**
1998. *Pieris napi* L. and *P. rapae* (Lep.: Pieridae): *Cardamine hirsuta* as a basic larval foodplant in north-west Kent. *Ent. Rec. J. Var.* (Surrey), 110:114-115. [England]
- PLUTELLIDAE**
Kfir, R.
1998a. Origins of the diamondback moth (Lepidoptera: Plutellidae). *Ann. Ent. Soc. Amer.* (Lanham), 91:164-167.
1998b. Parasitoids of *Plutella xylostella* (Lep.: Plutellidae) in South Africa: an annotated list. *Entomophaga* (Paris), 42:517-523.
- PRODOXIDAE**
Leebens-Mack, J., O. Pellmyr, and M. Brock
1998. Host specificity and the genetic structure of two yucca moth species in a yucca hybrid zone. *Evol.* (Lawrence), 52:1376-1382. [USA]
- PSYCHIDAE**
Hättenschwiler, P.
1998. Neue *Eumasia* Arten aus Mittelspanien und den Malediven und einige Ergänzungen zur Kenntnis der Gattung *Eumasia* (Psychidae). *Nota Lepid.* (Basel), 21:264-282. [Spain]
- Hauser, E.**
1998. Morphology of males of *Phalacropterix bruandi* (Lederer, 1855) (Lep., Psychidae). *Zeit. Arbeitsgem. Österr. Ent.* (Vienna), 50:21-28. [Austria]
- Lee, S.-G., Y.-D. Kwon, B.-K. Kim, B.-K. Byun, Y.-G. Oh, and B.-Y. Lee**
1998. Occurrence of *Mahasena aurea* (Butler) (Lepidoptera: Psychidae) attaching *Ginkgo biloba* L. and its life cycle in Korea. *Korean J. Appl. Ent.* (Seoul), 36:243-248. (1997) [in Korean]
- Rutyan, E. V.**
1998. Little-known species of Psychidae (Lepidoptera) from the Ukraine. *Vestnik Zool.* (Kiev), 32(5-6):47-58.
- Solyanikov, V. P.**
1998. A new species of bagworm (Lepidoptera, Psychidae) from Mountain Altai. *Zool. Zhurn.* (Moscow), 77:492-493. [Russia] [in Russian]
- Zagulajev, A. K., and V. V. Zolotuhin**
1998. New species of psychid-moths of the genus *Solenobia* (Lepidoptera, Psychidae) from Uzbekistan. *Zool. Zhurn.* (Moscow), 77:898-902. [in Russian]
- PTEROPHORIDAE**
Bigot, L., C. Gibeaux, J. Nel, and J. Picard
1998. Réflexions sur la classification des ptérophores français. Utilité et utilisation de la notion de section (Lepidoptera Pterophoridae). *Alexanor* (Paris), 20:287-302. [France]
- Fazakas, I.**
1998. Daten zur Kenntnis der rumänischen Pterophoridae-Fauna (I). *Wheeleria obsoleta* Zeller 1841 (Lepidoptera: Pterophoridae). *Ent. Roman.* (Cluj), 2:53-57 (1997). [Romania]
- Gielis, C.**
1998. *Agdistis hulli* spec. nov. from the Greek Island of Lesbos (Lepidoptera: Pterophoridae). *Ent. Ber.* (Amsterdam), 58:241-243. [Greece]
- Hart, C.**
1998. The 1996 presidential address—Part 2. The biology of plume-moths. *Brit. J. Ent. Nat. Hist.* (Reading), 11:31-36, pl. 2-3. [England]
- Heckford, R. J., and P. H. Sterling**
1998. *Stenoptilia pneumonanthos* (Büttner) (Lepidoptera: Pterophoridae) rediscovered in Dorset. *Ent. Gaz.* (Wallingford), 49:229-230. [England]
- Yoshida, A., Y. Arita, Y. Sakamaki, K. Watanabe, and R. Kodama**
1998. Transformation from the pupal to adult wing in *Oidaematophorus hirosakianus* (Lepidoptera: Pterophoridae). *Ann. Ent. Soc. Amer.* (Lanham), 91:852-857. [Japan]
- PYRALIDAE**
Asselbergs, J. E. F.
1998a. *Pseudacrobasis nankingella* Roesler, 1975. An East-Asiatic species found in Spain (Lepidoptera: Pyralidae, Phycitinae). *SHILAP Revta. Lepid.* (Madrid), 26:41-43.
1998b. *Cryptoblabes gnidiella* (Millière, 1867), espèce nouvelle pour la faune de Corse (Lepidoptera Pyralidae Phycitinae). *Alexanor* (Paris), 20:270-272. [France (Corsica)]
1998c. A new *Acrobasis* species from Morocco (Pyralidae: Phycitinae). *Nota Lepid.* (Basel), 21:111-118.

- Balogh, G. J., and J. H. Wilterding
1998. A new species of *Pyla* Grote and redescription of *Pyla aequivoca* Heinrich (Lepidoptera: Pyralidae: Phycitinae). *Proc. Ent. Soc. Washington*, 100:704-723. [Canada, USA]
- Beaumont, H. E.
1998. *Vitula edmandsii* (Packard, 1864) (Lepidoptera: Pyralidae) new to Britain. *Ent. Gaz.* (Wallingford), 49:49:233-235. [England]
- Bogue, R.
1998. *Palpita unionalis* Hb. (Lep.: Pyralidae) and other migrants from Devon. *Ent. Rec. J. Var.* (Surrey), 110:118. [England]
- Bond, K. G. M.
1998. First Irish record of *Apomyelois bistriatella subcognata* (Ragonot, 1887) (*neophanes* (Durrant, 1915)) (Lepidoptera: Pyralidae) with a discussion of its reported feeding habits. *Ent. Gaz.* (Wallingford), 49:139. [Ireland]
- Bonsall, M. B., and M. P. Hasell
1998. Population dynamics of apparent competition in a host-parasitoid assemblage. *J. Appl. Ecol.* (Oxford), 67:918-929. [Pyralidae; England]
- Brown, D.
1998a. *Euchromius ocella* (Haworth) (Lepidoptera: Pyralidae, Crambinae) in north Wales. *Ent. Gaz.* (Wallingford), 49:142. [England]
1998b. A further record of *Euchromius ocella* (Haworth) (Lepidoptera: Pyralidae, Crambinae) from north Wales. *Ent. Gaz.* (Wallingford), 49:198. [England]
- Brusseaux, G.
1998. Une pyrale nouvelle pour la France: *Phycita meliella* Mann, 1864 (Lepidoptera Pyralidae Phycitinae). *Alexanor* (Paris), 20:161-162 (1997).
- Budd, P. A., and B. Goater
1998. *Eustixia pupula* Hübner, 1823 (Lepidoptera: Pyralidae, Odontiinae), a New World pyralid new to Britain and Europe. *Ent. Gaz.* (Wallingford), 49:169-170.
- Cagan, L.
1998a. Spring behaviour of the European corn borer, *Ostrinia nubilalis* (Lepidoptera, Pyralidae) larvae in south-western Slovakia. *Biologia* (Bratislava), 53:223-230.
1998b. Voltinism of the European corn borer, *Ostrinia nubilalis* Hbn., in Slovakia. *Plant Prot. Sci.* (), 34(3):81-86.
- Choi, H.-Y., M.-K. Paek, and Y.-S. Bae
1998. Taxonomic notes on nine species of the tribe Phycitini (Lepidoptera, Pyralidae, Phycitinae) from Korea (I). *Ins. Koreana* (Chuncheon), 15: 23-39.
- Cristofaro, M., F. Sale, G. Campobasso, L. Knutson, and V. Sbordoni
1998. Biology and host preference of *Nephoteryx divisella* (Lepidoptera: Pyralidae): candidate agent for biological control of leafy spurge complex in North America. *Environ. Ent.* (Lanham), 27:731-735. [Europe, USA]
- Dickson, R. J.
1998. *Euchromius ocella* (Haworth) and *Microthris similella* (Zincken) (Lep.: Pyralidae) in Hampshire. *Ent. Rec. J. Var.* (Surrey), 110:298. [England]
- Frolov, A. N.
1998. Variation in the European corn borer, *Ostrinia nubilalis*, and allies (Lepidoptera, Pyralidae). *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:71-105. [Europe]
- Frolov, A. N., D. S. Trishkin, K. D. Dyatlova, and M. A. Chumakov
1998. Spatial distribution of corn borer (*Ostrinia nubilalis*) in an area developing two generations. *Zool. Zhurnal.* (Moscow), 75:1644-1652. [Russia] [in Russian]
- Heckford, R. J.
1998. Notes on the flight, larval periods and food-plants of *Apomyelois bistriatella* (Hulst) spp. *Neophanes* (Durrant) (Lep.: Pyralidae). *Ent. Rec. J. Var.* (Surrey), 110:82-83. [England]
- Hollingworth, T.
1998. Liste provisoire des pyrales connues des départements de l'Ariège et de la Haute-Garonne (Lepidoptera, Pyralidae). *Bull. Soc. Ent. Fr.* (Paris), 103:153-158. [France]
- Huang, Y.-P., S. Tatsuki, C.-G. Kim, S. Hoshizaki, and Y. Ishikawa
1998. Identification of the sex pheromone of *Ostrinia palustralis*. *Ent. Exp. Appl.* (Amsterdam), 86:313-318. [Japan]
- Johnson, D. M., and P. D. Stiling
1998. Distribution and dispersal of *Cactoblastis cactorum* (Lepidoptera: Pyralidae), an exotic *Opuntia*-feeding moth, in Florida. *Fla. Ent.* (Gainesville), 81:12-22. [USA; Argentina, Caribbean]
- Leen, R.
1998. Host plant preferences of *Uresiphita reversalis* (Guenée) (Lep., Crambidae). *J. Appl. Ent.* (Hamburg), 122:537-541. [USA]
- Maes, K. V. N.
1998. On the morphology of the gnathos in the Pyraloidea (Lepidoptera). *Ent. Scand.* (Copenhagen), 28:381-390.
- Meagher, R. L., Jr., J. W. Smith, Jr., H. W. Browning, and R. R. Saldana
1998. Sugarcane stemborers and their parasites in southern Texas. *Environ. Ent.* (Lanham), 27:759-766. [USA]
- Murase, M.
1998. Larvae of *Moca monocosma* (Diakonoff & Arita) (Immidae) and three pyraustine Pyralidae. *Japan Heteroc. J.* (Tokyo), (199):410-412. [in Japanese] [Japan]
- Nuenzig, H. H.
1998. *Myelopsoides venustus*, a new genus and species of Phycitinae (Lepidoptera: Pyralidae) from the western United States. *Proc. Ent. Soc. Washington*, 100:695-699.
- Nupponen, K., and J. Junnilainen
1998. *Ephesia animella* sp. N. (Lepidoptera: Pyralidae, Phycitinae) from the Ural Mountains and southern Siberia. *Ent. Fenn.* (Helsinki), 9:143-146. [Russia]
- Nuss, M., O. Karsholt, and M. Meyer
1998. A taxonomic revision of the Scopariinae from the Macaronesian Region (Lepidoptera: Pyraloidea: Crambidae). *Ent. Scand.* (Copenhagen), 28:509-551. [Azores, Canary Is., Cape Verde Is., Madeira]
- Ohno, S.
1998. Geographic variation in morphological characters of the Far Eastern knotweed borer, *Ostrinia latipennis* (Lepidoptera, Crambidae, Pyraustinae). *Trans. Lepid. Soc. Japan* (Osaka), 49:295-307. [in Japanese] [Japan]
- Rommel, R.-P.
1998. *Calamatropha paludella* Hbn. (Lep., Pyralidae).—Neufund für Thüringen. *Mitt. Thür. Ent.* (Kranichfeld), 5:5. [Germany]
- Sasaki, A.
1998. Records of four species of the Scopariinae (Crambidae) from Shikoku. *Yugato* (Niigata), 154:154-155. [Japan] [in Japanese]
- Shirai, Y.
1998. Laboratory evaluation of flight ability of the Oriental corn borer, *Ostrinia furnacalis* (Lepidoptera: Pyralidae). *Bull. Ent. Res.* (London), 88:327-333. [Japan]
- Speidel, W.
1998. Studies on the phylogeny of the Acentropinae (Lepidoptera, Crambidae). *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:25-30.
- Stoops, C. A., P. H. Adler, and J. W. McCreadie
1998. Ecology of aquatic Lepidoptera (Crambidae: Nymphulinae) in South Carolina, USA. *Hydrobiol.* (Dordrecht), 379:33-40.
- Székely, L.
1998. *Cynaeda gigantea* (Wocke 1871) specie nouă pentru fauna României (Lepidoptera: Pyralidae). *Bul. Inf. Soc. Lepid. Roman.* (Cluj), 8:187-188 (1997). [in Romanian] [Romania]
- Throne, J. E., D. W. Hagstrum, and J. Nawrot
1998. Computer model for simulating almond moth (Lepidoptera: Pyralidae) population dynamics. *Environ. Ent.* (Lanham), 27:344-354. [USA]
- Tominaga, S., and S. Sugi
1998. Hostplant of *Herpetogramma submarginalis* (Swinhoe) (Pyralidae, Pyraustinae): *Scaevola taccata* (Goodeniaceae). *Japan Heteroc. J.* (Tokyo), 201:3. [Japan] [in Japanese]
- Trematerra, P.
1998. Sexual behaviour of the Lepidoptera Pyralidae infesting stored products. *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:117-123. [Europe]
- Yamanaka, H.
1998. Revision of the Japanese *Etielloides* Shibuya (Lepidoptera: Pyralidae, Phycitinae), with description of a new species. *Tinea* (Tokyo), 15:221-227. [Japan, Korea, Russia]
- RHOPALOCERA
- Austin, G. T.
1998a. Type data for butterflies described from Nevada. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 629-640. Gainesville: Mariposa Pr. [USA]
1998b. Checklist of Nevada butterflies. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 837-844. Gainesville: Mariposa Pr. [USA]
- Austin, G. T., and J. F. Emmel
1998. New subspecies of butterflies (Lepidoptera) from Nevada and California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 501-522. Gainesville: Mariposa Pr. [USA]
- Becj, A.
1998. Tagfalter Beobachtungen auf Gran Canaria (Kanarische Inseln). *Ent. Zeit.* (Frankfurt), 108:429-436. [Canary Is.]
- Chou, I. (ed.)

1998. *The Classification and Identification of Chinese Butterflies*. Henan: Henan Tech. Sci. Publ. 349pp (90 pl.).
- Clausen, H. D., H. Holbeck, and J. Reddersen**
1998. Butterflies on organic farmland association to uncropped small biotopes and their nectar sources (Lepidoptera: Papilionoidea and Hesperioidea). *Ent. Meddr.* (Copenhagen), 66:33-44. [Denmark]
- Debinsky, D. M., and A. M. Babbitt**
1998. Butterfly species in native prairie and restored prairie. *Prairie Nat.* (Grand Forks), 29:219-228. (1997) [USA]
- Emmel, J. F., T. C. Emmel, and S. O. Mattoon**
1998a. The types of California butterflies named by Jean Alphonse Boisduval: designation of lectotypes and a neotype, and fixation of type localities. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 3-76. Gainesville: Mariposa Pr. [USA]
1998b. The types of California butterflies named by Pierre Hippolyte Lucas: designation of lectotypes and fixation of type localities. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 77-81. Gainesville: Mariposa Pr. [USA]
1998c. The types of California and Nevada butterflies named by Cajetan and Rudolph Felder: designation of lectotypes and fixation of type localities. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 87-94. Gainesville: Mariposa Pr. [USA]
1998d. The types of California butterflies named by Herman Behr: designation of lectotypes and fixation of type localities. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 95-113. Gainesville: Mariposa Pr. [USA]
1998e. A checklist of the butterflies and skippers of California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 825-836. Gainesville: Mariposa Pr. [USA]
- Emmel, T. C. (ed.)**
1998. *The Systematics of Western North American Butterflies*. Gainesville: Mariposa Pr. 878pp. [USA]
- Fabiano, F.**
1998. Lepidoptera Rhopalocera of the Hisma Basin (southern Jordan). *Linn. Belg.* (Beersel), 16:307-322.
- Gutierrez, D., and R. Menéndez**
1998a. Phenology of butterflies along an altitudinal gradients in northern Spain. *J. Zool.* (London), 244:249-264.
1998b. Stability of butterfly assemblages in relation to the level of numerical resolution and altitude. *Biodiv. Conserv.* (London), 7:967-979. [Spain]
- Häuser, C. L., and Y. P. Nekrutenko**
1998. Comments on "Nomina Lepidopterorum nova" by S. K. Korb (Papilionidae, Nymphalidae). *Nota Lepid.* (Basel), 21:74-84. [Palearctic]
- Hagen, W. ten**
1998. Tagfalterbeobachtungen in Syrien und Jordanien (3. Beitrag) (Lepidoptera: Hesperioidea, Papilionoidea). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:247-268. [Jordan, Syria]
- Hardy, P. B.**
1998. *Butterflies of Greater Manchester*. Sale, Cheshire: PGL Enterprises. 127pp, 10 pl. [England]
- Hensle, J.**
1998. Tagfalter (Papilionoidea) von Eichstetten (Ostkaiserstuhl). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:271-279. [Germany]
- Huang, H.**
1998. Research on the butterflies of the Namjagbarwa region, S. E. Tibet (Lepidoptera: Rhopalocera). *Neue Ent. Nachr.* (Marktleuthen), 41:207-263.
- Hürter, H.-A.**
1998. *Die Wissenschaftlichen Schmetterlingsnamen: Herleitung und Deutung*. Bottrop: P. Pomp. 492pp.
- Ivinkis, P.**
1998. Butterflies (Lepidoptera, Rhopalocera) of Lithuania: fauna, distribution and protection. *Acta Zool. Lituanica Ent.* (Vilnius), 8(3):9-22.
- Jakšić, P. N.**
1998. *Male Genitalia of Butterflies on Balkan Peninsula with a Checklist*. Lepidoptera: Hesperioidea and Papilionoidea. Bratislava: F. Slamka. 144pp.
- Kaaber, S., P. S. Nielsen, M. Stoltze, and U. Terndrup**
1998. Fredede insekter i Danmark. Del 5: Dagsommerfugle. *Ent. Meddel.* (Copenhagen), 66:1-19. [Denmark]
- Korb, S. K.**
1998a. Taxonomic notes on some Tian Shanian butterflies (Lepidoptera: Pieridae, Lycaenidae). *Ent. News Russia* (Saratov), 1:26-27. [Kirghizia]
1998b. Some corrections on the diurnal butterflies (Lepidoptera: Rhopalocera) from Xinjiang Province, China. *Entomotaxon.* (Yangling), 20:61-62.
- Korb, S. K., and R. V. Yakovlev**
1998. Zwei neue Unterarten der Tagfalter aus dem paläarktischen Faunengebiet (Lepidoptera: Pieridae, Lycaenidae). *Lambill.* (Tervuren), 98:140-141. [Russia, Ukraine]
- Korolev, V. A., and A. V. Kiryanov**
1998. Butterflies (Lepidoptera, Diurna) from the Natural Park "Ala-Archa" (Tien-Shan, Kirghizian Mountains). *Ent. News Russia* (Saratov), 1:14-28. [Kirghizia]
- Kudrna, O.**
1998. Die Tagfalterfauna der Rhön. *Oedippus* (Schweinfurt), 15:1-158. [Germany]
- Layberry, R. A., P. W. Hall, and J. D. Lafontaine**
1998. *The Butterflies of Canada*. Toronto: Univ. Toronto Pr. 354pp, 32 pl.
- Martin-Cano, J., and J. M. Ferrin**
1998. Changes in butterfly diversity in three reforested areas in Spain. *J. Lepid. Soc.* (Los Angeles), 52:151-165.
- Morishita, K., and T. Inomata**
1998. New or little known butterflies from Nepal. *Trans. Lepid. Soc. Japan* (Osaka), 49:1-8.
- Nekola, J. C.**
1998. Butterfly (Lepidoptera: Lycaenidae, Nymphalidae, and Satyridae) faunas of three peatland habitat types in the Lake Superior drainage basin of Wisconsin. *Gt. Lakes Ent.* (East Lansing), 31:27-38. [USA]
- Nelson, S. M., and M. E. Epstein**
1998. Butterflies (Lepidoptera: Papilionoidea and Hesperioidea) of Roxborough State Park, Colorado, USA: Baseline inventory, community attributes, and monitoring plan. *Environ. Managemt.* (New York), 22: 287-295.
- Novoa-Perez, J. M., and V. Garcia-Villanueva**
1998. Preliminary study of the Rhopalocera (Lepidoptera, Papilionoidea and Hesperioidea) of the mountains of Guadalupe and Villuerca (Province of Caceres, southwest Spain). *Bol. Real Soc. Esp. Hist. Nat., Sect. Biol.* (Madrid), 94:61-69. [in Spanish]
- Olivier, A.**
1998. The butterflies of the Bodrum Peninsula (Province of Muğla, Turkey): a review. *Ent. Gaz.* (Wallingford), 49:21-34.
- Olschwang, V.**
1998. Rhopalocera from the south Urals: biodiversity and population dynamics. *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:145-154. [Russia]
- Petit, J.**
1998. Fleurs et insectes. Les visiteurs de la Renouée du Japon: *Polygonum cuspidatum*. *Lambill.* (Tervuren), 98:106-117. [Belgium]
- Quinn, R. M., K. J. Gaston, and D. B. Roy**
1998. Coincidence in the distribution of butterflies and their foodplants. *Ecography* (Copenhagen), 21:279-283. [England]
- Ross, G. N.**
1998a. Butterfly social clubs. *Holarctic Lepid.* (Gainesville), 5:22. [Lycaenidae, Papilionidae; USA]
1998b. Butterfly feeding frenzies. *Holarctic Lepid.* (Gainesville), 5:43-44. [Nymphalidae; USA]
- Rutowski, R. L.**
1998. Mating strategies in butterflies. *Scientific Amer.* (New York), 279 (1): 64-69.
- Samraoui, B.**
1998. Status and seasonal patterns of adult Rhopalocera (Lepidoptera) in north-eastern Algeria. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:285-298.
- Schlicht, D. W., and T. T. Orwig**
1998. The status of Iowa's Lepidoptera. *J. Iowa Acad. Sci.* (Cedar Falls), 105:82-88.
- Schmitt, T.**
1998. Blütenpräferenzen von Tagfaltern im südwestlichen Hunsrück (Lepidoptera). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.), 19:161-204. [Germany]
- Schultz, C. B., and E. E. Crone**
1998. Burning prairie to restore butterfly habitat: a modeling approach to management tradeoffs for the Fender's blue. *Restoration Ecol.* (Malden, Ma), 6:244-252. [Lycaenidae; USA]
- Scott, J. A., and M. S. Fisher**
1998. New western North American butterflies. *Papilio* (Lakewood), (n.s.) 11:1-12. [USA]
- Shapiro, A. M.**
1998. False faunas: on mistrusting old species lists. *Amer. Ent.* (Lanham), 44: 238-250. [USA]
- Shaw, B. T.**
1998. *The Butterflies of Cheshire*. Liverpool: Merseyside Publ. 65pp.
- Sourakov, A.**
1998. Lepidoptera of Kulja and surrounding Mountains, by Serge Alpheraky. *News Lepid. Soc.* (Los Angeles), 40:82-85. [Russia]
- Spalding, A., and W. G. Tremewan**

1998. Butterflies on St. Michael's Mount, Cornwall. *Ent. Gaz.* (Wallingford), 49:2. [England]
- Starnecker, G.**
1998. A safety band prevents falling of the suspended pupa of the butterfly *Inachis io* (Nymphalidae) during moult: a comparison with the girdled pupa of *Pieris brassicae* (Pieridae, Lepidoptera). *Zoomorphol.* (Berlin), 118:129-136. [Germany]
- Sunose, T.**
1998. An introduction to the route-census of butterflies. *Yadoriga* (Osaka), 178:26-28. [in Japanese] [Japan]
- Swengel, A. B.**
1998. Comparisons of butterfly richness and abundance measures in prairie and barrens. *Biodiver. Conserv.* (London), 7:1639-1659. [USA]
- Tashita, M.**
1998. [A note on the permission of butterfly collection in Kamikochi area of Chubusangaku National Park], *Yadoriga* (Osaka), 175:2-6. [Japan] [in Japanese]
- Tarrier, M. R.**
1998a. Trois cents nouveaux jours de lépidoptérologie au Maroc (Lepidoptera Papilionoidea). *Alexanor* (Paris), 20:81-127 (1997). [Morocco]
1998b. Nouvelles localisations marocaines de quelques Rhopalocères peu connus (Lepidoptera Papilionoidea). *Alexanor* (Paris), 20:163-174 (1997). [Morocco]
1998c. Protection d'habitats lépidoptériques au Maroc. Seconde partie: nouvelles considérations et inventaire final. *Linn. Belg.* (Beersel), 197-215. [Morocco]
- Tshikolovets, V. V.**
1998. *The Butterflies of Turkmenistan*. Brno. 237pp (24 pl.).
- Veling, K.**
1998. Use of the Red List of butterflies. *Ent. Ber.* (Amsterdam), 58:113-117. [Netherlands] [in Dutch]
- Wakeham-Dawson, A.**
1998a. Larval host-plants of *Artogeia rapae* (L.) and *Lampides boeticus* (L.) on the island of Madeira (Lepidoptera: Pieridae and Lycaenidae) in May 1998. *Ent. Gaz.* (Wallingford), 49:218.
1998b. Butterflies of southern Greece, June 1997, with notes on species of *Agrodiaetus* Hübner (Lepidoptera: Lycaenidae). *Ent. Gaz.* (Wallingford), 49:249-252.
- Wakeham-Dawson, A., and L. Warren**
1998. Conservation of butterflies and other endemic species in the Funchal Ecological Park, Madeira. *Brit. J. Ent. Nat. Hist.* (Reading), 10:210-213. [Canary Is.]
- Yakovlev, R. V.**
1998a. New information about butterflies (Lepidoptera, Rhopalocera) from the south-eastern Altai. *Ent. News Russia* (Saratov), 1:22-25. [Russia]
1998b. Sudden meetings of butterflies (Lepidoptera, Rhopalocera) in the south-western Siberia. *Ent. News Russia* (Saratov), 1:33-34. [Russia]
- RIODINIDAE**
Emmel, J. F., and T. C. Emmel
1998. Two new geographically restricted subspecies of *Apodemia mormo* (Lepidoptera: Riodinidae) from the vicinity of San Bernardino, California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 795-800. Gainesville: Mariposa Pr. [USA]
Emmel, J. F., T. C. Emmel, and G. F. Pratt
1998. Five new subspecies of *Apodemia mormo* (Lepidoptera: Riodinidae) from southern California. In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 801-809. Gainesville: Mariposa Pr. [USA]
- Kruys, I.**
1998. The Duke of Burgundy butterfly *Hamearis lucina* Linnaeus, 1758). Observations regarding its ecology on Omberg in Ostergotland, Sweden. *Ent. Tidsk.* (Stockholm), 119:77-82.
- Nekrutenko, Y. P.**
1998. A catalogue of the type specimens of Riodinidae and Lycaenidae deposited in the collection of Zoologisches Forschungsinstitut und Museum Alexander Koenig (Bonn). *Nota Lepid.* (Basel), 21:119-148. [Palearctic]
- SATURNIIDAE**
Bridgehouse, D. W.
1998. Bilateral gynandromorph of *Hyalophora cecropia* (Saturniidae) in Nova Scotia. *Lepid. J.* (Quebec), 2(2):8-11. [Canada]
- Cadolle, D.**
1998. Ten years breeding hybrids of European Attacidae. I - First generation hybrids. *Lepid. J.* (Quebec), 2(2):4-7.
- D'Abbrera, B.**
1998. *Saturniidae Mundi: Saturniid Moths of the World. Pt. III.* London: Hill House. 171pp (88 pl.).
- Kruse, J. J.**
1998. New Wisconsin records for a *Hemileuca* (Lepidoptera: Saturniidae) using *Menyanthes trifoliata* (Solanales: Menyanthaceae) and *Betula pumila* (Betulaceae). *Gt. Lakes Ent.* (East Lansing), 31:109-112. [USA]
- Mitamura, T.**
1998. Rearing of *Rhodinia fugax* Butler (Lepidoptera, Saturniidae) on a species of willow and on the artificial diet containing its leaf powder. *J. Sericult. Sci. Japan* (Ibaraki), 67:503-506. [Japan]
- Oehlke, B.**
1998. *Samia cynthia* and *Ailanthus altissima*. *Lepid. J.* (Quebec), 2(1):11-14. [Canada]
- Passoa, V. A.**
1998. The value of sweetgum (*Liquidambar styraciflua*) as a larval foodplant for Saturniidae. *News Lepid. Soc.* (Los Angeles), 40:42-43. [USA]
- Pryor, G. S.**
1998. Life history of the bog buck moth (Saturniidae: *Hemileuca*) in New York State. *J. Lepid. Soc.* (Los Angeles), 52:125-138. [USA]
- Rubinoff, D.**
1998. Field observations on mating behavior and predation of *Hemileuca electra* (Saturniidae). *J. Lepid. Soc.* (Los Angeles), 52:212-214. [USA]
- Schmidt, M. D.**
1998. Purple loosestrife (*Lythrum salicaria*): a widely accepted silkworm foodplant. *News Lepid. Soc.* (Los Angeles), 40:13-14, 29. [USA]
- Sergiu, M.**
1998a. Brief presentation of westpalaeartic Saturniidae (1). *Lepid. J.* (Quebec), 2(2):20-27. [Europe]
1998b. Brief presentation of westpalaeartic Saturniidae (2). *Lepid. J.* (Quebec), 2(3):16-19. [Europe]
- Smith, S. J.**
1998. Bilateral gynandromorphs of *Antheraea polyphemus*. *Lepid. J.* (Quebec), 2(3):20-22. [USA]
- SCYTHRIDIDAE**
Sterling, P. H.
1998. *Scythris empetrella* Karsholt & Nielsen and *S. siccella* (Zeller) (Lepidoptera: Scythrididae) rediscovered in Dorset. *Ent. Gaz.* (Wallingford), 49:138-139. [England]
- Young, M. R., J. Langmaid, and S. Moran**
1998. *Scythris empetrella* Karsholt and Nielsen (Lep.: Scythrididae) new to Scotland. *Ent. Rec. J. Var.* (Surey), 110:93.
- SESIIDAE**
Arita, Y., O. G. Gorbunov, M. Ikeda, S. Yamaguchi, and T. Inomata
1998. *Synanthedon unocingulatum* Bartel (Lepidoptera, Sesiidae) injurious to the Elaeagnaceae, a new host for the Sesiidae. *Trans. Lepid. Soc. Japan* (Osaka), 49:156-158. [Japan]
- Bordelon, C. W., and E. C. Knudson**
1998. Abundant occurrence of the "rare" *Vitacea admiranda* (Hy. Edw.) (Sesiidae) in the coastal bend of Texas. *News Lepid. Soc.* (Los Angeles), 40:31-32. [USA]
- Cluck, P.**
1998. *Pyropteron chrysidiformis chalcocnemis* Stgr 1855 Quelques précisions au sujet de sa repartition. *Lambill.* (Tervuren), 98:82. [Europe]
- Cungs, J.**
1998. Contribution to the faunistics and ecology of clear-winged moths (Lepidoptera, Sesiidae) in the southern part of Luxembourg. *Bull. Soc. Nat. Luxembourg.*, 99:165-186. [in German]
- Eichlin, T. D.**
1998. Western Hemisphere clearwing moths of the tribe Osminiini (Lepidoptera: Sesiidae: Sesiinae). *Holarctic Lepid.* (Gainesville), 5:23-33. [Colombia, Mexico, USA]
- Freina, J. J. de**
1998. Neue Sesiiden-Nachweise aus mittellitalienischen Gebirgen (Monti Reatini, Abruzzo) (Lepidoptera: Sesiidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:357-362. [Italy]
- Georgiev, G. T., V. I. Luvchiev, T. Ljubimirov, E. P. Markova, and N. N. Bochev**
1998. Species of Sphecidae, Syrphidae and Muscidae dwelling in larval galleries of poplar clearwing moth (*Paranthrene tabaniformis* Rott.) (Lepidoptera, Sesiidae) in Bulgaria. *Acta Zool. Bulg.* (Sofia), 50:19-22.
- Hecq, J., and P. Hecq**
1998. Note de terrain. Une capture insolite? *Paranthrene insolita* dans le Valais (Lepidoptera Sesiidae). *Lambill.* (Tervuren), 98:600. [France]
- Kallies, A., and K. Fukuzumi**

1998. First record of *Toleria romanovi* (Leech, 1889) (Lepidoptera, Sesiidae) from Aichi-ken, Honshu. *Trans. Lepid. Soc. Japan* (Osaka), 49:133-134. [Japan]
- Kallies, A., M. Petersen, and H. G. Riefenstahl**
1998. Drei neue Glasflügerarten aus Anatolien (Lepidoptera, Sesiidae). *Esperiana* (Schwanfeld), 6:56-62, pl. C. [Turkey]
- Kawahara, S.**
1998. A new hostplant of *Synanthedon pseudoscoliaeforme* Spatenka & Arita (Sesiidae). *Japan Heteroc. J.* (Tokyo), (198):380. [in Japanese] [Japan]
- Petersen, M., and D. Bartsch**
1998. Ein Beitrag zur Sesienfauna Girechenlands (Lepidoptera, Sesiidae). *Esperiana* (Schwanfeld), 6:50-55, pl. C. [Greece]
- Petersen, M., and A. Lingenhöle**
1998. Zur Kenntnis von *Sesia nirdhoji* sp. n., *Sesia ruficollis* sp. n. Und *Bembecia lamai* Kallies 1996 aus dem Dhaulagiri Himal/Nepal (Lepidoptera: Sesiidae). *Esperiana* (Schwanfeld), 6:41-49, pl. B.
- Szocs, G., D. Henderson, and J. M. McNeil**
1998. Old World pheromone strain in the New World: sex attractant composition for the currant borer, *Synanthedon tipuliformis* Cl. (Lepidoptera: Sesiidae), in Canada. *Can. Ent.* (Ottawa), 130:231-234.
- Xu, Z.-G., T. Jin, and X.-L. Liu**
1998. Two *Bembecia* clearwing moths from northwest China (Lepidoptera: Sesiidae). *Holarctic Lepid.* (Gainesville), 5:63-64.
- SPHINGIDAE**
Cadiou, J.-M.
1998. A new Sonoran *Sphinx* and another new *Cypa* from Sulawesi (Lepidoptera, Sphingidae). *Lambill.* (Tervuren), 98:620-628. [Indonesia, Mexico]
- Danner, F., U. Eitschberger, and B. Surholt**
1998. *Die Schwärmer derr westlichen Palaearktis: Baustine zu einer Revision* (Lepidoptera: Sphingidae). Markt-leuthen: U. Eitschberger. 2 v (571 pl.). (*Herbipoliana*, Vol. 4). [Europe]
- Gantzhorn, D.**
1998. Entomologische Notiz zum Masseneinflug von *Hyles livornica* auf Gran Canaria (Lepidoptera: Sphingidae). *Ent. Zeit.* (Frankfurt), 108: 209-211. [Canary Is.]
- Hammer, R. L.**
1998. Satinleaf, *Chrysophyllum oliviforme*, a new larval hostplant record for the ello sphinx, *Erynnis ello*. *News Lepid. Soc.* (Los Angeles), 40:19. [USA]
- Heppner, J. B.**
1998. Hawk moths and W. H. Edwards: *Illustrations of North American Lepidoptera, Sphingidae*. *Holarctic Lepid.* (Gainesville), 5:35-38. [USA]
- Kitching, I. J., and J.-X. Bao**
1998. A new species of *Sphinx* (Lepidoptera: Sphingidae) from Sichuan Province, China. *Tinea* (Tokyo), 15:275-280.
- Leblond, J.**
1998. Migrations d'*Acherontia atropos* L. en 1996 dans le Cotentin (Lepidoptera Sphingidae). *Alexanor* (Paris), 20:140-141 (1997). [France]
- Miller, M. A.**
1998. Eine Zucht von *Proserpinus proserpina* (Pallas, 1772) mit Anmerkungen zur Ökologie und Biologie (Lep., Sphingidae). *Mitt. Thür. Ent.* (Kranichfeld), 5:10-12. [Germany]
- Oehlke, B.**
1998. *Hyles gallii* und *Epilobium augustifolium*. *Lepid. J.* (Quebec), 2(1):20-23. [Canada]
- Pelzer, A.**
1998. Preimaginal stages of *Smerinthus kindermanni*, and comparison with *S. ocellata* (Sphingidae). *Nota Lepid.* (Basel), 21:234-239. [Turkey]
- Shimoda, M., and M. Kiuchi**
1998. Oviposition behavior of the sweet potato hornworm, *Agrius concolvuli* (Lepidoptera: Sphingidae), as analysed using an artificial leaf. *Appl. Ent. Zool.* (Tokyo), 33:525-534. [Japan]
- Terreaux, M.**
1998. Recent capture of *Hippotion celio* L. In the Lyon region (Lepidoptera, Sphingidae). *Bull. Mens. Soc. Linn. Lyon*, 67:217. [France]
- THYATIRIDAE**
Yamazaki, K.
1998. Communities of early spring noctuid and thyatirid moths (Lepidoptera) molasses-trapped in secondary forests. *Ent. Sci.* (Tokyo), 1:171-178. [Japan]
- TINEIDAE**
Huemer, P., and S. Erlebach
1998. *Karsholtia marianii* (Rebel, 1936), a remarkable new record for Austria (Insecta: Lepidoptera, Tineidae). *Ber. Naturwiss.-Medizin. Ver. Innsbruck*, 85:329-332.
- Nel, J.**
1998. *Bucculatrix apicipunctella* Deschka & Huemer, 1997, synonyme de *Novotinea liguriella* Amsel, 1950 (Lep., Bucculatricidae, Tineidae). *Bull. Soc. Ent. Fr.* (Paris), 103:354. [France, Italy]
- Sims, I.**
1998. Rearing *Nemapogon wolffiella* (Karsholt and Nielsen) (Lep.: Tineidae). *Ent. Rec. J. Var.* (Surrey), 110:143-144. [England]
- TISCHERIIDAE**
Diškus, A.
1998. Review of the Tischeriidae (Lepidoptera) of Central Asia. *Acta Zool. Lituonica Ent.* (Vilnius), 8(3):23-33. [Tadjikistan]
- TORTRICIDAE**
Ainley, R. G.
1998. *Lozotaenoides formosanus* Geyer (Lep.: Tortricidae). *Ent. Rec. J. Var.* (Surrey), 110:298. [England]
- Bae, Y.-S., and K.-T. Park**
1998. The genus *Pammene* Hübner (Lepidoptera: Tortricidae) from Korea, with descriptions of two new species. *Zool. Stud.* (Taipei), 37:291-301.
- Bond, K. G. M.**
1998. *Epiphyas postvittana* (Walker) (Lep.: Tortricidae) new to Ireland. *Ent. Rec. J. Var.* (Surrey), 110:250.
- Byun, B.-K., Y.-S. Bae, and K.-T. Park**
1998. *Illustrated Catalogue of Tortricidae in Korea (Lepidoptera)*. In *Insects of Korea*. 2. Chuncheon: Korea Res. Inst. Biosci. Biotech., Ctr. Insect Syst. 317pp (8 pl.).
- Candau, J.-N., R. A. Fleming, and A. Hopkins**
1998. Spatiotemporal patterns of large-scale defoliation caused by the spruce budworm in Ontario since 1941. *Can. J. For. Res.* (Ottawa), 28:1733-1741. [Canada]
- Cappuccino, N., D. Lavertu, Y. Bergeron, and J. Regeniere**
1998. Spruce budworm impact, abundance and parasitism create in a patchy landscape. *Oecolog.* (Berlin), 114:236-242.
- Diaconu, A.**
1998. Contributions to the biology and morphology of the *Acleris variegana* (Denis & Schiffermüller 1775) species (Lepidoptera: Tortricidae). *Ent. Roman.* (Cluj), 2:89-93 (1997). [Romania]
- Falck, P., and O. Karsholt**
1998. *Lobesia virulenta* Bae & Komai, 1991 recorded for the first time in Europe, with description of a new subspecies (Lepidoptera, Tortricidae). *Ent. Meddr.* (Copenhagen), 66:117-126. [Denmark, Norway]
- Gibeaux, C. A., and G. C. Luquet**
1998. Distinction, variation et répartition française des deux tordeuses affines *Eudemis profundana* (D. & S., 1775) et *Eudemis porphyra* (Hb., [1799]). *Alexanor* (Paris), 20:273-285. [France]
- Groot, P. de, G. G. Grant, R. W. Nott, and D. R. Langevin**
1998. Seasonal and diurnal flight activity of male *Eucosma gloriola* (Lepidoptera: Tortricidae). *Can. Ent.* (Ottawa), 130:377-381. [Canada]
- Hardwick, L. W.**
1998. *Platynota rostrana* (Walker) (Lep.: Tortricidae) and *Pyroderces? rileyi* (Walsingham) (Lep.: Cosmopterygidae) discovered in garden centre in Britain in 1987/88. *Ent. Rec. J. Var.* (Surrey), 110:70-72.
- Heckford, R. J.**
1998a. *Bactra lacteana* Caradja, 1916 (Lepidoptera: Tortricidae) a newly recognized British species. *Ent. Gaz.* (Wallingford), 49:219-228. [England]
1998b. *Bactra lancealana* (Hübner) (Lepidoptera: Tortricidae) bred from *Eriophorum angustifolium* Honck. *Ent. Gaz.* (Wallingford), 49:228. [England]
- Jalava, J., and W. E. Miller**
1998. Boreal olethreutines, 1 (Lepidoptera: Tortricidae): new synonymies and Holarctic records. *Ent. Fenn.* (Helsinki), 9:137-142. [Finland, USA]
- Jewess, P. J.**
1998. Rearing *Cydia corollana* (Hb.) (Lep.: Tortricidae), *Billaea irrorata* (Mg.) (Dip.: Tachinidae) and other insects from galls of *Saperda populnea* (L.) (Col.: Cermabycidae). *Ent. Rec. J. Var.* (Surrey), 110:267-268. [England]
- Knight, A. L., and J. E. Turner**
1998. Sexual biology of *Pandemis pyrusana* (Lepidoptera: Tortricidae) under laboratory conditions. *J. Ent. Soc. Br. Colum.* (Victoria), 95:89-94. [USA]
- Koster, J. C., and E. J. Van Nieuwerkerken**
1998. *Endothenia oblongana* in the Netherlands: a tortricid of the coastal village landscape (Lepidoptera: Tortricidae). *Ent. Ber.* (Amsterdam),

58:145-152. [in Dutch]

Kuznetsov, V. I., J. Jalava, and J. Kullberg

1998. The leaf-rollers (Lepidoptera, Tortricidae) of western Tuva, with description of *Cochylimorpha arenosana* sp. n. *Ent. Fenn.* (Helsinki), 9:197-209. [Russia]

Maier, C. T., and V. C. Mastro

1998. Discovery, abundance, and distribution of the exotic apple tortrix, *Archips fuscocupreanus* Walsingham (Lepidoptera: Tortricidae), in the northeastern United States. *Proc. Ent. Soc. Washington*, 100:545-552. [Oriental, USA]

McBrien, H. L., and G. J. R. Judd

1998. Forecasting emergence, flight, and oviposition of *Spilonota ocellana* (Lepidoptera: Tortricidae), in British Columbia. *Environ. Ent.* (Lanham), 27:1411-1417. [Canada]

McMillan, J. D., M. J. Anderson, E. E. Butin, and E. R. Hart

1998. Phenology and infestation patterns of the cottonwood twig borer (Lepidoptera: Tortricidae) in Iowa. *Gt. Lakes Ent.* (East Lansing), 31:181-190. [USA]

Nasu, Y., and H. Kogi

1998a. *Eucosma abacana* (Erschoff) (Lepidoptera, Tortricidae) and its ally in Japan. *Japan Heteroc. J.* (Tokyo), (197):356-359. [in Japanese]

1998b. Discovery of *Eucosma brachysticta* Meyrick (Tortricidae) from Japan. *Japan Heteroc. J.* (Tokyo), (201):13-15. [in Japanese]

Nasu, Y., and Y. Kusunoki

1998. One new and one newly recorded olethreutine moth (Lepidoptera, Tortricidae) from Japan. *Trans. Lepid. Soc. Japan* (Osaka), 49:111-114.

Patočka, J.

1998. Die Puppen der mitteleuropäischen Wickler. Lepidoptera: Tortricidae, Tortricidae. *Nova Suppl. Ent.* (Berlin), 12:1-286. [Europe]

Pavan, F., V. Girolami, and G. Sacilotto

1998. Second generation of grape berry moths, *Lobesia botrana* (Den. And Schiff.) (Lep., Tortricidae) and *Eupoecilia ambiguella* (Hb.) (Lep., Cochylidae): spatial and frequency distributions of larvae, weight loss and economic injury level. *J. Appl. Ent.* (Hamburg), 122:361-368. [Italy]

Pencheva, A. J., M. A. Subchev, and S. Voerman

1998. Seasonal flight of *Epiblema tedella* Cl. (Lepidoptera: Tortricidae) – investigations by pheromone traps in Bulgaria. *Acta Zool. Bulgar.* (Sofia), 50:93-97.

Razowski, J.

1998. The genera of Tortricidae: Part III. Nearctic Chlidnotinae and Tortricinae. *Acta Zool. Cracov.* (Krakow), 41:227-281.

Robinson, D. J., L. P. Abrahamson, K. F. Raffa, and E. H. White

1998. Spruce budworm (Lepidoptera: Tortricidae) field fecundity: new insights into its estimation and use. *For. Ecol. Mgmt.* (Amsterdam), 106:73-81. [USA]

Spitzer, K., and J. Jaros

1998. *Argyroplote arbutella* (Tortricidae) associated with a montane peat bog in the Šumava Mountains, Czech Republic. *Nota Lepid.* (Basel), 21:283-289.

Tominaga, S.

1998. A pupating habit of *Dactyloglyphia tonica* (Meyrick) (Tortricidae). *Japan Heteroc. J.* (Tokyo), (199):409. [in Japanese] [Japan]

Trematerra, P., and L. Aarvik

1998. Record *Cydia johannsoni* Aarvik and Karsholt, 1993 (Lepidoptera Tortricidae) new for the Italian fauna with description of the female. *Boll. Zool. Agrar. Bachic.* (Milan), 30:33-38. [in Italian]

Trematerra, P., A. Siccarretta, and P. Parenzan

1998. Faunistic notes on some interesting tortricid moths from southern Italy (Lepidoptera). *Ent.* (Bari), 31:181-189. (1997). [in Italian]

Yasuda, T.

1998. The Japanese species of the genus *Adoxophyes* Meyrick (Lepidoptera, Tortricidae). *Trans. Lepid. Soc. Japan* (Osaka), 49:159-173.

URODIDAE

Landry, J.-F.

1998. Additional Nearctic records of *Wockia asperipunctella*, with notes on its distribution and structural variation (Lepidoptera: Urodidae). *Holarctic Lepid.* (Gainesville), 5:9-13. [Canada, USA]

YPONOMEUTIDAE

Gershenson, Z. S., and S. A. Ulenberg

1998. *The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas*. Amsterdam: Koninkl. Nederl. Akad. Wetensch. 202pp. (Koninkl. Nederl. Akad. Wetensch. Verh. (Amsterdam), (2), Vol. 99)

Klok, C. J., and S. L. Chown

1998. Interactions between desiccation resistance, host-plant contact and the

thermal biology of a leaf-dwelling sub-antarctic caterpillar, *Embryonopsis halticella* (Lepidoptera: Yponomeutidae). *J. Ins. Physiol.* (Oxford), 44:615-628. [Canada]

Uematsu, H., A. Nomiyama, and M. Hashizume

1998. Factors affecting fecundity of diamondback moth, *Plutella xylostella* (Lepidoptera: Yponomeutidae). *Japan. J. Appl. Ent. Zool.* (Tokyo), 42:201-208. [Japan] [in Japanese]

ZYGAENIDAE

Böhmer, T., A. Hille, C. M. Naumann, and P. Ockenfalls

1998. On the specificity of female sex pheromone compounds in the *Zygaena transalpina*-complex (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 105-123. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]

Drouet, E.

1998. First contribution to the mapping of *Zygaena* from France (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 245-254. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30).

Dutreix, C.

1998. Field investigations on the phenology of adult *Zygaena loti* ([Denis & Schiffermüller], 1775) (Lepidoptera, Zygaenidae) at a regional scale (Burgundy, France). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 277-281. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30).

Efetov, K. A.

1998a. A revision of the genus *Goe* Hampson, [1893] (Lepidoptera: Zygaenidae, Procrinae), with descriptions of two new species. *Ent. Gaz.* (Wallingford), 49:49-62. [Burma, China (Shansi, Sichuan, Tibet)]

1998b. *Jordanita (Jordanita) fazekasi* sp. n. from southern Hungary (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 49:183-187.

1998c. The description of the female of *Jordanita (Roccia) suspecta* (Staudinger, 1887) (Lepidoptera: Zygaenidae, Procrinae). *Ent. Gaz.* (Wallingford), 49:239-243. [England]

1998d. A check-list of the Zygaenidae (Lepidoptera) of the former U.S.S.R. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 229-243. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Russia, Ukraine]

1998e. Description of the early stages of *Adscita (Adscita) albanica* (Naufock, 1926) (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 265-271. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Ukraine]

Esch, C. B., and C. M. Naumann

1998. Host-searching and host-discrimination by a pupal parasitoid of *Zygaena trifolii* (Esper, 1783) (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 139-157. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]

Fänger, H., and C. M. Naumann

1998. Delayed insemination in a ditrysian moth, *Zygaena trifolii* (Esper, 1783) (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 159-164. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]

Fernandez-Rubio, F.

1998. The fossil *Zygaena* Fabricius, 1775 (Lepidoptera, Zygaenidae) from the lower Miocene of the Iberian Peninsula. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 255-263. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Spain]

Gabriele, F., S. Forestiero, and V. Sbordoni

1998. A brief survey of the geographical distribution of chromatic variation in *Zygaena ephialtes* (Linnaeus, 1767) (Lepidoptera, Zygaenidae) in a patchy environment. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 211-228. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Italy]

Gassmann, D., A. Hille, and C. M. Naumann

1998. Morphological and morphometric investigations within a geographical contact zone between *Zygaena angelicae* Ochsenheimer, 1808, and *Zygaena transalpina hippocrepidis* (Hübner, [1799]) (Lepidoptera, Zygaenidae) in southern Germany. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae (Insecta, Lepidoptera)*, 89-104. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]

Groenendijk, D., and F. van Oosterhout

1998. *Zygaena viciae* new for the Dutch fauna (Lepidoptera: Zygaenidae). *Ent. Ber.* (Amsterdam), 58:201-204. [Netherlands] [in Dutch]
- Heine, S.**
1998. Dispersal and mating behaviour of *Zygaena trifolii* (Esper, 1783) (Lepidoptera, Zygaenidae) in a patchy environment. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), 177-209. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]
- Hille, A., and C. M. Naumann**
1998. Allozyme differentiation in the *Zygaena transalpina* (Esper, 1780) superspecies complex (Lepidoptera, Zygaenidae). II. Genetic diversity and population taxonomy of the two semispecies *Zygaena angelicae* Ochseneimer, 1808, and *Z. hippocrepidis* (Hübner, [1799]). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), 45-88. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]
- Kreusel, B., and J. Böhmer**
1998. Populationsökologische Untersuchungen an Widderchenpopulationen der Schwäbischen Alb bei Blaubeuren (Lepidoptera: Zygaenidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 18:341-372. [Germany]
- Leigheb, G., V. Cameron-Curry, and E. Balletto**
1998. Description of the early stages of *Zygaena orana sardoa* (Mabille, 1892) from Sardinia (Lepidoptera, Zygaenidae). *Linn. Belg.* (Beersel), 16:249-252. [Italy (Sardinia)]
- Owada, M.**
1998. Moths of *Eterusia aedea* (Lepidoptera: Zygaenidae) from the island of Okinoshima, off Fukuoka, northern Kyushu. *Mem. Natl. Sci. Mus.* (Tokyo), 30:7-12. [Japan]
- Schmidt-Loske, K.**
1998. Spatial distribution of and habitat use by *Zygaena filipendulae* (Linnaeus, 1758) (Lepidoptera, Zygaenidae) in a suburban nature reserve. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), 165-175. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]
- Sugi, S.**
- 1998a. *Artona funeralis* (Butler) (Zygaenidae, Procrinae) from Kyushu. *Japan Heteroc. J.* (Tokyo), (197):370. [in Japanese] [Japan]
- 1998b. *Illiberis psychina* (Oberthür) (Zygaenidae, Procrinae) from Nojiriko. *Japan Heteroc. J.* (Tokyo), (201):6. [in Japanese] [Japan]
- Tremewan, W. G.**
1998. Notes on the biology and phenology of *Zygaena* (*Zygaena*) *filipendulae* (Linnaeus, 1758) and *Z. (Z.) trifolii* (Esper, 1783) (Lepidoptera: Zygaenidae) in Cornwall. *Ent. Gaz.* (Wallingford), 49:91-97. [England]
- Tremewan, W. G., W. Wipking, and C. M. Naumann**
1998. *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), Grietherbusch, Germany, September 10-12, 1993. Havlickuv Brod: Koeltz Sci. Bks. 289pp. (*Theses Zoologicae*, Vol. 30).
- Weiss, J.-C.**
- 1998a. Biology and distribution of *Zygaena lydia* Staudinger, 1887 (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), 273-275. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [France] [in German]
- 1998b. The Zygaenidae (Lepidoptera) from northeastern France. In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), 283-289. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [in German]
- Whitehead, P. F.**
1998. *Harrisina* Packard, 1864 (Lepidoptera: Zygaenidae, Procrinae) new to the Palaearctic region. *Ent. Gaz.* (Wallingford), 49:189-190. [England; Neotropical]
- Wipking, W.**
1998. Thermal biology and activity pattern of the diurnal alpine burnet moth *Zygaena* (*Zygaena*) *exulans* (Hohenworth, 1792) (Lepidoptera, Zygaenidae). In *Proceedings of the 5th International Symposium on the Biology of the Zygaenidae* (Insecta, Lepidoptera), 31-44. Havlickuv Brod: Koeltz Sci. Bks. (*Theses Zoologicae*, Vol. 30). [Germany]
- Xue, F.-S., and H. G. Kallenborn**
1998. Control of summer and winter diapause in *Pidorus euchromioides* (Lepidoptera: Zygaenidae) on Chinese sweetleaf *Symplocos chinensis*. *Bull. Ent. Res.* (London), 88:20-211. [China]

AGONOXENIDAE

Adamski, D., and O. Karsholt

1998. First records of brachyptery in the gelechioid taxa Coleophoridae: Blastobasinae and Elachistidae: Agonoxeninae: three new species from the high Andes of Peru (Insecta: Lepidoptera). *Steenstrupia* (Copenhagen), 24:67-75.

ANTHELIDAE

Mulvaney, J. K., P. A. Gatenby, and J. G. Brookes

1998. Lepidopterism: two cases of systemic reactions to the cocoon of a common moth, *Chelepteryx collesi*. *Med. J. Austr.* (Kingsgrove), 168: 610-611. [Australia]

APATELODIDAE

Mielke, O. H. H., and M. M. Casagrande

1998. Sobre os tipos de Lepidoptera depositados em museus brasileiros. XXIII. Papilionidae, Pieridae e Nymphalidae (Morphinae, Nymphalinae) descritos por J. F. Zikán (suplemento) e Apatelodidae descritos por M. Draudt. *Revta. Bras. Zool.* (Curitiba), 15:1069-1074. [Brazil]

ARCTIIDAE

Bendib, A., and J. Minet

1998. Female pheromone glands in Arctiidae (Lepidoptera). Evolution and phylogenetic significance. *C. R. Acad. Sci., III (Sci. Vie)* (Paris), 321: 1007-1014.

Betancourt, C. M., and I. B. Scatoni

1998. Biology of *Mallocephala deserticola* Berg (Lepidoptera: Arctiidae). *An. Soc. Ent. Bras.* (Itabuna), 27:213-221. [Uruguay] [in Portuguese]

Beutelspacher, C. R.

- 1998a. Lepidópteros de los Altos de Chiapas, México II (Lepidoptera: Arctiidae). *SHILAP Revta. Lepid.* (Madrid), 26:5-12.
- 1998b. Lepidópteros de Rizo de Oro, Chiapas, México II (Lepidoptera: Arctiidae). *SHILAP Revta. Lepid.* (Madrid), 26:187-195.

Kishida, Y.

1998. A new species of the genus *Churinga* (Lepidoptera, Arctiidae, Lithosiinae) from Thailand. *Trans. Lepid. Soc. Japan* (Osaka), 49:242-244.

Kreusel, B., and C. L. Häuser

1998. Morphological diversity of the tympanal organs in wasp moths (Arctiidae: Ctenuchinae) and its systematic importance. *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:13-23.

Tominaga, S.

1998. The host plant of *Nyctemera lactinia* (Cramer) (Arctiidae) in Okinawa: *Emilia sonchifolia*. *Japan Heteroc. J.* (Tokyo), (197):353-376. [in Japanese]

Toulgoët, H. de

- 1998a. Description d'une nouvelle espèce d'arctiide d'Amérique du Sud (57^e note) (Lepidoptera, Arctiidae, Arctiinae). *Rev. Fr. Ent.* (Paris), 19:131-133. (1997) [Brazil]
- 1998b. Description de nouvelles arctiides d'Amérique du Sud (Lépidoptères Arctiidae Arctiinae) (56^{ème} note). *Lambill.* (Tervuren), 98:135-139. [French Guiana]
- 1998c. Description de nouvelles arctiides d'Amérique du Sud (Lépidoptères Arctiidae Arctiinae) (59^{ème} note). *Lambill.* (Tervuren), 98:601-604. [Ecuador, Peru]

Viette, P. E. L.

1998. Critical notes on some species of the Madagascan zone in the catalogue of "Goodger and Watson, 1995, The Afrotropical Tiger-Moths (Lepidoptera Arctiidae Arctiinae)." *Bull. Mens. Soc. Linn. Lyon*, 67:222-225. [Madagascar]

ATTEVIDAE

Landry, B., and J.-F. Landry

1998. Yponomeutidae of the Galápagos Islands, with description of a new species of *Prays* (Lepidoptera: Yponomeutoidea). *Trop. Lepid.* (Gainesville), 9:31-40. [Attevidae, Plutellidae; Ecuador]

BLASTOBASIDAE

Adamski, D.

1998. A new species of *Pigritia* Clemens (Lepidoptera: Gelechioidea: Coleophoridae) from Costa Rica. *Proc. Ent. Soc. Washington*, 100:497-503.

Adamski, D., and O. Karsholt

1998. First records of brachyptery in the gelechioid taxa Coleophoridae: Blastobasinae and Elachistidae: Agonoxeninae: three new species from

the high Andes of Peru (Insecta: Lepidoptera). *Steenstrupia* (Copenhagen), 24:67-75.

BOMBYCIDAE

Rajalakshmi, E., T. P. S. Chauhan, and C. K. Kamble

1998. Hybrid vigour among newly evolved bivoltine hybrids of silkworm (*Bombyx mori*) under hill conditions. *Indian J. Agric. Sci.* (New Delhi), 68:620-624. [India]

Singh, R., G. V. Kalpana, P. S. Rao, and M. M. Ahsan

1998. Studies on cocoon shapes in different crosses of the mulberry silkworm, *Bombyx mori* L. *Indian J. Sericult.* (Mysore), 37:85-88. [India]

BRACHODIDAE

Kallies, A.

1998. A contribution to the knowledge of the Oriental and Australian Brachodidae (Lepidoptera, Sesioidea). *Tinea* (Tokyo), 15:312-337.

BRAHMAEIDAE

Nässig, W. A., and C. G. Treadaway

1998. The Brahmaeidae (Lepidoptera) of the Philippines. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:425-440.

CECIDOSIDAE

Parra, L. E.

1998. A redescription of *Cecidoses argentinana* (Cecidosidae) and its early stages, with comments on its taxonomic position. *Nota Lepid.* (Basel), 21:206-214. [Argentina, Chile]

COSMOPTERIGIDAE

Mey, W.

1998. New records of *Cosmopterix* Hübner, [1825] from the Philippines (Lepidoptera: Cosmopterigidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:529-536.

COSSIDAE

Chaturvedi, N.

1998. Occurrence of beehole borer, *Xyleutes leuconotus* (*Duomitus leuconotus*) Walker, family Cossidae. *J. Bombay Nat. Hist. Soc.*, 95:357. [India]

EPIPLEMIDAE

Inoue, H.

1998. Uraniidae from Nepal. In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):81-83, pl. 138. [Epiplemidae]

Sugi, S.

1998. *Dirades kosemponica* Strand (Uraniidae, Epipleminae) from larva on *Wendlandia formosana* (Rubiaceae). *Japan Heteroc. J.* (Tokyo), (199):406. [in Japanese] [Taiwan]

GELECHIIDAE

Miranda, M. M. M., M. Picanco, J. C. Zanuncio, and R. N. C. Guedes

1998. Ecological life table of *Tuta absoluta* (Meyrick) (Lepidoptera: Gelechiidae). *Biocont. Sci. Tech.* (Abingdon), 8:597-606. [Brazil]

Park, K.-T., and M. G. Ponomarenko

1998. Two new species of the genus *Dichomeris* Hübner from Thailand (Lepidoptera, Gelechiidae). *Sp. Diversity* (Sapporo), 3:163-167.

Vuuren, J. A. van, A. Bennett, and A. L. Bennett

1998. Oviposition site preferences of potato tuber moth, *Phthorimaea operculella* (Zeller) (Lepidoptera: Gelechiidae), a pest on tobacco, *Nicotiana tabacum* L. (Solanaceae). *African Ent.* (Pretoria), 6:177-183. [South Africa]

GEOMETRIDAE

Días, M. M., Jr.

1998. Taxonomical considerations on the genus *Cundinamarca* Rindge (Lepidoptera, Geometridae) and description of a new species. *Revta. Bras. Zool.* (Curitiba), 15:951-958. [Brazil] [in Portuguese]

Galsworthy, A. C.

1998. A new species of *Pingasa* (Lepidoptera, Geometridae, Geometrinae) from Hong Kong. *Trans. Lepid. Soc. Japan* (Osaka), 49:104-106.

Herbulot, C.

- 1998a. Lépidoptères géométrides recoltés par le Dr. J.-G. Canu dans l'île de Bioko (ex Fernando Poo) (Lepidoptera). *Lambill.* (Tervuren), 98:287-292.

- 1998b. Quatre nouveaux *Zamarada* (Lepidoptera Geometridae). *Lambill.* (Tervuren), 98:477-479. [Cameroon, Congo]

Inoue, H.

- 1998a. Six new species of Geometridae (Lepidoptera) from Taiwan. *Trans. Lepid. Soc. Japan* (Osaka), 49:203-210.

- 1998b. Notes on the metallic blue banded species of *Milionia* Walker from Sulawesi, with description of a new species (Geometridae, Ennominae). *Tinea* (Tokyo), 15:271-274. [Indonesia]

- 1998c. Notes on *Pseudobiston pinratanai* Inoue (Geometridae, Geometrinae). *Tinea* (Tokyo), 15:310-311. [Thailand]

Kobayashi, H.

1998. A new species of the genus *Acrodontis* Wehrli in Taiwan (Lepidoptera, Geometridae). *Tinea* (Tokyo), 15:202-206.

Santos, G. P., T. V. Zanuncio, J. C. Zanuncio, and A. G. B. de Mendeiros

1998. Biology of *Stenalcidia grosica* Schaus (Lepidoptera, Geometridae) on *Eucalyptus urophylla* leaves and aspects of occurrence and control. *Revta. Bras. Ent.* (São Paulo), 41:229-232. [Brazil] [in Portuguese]

Sato, R.

- 1998a. Descriptions of two new species closely related to *Psilalcis subfasciata* (Warren) (Geometridae, Ennominae) from the Philippines. *Trans. Lepid. Soc. Japan* (Osaka), 49:107-110.

- 1998b. *Marobia*, a new genus of the Geometridae (Lepidoptera), with descriptions of two new species from Sumatra and the Philippines. *Trans. Lepid. Soc. Japan* (Osaka), 49:213-218.

Sato, R., and A. C. Galsworthy

1998. Description of a new species of the genus *Microcalicha* Sato (Geometridae) from Hong Kong. *Tinea* (Tokyo), 15:240-242.

Sugi, S.

1998. Early stages of *Gymnoscelis tristrigosa* (Butler) (Geometridae, Larentiinae), a *Pittosporum* feeder. *Japan Heteroc. J.* (Tokyo), (199):407. [in Japanese] [Okinawa]

Tanahara, M.

1998. A foodplant of *Pingasa ruginaria* (Guenée) (Geometridae, Geometrinae) in Okinawa. *Japan Heteroc. J.* (Tokyo), (201):12. [in Japanese]

Tominaga, S.

1998. Hostplant of *Collix ghosha* Walker (Geometridae, Larentiinae) in Okinawa. *Japan Heteroc. J.* (Tokyo), 201:4. [in Japanese]

Wang, H.-Y.

1998. *Geometer Moths of Taiwan and its Allied Species from the Neighboring Countries. Volume 2.* Taipei: Taiwan Mus. 399pp. [in Chinese]

Zanuncio, T. V., J. C. Zanuncio, R. C. Gonçalves, and A. C. de Oliveira

- [1998]. Morfologia e bionomia de *Thyrinteina leucoceraea* Rindge (Lepidoptera, Geometridae) alimentadas com *Eucalyptus urophylla*. *Revta. Bras. Ent.* (São Paulo), 41:5-8. (1997) [Brazil]

GRACILLARIIDAE

Lolato, A., and J. C. de Moraes

1998. Occurrence of citrus leafminer *Phyllocnistis citrella* Stainton, 1856 (Lepidoptera: Gracillariidae) in Lavras, south of Minas Gerais state. *Cienc. Agrotecn.* (Lavras), 21:521-522. (1997) [Brazil] [in Portuguese]

Silva, P. H. Soares da, R. B. Q. da Silva, R. V. S. de Meneses, and R. L. da Costa

1998. Occurrence of citrus leafminer *Phyllocnistis citrella* Stainton, 1856 (Lepidoptera: Gracillariidae) in Teresina, PI. *Cienc. Agrotecn.* (Lavras), 21:393-394. (1997) [Brazil] [in Portuguese]

HEDYLIDAE

Lamas, G., and J. Grados

- [1998]. Sinopsis de los Hedylidae (Lepidoptera) del Perú. *Revta. Peruana Ent.* (Lima), 40:107-109 (1997).

Scoble, M. J.

1998. Fasc. 93. Hedylidae. In *Lepidopterorum Catalogus*. Gainesville: Assoc. Trop. Lepid. 9pp.

HEPIALIDAE

Smetacek, P.

1998. On an unusual *Endoclyta* (Lepidoptera: Hepialidae) from Kumaon, in the northwest Himalaya, India. *J. Bombay Nat. Hist. Soc.*, 95:136-137.

HESPERIIDAE

Austin, G. T.

1998. Hesperidae of Rondônia Brazil: *Ridens* and the "proteus" group of *Urbanus*, with descriptions of new species (Pyrginae). *J. Lepid. Soc.* (Los Angeles), 52:166-176.

Austin, G. T., and O. H. H. Mielke

1998. Hesperidae of Rondônia, Brazil: *Aguna* Williams (Pyrginae), with a partial revision and descriptions of new species from Panama, Ecuador, and Brazil. *Revta. Bras. Zool.* (Curitiba), 14:889-965.

Cock, M. J. W.

- 1998a. The skipper butterflies (Hesperiidae) of Trinidad. Part 9, Genera group E concluded (third section) with a description of a new species of *Clito*. *Living World*, 1997-1998:33-45.
- 1998b. Two species of Hesperiidae recently established on New Providence. *Bahamas J. Sci.* (Nassau), 5:12-15. [Bahamas]
- Devyatkin, A. L.**
- 1998a. Hesperiidae of Vietnam 3. A new species of *Celaenorrhinus* Hübner, 1819 from Vietnam, with revisional notes on the *C. aurivittata* (Moore, 1879) group (Lepidoptera: Hesperiidae). *Neue Ent. Nachr.* (Marktleuthen), 41:289-294, 301.
- 1998b. Hesperiidae of Vietnam 4. A new species and a new subspecies of *Pintara* Evans, 1932 from Vietnam, with notes on the genus (Lepidoptera: Hesperiidae). *Neue Ent. Nachr.* (Marktleuthen), 41:295-301.
- Miller, L. D., and M. J. Simon**
1998. Rediscovery of the rare, "endemic" Cuban butterfly, *Achlyodes munroei*, with notes on its behavior and possible origin. *Carib. J. Sci.* (Mayaguez), 34:327-329. [Bahamas]
- Miura, M., and Y. Okumura**
1998. The report about a new record and features of *Udaspes folus* in Borneo island. *Yadoriga* (Osaka), 179:24-26. [Sarawak] [in Japanese]
- Onore, G., and V. Cevallos**
1998. Massive movement of *Panoquina sylvicola* in southern Ecuador (Lepidoptera: Hesperiidae). *Trop. Lepid.* (Gainesville), 9:28.
- Rezbanyai-Reser, L.**
1998. Beiträge zur Insektenfauna von Jamaika, Westindien (Karabik). 2. Dickkopffalter (Lepidoptera: Hesperiidae). *Ent. Ber. Luzern*, 40:143-150. [Jamaica]
- Torres, J. A.**
1998. Biología de *Proteides mercurius pedro* (Dewitz) en Puerto Rico (Lepidoptera: Hesperiidae: Pyrginae). *Carib. J. Sci.* (Mayaguez), 34: 231-237.
- Warren, A. D.**
1998. A new species of *Amblyscirtes* from montane western Mexico (Lepidoptera: Hesperiidae: Hesperiinae). *Trop. Lepid.* (Gainesville), 9: 41-44.
- HETEROBATHMIIDAE**
- Kristensen, N. P., and E. S. Nielsen**
1998. *Heterobathmia valvifer* n. sp.: a moth with large apparent 'ovipositor valves' (Lepidoptera: Heterobathmiidae). *Steenstrupia* (Copenhagen), 24:141-156. [Argentina, Chile]
- HETEROCERA**
- Bendicho-Lopez, A.**
1998. New distributional and foodplant records for twenty Cuban moths. *J. Lepid. Soc.* (Los Angeles), 52:214-216.
- Diaz-Batres, M. E., and M. Balcázar-Lara**
1998. Lepidopteros de la Reserva de la Biosfera "La Michilia", Durango, Mexico. Familias: Sphingidae y Saturniidae (Lepidoptera). *Fol. Ent. Mex.* (Mexico City), 99:17-27 (1997).
- Haruta, T. (ed.)**
1998. *Moths of Nepal. Part 5.* In *Tinea* (Tokyo), 15 (suppl. 1):1-314, pl. 129-160.
- Holloway, J. D.**
1998. *The Moths of Borneo. Part 8. Castniidae, Callidulidae, Drepanidae, Uraniidae.* Kuala Lumpur: Malayan Nature Soc. 155pp, 10 pl. (311 fig.). (*Malayan Nat. J.*, 52:1-155, 10 pl., 311 fig.)
- Inoue, H.**
1998. The Zygaenidae, Hyblaeidae, Thyrididae, Limacodidae, Uraniidae, Sphingidae, Arctiidae and Nolinae (Noctuoidea) of the Ogasawara Islands, with additions and corrections to the Geometridae and Pyralidae (Lepidoptera). (Moths of Ogasawara (Bonin) Islands, Part IV). *Trans. Lepid. Soc. Japan* (Osaka), 49:271-287. [Bonin Is.]
- Murase, M.**
1998. Moths collected in Okinawa island, with notes on the immature stages of three species. *Yugato* (Niigata), 153:110-111. [in Japanese]
- LASIOCAMPIDAE**
- Zolotuhin, V. V., C. G. Treadaway, and T. J. Witt**
1998. The Lasiocampidae (Lepidoptera) of the Philippines. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:133-222.
- Zwick, A.**
1998. *Arguda sandrae* n. sp., a new lasiocampid moth (Lepidoptera: Lasiocampidae) from Palawan, Philippines. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:441-448.
- LECITHOCERIDAE**
- Wu, C.-S.**
- 1998a. Genus *Tisis* Walker from Malaysia and Indonesia (Lepidoptera: Lecithoceridae), with description of three new species. *Zool. Stud.* (Taipei), 37:191-196.
- 1998b. Synopsis of the genus *Hygroplasta* Meyrick in the world with description of a new species (Lepidoptera: Lecithoceridae). *Zool. Stud.* (Taipei), 37:197-200. [Oriental]
- Wu, C.-S., and K.-T. Park**
1998. Taxonomic review of the family Lecithoceridae (Lepidoptera) from Sri Lanka II. The Subfamily Torodorinae: genera *Deltoplastis* Meyrick, *Hygroplasta* Meyrick, and *Antiochtha* Walker. *Ins. Koreana* (Chuncheon), 15:1-22.
- LEPIDOPTERA**
- Aragon-Garcia, A., A. M. Topia-Rojas, and E. M. T. Huerta-Sanchez**
1998. Insects associated with *Amaranthus hypocondriacus* L. crops (Amaranthaceae) in the Tehuacan Valley, Puebla, Mexico. *Fol. Ent. Mex.* (Xalapa), 100:33-43. (1997) [Hesperiidae, Noctuidae]
- Heppner, J. B.**
1998. *Classification of Lepidoptera. Part 1. Introduction.* In *Holarctic Lepid.* (Gainesville), 5 (suppl. 1):1-148.
- Kruger, O., and G. C. McGavin**
1998. Insect diversity of *Acacia* canopies in Mkomazi Game Reserve, north-east Tanzania. *Ecography* (Copenhagen), 21:261-268.
- Mey, W., M. Nuss, and W. Speidel**
1998. Data about Lepidoptera diversity in the Afrotropical region of Malawi (Insecta, Microlepidoptera and Heterocera). *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:155-170.
- Nässig, W. A., C. G. Treadaway, and J. Settele**
1998. *Contributions to the Knowledge of the Insects of the Philippines, III.* In *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17. 576pp.
- Peck, S. B., J. Heraty, B. Landry, and B. J. Sinclair**
1998. Introduced insect fauna of an oceanic archipelago: the Galápagos Islands, Ecuador. *Amer. Ent.* (Lanham), 44:218-237.
- Racheli, T., and L. Racheli**
1998. Lepidoptera diversity of an Ecuadorian lowland rain forest (Lepidoptera: Papilionidae, Pieridae, Nymphalidae, Saturniidae, Sphingidae). *Neue Ent. Nachr.* (Marktleuthen), 41:95-117. [Ecuador]
- Salazar-E., J. A.**
1998. On some records in females of the colombian Lepidoptera (Insecta: Lepidoptera). *SHILAP Revta. Lepid.* (Madrid), 26:207-213. [Colombia: Nymphalidae, Papilionidae, Pieridae, Saturniidae]
- Stanford, R. E.**
1998. Collecting Lepidoptera in Sonora and Sinaloa, Mexico, 26-31 December, 1954. *News Lepid. Soc.* (Los Angeles), 40:44.
- Sterrerr, W.**
1998. How many species are there in Bermuda? *Bull. Marine Sci.* (Lawrence), 62:809-840.
- Woodruff, R. E., B. M. Beck, P. E. Skelley, C. Y. L. Schotman, and M. C. Thomas**
1998. *Checklist and Bibliography of the Insects of Grenada and the Grenadines.* Gainesville: Ctr. Syst. Ent. 286 pp. (Mem. 1).
- Zanuncio, J. C., J. A. Mezzomo, R. N. C. Guedes, and A. C. Oliveira**
1998. Influence of strips of native vegetation on Lepidoptera associated with *Eucalyptus cloeziana* in Brazil. *For. Ecol. Mgmt.* (Amsterdam), 108: 85-90.
- Zanuncio, T. V., J. C. Zanuncio, M. M. M. Miranda, and A. G. De B. Medeiros**
1998. Effect of plantation age on diversity and population fluctuation of Lepidoptera collected in *Eucalyptus* plantations in Brazil. *For. Ecol. Mgmt.* (Amsterdam), 108: 91-98.
- LYCAENIDAE**
- Austin, G. T., and K. Johnson**
- 1998a. Theclinae of Rondônia, Brazil: *Olynthus*, with descriptions of new species (Lepidoptera: Lycaenidae). *Trop. Lepid.* (Gainesville), 9:5-13.
- 1998b. Theclinae of Rondônia, Brasil: *Strymon* Hübner, with descriptions of new species (Lepidoptera: Lycaenidae). *Insecta Mundi* (Gainesville), 11:201-235.
- Bálint, Z., K. Johnson, and K. R. Kroenlein**
1998. New species of Eumaeini (Lycaenidae) from southeastern Brazil. I. Four new species of *Denivia*. *Acta Zool. Acad. Sient. Hung.* (Budapest), 43:257-269.
- Beale, J. P.**
- 1998a. Temporal and spatial distribution of the rare, myrmecophilous Illidge's ant-blue butterfly, *Acrodipsas illidgei* (Lycaenidae). *J. Lepid. Soc.* (Los

- Angeles), 52:139-150. [Australia]
- 1998b. Comment on the efficacy of Queensland nature conservation legislation in relation to *Acrodipsas illidgei* (Waterhouse and Lyell) (Lepidoptera: Lycaenidae: Theclinae). *Pac. Conserv. Biol.* (Chipping Norton, NSW), 3:392-396. [Australia]
- Calvo, R.**
1998. Reproducción de *Oenomaus ortignus* [sic] (Lepidoptera: Lycaenidae) en Barva, Heredia, Costa Rica. *Revta. Biol. Trop* (San Jose), 46:101-104.
- Heynderycx, J.**
1998. A propos d'une nouvelle espece de lycaenide de la peninsule Malaise (Lepidoptera). *Lambill.* (Tervuren), 98:449-450. [Malaysia]
- Hsu, Y.-F., and K. Johnson**
1998. A new species of *Zinaspia* from China (Lepidoptera: Lycaenidae: Theclinae). *Holarctic Lepid.* (Gainesville), 5:39-42.
- Kuhn, J. J.**
1998. Ant tending of *Arhopala* larvae in Papua New Guinea (Lepidoptera: Lycaenidae). *Trop. Lepid.* (Gainesville), 9:58.
- Kunte, K.**
1998. Common silverline caterpillar feeding on *Cadaba indica*. *J. Bombay Nat. Hist. Soc.*, 95:139. [India]
- Larsen, T. B.**
1998. Two new species of *Tetrarhanis* from West Africa (Lepidoptera, Lycaenidae, Lipteninae). *Lambill.* (Tervuren), 98:77-80. [Ghana, Nigeria]
- Larsen, T. B., and S. C. Collins**
1998. Two new species of *Anthene* from West Africa (Lepidoptera: Lycaenidae). *Lambill.* (Tervuren), 98:372-376. [Nigeria]
- Muller, C. J., J. Olive, and T. A. Lambkin**
1998. New records for *Petrelaea tombuensis* (Röber) (Lepidoptera: Lycaenidae) in Queensland. *Austr. Ent.* (Brisbane), 25:61-63. [Australia]
- Osborn, F., and K. Jaffe**
1998. Chemical ecology of the defense of two nymphalid butterfly larvae against ants. *J. Chem. Ecol.* (New York), 24:1173-1186. [Venezuela]
- Rahiman, P. A., and C. K. Vijayalakshmi**
1998. *Spalgus epius* Westwood (Lepidoptera: Lycaenidae): a potential predator of coffee mealy bugs. *J. Ent. Res.* (New Delhi), 22:191-192. [India]
- Robbins, R. K., and S. S. Nicolay**
1998. Taxonomy of *Strymon toussainti*, *S. andrewsi*, *S. amonensis*, and *S. rhaps* (Lycaenidae: Theclinae). *J. Lepid. Soc.* (Los Angeles), 52:328-334. [West Indies]
- Saitoh, K., A. Abe, and K. Kudoh**
1998. Spermatocyte chromosome complements of four species of *Arhopala* (Arhopalini, Lycaenidae, Lepidoptera) from Thailand. *Trans. Lepid. Soc. Japan* (Osaka), 49:174-176.
- Schröder, H. G., and C. G. Treadaway**
- 1998a. Zur Kenntnis philippinischer Lycaenidae, 9 (Lepidoptera). *Ent. Zeit.* (Frankfurt), 108:204-208. [Philippines]
- 1998b. Zur Kenntnis philippinischer Lycaenidae, 10 (Lepidoptera). *Ent. Zeit.* (Frankfurt), 108:412-415. [Philippines]
- LYMANTRIIDAE**
- Kishida, Y.**
- 1998a. A new species of the genus *Lymantria* (Lepidoptera: Lymantriidae) from Vietnam. *Trans. Lepid. Soc. Japan* (Osaka), 49:211-212.
- 1998b. *Calliteara contexta* (Chao) (Lymantriidae) from Taiwan. *Japan Heteroc. J.* (Tokyo), (199):399-402. [in Japanese]
- Tominaga, S.**
1998. The apterous female and larva of *Orgyia postica* (Walker) (Lymantriidae). *Japan Heteroc. J.* (Tokyo), (200):415-438. [in Japanese] [Okinawa]
- METARBELIDAE**
- Srivastava, R. P.**
1998. Bark eating caterpillar (*Indarbela* spp.) a serious problem in fruit crops. *Biol. Mem.* (Lucknow), 23:67-71. (1997) [India]
- NOCTUIDAE**
- Angulo, A. O.**
1998. Revision, filogenia y clasificación de los géneros de Noctuidae australes (andino-patagónicos) sudamericanos (Lepidoptera: Glossata: Noctuidae: Noctuidae). *Gayana Zool.* (Concepcion), 62:1-35. [Chile]
- Angulo, A. O., and R. Badilla**
1998. *Magnagrotis* gen. Nov. Y clave para los géneros de la subregión andino-patagónica (Lepidoptera: Noctuidae: Noctuidae). *Gayana Zool.* (Concepcion), 62:199-202. [Chile]
- Angulo, A. O., and T. S. Olivares**
- 1998a. *Anicla infecta* (Ochsenheimer, 1816): pupa, larva and new record (Lepidoptera, Noctuidae). *Bol. Soc. Biol. Concepcion*, 68:47-52. (1997) [Chile] [in Spanish]
- 1998b. Especies gemelas y criticas de mariposas noctuidas andino-patagónicas (Lepidoptera: Noctuidae). *Gayana Zool.* (Concepcion), 62:65-67. [Chile]
- 1998a. Una aproximación acerca de la relación plant-insecto en algunas especies de lepidópteros noctuidos del género *Pseudoleucania* Staudinger y *Scania Olivares* (Lepidoptera: Noctuidae). *Gayana Zool.* (Concepcion), 62:153-158. [Chile]
- Arif, M., and N. Kumar**
1998. *Anomis fulvida* Guenée (Lep.: Noctuidae): first pest record on *Hibiscus syriacus* L. at 1685 metres (5500 feet) altitude in the Kumaon Hills, India. *Ent. Rec. J. Var.* (Surrey), 110:141.
- Badilla-Q., R., and A. O. Angulo**
1998. Una nueva especie de *Schinia* Huebner (Lepidoptera: Noctuidae) de Chile. *Gayana Zool.* (Concepcion), 62:97-99.
- Chen, S.-C., and W.-K. Peng**
1998. Emergence and longevity of the rice moth, *Corcyra cephalonica* (Stainton) (Lepidoptera: Pyralidae). *Zhonghua Kunchong* (Taipei), 18: 135-140. [Taiwan]
- Cunningham, J. P., S. A. West, and D. J. Wright**
1998. Learning in the nectar behaviour of *Helicoverpa armigera*. *Ecol. Ent.* (London), 23:363-369. [Australia, India]
- Galsworthy, A. C.**
1998. Two new species of acontiines from Hong Kong (Lepidoptera, Noctuidae, Acontiinae). *Trans. Lepid. Soc. Japan* (Osaka), 49:30-32.
- Gastón, J., and T. Revilla**
1998. *Characoma nilotica* (Rogenhofer, 1882) nueva especie para la península Ibérica (Lepidoptera: Noctuidae). *SHILAP Revta. Lepid.* (Madrid), 26:175-177. [Spain]
- Heinicke, W.**
1998. Meine Erfahrungen mit der Determination tropischer Eulenfalter (Lepidoptera: Noctuidae) aus Südamerika und Südostasien. *Mitt. Thür. Ent.* (Kranichfeld), 5:33-35. [Oriental, Neotropical]
- Hreblay, M., A. Legrain, and S. Yoshimatsu**
1998. Beschreibung von achtundzwanzig neuen Arten und einer Unterart mit Übersicht der Artengruppe aus dem *Mythimna* Ochsenheimer, 1816-Komplex aus der südostasiatischen Region. Festlegung von vierzehn Lectotypen, zwei Neotypen, neuen Synonymen und Kombinationen (I.) (Lepidoptera, Noctuidae). *Esperiana* (Schwanfeld), 6:381-432, pl. P-S. [East Asia]
- Hreblay, M., and L. Ronkay**
1998. Noctuidae from Nepal. In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):117-310, pl. 144-157. [Nepal, Taiwan]
- Inoue, H.**
1998. Nolinae (Noctuidae) from Nepal. In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):89-98, pl. 140.
- Jaow, M. F. A., and M. P. Zalucki**
1998. Effects of egg load on the host-selection behaviour of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Austr. J. Zool.* (Melbourne), 46:291-299. [Australia]
- Josephraj Kumar, A., B. Subrahmanyam, and V. V. Ramanmurthy**
1998. Gynandromorph of *Helicoverpa armigera* (Lepidoptera: Noctuidae). *Ent. News* (Philadelphia), 109:288-292. [India]
- Klok, C. J., and S. L. Chown**
1998. Field thermal ecology and water relations of gregarious phase African armyworm caterpillars, *Spodoptera exempta* (Lepidoptera: Noctuidae). *J. Thermal Biol.* (Oxford), 23:131-142. [South Africa]
- Kononenko, V. S.**
1998. A new species of the genus *Cryphia* (Noctuidae, Acronictinae) from Taiwan. *Japan Heterocer. J.* (Tokyo), 201:1-2.
- Kobayashi, H.**
1998. A new species of the genus *Telorta* (Lepidoptera, Noctuidae, Cucullinae) from Taiwan. *Trans. Lepid. Soc. Japan* (Osaka), 49:199-202.
- Kobayashi, H., M. Owada, and M. Hreblay**
1998. On the genus *Nyctycia* Hampson, 1906 (Lepidoptera, Noctuidae, Cucullinae) in Taiwan, with descriptions of two new species and three new subspecies. *Tinea* (Tokyo), 15:256-265.
- Krishnakumari, B., A. L. Prasuna, K. N. Jyothi, M. Y. Valli, S. Sighamony, A. R. Prasad, and J. S. Yadav**
1998. Behavioural and electrophysiological responses of *Achaea janata* Linn. (Lepidoptera: Noctuidae) males to synthetic female-produced sex pheromone components. *J. Ent. Res.* (New Delhi), 22:197-202. [India]
- Magrini, E. A., P. S. M. Botelho, J. R. P. Parra, and M. de L. Haddad**
1998. Efeito da temperatura no consumo de alimento natural e dieta artificial por *Anticarsia gemmatilis* Hübner (Lepidoptera, Noctuidae). *Revta. Brasil. Ent.* (São Paulo), 42:23-25. (1997) [Brazil]
- Owada, M.**

1998. The genus *Ochrotrigona* (Lepidoptera, Noctuidae), a herminiine moth with a postspiracular tympanal hood. *Tinea* (Tokyo), 15:183-190. [SE Asia]
- Patil, B. V., and N. S. Kulkarni**
1998. Monitoring of *Helicoverpa armigera* (Hübner) with light and pheromone traps. *Indian J. Plant Prot.* (Hyderabad), 25:13-19. (1997) [India]
- Pogue, M. G., and D. H. Janzen**
1998. A revision of the genus *Obrima* Walker (Lepidoptera: Noctuidae), with a description of a new species from Costa Rica and notes on its natural history. *Proc. Ent. Soc. Washington*, 100:566-575.
- Rodríguez, M. A., A. O. Angulo, and R. Badilla**
1998. Una nueva especie de *Euxoamorphia* de la subregión andino-patagónica, con algunos aspectos de su biología (Lepidoptera: Noctuidae). *Trop. Lepid.* (Gainesville), 9:77-85. [Chile]
- Ronkay, L., and H. Thöny**
1998. New *Abrostola* Ochsenheimer, 1816 species from the Neotropical region (Lepidoptera, Noctuidae, Plusiinae). *Facetta* (Ingolstadt), 14:28-38, 1 pl. (1997).
- Silvain, J.-F., and B. Lalanne-Cassou**
1998. Distinction entre *Spodoptera latifascia* (Walker) et *Spodoptera cosmioidea* (Walker), bona species (Lepidoptera, Noctuidae). *Rev. Fr. Ent.* (Paris), 19:95-97. (1997) [French Guiana, Jamaica]
- Speidel, W., and V. S. Kononenko**
1998. A review of the subfamilies Pantheinae and Acronictinae from North Vietnam with description of new species of *Tambana* Moore, 1882 and *Anacronicta* Warren, 1909 (Lepidoptera, Noctuidae). *Esperiana* (Schwanfeld), 6:547-566, pl. T-U.
- Sugi, S.**
1998. On the female of *Hemictenophora euplexioides* Sugi (Noctuidae) and its record from Okinawa Island. *Japan Heteroc. J.* (Tokyo), (197):373-374. [in Japanese]
- Sugi, S., and S. Tominaga**
1998. Larvae of *Achaea serva* (Fabricius) (Noctuidae) injuring *Palaquium formosanum* (Sapotaceae) in Okinawa. *Yugato* (Niigata), 154:117-118. [in Japanese]
- Thöny, H.**
1998a. *Autographa schalisema* Hampson, 1913 neu für die Fauna von Nord Vietnam (Lepidoptera, Noctuidae, Plusiinae). *Facetta* (Ingolstadt), 14:18-21 (1 pl.) (1997).
1998b. Beitrag zur Heterocera-Fauna von Brasilien. Zur Variabilität von *Dirphia festiva* (Fabricius, 1775) (Lepidoptera, Noctuidae, Ophiderinae). *Facetta* (Ingolstadt), 14:24-27 (pl. 4) (1997). [Brazil]
1998c. Beitrag zur Heterocera-Fauna von Brasilien. *Eusceptis koehleri* Todd, 1966 erstmals in Brasilien nachgewiesen (Lepidoptera, Noctuidae, Acontiinae). *Facetta* (Ingolstadt), 15:2-3 (pl. 1). [Brazil]
1998d. Beitrag zur Heterocera-Fauna von Brasilien. *Chalcoecia emessa* (Druce, 1889) erstmals in Brasilien, Minas Gerais, nachgewiesen (Lepidoptera, Noctuidae, Amphipyridae). *Facetta* (Ingolstadt), 15:4-5 (pl. 1). [Brazil]
1998e. Erste Ergebnisse meiner Reisen nach Dorf Tirol, Espirito Santo, Brasilien. Die Plusiinae-Fauna von Tirol ES (Lepidoptera, Noctuidae, Plusiinae). *Facetta* (Ingolstadt), 16:12-17, pl. 1-2. [Brazil]
- Tominaga, S.**
1998. Early stages of *Selepa celtis* Moore (Noctuidae, Sarothripinae) in Okinawa and Ishigaki islands, the Ryukyus. *Japan Heteroc. J.* (Tokyo), (201):9-10. [in Japanese]
- Yoshimatsu, S., and M. Hreblay**
1998. A revision of the subgenus *Morphopoliana* of the genus *Mythimna* (Lepidoptera: Noctuidae) from Taiwan and Japan. *Ent. Sci.* (Tokyo), 1:597-603.
- Yoshimoto, H.**
1998. Notes on *Condate orsilla* (Swinhoe) (Noctuidae, Ophiderinae) collected from Ishigaki-jima I., the Ryukyus, Japan. *Japan Heteroc. J.* (Tokyo), (201):11-12. [in Japanese]
- NOTODONTIDAE**
Singh, A. P.
1998. *Sycanus collaris* Fabr. (Reduviidae: Hemiptera), a new predator of *Clostera* spp. on *Populus deltoides*. *Indian For.* (Dehra Dun), 124:172. [India]
- Smetacek, P.**
1998. The notodontid moth *Cyphanta chortochlora* Hampson in Kumaon, north India. *J. Bombay Nat. Hist. Soc.*, 94:585 (1997).
- Thiaucourt, P.**
1998. Notes sur le genre *Sericochroa* Felder et genre voisins (Lepidoptera, Notodontidae). *Nouv. Rev. Ent.* (Paris), (n.s.) 14:147-182 (1997).
- [Neotropical]
Zanuncio, T. V., J. C. Zanuncio, G. P. Santos, and E. da C. Antunes
1998. Biological and morphological aspects of *Misogada blerura* Schaus (Lepidoptera, Notodontidae). *Revta. Bras. Ent.* (São Paulo), 41:527-530. [Brazil] [in Portuguese]
- NYMPHALIDAE**
Alonso, A., E. Montesinos, E. Rendón, L. P. Brower, and K. Oyama
1998. Influence of forest canopy closure on rates of bird predation on overwintering monarch butterflies *Danaus plexippus* L. *Biol. Conserv.* (Oxford), 85:151-159. [Mexico]
- Amiet, J.-L.**
1998a. Les premiers états des *Bebearia* catunoides du Cameroun (Lepidoptera, Nymphalidae). *Bull. Soc. Ent. Fr.* (Paris), 103:101-138. [Cameroon]
1998b. Premiers états et plantes-hôtes de huit espèces d'*Euptera* du Cameroun (Lepidoptera, Nymphalidae). *Bull. Soc. Ent. Fr.* (Paris), 103:415-442. [Cameroon]
- Amiet, J.-L., G. Chovet, S. Collins, and M. Libert**
1998. Diagnoses préliminaires de nouveaux taxons du genre *Euptera* Staudinger (Lepidoptera, Nymphalidae). *Lambill.* (Tervuren), 98:271-284. [Cameroon]
- Anken, R. H.**
1998. Eine neue Art der Gattung *Splendeptychia* Forster aus dem Minas Gerais Brasiliens (Lepidoptera: Nymphalidae: Satyrinae: Euptychiini). 5. Beitrag zur Kenntnis neuer neotropischer Euptychiini. *Ent. Zeit.* (Frankfurt), 108:184-192. [Brazil]
- Anken, R. H., T. Kappel, U. Jonas, D. Bremen and M. H. Pinto-Bivar de Matos e Silva**
1998. Wiederentdeckung von *Tegosa infrequens* Higgins (1981), beschreiben aus dem Bergwald Südost-Brasiliens (Lepidoptera: Nymphalidae: Melitaeinae: Phycodini Higgins, 1981). *Facetta* (Ingolstadt), 14:4-12 (1997). [Brazil]
- Anken, R. H., and M. H. Pinto-Bivar de Matos e Silva**
1998. Zur Kenntnis einer neuen Unterart von *Ortilia ithra* (Kirby 1871) aus dem brasilianischen Mato Grosso-Gebiet (Lepidoptera: Nymphalidae: Melitaeinae: Phycodini). *Ent. Zeit.* (Frankfurt), 108:122-128. [Brazil]
- Attal, S., and A. Crosson du Cormier**
1998. Description of three new subspecies of *Perisama* Guerin (Lepidoptera Nymphalidae). *Ent.* (Paris), 54:223-230. [Neotropical]
- Austin, G. T., and M. J. Smith**
1998. Revision of the *Thessalia theona* complex (Lepidoptera: Nymphalidae: Melitaeinae). In T. C. Emmel (ed.), *The Systematics of Western North American Butterflies*, 359-396. Gainesville: Mariposa Pr. [Belize, Colombia, Costa Rica, El Salvador, Guatemala, Honduras, Panama, Mexico, Nicaragua, USA, Venezuela]
- Bernardi, G.**
1998. Révision du genre *Euriphene* Boisduval (= *Diestogyna* Karsch) III. *E. luteostriata* et *E. tessmanniana* (Lepidoptera, Nymphalidae). *Bull. Soc. Ent. Fr.* (Paris), 103:183-186. [Cameroon, Congo]
- Bernaudo, D.**
1998. Premiers stades d'*Acraea egina* (Cramer) au Cameroun (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 98:431-434. [Cameroon]
- Brakefield, P. M.**
1998. The evolution-development interface and advances with the eyespot patterns of *Bicyclus* butterflies. *Heredity* (Oxford), 80:265-272. [African]
- Brakefield, P. M., F. Kesbeke, and P. B. Koch**
1998. The regulation of phenotypic plasticity of eyespots in the butterfly *Bicyclus anynana*. *Amer. Nat.* (Chicago), 152:853-860. [Africa]
- Brower, A. Van Z., and R. DeSalle**
1998. Patterns of mitochondrial versus nuclear DNA sequence divergence among nymphalid butterflies: the utility of *wingless* as a source of characters for phylogenetic inference. *Ins. Molecul. Biol.*, 7:73-82.
- Carvalho, M. C., P. C. D. Queiroz, and A. Ruzsiczky**
1998. Protandry and female size-fecundity variation in the tropical butterfly *Brassolis sophorae*. *Oecologia* (Berlin), 116:98-102. [Brazil]
- Casagrande, M. M., and O. H. H. Mielke**
1998. Plantas hospedeiras das espécies de *Agrias* Doubleday (Lepidoptera, Nymphalidae, Charaxinae). *Revta. Bras. Zool.* (Curitiba), 14:771-772. [Brazil]
- Constantino, L. M., and J. A. Salazar**
1998a. Natural hybridization [sic] of *Heliconius cydno* Doubleday from Western Colombia (Lepidoptera: Nymphalidae: Heliconiinae). *Bol. Cient. Mus. Hist. Nat. Univ. Caldas*, 2:41-45.
1998b. Descripción de nuevas especies, subespecies y nuevos registros de ropalóceros para Colombia (Lepidoptera: Lycaenidae, Riodininae, Nymphalidae, Charaxinae, Satyrinae, Morphinae). *SHILAP Revta. Lepid.*

Días, M. M., Jr.

1998. Designação da espécie-tipo do gênero *Carminda* Ebert & Días (Lepidoptera, Nymphalidae, Satyrinae). *Revta. Bras. Zool.* (Curitiba), 15:119. [Brazil]

Dominguez-Gil, O. E.

1998. Phytophagous fauna of passion fruit (*Pasiflora edulis* f. *flavicarpa*) in the eastern and southeastern regions of the Lake Maracaibo Basin, Venezuela: plant damage and economic importance. *Bol. Cent. Invest. Biol. Univ. Zulia* (Maracaibo), 32:79-106. [Nymphalidae] [in Spanish]

Feldman, T. S., and W. A. Haber

1998. Oviposition behavior, host plant use, and diet breadth of *Anthanassa* butterflies (Lepidoptera: Nymphalidae) using plants in the Acanthaceae in a Costa Rican community. *Fla. Ent.* (Gainesville), 81:396-406.

Hammond, P. C., and G. O. Poinar, Jr.

1998. A larval brush-footed butterfly (Lepidoptera: Nymphalidae) in Dominican amber, with a summary of fossil Nymphalidae. *Ent. Scand.* (Copenhagen), 29:275-279. [Dominican Rep.]

Hecq, J.

- 1998a. Etude des *Bebearia*. Revision du complexe *maximiana/flaminia* (Lep. Nymphalidae). *Lambill.* (Tervuren), 98:142-152. [Cameroon]
- 1998b. A propos de quelques espèces ou formes d'*Euphaedra* de l'Uganda (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 98:386-390.
- 1998c. Systématique du genre *Euphaedra* (Nymphalidae africains). *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:171-179. [Africa]
- 1998d. A propos de *Euriphene amieti* Collins & Larsen 1997 (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 98:612, 665. [Cameroon]

Hecq, J., and T. B. Larsen

1998. *Bebearia banksi*, nouvelle espèce (Lepidoptera, Nymphalidae). *Lambill.* (Tervuren), 98:359-360. [Ghana]

Hecq, J., and P. Oremans

1998. Note sur *Euriphene regula* Hecq 1994 bona sp. et mise en synonymie d'*Euriphene panda* Hecq 1997 (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 98:553-555. [Cameroon, Congo]

Hernández, M. I. M., and W. W. Benson

1998. Small-male advantage in the territorial tropical butterfly *Heliconius sara* (Nymphalidae): a paradoxical strategy? *Anim. Behav.* (London), 56:533-540. [Brazil]

Ho, J.-Z., and L.-H. Chang

1998. Description of larva and host plant of *Euthalia kosempona* Fruhstorfer in Taiwan (Lepidoptera: Nymphalidae). *Zhonghua Kunchong* (Taipei), 18:127-134. [in Chinese]

Huang, H., and H.-X. Li

1998. *Neptis ilos neoyunnana*, a new subspecies from southern Yunnan Province, People's Republic of China (Lepidoptera: Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:334-337.

Ikeda, H.

1998. Memories on *Hypolimnys bolina* a report around the intersex of Formosan form. *Yadoriga* (Osaka), 178:38-40. [in Japanese] [Taiwan]

Inoue, T.

1998. Female *Agrias beata* from Betsaida, Peru. *Yadoriga* (Osaka), (176):20-28. [in Japanese]

Jasinski, A.

1998. Description of a new species of *Hypanartia* from southern Ecuador and northern Peru (Lepidoptera: Nymphalidae). *Genus* (Wroclaw), 9:405-410.

Jiggins, C. D., and N. Davies

1998. Genetic evidence for a sibling species of *Heliconius charithonia* (Lepidoptera: Nymphalidae). *Biol. J. Linn. Soc.* (London), 64:57-67. [Ecuador, Peru]

Johnson, K., and S. B. Hedges

1998. Three new species of *Calisto* from southwestern Haiti (Lepidoptera: Nymphalidae: Satyrinae). *Trop. Lepid.* (Gainesville), 9:45-53.

Kariya, K.

1998. The species of the genus *Asterope* Hübner (Lepidoptera, Nymphalidae) and its allies. *Yadoriga* (Osaka), 177:2-25. [Neotropical] [in Japanese]

Kemp, D. J.

1998. Oviposition behaviour of post-diapause *Hypolimnys bolina* (L.) (Lepidoptera: Nymphalidae) in tropical Australia. *Austr. J. Zool.* (Melbourne), 46:451-459.

Knapp, S., and J. L. Borlase-Mallet

1998. A new species of *Passiflora* (Passifloraceae) from Ecuador with notes on the natural history of its herbivore, *Heliconius* (Lepidoptera: Nymphalidae: Heliconiini). *Novon* (St. Louis), 8:162-166.

Kooi, R. E., M. de Vries, and P. M. Brakefield

1998. The effect of drought stress in food plants on the wing pattern induction of the polyphenic tropical butterfly *Bicyclus anyana* (Lepidoptera:

Satyridae). In *Proceedings of the Ninth Meeting of Experimental and Applied Entomology in the Netherlands, Leiden, Netherlands, December 19, 1997*, 9:217-222. [Africa]

Lamas, G.

- 1998a. Comentarios taxonómicos y nomenclaturales sobre Heliconiini neotropicales, con designación de lectotipos y descripción de cuatro subespecies nuevas (Lepidoptera: Nymphalidae: Heliconiinae). *Revta. Peruana Ent.* (Lima), 40:111-125. (1997) [Mexico, Peru]

- 1998b. Lista sinónfima de los géneros *Cithaerias* Hübner y *Haetera* Fabricius (Lepidoptera: Nymphalidae: Satyrinae), con la descripción de los subespecies nuevas del Perú. *Revta. Peruana Ent.* (Lima), 40:133-138.

Mallet, J. L. B., W. O. McMillan, and C. D. Jiggins

1998. Estimating the mating behavior of a pair of hybridizing *Heliconius* species in the wild. *Evol.* (Lawrence), 52:503-510. [Ecuador]

Mallet, J. L. B., and J. R. G. Turner

1998. Biotic drift or the shifting balance - did forest islands drive the diversity of warningly coloured butterflies? In P. R. Grant (ed.), *Evolution on Islands*, 262-280. Oxford: Oxford Univ. Pr. [Neotropical]

Marmels, J. de, and J. Clavijo-A.

1998. On the true type localities of *Mesotaenia vaninka delaquenti* Neild and *Memphis viloriae* Pycr & Neild (Nymphalidae). *J. Lepid. Soc.* (Los Angeles), 52:217-218. [Venezuela]

Monge-N., J., F. Hernández, M. I. González, J. Soley, J. Araya, and S. Zolla

1998. Spatial distribution, territoriality and sound production by tropical cryptic butterflies (*Hamadryas*, Lepidoptera: Nymphalidae): implications for the "industrial melanism" debate. *Revta. Biol. Trop.* (San Jose), 46:297-329. [Costa Rica, Panama]

Muller, C. J., and W. J. Tennent

1998. A new species of *Polyura* Billberg, 1820, from the Solomon Islands (Lepidoptera: Nymphalidae). *Lambill.* (Tervuren), 98:591-594.

Neukirchen, W. M.

- 1998a. Taxonomische Betrachtungen über *Heliconius hecale* (Fabricius) und *Heliconius pardalinus* Bates in Amazonien nebst Beschreibung neuer Unterarten (Lepidoptera: Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:1-11. [Brazil]

- 1998b. Zwei neue *Heliconius*-Unterarten aus Kolumbien (Lepidoptera: Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:217-223. [Colombia]

Nishimura, M.

1998. Notes on the genus *Stichophthalma* (Lepidoptera, Nymphalidae), with a description of a new species from Indo-China. *Trans. Lepid. Soc. Japan* (Osaka), 49:115-132. [Indochina, Vietnam]

Osborn, F., and K. Jaffe

1998. Chemical ecology of the defense of two nymphalid butterfly larvae against ants. *J. Chem. Ecol.* (New York), 24:1173-1186. [Venezuela]

Pierre-Baltus, C., and J. Pierre

1998. *Neptis liberti*, new Afrotropical species (Lepidoptera, Nymphalidae). *Bull. Soc. Ent. Fr.* (Paris), 103:447-450. [Cameroon] [in French]

Pierre, J., and M. Jégu

1998. Tentatives d'accouplement avec une chrysalide femelle chez *Heliconius antiochus* L. (Lep., Heliconiinae). *Bull. Soc. Ent. Fr.* (Paris), 103:89-90. [French Guiana]

Racheli, T., and L. Racheli

1998. New subspecies of ithomiids from Venezuela (Lepidoptera: Nymphalidae). *Neue Ent. Nachr.* (Marktlee), 41:133-136.

Roque, L.

- 1998a. The monarch butterfly in the Galápagos Islands: is it a native or an introduced species? *Noticias Galápagos*, 59:9-11. [Ecuador]
- 1998b. New hostplant record for the monarch butterfly (*Danaus plexippus*) from the Galapagos Islands, Ecuador (Lepidoptera: Nymphalidae: Danainae). *Lepid. News* (Gainesville), 1998(2):10.

Rose, H. S., and N. Sharma

1998. Comments on the *Maniola* complex (Lepidoptera: Papilionoidea: Satyridae). *J. Ent. Res.* (New Delhi), 22:213-222. [India]

Ruszczyk, A., and J. C. Ribeiro

1998. Mortalidade dos parasitóides *Spilochalcis morleyi* (Hymenoptera, Chalcididae) e *Xanthozona melanopyga* (Diptera, Tachinidae) em pupas femininas e masculinas de *Brassolis sophorae* (Lepidoptera, Nymphalidae). *Revta. Bras. Biol.* (Rio de Janeiro), 58:633-637. [Brazil]

Salazar-E., J. A.

- 1998a. Contribución al conocimiento de los Morphinae colombianos, IV. Estudio de una población de *Morpho sulkowskyi* Kollar, 1850 en el centro de Colombia (Lepidoptera: Nymphalidae, Morphinae). *SHILAP Revta. Lepid.* (Madrid), 26:113-116.

- 1998b. Estudio preliminar sobre el registro de especies y subespecies pertenecientes al género *Memphis* Hübner, [1819] en Colombia (II) (Lepidoptera: Nymphalidae). *SHILAP Revta. Lepid.* (Madrid), 26:165-173.

- 1998c. Descripción de *Heliconius hecuba walteri* nueva subespecie del centro de Antioquia, Colombia (Lepidoptera: Nymphalidae: Heliconiinae). *Bol. Cient. Mus. Hist. Nat. Univ. Caldas*, 2:23-27.
- Salazar-E., J. A., L. M. Constantino, and C. López**
1998. Estudio faunístico y ecológico de los géneros *Antirrhea* Hübner 1822 y *Caerois* Hübner 1819 en Colombia (Lepidoptera: Nymphalidae: Morphinae). *Bol. Cient. Mus. Hist. Nat. Univ. Caldas*, 2:59-99.
- Schappert, P. J., and J. S. Shore**
1998. Ecology, population biology and mortality of *Euptoieta hegesia* Cramer (Nymphalidae) on Jamaica. *J. Lepid. Soc.* (Los Angeles), 52:9-39.
- Schröder, H., and C. G. Treadaway**
1998. Neue Tagfalter-Formen vom Mt. Matutum, S.-Mindanao (Lepidoptera: Nymphalidae). *Ent. Zeit.* (Frankfurt), 108:255-258. [Philippines]
- Srivastava, K.**
1998. Sighting of the common palmfly (Nymphalidae: Lepidoptera) in Mumbai. *J. Bombay Nat. Hist. Soc.*, 95:137. [India]
- Sturm, R.**
1998. Hilltopping beim Erdbeerbaumfalter, *Charaxes jasius* L. — Beobachtungen an der südtürkischen Mittelmeerküste (Lepidoptera: Nymphalidae, Charaxinae). *Ent. Zeit.* (Frankfurt), 108:305-316. [Turkey]
- Tennent, W. J.**
1998. The search for *Tiradelphe schneideri* Ackery & Vane-Wright, 1984 (Lepidoptera: Danaeinae). *Brit. J. Ent. Nat. Hist.* (Reading), 10:203-209. (1997) [Solomon Is.]
- Turlin, B.**
1998. Nouveaux taxa de Charaxinae africains (Lepidoptera Nymphalidae). *Lambill.* (Tervuren), 98:181-189. [Cameroon, Fernando Po, Equatorial Guinea, Ghana, Ivory Coast, Yemen]
- Viloria, A. L.**
1998. Un nuevo *Pedaliodes* Butler, 1867 de la Serranía de Tapirapécó, Venezuela (Lepidoptera: Nymphalidae, Satyrinae, Pronophilini). *SHILAP Revta. Lepid.* (Madrid), 26:13-18.
- PAPILIONIDAE**
- Andheria, A. P.**
1998. Roosting habits of the tailed jay butterfly *Graphium agamemnon* (Linnaeus) during the rains. *J. Bombay Nat. Hist. Soc.*, 95:362-363. [India]
- Apte, D.**
1998. *Ficus hispida* (L.F.): a new food plant of the common mime *Chilasa clytia dissimilis* and *Chilasa clytia clytia*. *J. Bombay Nat. Hist. Soc.*, 95:523-524. [India]
- Bollino, M., and G. Sala**
1998a. Un nuovo ibrido di *Papilio (Pterourus)* del Peru' settentrionale (Lepidoptera Papilionidae). *Lambill.* (Tervuren), 98:46-48.
1998b. Description of a new subspecies of *Papilio (Pterourus) zagreus* Doubleday, 1847 from south-eastern Peru with taxonomical notes on the species (Lepidoptera, Papilionidae). *Ent. Africana* (), 3:19-27, pl. 3.
- Brévignon, C.**
1998. Notes sur quelques especes du genre *Parides* Hübner, 1819 en Guyane Française (Lepidoptera Papilionidae). *Lambill.* (Tervuren), 98:435-440. [French Guiana]
- Chumpitazi, M. E.**
1998. Life history of *Eurytides protesilaus dariensis* (Rothschild & Jordan 1906). *News Lepid. Soc.* (Los Angeles), 40:45.
- Fagua, G., N. Ruiz, F. González, and M. G. Andrade**
1998. Calidad del hospedero en el ciclo de desarrollo de *Battus polydamas* (Lepidoptera: Papilionidae: Troidini). *Revta. Colomb. Ent.* (Bogotá), 24:131-140. [Colombia]
- Hall, S. K., and M. Lightowler**
1998. Notes on the captive rearing of *Pharmacophagus antenor* from Madagascar (Lepidoptera: Papilionidae: Troidini). *Trop. Lepid.* (Gainesville), 9:1-3.
- Knötgen, B. von**
1998. Eine bisher nicht bekannte Farbvariante von *Ornithoptera Aetheoptera victorinae rubianus* (Lepidoptera). *Galathea* (Nuremberg), 14:108-110. [Solomon Is.]
- Lamas, G.**
1998. Cinco papiliónidos nuevos del Perú (Lepidoptera: Papilionidae). *Revta. Peruana Ent.* (Lima), 40:127-131.
- Manguin, R.**
1998a. Nouvelle sous-espece chez *Papilio forbesi* Gross-Smith 1883 du Mont Dempo, ile de Sumatra, Indonesie (Lepidoptera: Papilionidae). *Lambill.* (Tervuren), 98:285-286. [Indonesia]
1998b. Nouvelle sous-espece chez *Papilio memnon* L. 1758, des Philippines (Lepidoptera: Papilionidae). *Lambill.* (Tervuren), 98:445-448.
- Moonen, J. J. M.**
1998. Notes on some Papilionidae (Lepidoptera) from Indonesia. *Trans. Lepid. Soc. Japan* (Osaka), 49:219-228.
- Racheli, T., and L. Olmisan**
1998. A cladistic analysis of the genus *Parides* Hübner, [1819], based on androconial structures (Lepidoptera: Papilionidae). *Neue Ent. Nachr.* (Marktleuthen), 41:119-131.
- Rishi, S., G. Sahni, and K. K. Rishi**
[1998]. Female heterogeneity and localized centromeres in *Papilio demoleus* Linn. (Lepidoptera, Papilionidae). *Chromosome Sci.* (Hiroshima), 1: 109-113. [India]
- So, H., and S. Sato**
1998. A new subspecies of *Ornithoptera paradisea* Staudinger, 1893 (Lepidoptera, Papilionidae). *Trans. Lepid. Soc. Japan* (Osaka), 49:135-146. [Papua New Guinea]
- PIERIDAE**
- Anken, R. H.**
1998. 2. Beitrag zur Kenntnis der Tagfalterfauna von Poté. Bearbeitung der um den Jahreswechsel 1996/1997 in Poté (Minas Gerais, Brasilien) gesammelten Tagfalter. Zweiter Teil: Pieridae (Lepidoptera: Rhopalocera). *Faceta* (Ingolstadt), 16:19-50. [Brazil]
- Chadee, D. D.**
1998. Observations on the migratory patterns of the butterfly *Phoebis statira* (Cram.) in north and south Trinidad. *Living World*, 1997-1998:31-32.
- Eitschberger, U., and T. Racheli**
1998. *Catasticta* studies (Lepidoptera: Pieridae). *Neue Ent. Nachr.* (Marktleuthen), 41:4-94, 20 pls. [Neotropical]
- Devy, M. S.**
1998. The occurrence of spot puffin in Kalakad-Mundanthurai Tiger Reserve, southern Western Ghats. *J. Bombay Nat. Hist. Soc.*, 95:522-523. [India]
- Fitzgerald, T. D., and D. L. A. Underwood**
1998. Trail marking by the larva of the Madrone Butterfly *Eucheira socialis* and the role of the trail pheromone in communal foraging behavior. *J. Ins. Behav.* (New York), 11:247-263. [Mexico]
- Gracioli, G., L. R. Oliveira, L. R. Redaelli, and H. P. Romanowsky**
1998. Description, biology of the immature stages and reproductive potential of *Tatochila autodice* (Hübner, 1818) (Lepidoptera, Pieridae), in Rio Grande do Sul, southern Brazil. *Revta. Bras. Biol.* (Rio de Janeiro), 58: 17-24.
- Jasinski, A.**
1998. Description of a new species of *Catasticta* from Ecuador (Lepidoptera: Pieridae). *Genus* (Wroclaw), 9:399-404.
- Kunte, K.**
1998. The plain puffin *Appias indra* Swinhoe: behaviour, life-history and distribution. *J. Bombay Nat. Hist. Soc.*, 95:137-139, 1 pl. [India]
- Leonard, I.**
1998. Lepidópteros cubanos. *Phoebis avellaneda* (Herrich-Schaffer [sic]). *Mariposas Mundo* (Buenos Aires), 4:15-16.
- Olivares, T. S., and N. E. Hormazábal**
1998. Redescrípción del adulto, larva, pupa farata y algunos aspectos biológicos de *Tatochila autodice blanchardi* Butler (Lepidoptera: Pieridae). *Revta. Chil. Ent.* (Santiago), 25:5-9. [Chile]
- Pérez, V., E. Mutschke, and M. Vera**
1998. Hexápodos (Arthropoda: Parainsecta e Insecta) en territorios en proceso de desglaciación y revegetación en Fuego-Patagonia (Chile). *An. Inst. Patagonia (Cienc. Nat.)* (Punta Arenas), 25:57-76.
- Picanço, M., L. J. Ribeiro, G. L. D. Leite, and M. R. Gusmão**
1998. Seletividade de inseticidas a *Polybia ignobilis* (Haliday) (Hymenoptera: Vespidae) predador de *Ascia monuste orseis* (Godart) (Lepidoptera: Pieridae). *An. Soc. Ent. Bras.* (Itabuna), 27:85-90. [Brazil]
- Smetacek, P.**
1998. *Pieris brassicae* Linnaeus (Lepidoptera: Pieridae) in Delhi. *J. Bombay Nat. Hist. Soc.*, 94:584-585 (1997). [India]
- Tennent, W. J.**
1998. The previously unknown female of *Delias alberti tetamba* Arora (Lepidoptera: Pieridae). *Brit. J. Ent. Nat. Hist.* (Reading), 11:69-71, pl. 4. [Solomon Is.]
- Tuzov, V. K., and S. V. Churkin**
1998. New subspecies of *Delias* Hübner, 1819 (Lepidoptera: Pieridae) from Irian Jaya (Indonesia). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:43-49.
- Verhulst, J.**
1998. Fiches spécifiques des *Colias* Fabricius (colias data sheets) (Lepidoptera, Pieridae). *Lambill.* (Tervuren), 98:659-663. [Peru]
- Wojtuski, J.**

1998. North Andean cloud forest and subparamo species of the genus *Catasticta*: *C. chrysolopha* Kollar, *C. spectrum* Reissinger and *C. abdita* new species (Lepidoptera: Pieridae). *Lambill.* (Tervuren), 98:595-599. [Colombia, Venezuela]
- PLUTELLIDAE**
- Landry, B., and J.-F. Landry**
1998. Yponomeutidae of the Galápagos Islands, with description of a new species of *Prays* (Lepidoptera: Yponomeutoidea). *Trop. Lepid.* (Gainesville), 9:31-40. [Ecuador]
- Rodríguez, S. M., C. Trouhot, and P. I. Carrizo**
- [1998]. Observaciones biológicas sobre *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) en canola (*Brassica napus oleifera*) y en mostacilla (*Raphistrum rugosum* L. All.). *Revta. Chil. Ent.* (Santiago), 24:5-8. (1997) [Chile]
- PSYCHIDAE**
- Davis, D. R.**
1998. A revision of the genus *Lamyristis* Meyrick (Lepidoptera: Psychidae) and proposal of a new related genus *Acoremata* from Southeast Asia. *Proc. Ent. Soc. Washington*, 100:114-125. [Brunei, Philippines, Sri Lanka]
- Rhainds, M., G. Gries, and A. Saleh**
1998. Density and pupation site of apterous female bagworms, *Metisa plana* (Lepidoptera: Psychidae), influence the distribution of emergent larvae. *Can. Ent.* (Ottawa), 130:603-613. [Indonesia (Sumatra)]
- PTEROPHORIDAE**
- Arenberger, E.**
- 1998a. Meyrick-Typen aus der Sammlung des Deutschen Entomologischen Instituts Eberswalde (Insecta, Lepidoptera, Pterophoridae). *Beitr. Ent.* (Berlin), 48:175-177. [India, Taiwan]
- 1998b. The types of the species of *Cosmoclostis* Meyrick (Lepidoptera: Pterophoridae) and their genitalia. *Ent. Scand.* (Copenhagen), 28:367-379. [Africa, Australia, India, Papua New Guinea, Sri Lanka]
- Conant, P.**
1998. A new host record for *Oidaematophorus beneficus* Yano and Heppner (Lepidoptera: Pterophoridae). *Proc. Haw. Ent. Soc.* (Honolulu), 33: 151-152. [Hawaii]
- PYRALIDAE**
- Ganeharaichchi, G. A. S. M.**
1998. Aspects of the biology of *Diaphania indica* (Lepidoptera: Pyralidae). *J. Natl. Sci. Council Sri Lanka* (Colombo), 25:203-209. [Sri Lanka]
- Gentili, P., and M. A. Solis**
1998. Checklist and key of New World species of *Omiodes* Guenée with descriptions of four new Costa Rican species (Lepidoptera: Crambidae). *Ent. Scand.* (Copenhagen), 28:471-492. [Neotropical]
- Horak, M.**
1998. A reassessment and review of the Australian genus *Ctenomeristis* Meyrick (Lepidoptera: Pyralidae: Phycitinae). *Ent. Scand.* (Copenhagen), 28:445-470. [Australia]
- Johnson, D. M., and P. D. Stiling**
1998. Distribution and dispersal of *Cactoblastis cactorum* (Lepidoptera: Pyralidae), an exotic *Opuntia*-feeding moth, in Florida. *Fla. Ent.* (Gainesville), 81:12-22. [USA]
- Landry, B., and H. H. Neunzig**
1998. A review of the Phycitinae of the Galápagos Islands (Lepidoptera: Pyralidae). *Ent. Scand.* (Copenhagen), 28:493-508. [Ecuador]
- Maes, K. V. N.**
- 1998a. *Ethiobotys*, a new genus of Pyraustinae from the Afrotropical region (Lepidoptera: Pyraloidea: Crambidae). *Bull. Ann. Soc. Roy. Belg. Ent.* (Brussels), 133:389-402. (1997) [Africa]
- 1998b. The genus *Placosaris* Meyrick, 1897 in the Afrotropical region with the description of a new species (Lepidoptera, Pyraloidea, Crambidae, Pyraustinae). *Lambill.* (Tervuren), 98:25-28. [Congo, Madagascar]
- 1998c. Revision of the genus *Marwitzia* Gaede, 1917 (Lepidoptera, Pyraloidea, Crambidae, Spilomelinae). *Lambill.* (Tervuren), 98:365-371. [Cameroon, Tanzania, Uganda]
- 1998d. On the morphology of the gnathos in the Pyraloidea (Lepidoptera). *Ent. Scand.* (Copenhagen), 28:381-390.
- Mathew, G., and K. K. Seethalakshmi**
1998. A new report of *Achroia grisella* Fb. (Lepidoptera: Galleriidae) as a seed pest of bamboo reed (*Ochlandra ebracteata* Raizada and Chatterjee). *Entomon* (Trivandrum), 23:239-240. [India]
- Newton, A. C., J. P. Cornelius, J. F. Mesén, E. A. Corea, and A. D. Watt**
1998. Variation in attack by the mahogany shoot borer, *Hypsipyla grandella* (Lepidoptera: Pyralidae), in relation to host growth and phenology. *Bull. Ent. Res.* (London), 88:319-326. [Costa Rica]
- Nuss, M.**
1998. The Scopariinae and Heliothelinae stat. rev. (Lepidoptera: Pyraloidea, Crambidae) of the Oriental Region — a revisional synopsis with descriptions of new species from the Philippines and Sumatra. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:475-528. [Oriental]
- Sardana, H. R.**
1998. Distribution pattern of the sugarcane shoot borer, *Chilo infuscatellus* Snellen. *Ins. Sci. Appl.* (Nairobi), 17:369-372. (1997) [India]
- Sasaki, A.**
1998. Notes on the Scopariinae from Taiwan, with descriptions of nine new species (Lepidoptera, Crambidae). *Tinea* (Tokyo), 15:191-201.
- Shaffer, J. C.**
1998. A preliminary revision and cladistic analysis of the Ethiopian species of *Ematheudes* (Lepidoptera: Pyralidae: Phycitinae: Peoriini). *Ent. Scand.* (Copenhagen), 28:403-444. [Africa]
- Sharma, H. C.**
1998. Bionomics, host plant resistance, and management of the legume pod borer, *Maruca vitrata*. A review. *Crop Prot.* (Oxford), 17:373-386. [India]
- Skrikantaiah, M., S. S. Joshi, and C. A. Viraktamath**
1998. New host records of the almond moth, *Ephestia cautella* (Walker) (Lepidoptera: Phycitidae) in south India. *Entomon* (Trivandrum), 22: 251-253. (1997)
- Solis, M. A.**
1998. *Michaelshaffera* gen. n. — a pyraloid taxon lacking an abdominal tympanal organ (Lepidoptera: Pyralidae). *Ent. Scand.* (Copenhagen), 28:391-402. [Neotropical]
- Solis, M. A., and D. Adamski**
1998. Review of the Costa Rican Glaphyriinae (Lepidoptera: Pyraloidea: Crambidae). *J. New York Ent. Soc.*, 106:1-55.
- Solis, M. A., and M. Horak (eds.)**
1998. Pyraloidea studies: Festschrift for Michael Shaffer. *Ent. Scand.* (Stenstrup), 28:361-551 (1997).
- Speidel, W.**
- 1998a. The genus *Eoophyla* Swinhoe, 1900 from the Philippine Islands (Lepidoptera: Crambidae, Acentropinae). *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:465-474.
- 1998b. The genus *Nymphicula* Snellen, [1880] in the Philippines (Lepidoptera: Crambidae: Acentropinae). *Esperiana* (Schwanfeld), 6:533-546, pl. U.
- 1998c. Studies on the phylogeny of the Acentropinae (Lepidoptera, Crambidae). *Mem. Soc. Roy. Belg. Ent.* (Brussels), 38:25-30.
- Tokro, P. G., and K. N. Saxena**
1998. Behavioural responses of the stem borer *Chilo partellus* Swinhoe (Lepidoptera: Pyralidae), first instar larvae to some environmental factors. *Entomon* (Trivandrum), 23:69-75. [Kenya]
- Tominaga, S.**
- 1998a. Hostplants of a thyridid and two pyraustine pyralid moths in Okinawa. *Japan Heteroc. J.* (Tokyo), (201):7-8. [in Japanese]
- 1998b. Biological notes of *Glyphodes perspectalis* (Walker) and *Herpetogramma basalis* (Walker) (Pyralidae) in Okinawa. *Yugato* (Niigata), 154: 119-120. [in Japanese]
- Yamanaka, H.**
- 1998a. A new species of the genus *Maruca* Walker (Lepidoptera, Crambidae, Pyraustinae) from Sulawesi. *Tinea* (Tokyo), 15:306-309. [Indonesia]
- 1998b. Pyralidae of Nepal (II). In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):99-116, pl. 141-143.
- RHOPALOCERA**
- Andrade, M. G.**
1998. Utilización de las mariposas como bioindicadoras del tipo de hábitat y su biodiversidad en Colombia. *Revta. Acad. Colomb. Cienc. Exact. Fisic. Nat.* (Bogota), 22(84):407-421.
- Anken, R. H.**
1998. 1. Beitrag zur Kenntnis der Tagfalterfauna von Poté. Bearbeitung der um den Jahreswechsel 1996/97 in Poté (Minas Gerais, Brasilien) gesammelten Tagfalter. Erster Teil: Lycaenidae und Nymphalidae (ohne Satyrinae). *Facetta* (Ingolstadt), 15:18-20, 24-44 (pl. 4). [Brazil]
- Barnett, L. K., and C. Emms**
1998. Butterfly observations on the Chagos Archipelago: a review and update. *Ent. Rec. J. Var.* (Surrey), 110:73-79. [India]
- Barone, J. A.**
1998. Host-specificity of folivorous insects in a moist tropical forest. *J. Anim. Ecol.* (Oxford), 67:400-409. [Hesperiidae, Nymphalidae; Panama]
- Bugatti, C. L.**

1998. Flores y frutales que atraen a las esquivas mariposas. *Mariposas Mundo* (Buenos Aires), 4:10. [Argentina]
- Casagrande, M. M., O. H. H. Mielke, and K. S. Brown, Jr.**
1998. Borboletas (Lepidoptera) ameaçadas de extinção em Minas Gerais, Brasil. *Revta. Bras. Zool. (Curitiba)*, 15:241-259. [Brazil]
- Constantino, L. M.**
1998. Butterfly life history studies, diversity, ranching and conservation in the Chocó rain forests of western Colombia (Insecta: Lepidoptera). *SHILAP Revta. Lepid. (Madrid)*, 26:19-39.
- Constantino, L. M., and J. A. Salazar**
1998. Descripción de nuevas especies, subespecies y nuevos registros de ropalóceros para Colombia (Lepidoptera: Lycaenidae, Riodinidae, Nymphalidae, Charaxinae, Satyrinae, Morphinae). *SHILAP Revta. Lepid. (Madrid)*, 26:197-205.
- Crosby, D. F.**
1998. The butterflies of Mount Buffalo National Park. *Vict. Natural. (Blackburn)*, 115:222-225. [Australia]
- Davies, N., and D. S. Smith**
1998. Munroe revisited: a survey of West Indian butterfly faunas and their species-area relationship. *Global Ecol. Biogeog. Lett. (Oxford)*, 7:285-294.
- Dening, T.**
1998. Hong Kong update. *Ent. Rec. J. Var. (Surrey)*, 110:243-244.
- Devy, M. S., T. Ganesh, and P. Davidar**
1998. Patterns of butterfly distribution in the Andaman Islands: implications for conservation. *Acta Oecol. (Montrouge)*, 19:527-34. [India]
- Fairus, J. M., A. Hassan, and I. C. Hanisah**
1998. A list of butterflies (Lepidoptera: Rhopalocera) from Pulau Kajicuaca, Muda Reservoir, Kedah, Malaysia. *Serangga (Bangi)*, 3:239-241.
- Grados, J.**
1998. Informe del inventario de la fauna de mariposas del Bosque Nacional de Tumbes. In W. H. Wust (ed.), *La Zona Reservada de Tumbes. Biodiversidad y diagnóstico socioeconómico*, 89-93. Lima: Fondo Nac. Areas Nat. Protegidas Estado. [Peru]
- Hassan, A., J. M. Fairus, I. C. Hanisah, and M. R. C. Salmah**
1998. A list of butterflies (Lepidoptera: Rhopalocera) from Kampung Bongor, a remote village near the Malaysia-Thailand border. *Serangga (Bangi)*, 3:243-246.
- Hernández, L. R., L. D. Miller, J. Y. Miller, M. J. Simon, and T. W. Turner**
1998. New records and range extensions of butterflies from eastern Cuba. *Carib. J. Science (Mayaguez)*, 34:324-327.
- Jong, R. de**
1998. Halmahera and Seram [sic]: different histories, but similar butterfly faunas. In *Biogeography and geological evolution of SE Asia*, 315-325. Leiden: Backhuys Publ. [Indonesia]
- Kielland, J.**
1998. *Butterflies of Tanzania. Supplement*. Keltern. 150pp.
- Knudsen, H., and J. M. Olesen**
[1998]. Butterfly communities of a Costa Rican moist forest. *Brenesia (San Jose)*, 45/46:189-194.
- Kunte, K. J.**
1998. Seasonal patterns in butterfly abundance and species diversity in four tropical habitats in northern Western Ghats. *J. Biosci. (Bangalore)*, 22:593-603. (1997) [India]
- Lamas, G.**
1998. Additions and corrections to the Bibliography of Butterflies in the Atlas of Neotropical Lepidoptera. No. II. Comprising mostly works published during 1996 and 1997. *Lepid. News (Gainesville)*, 1998(3): 34-56.
- Legler, O.**
1998. Beitrag zur Kenntnis der Tagfalterfauna der Insel Kuba, Grosse Antillen (Lepidoptera: Rhopalocera). *Nachr. Ent. Ver. Apollo (Frankfurt)*, (n.s.) 18:397-410. [Cuba]
- Lewis, O. T., R. J. Wilson, and M. C. Harper**
1998. Endemic butterflies on Grande Comoro: habitat preferences and conservation priorities. *Biol. Conserv. (Oxford)*, 85:113-121. [Comoro Is.]
- Liow, L. H.**
1998. A note on the bird (Aves) and butterfly species (Lepidoptera) of Palau Tulai, Palau Sribuat-Sembilang and Palau Pemanggil, Malaysia. *Raffles Bull. Zool. (Singapore)*, 46:360.
- Llorente-B., J. E., L. Oñate-O., A. Luis-M., and I. Vargas-F.**
[1998]. *Papilionidae y Pieridae de México: Distribución Geográfica e Ilustración*. Mexico City: Univ. Nac. Auton. Mexico. 229pp (28 pl.). (1997).
- Maza, R. G. de la, and J. Soberón**
1998. Morphological grouping of Mexican butterflies in relation to habitat association. *Biodiver. Conserv. (London)*, 7:927-944. [Mexico]
- Mey, W., M. Nuss, and W. Speidel**
1998. Data about Lepidoptera diversity in the afromontane region of Malawi (Insecta, Microlepidoptera and Heterocera). *Mem. Soc. Roy. Belg. Ent. (Brussels)*, 38:155-170.
- Mielke, O. H. H., and M. M. Casagrande**
1998a. Papilionoidea e Hesperioidea (Lepidoptera) do Parque Estadual do Morro do Diabo, Teodoro Sampaio, São Paulo, Brasil. *Revta. Bras. Zool. (Curitiba)*, 14:967-1001. [Brazil]
- 1998b. Sobre os tipos de Lepidoptera depositados em museus brasileiros. XXIII. Papilionidae, Pieridae e Nymphalidae (Morphinae, Nymphalinae) descritos por J. F. Zikán (suplemento) e Apateodidae descritos por M. Draudt. *Revta. Bras. Zool. (Curitiba)*, 15:1069-1074. [Brazil]
- 1998c. Butterflies of the Ilha de Maracá. In W. Milliken and J. A. Ratter (eds.), *Maracá: The Biodiversity and Environment of an Amazonian Rainforest*, 355-359, 467-478. Chichester: J. Wiley. [Brazil]
- Miller, L. D., and M. J. Simon**
1998a. A preliminary annotated list of the butterflies (Lepidoptera: Rhopalocera) of Cat Island, Bahamas. *Bahamas J. Sci. (Nassau)*, 6:35-42.
- Moreno, M., X. Silva, and G. Estévez**
1998. *Mariposas del Ecuador*. Quito: Occid. Explor. Prod. Co. 167pp.
- Morishita, K.**
1998. Linnaean butterflies from Guangzhou (Canton) — a visit to S. China Agricultural University. *Yadoriga (Osaka)*, 179:2-7. [in Japanese]
- Muller, C. J.**
1998a. New larval foodplant records for butterflies (Lepidoptera) in northern Queensland. *Austr. Ent. (Brisbane)*, 25:33-38. [Australia]
- 1998b. New distribution and host plant records for butterflies (Lepidoptera) in New South Wales. *Austr. Ent. (Brisbane)*, 25:65-66. [Australia]
- Murata, Y.**
1998a. Notes on the evolutionary process of butterflies and butterfly fossils (Part I). *Butterflies (Tokyo)*, 20:4-17. [in Japanese]
- 1998b. Notes on the evolutionary process of butterflies and butterfly fossils (Part II). *Butterflies (Tokyo)*, 21:27-40. [in Japanese]
- Oliveira, E. G., R. B. Srygley, and R. Dudley**
1998. Do Neotropical migrant butterflies navigate using a solar compass? *J. Exp. Biol. (Cambridge)*, 201:3317-3331.
- Parsons, M.**
[1998]. *The Butterflies of Papua New Guinea: their Systematics and Biology*. San Diego: Academic Pr. 736pp (136 pl.). ("1999")
- Peck, S. B., J. Heraty, B. Landry, and B. J. Sinclair**
1998. Introduced insect fauna of an oceanic archipelago: the Galápagos Islands, Ecuador. *Amer. Ent. (Lanham)*, 44:218-237. [Hesperiidae, Lycaenidae]
- Powell, R.**
1998. Two additional species of butterfly recorded from Rottneest Island. *W. Austr. Nat. (Nedlands)*, 22:136. [Lycaenidae, Nymphalidae; Australia]
- Racheli, T., and L. Racheli**
1998a. Lepidoptera diversity of an Ecuadorian lowland rain forest (Lepidoptera: Papilionidae, Pieridae, Nymphalidae, Saturniidae, Sphingidae). *Neue Ent. Nachr. (Marktlee)*, 41:95-117. [Ecuador]
- Rezbanyai-Reser, L.**
1998. Beiträge zur Insektenfauna von Jamaika, Westindien (Karibik). 1. Einleitung und Tagfalter (Lepidoptera: Rhopalocera). *Ent. Ber. Luzern*, 39:131-182. [Jamaika]
- Rincón, A. D.**
1998. Lepidópteros ropalóceros de la Isla de Toas, Venezuela. *Bol. Cent. Invest. Biol. Univ. Zulia (Maracaibo)*, 32:125-138.
- Sime, K. R., and A. Van Z. Brower**
1998. Explaining the latitudinal gradient anomaly in ichneumonid species richness: evidence from butterflies. *J. Anim. Ecol. (Oxford)*, 67:387-399.
- Smith, D. S., L. R. Hernández, and N. Davies**
1998. The butterflies of the Isle of Pines, Cuba: eighty years on. *Ann. Carnegie Mus. (Pittsburgh)*, 67:281-298.
- Warren, A. D., I. Vargas-F., A. Luis-M., and J. Llorente-B.**
1998. Butterflies of the state of Colima, Mexico. *J. Lepid. Soc. (Los Angeles)*, 52:40-72.
- Wood, B., and M. P. Gillman**
1998. The effects of disturbance on forest butterflies using two methods of sampling in Trinidad. *Biodiver. Conserv. (London)*, 7:597-616.
- Yang, D.-R.**
1998. Studies on the structure of the butterfly community and diversity in the fragmentary tropical rainforest of Xishuangbanna, China. *Acta Ent. Sinica (Beijing)*, 41:48-55. [in Chinese]
- Zaidi, M. I., A. B. Idris, and H. Hadzureau**
1998. Butterfly fauna of the Kuala Lumpur sedtor of Krau Wildlife reservem Pahang: an additional survey and assessment. *Serangga (Bangi)*, 3:211-

RIODINIDAE

Brévignon, C., and J.-V. Gallard

- 1998a. Inventaire des Riodinidae de Guyane Française. III Riodinidae: Riodinini. Description de nouveaux taxa (Lepidoptera). *Lambill.* (Tervuren), 98:7-24. [French Guiana]
- 1998b. Inventaire des Riodinidae de Guyane Française. IV Riodininae: Symmachiini, Charitini, Helicopini. Description de nouveaux taxa (Lepidoptera). *Lambill.* (Tervuren), 98:304-320. [French Guiana]
- 1998c. Inventaire des Riodinidae de Guyane Française. V Riodininae: "Emesini", Lemoniini. Description de nouveaux taxa (Lepidoptera). *Lambill.* (Tervuren), 98:483-498. [French Guiana]

Hall, J. P. W.

- 1998a. A review of the genus *Sarota* (Lepidoptera: Riodinidae). *Trop. Lepid.* (Gainesville), 9 (suppl. 1):1-21. [Neotropical]
- 1998b. Six new species in the "foliorum group" of *Theope* (Lepidoptera: Riodinidae). *Lambill.* (Tervuren), 98:562-573. [Brazil, Ecuador, French Guiana, Panama, Peru]

Hall, J. P. W., and D. J. Harvey

1998. A new genus of Riodinid, with a new species from Panama (Lepidoptera: Riodinidae). *Trop. Lepid.* (Gainesville), 9 (suppl. 1):36-41.

Hall, J. P. W., and K. R. Willmott

- 1998a. Four new riodinid species from eastern Ecuador (Lepidoptera: Riodinidae). *Lambill.* (Tervuren), 98:325-334.
- 1998b. Three new species of Riodinini from the cloud forests of Ecuador (Lepidoptera: Riodinidae). *Trop. Lepid.* (Gainesville), 9 (suppl. 1):22-26.
- 1998c. Nine new species and one new subspecies of *Euselasia* from Ecuador (Lepidoptera: Riodinidae). *Trop. Lepid.* (Gainesville), 9 (suppl. 1):27-35.

SATURNIIDAE

Beutelspacher-B., C. R., and M. Balcázar-L.

1998. Saturniidae of "Los Altos de Chiapas," México (Lepidoptera: Bombycoidea). *Trop. Lepid.* (Gainesville), 9:19-22.

D'Abrera, B.

1998. *Saturniidae Mundi: Saturniid Moths of the World. Pt. III.* London: Hill House. 171pp (88 pl.).

Eitschberger, U., and G. Brehm

1998. Bildliche Darstellung der Präimaginalstadien von *Actias selene* aus Nord-Indien (Lepidoptera: Saturniidae). *Trop. Lepid.* (Gainesville), 9:23-27. [India]

Furtado, E.

1998. Immature stages of *Loxolomia johnsoni* Schaus (Lepidoptera, Saturniidae, Arsenurinae). *Revta. Bras. Zool.* (Curitiba), 15:847-852. [Brazil] [in Portuguese]

Furtado, E., and L. Racheli

- 1998a. The preimaginal stages of *Orthorene hodeva* (Druce, 1904) (Lepidoptera: Saturniidae, Ceratocampinae). *Neue Ent. Nachr.* (Marktleuthen), 41:173-176. [Brazil]
- 1998b. Description of the preimaginal stages of *Schausiella spitzi* Travassos, 1958 (Lepidoptera: Saturniidae, Ceratocampinae). *Neue Ent. Nachr.* (Marktleuthen), 41:177-181. [Brazil]

Lemaire, C., and C. G. C. Mielke

1998. A new *Automerella* from southeastern Brazil (Lepidoptera: Saturniidae: Hemleucinae). *Trop. Lepid.* (Gainesville), 9:59-60.

Mohanraj, P., K. Veenakumari, and S. Naumann

1998. *Samia fulva* Jordan, 1911 from the Andaman Islands, India (Indian Ocean) — preimaginal instars, host plants and taxonomical notes (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:51-63.

Nässig, W. A., and C. G. Treadaway

1998. The Saturniidae (Lepidoptera) of the Philippines. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:223-424.

Naumann, S.

- 1998a. Description of the female of *Saturnia cameronensis* from West Malaysia (Lepidoptera: Saturniidae). *Trop. Lepid.* (Gainesville), 9:15-17.
- 1998b. *Loepa obscurmarginata* n. sp., eine neue Saturniide aus der Volksrepublik China (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:49-56.
- 1998c. *Samia treadawayi* (Lepidoptera: Saturniidae), a new species from Palawan Island, Philippines. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:449-456.

Naumann, S., and T. Bouyer

1998. *Actias angulocaudata* n. sp., eine neue Saturniide aus der Volksrepublik China (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:224-231.

Naumann, S., and W. A. Nässig

1998. Two new species of *Antheraea* (*Antheraea*) of the *helferi*-group from eastern Indonesia (Lepidoptera: Saturniidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 18:319-330.

Paukstadt, U., and L. H. Paukstadt

- 1998a. Die wilden Seidenspinner der östlichen Kleinen Sundainseln, Indonesien — eine Übersicht der bisherigen Ergebnisse unserer entomologischen Reisen (Lepidoptera: Saturniidae). *Galathea* (Nuremberg), Suppl. 4:1-34. [Indonesia]
- 1998b. *Cricula trifenestrata cameronensis* n. subsp., eine neue Unterart der Gattung *Cricula* Walker 1855 aus West Malaysia (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:129-141.

Paukstadt, U., L. H. Paukstadt, and U. Brosch

- 1998a. *Antheraea* (*Antheraea*) *myanmarensis* n. sp., eine neue Saturniide von Südostasien (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:57-64. [Myanmar]
- 1998b. Taxonomische Änderungen und Anmerkungen zu den Taxa der Gattung *Antheraea* Hübner [1819] von Sumatera, Indonesien (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:317-324. [Indonesia (Sumatra)]

Paukstadt, U., L. H. Paukstadt, and Y. R. Suhardjono

1998. *Cricula trifenestrata tenggarensis* n. subsp., eine neue Unterart der Gattung *Cricula* Walker 1855 von den östlichen Kleinen Sundainseln, Indonesien (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:232-240. [Indonesia (Sunda Is.)]

Paukstadt, U., R. S. Peigler, and L. H. Paukstadt

1998. *Samia naumanni* n. sp., eine neue Saturniide von den Banggai- und Sula-Inseln, Indonesien (Lepidoptera: Saturniidae). *Ent. Zeit.* (Frankfurt), 108:114-121. [Indonesia (Moluccas)]

Piñas-Rubio, F., and L. Racheli

1998. Distributional notes on Ecuadorian Saturniidae (Lepidoptera). *Neue Ent. Nachr.* (Marktleuthen), 41:157-161.

Racheli, L.

- 1998a. Some remarks on the saturniids of Guatemala (Lepidoptera: Saturniidae). *Neue Ent. Nachr.* (Marktleuthen), 41:143-148.
- 1998b. Additions and corrections to the lists of Ecuadorian Saturniidae (Lepidoptera: Saturniidae). *Neue Ent. Nachr.* (Marktleuthen), 41:149-155.

Racheli, L., and T. Racheli

- 1998a. A new subspecies of *Arsenura thomsoni* Schaus, 1906 from western Amazonia (Lepidoptera: Saturniidae, Arsenurinae). *SHILAP Revta. Lepid.* (Madrid), 26:67-69. [Peru]
- 1998b. The Saturniidae of the Loreto Road, Napo Province, Ecuador (Lepidoptera). *Neue Ent. Nachr.* (Marktleuthen), 41:163-172.

SESIIDAE

Arita, Y., and O. G. Gorbunov

- 1998a. A revision of Ferdinand Le Cerf's clearwing moth types (Lepidoptera, Sesiidae), kept at the Paris Museum. III. The genus *Chamanthodon* Le Cerf, 1916 in the Oriental region. *Trans. Lepid. Soc. Japan* (Osaka), 49:19-29.
- 1998b. A revision of Embrik Strand's clearwing moth types (Lepidoptera: Sesiidae) from Taiwan. *Zhong. Kunchong* (Taipei), 18:141-165.

Eichlin, T. D.

1998. Western Hemisphere clearwing moths of the tribe Osminiini (Lepidoptera: Sesiidae: Sesiinae). *Holarctic Lepid.* (Gainesville), 5:23-33. [Colombia, Mexico, USA]

Gorbunov, O. G., and Y. Arita

1998. A revision of Ferdinand Le Cerf's clearing moth types (Lepidoptera, Sesiidae), kept at the Paris Museum. IV. The genera *Aenigmata* Le Cerf, 1912, *Homogyna* Le Cerf, 1911 and *Nyctaegeria* Le Cerf, 1914 in the Afrotropical region. *Tinea* (Tokyo), 15:281-296. [Congo, Kenya, Tanzania, Zambia]

Gorbunov, O. G., and A. Kallies

1998. Two new species of the genus *Cyanosesia* Gorbunov & Arita, 1995 (Lepidoptera, Sesiidae) from the Oriental Region. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:457-464. [Indonesia (Java), Philippines]

Kallies, A., and Y. Arita

- 1998a. Revision of *Paranthrene chrysoidea* Zukowsky, 1932 (Lepidoptera, Sesiidae) from Taiwan. *Sp. Diversity* (Sapporo), 3:211-217.
- 1998b. New and little known clearwing moths (Lepidoptera, Sesiidae) from the Philippine Islands. *Trans. Lepid. Soc. Japan* (Osaka), 49:245-270.

Steinbauer, M. J.

1998. Host plant phenotype and the impact and development of *Carmentia mimosa*, a biological control agent of *Mimosa pigra* in Australia. *Biol. Contr.* (Orlando), 13:182-189.

SOMABRACHYIDAE

Geertsema, H.

1998. Studies on African zygaenoid moths (Lepidoptera: Zygaenoidea). The genus *Psycharium* Herrich-Schäffer, with descriptions of frou new species (Somabrachyidae). *S. Afr. J. Zool.* (Pretoria), 33:210-225.
- SPHINGIDAE**
- Beutelspacher, C. R.**
- 1998a. Lepidópteros de Rizo de Oro, Chiapas, México I (Lepidoptera: Sphingidae). *SHILAP Revta. Lepid.* (Madrid), 26:117-123.
- 1998b. Lepidoptera de "El Burrero", Ixtapa, Chiapas, México I (Lepidoptera: Sphingidae). *SHILAP Revta. Lepid.* (Madrid), 26:131-138.
- Brechlin, R.**
- 1998a. Sechs neue indoaustralischen Schwärmerarten (Lepidoptera, Sphingidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:23-42. [Indonesia]
- 1998b. *Clanis euroa baratana*, eine neue, westliche Unterart von *Clanis euroa* Rothschild & Jordan, 1903 (Lepidoptera: Sphingidae). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:239-246. [Indonesia]
- Bortolin, A., F. Fabiano, A. Sforzi, and L. Bartolozzi**
1998. A contribution to the knowledge of the Sphingidae of north India (Insecta, Lepidoptera). *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:141-148.
- Cadiou, J.-M.**
- 1998a. Three new day-flying Sphingidae from Sulawesi (Lepidoptera). *Lambill.* (Tervuren), 98 (Suppl. 1):2-6; 197. [Indonesia (Sulawesi)]
- 1998b. A new *Ambulyx* from Sri Lanka, and two new *Macroglossum*, one from Sulawesi and one from Halmahera (Lepidoptera, Sphingidae). *Lambill.* (Tervuren), 98:441-444.
- 1998c. A new Sonoran *Sphinx* and another new *Cypa* from Sulawesi (Lepidoptera, Sphingidae). *Lambill.* (Tervuren), 98:620-628. [Indonesia, Mexico]
- Cadiou, J.-M., and R. W. Hodges**
1998. *Adhemarius donysa* (Druce): identification and notes on closely related species (Lepidoptera: Sphingidae). *Proc. Ent. Soc. Washington*, 100: 202-208. [Neotropical]
- Cadiou, J.-M., and I. J. Kitching**
1998. A new species of *Ampelophaga* from Nepal and northeastern India (Lepidoptera: Sphingidae). *Lambill.* (Tervuren), 98:353-358, 664.
- Cadiou, J.-M., and J. E. Rawlins**
1998. Description of a new *Perigonia* from the Dominican Republic (Lepidoptera, Sphingidae). *Lambill.* (Tervuren), 98:613-619.
- Eitschberger, U.**
1998. Zwei neue Arten der Schwärmergattung *Euryglottis* (Lepidoptera: Sphingidae). *Trop. Lepid.* (Gainesville), 9:61-75. [Peru, Venezuela]
- Händel, J.**
1998. Kommentiertes Verzeichnis der Sphingiden der Afrika-Expeditionen des Museums für Naturkunde Berlin — ein Beitrag zur kenntnis der Schwärmerfauna des südlichen Afrika (Lepidoptera: Sphingidae). *Ent. Zeit.* (Frankfurt), 108:377-384. [Malawi, Namibia, South Africa, Zimbabwe]
- Hogenes, W., and C. G. Treadaway**
1998. The Sphingidae (Lepidoptera) of the Philippines. *Nachr. Ent. Ver. Apollo* (Frankfurt), Suppl. 17:17-132.
- Inoue, H.**
1998. On the systematic status of *Macroglossum palauensis* Matsumura (Lepidoptera, Sphingidae). *Trans. Lepid. Soc. Japan* (Osaka), 49:16-18.
- Léon-Cortés, J., and A. R. Pescador**
1998. The Sphingidae of Chajul, Chiapas, Mexico. *J. Lepid. Soc.* (Los Angeles), 52:105-114.
- Moulds, M. S.**
1998. New larval food plants for Australian hawk moths (Lepidoptera: Sphingidae). *Austr. Ent.* (Brisbane), 25:13-22.
- Moulds, M. S., and R. B. Lachlan**
1998. An annotated list of the hawk moths (Lepidoptera: Sphingidae) of Western Province, Papua New Guinea. *Austr. Ent.* (Brisbane), 25:45-60.
- Ohbayashi, T.**
1998. Record of *Daphnis nerii* (Linnaeus) (Sphingidae, Macroglossinae) from Chichijima Island of the Ogasawara (Bonin) Islands. *Japan Heteroc. J.* (Tokyo), (198):390. [in Japanese]
- Racheli, L., and T. Racheli**
1998. Further records of Ecuadorian Sphingidae (Lepidoptera: Sphingidae). *Neue Ent. Nachr.* (Marktleuthen), 41:137-141.
- Tanahara, I.**
- 1998a. Larvae and hostplants of *Cephonodes xanthus* Rothschild & Jordan (Sphingidae) in Okinawa island. *Japan Heteroc. J.* (Tokyo), (198):377-378. [in Japanese]
- 1998b. On the hostplant of *Macroglossum heliophila* Boisduval (Sphingidae). *Japan Heteroc. J.* (Tokyo), (198):379. [in Japanese] [Ryukyu Is.]
- 1998c. *Hippotion celerio* (Linnaeus) (Sphingidae) in Okinawa Island, with reference to its larva and hostplants. *Japan Heteroc. J.* (Tokyo), (199):408-409.
- 1998d. Larvae and hostplants of six species of *Macroglossum* (Sphingidae) found in Okinawa. *Japan Heteroc. J.* (Tokyo), (200):430-432. [in Japanese]
- Tennent, W. J., and I. J. Kitching**
1998. A reappraisal of two endemic hawkmoths (Lepidoptera: Sphingidae) from the Solomons Archipelago. *Nachr. Ent. Ver. Apollo* (Frankfurt), (n.s.) 19:1-21. [Solomon Is.]
- Valverde, L.**
1998. *Xylophanes docilis* (Butler, 1875) (Lepidoptera, Sphingidae). Redescrípción y primera cita para Argentina. *Acta Zool. Lillo.* (Tucuman), 44: 137-141.
- Viette, P. E. L.**
1998. Comments on the note of Mm.M Attie and G. Morel regarding the presence of *Coelonia solani* in Reunion (Lep., Sphingidae). *Bull. Soc. Ent. Fr.* (Paris), 103:289-290. [in French]
- THYRIDIDAE**
- Inoue, H.**
1998. Thyrididae from Nepal. In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):84-88, pl. 138-139.
- Konvicka, M., K. Spitzer, and J. Jaros**
1998. Notes on Striglininae (Lepidoptera Thyrididae). Tropical leaf moths from Vietnam with a description of a new species. *Trop. Zool.* (Florence), 11:1-9.
- Tominaga, S.**
1998. Hostplants of a thyridid and two pyraustine pyralid moths in Okinawa. *Japan Heteroc. J.* (Tokyo), (201):7-8. [in Japanese]
- TINEIDAE**
- Davis, D. R.**
1998. A world classification of the Harmacloninae, a new subfamily of Tineidae (Lepidoptera: Tineoidea). *Smithson. Contr. Zool.* (Washington), 597:1-81. [Africa, Australian, Oriental]
- Heppner, J. B., and H.-Y. Wang**
1998. *Coryptilum* moths in Southeast Asia (Lepidoptera: Tineidae). *Trop. Lepid.* (Gainesville), 9:4. [Malaysia, Taiwan]
- Robinson, G. S., and K. R. Tuck**
1998. A new montane species of *Tinissa* (Lepidoptera: Tineidae, Scardiinae) from Borneo and Sulawesi. *Tinea* (Tokyo), 15:338-341.
- TINEODIDAE**
- Heppner, J. B.**
1998. Fasc. 61. Tineodidae. In *Lepidopterorum Catalogus*. Gainesville: Assoc. Trop. Lepid. 8pp.
- TORTRICIDAE**
- Brown, J. W.**
- 1998a. Description of *Strophotina*, new genus, from Central and South America (Lepidoptera: Tortricidae). *Proc. Ent. Soc. Washington*, 100:43-49.
- 1998b. A new genus of tortricid moths from Chile and Argentina related to *Varifula* Razowski (Lepidoptera: Tortricidae). *J. Lepid. Soc.* (Los Angeles), 52:177-181.
- 1998c. A new species of *Pseudocomotis* from Costa Rica, including the first reported female of the genus (Lepidoptera: Tortricidae: Chlidanotinae). *Trop. Lepid.* (Gainesville), 9:55-57.
- Brown, J. W., and S. Passoa**
1998. Larval foodplants of Euliini (Lepidoptera: Tortricidae): from *Abies* to *Vitis*. *Pan-Pac. Ent.* (San Francisco), 74:1-11. [Neotropical]
- Carrillo, R., P. Astorga, and M. Neira**
- [1998]. Diapause in field populations of codling moth *Cydia pomonella* (L.) (Lepidoptera: Tortricidae) under southern Chile conditions. *Revta. Chil. Ent.* (Santiago), 24:23-25. (1997)
- Hung, C.-C., J.-S. Hwang, and R.-F. Hou**
1998. Artificial rearing of macadamia nut borer (*Cryptophlebia ombrodelta* (Lower)) and its eclosion and mating behavior. *Plant Prot. Bull.* (Taichung), 40:297-307. [Taiwan] [in Chinese]
- Liu, Y.-Q., and S.-C. Yan**
1998. Descriptions of five new species of tribe Grapholitini (Lepidoptera: Tortricidae). *Entomotaxon.* (Yangling), 20:277-281. [China]
- Newcomb, R. D., and D. M. Gleeson**
1998. Pheromone evolution within the genera *Ctenopseustis* and *Planotortrix* (Lepidoptera: Tortricidae) inferred from a phylogeny based on cytochrome oxidase I gene variation. *Biochem. Syst. Ecol.* (Oxford), 26:473-484. [New Zealand]

Pereyra, P. C., and N. E. Sanchez

1998. Effects of different host-plant species on growth, development and feeding of bud borer, *Epinotia aporema* (Lepidoptera: Tortricidae) in La Plata, Argentina. *Revta. Chil. Hist. Nat.* (Santiago), 71:269-275.

URANIIDAE

Inoue, H.

1998. Uraniidae from Nepal. In T. Haruta (ed.), *Moths of Nepal, Part 5. Tinea* (Tokyo), 15 (Suppl. 1):81-83, pl. 138.

YPONOMEUTIDAE

Beéche, M. A., and L. E. Parra

1998. New *Ithutomus* species from Chile (Lepidoptera: Yponomeutidae). *Trop. Lepid.* (Gainesville), 9:29-30.

Gershenson, Z. S., and S. A. Ulenberg

1998. *The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas*. Amsterdam: Koninkl. Nederl. Akad. Wetensch. 202pp. (Koninkl. Nederl. Akad. Wetensch. Verh. (Amsterdam), (2), Vol. 99)

ZYGAENIDAE

Efetov, K. A.

1998. A revision of the genus *Goe* Hampson, [1893] (Lepidoptera: Zygaenidae, Procrinae), with descriptions of two new species. *Ent. Gaz.* (W), 49:49-62. [Burma, China (Shansi, Sichuan, Tibet)]

Sugi, S.

1998. *Artona martini* Efetov (Zygaenidae, Procrinae) from Yonaguni, Ryukyu Islands. *Japan Heteroc. J.* (Tokyo), 201:3. [in Japanese]

Yen, S.-H., and P.-S. Yang

1998. The genus *Soritia* of Taiwan (Zygaenidae, Chalcosiinae, Chalcosiini). *Tinea* (Tokyo), 15:207-220.

— NEW BOOK —

A REVISION OF THE GENUS *Theope*: ITS SYSTEMATICS AND BIOLOGY

(Lepidoptera: Riodinidae: Nymphidiini)

by Jason P. W. Hall

1999. 127 pp (10 color pl.) 8.5 x 11 inches.

A thorough modern treatment of the complex Neotropical metalmark butterfly genus *Theope* is presented, covering 68 species. There are keys to species and notes on biologies. The 10 color plates illustrate all species. Two new species and two new subspecies are described; 15 lectotypes are designated. There are descriptions of all species, distribution maps and illustrations of genital characters. A landmark study and, for ATL members, a special price of only \$20 plus shipping!

Send your prepaid orders to the publisher: \$20.00 for ATL members (saves \$12.50 off the list price of \$32.50!). Add \$2 shipping/handling (\$3 outside the USA).

ISBN: 0-945417-95-0

Home page: www.scipub.com

e-mail: scipub@aol.com

SCIENTIFIC PUBLISHERS

Gainesville · Washington · Hamburg · Lima · Taipei · Tokyo

4460 SW 35th Terrace, Suite 305, Gainesville, FL 32608

NABOKOV'S BLUES

The Scientific Odyssey of a Literary Genius

by Kurt Johnson and Steve Coates

372 pp, 8 plates

\$27.00 cloth

This remarkable book treats the scientific career of the novelist, Vladimir Nabokov, otherwise known as one of the most renowned authors of the 20th century.

Now available from:

Flora & Fauna Books

P. O. Box 15718

Gainesville, FL 32604

Prepay your order;

add \$2 shipping (\$3 non-USA)

e-mail: ffbks@aol.com

FAX: (352) 373-3249

FLORA & FAUNA BOOKS

P. O. Box 15718, Gainesville, FL 32604

FAX: (352) 373-3249 Tel: (352) 335-5011

NATURE WORLD

e-mail: ffbks@aol.com

Always 10% off! Take the listed prices, then deduct 10%. Prices are in US Dollars.

Complete catalog at our website: www.ffbooks.com.

ALBERTA BUTTERFLIES (Bird) (1995)	44.95c
ATTACIDAE OF AMERICA [Saturniidae] (Lemaire) 3 vol.	245.00L
BIOLOGY OF AUSTRALIAN BUTTERFLIES (Kitching et al.) (1999)	150.00Lc
BUTTERFLIES (Emmel) (1975) 9 x 12 in. (color)	*75.00Lc
BUTTERFLIES OF ALBERTA (Acorn) (1993)	13.95
BUTTERFLIES OF BAJA CALIFORNIA (Brown et al.) (1992)	25.00
BUTTERFLIES OF BRITAIN/EUROPE (Higgins/Riley) (1970)	*40.00c
BUTTERFLIES OF CALIFORNIA (Comstock) (1927) Deluxe edition	*650.00Lc
Reprint (B/W plates) Introd. by Emmel & Emmel (1989)	27.50c
BUTTERFLIES OF CANADA (Layberry et al.) (1998)	100.00Lc/29.95
BUTTERFLIES OF CHILE (Peña/Ugarte) (1997)	45.00
BUTTERFLIES OF COSTA RICA. 1. Papil., Pieridae, Nymph. (DeVries) (1987)	95.00c/35.00
2. Riodinidae (1997)	90.00c/29.50
BUTTERFLIES OF EGYPT (Larsen) (1990)	49.50c
BUTTERFLIES OF THE FLORIDA KEYS (Minno/Emmel) (1993)	31.50c/18.95
BUTTERFLIES OF GEORGIA (Harris) (1972)	*85.00c/45.00
BUTTERFLIES OF GREECE (Pamperis) (1997)	105.00Lc
BUTTERFLIES OF HONG KONG (Bascombe et al.) (1999)	239.95Lc
BUTTERFLIES OF HOUSTON/SE TEXAS (Tveten) (1996)	45.00c/19.95
BUTTERFLIES OF INDIANA (Shull) (1987)	30.00c
BUTTERFLIES OF KENYA (Larsen) (1996) [2nd ed.]	80.00
BUTTERFLIES OF MALAY PENINSULA (Corbet et al.) (1992)	75.00Lc
BUTTERFLIES OF MANITOBA (Klassen) (1989)	21.95
BUTTERFLIES OF MOROCCO, ALGERIA & TUNISIA (Tennant) (1996)	100.00Lc
BUTTERFLIES OF NEW JERSEY (Gochfeld/Burger) (1997)	55.00c/20.00
BUTTERFLIES OF NORTH AMERICA (Scott) (1986)	49.50c/29.95
BUTTERFLIES OF PAMIR (Tshikolovets) (1997)	75.00c
BUTTERFLIES OF PAPUA NEW GUINEA (Parsons) ([1998])	295.00Lc
BUTTERFLIES OF THE ROCKY MOUNTAINS (Ferris) (1981)	42.50c/22.95
BUTTERFLIES OF TURKMENISTAN (Tshikolovets) (1998)	78.00c
BUTTERFLIES OF VENEZUELA. Part 1 (Neild) (1996)	120.00Lc
BUTTERFLIES OF THE WEST COAST (Wright) (1906)	*2,500.00c
BUTTERFLIES OF THE WEST INDIES & SOUTH FLORIDA (Smith/Miller) (1994)	150.00Lc
BUTTERFLIES OF WEST VIRGINIA (Allen) (1997)	37.95c/22.95
BUTTERFLIES OF THE WORLD (Lewis) (1973)	*80.00Lc
BUTTERFLIES & MOTHS OF MISSOURI (Heitzman) (1987)	13.50
BUTTERFLIES & MOTHS OF THE WORLD (Eid/Viard) (1997)	24.50Lc
BUTTERFLY BOOK (Holland) (1898) 1st ed.	*225.00Lc
1931 (Revised ed.) (with dust jacket: *150.00) (used for 95.00)	*125.00Lc
CHECKLIST OF THE LEPIDOPTERA OF AUSTRALIA (1996)	120.00c
COLOUR ID GUIDE TO CATERPILLARS OF THE BRITISH ISLES (Porter) (1997)	72.00c
DICTIONARY OF BUTTERFLIES & MOTHS (Watson/Whalley) (1975) color	*75.00Lc
FLORIDA BUTTERFLIES (Gerberg/Arnett) (1989)	11.95
FLORIDA BUTTERFLY GARDENING (Minno/Minno) (1999)	34.95c
FLORIDA'S FABULOUS BUTTERFLIES (Emmel) (1997)	14.95
FLORISSANT BUTTERFLIES [Colo] (Emmel/etal) (1992)	35.00c/14.95
GEOMETRID MOTHS OF TAIWAN (Wang) (1997-98) 2 v.	90.00Lc
GEOMETRID MOTHS OF THE WORLD (Scoble) (1999) 2 v.	400.00Lc
GUIDE BOOK TO INSECTS IN TAIWAN (Wang) (Chinese/Latin) - full color	(many parts)
GUIDE TO BUTTERFLIES OF PALEARCTIC REGION. 1. Lethini (Bozano) (1999)	50.00
HANDBOOK OF ZOOLOGY. LEPIDOPTERA. 1 (1999)	249.00Lc
HAWKMOTHS OF WESTERN PALEARCTIC (Pittaway) (1993)	55.00Lc
ILLUS. BUTTERFLIES OF TAIWAN. 1-2 (Lee/Chang) (1988-90)	52.00c
ILLUS. BUTTERFLIES OF TAIWAN. 3-4 (Lee/Wang) (1995-97)	55.00
ILLUSTRATED ENCYCLOPEDIA OF THE BUTTERFLY WORLD (Smart) (1987)	19.95Lc
LARVEN DER EUROPAISCHEN NOCTUIDAE (Beck) (1999) 2 v.	329.00Lc
LEPID. OF CHINA: BUTTERFLIES IN SICHUAN (Chao/Wang) (1996-96) 3 v.	70.00L
LIVING BUTTERFLIES OF SOUTHERN AFRICA. 1 (Henning et al.) (1997)	129.00Lc
METAMORPHOSIS INSECTORUM SURINAMENSIS (Merian) (1705/1994 reprint)	35.00c
MILKWEED BUTTERFLIES (Ackery/Vane-Wright) (1984)	75.00Lc
MOTH BOOK (Holland) (1903/late printing)	*150.00Lc
MOTHS OF AMERICA NORTH OF MEXICO (1971-97) 17 vol.	1,043.00
MOTHS OF AUSTRALIA (Common) (1990)	125.00c
MOTHS OF TAIWAN (Chang) (1989-91) (Chinese/Latin) 5 vol.	189.00
MOTHS OF THAILAND. 1. Saturniidae (1990)	25.00c
2. Sphingidae (1997)	35.00c
NABOKOV'S BLUES (Johnson/Coates) (1999)	27.00c
NATURAL HISTORY OF MOTHS (Young) (1997)	49.95c
PORTRAITS OF SOUTH AUSTRALIAN GEOMETRID MOTHS (McFarland) (1988)	75.00L
RARE BUTTERFLIES OF CHINA (Pai/Wang) (1996) 3 vol.	75.00c
REVISION OF THE GENUS <i>Theope</i> (Hall) (1999)	32.50
SCHMETTERLINGE UND IHRE LEBENSRAÜME. 1. Tagfalter (1987)	80.00Lc
2. Hesperidae, Psychidae - Sphingidae (1997)	80.00Lc
SEDGE MOTHS OF NORTH AMERICA (Heppner) (1985)	24.95
70 COMMON BUTTERFLIES OF THE SOUTHWEST (Bailowitz/Danforth) (1997)	6.95
SWALLOWTAIL BUTTERFLIES (Scriber/et al.) (1995)	65.00Lc
SWALLOWTAIL BUTTERFLIES IN CHINA (Pai/Wang) (1998) (Chinese/Latin)	22.50Lc
SWALLOWTAIL BUTTERFLIES OF THE AMERICAS (Tyler/Brown/Wilson) (1994)	49.50Lc
SYSTEMATICS OF WESTERN NORTH AMERICAN BUTTERFLIES (Emmel et al.) (1998)	80.00Lc
TENT CATERPILLARS (Fitzgerald) (1996)	37.95c
WILD SILK MOTHS OF N. AMERICA (Tuskes et al.) (1996)	75.00Lc
WINGS OF PARADISE (Cody) [Saturniidae] (1996)	60.00Lc
We accept MC, VISA, and AmExp. Florida residents add 6% sales tax. Shipping: \$2, plus \$1 each added book (outside of USA, add \$1 extra per book); large books, add another \$1 each.	
* antiquarian (condition: good to like new) c = cloth edition L large (heavy)	

BOOK NEWS

THE GYPSY MOTH OUTBREAKS IN SERBIA

by Z. Adamovic, L. Mihajlovic, R. Spasic, and V. Nenadovic (eds.). [1999] 1998. 200pp (17 x 24cm). Ent. Soc. Serbia (*Acta Ent. Serbia*, Spec. Issue), Belgrad. Price? (paper).

This booklet includes 7 papers on gypsy moth outbreaks in Serbia in recent years. Papers include aspects of parasitoids of gypsy moths, physiological matters pertaining to overpopulation of the pest, outbreak notes for the period 1995-98, diet, and a couple of papers on gypsy moth larval physiology. Most papers are in English.

LEPIDOPTERA OF CHINA. 4. *Nymphalidae*

by H. Y. Wang and L. Zhao. 1999. 311pp (full color) (21 x 29cm). Taiwan Museum, Taipei. Price? (cloth).

This new work in the series on Lepidoptera of China includes 81 genera of the family Nymphalidae found in mainland China. All illustrations are in color, usually several for each species treated. Text is in Chinese; scientific names are in Latin.

BUTTERFLIES OF TAIWAN. Vol. 1

by Y.-F. Hsu. 1999. 344pp (full color) (21 x 29cm), plus slipcase. Phoenix Bird Park, Taiwan. ca. \$55 cloth.

This new work on Taiwan butterflies has extensive color photographs of the life histories of the species treated. A selection from all butterfly families is given from the 400 species known for Taiwan: 33 Hesperidae, 10 Papilionidae, 15 Pieridae, 63 Lycaenidae (including Riodinidae), and 58 Nymphalidae (including Libytheidae). Text is entirely in Chinese; scientific names are in Latin. The book is printed on fine heavy paper; with dust jacket and case.

BUTTERFLIES OF TAIWAN

by J.-Y. Lee, and H.-Y. Wang. 1999. 266pp (full color) (12 x 21cm). Ilan County Museum of Natural History, Ilan, Taiwan. Price ? (cloth).

This field guide illustrates almost all 400 Taiwan butterfly species in color, showing males and females and both sides of the wings for each species. The book is in Chinese but no text accompanies the species figures, only the names: there is a checklist of scientific names indexed back to the page numbers. An appendix has a description of one new subspecies from Taiwan, plus notes on two species recorded in Taiwan for the first time (in Chinese except for English names for the type-locality of the new subspecies).

THE MOTHS OF BORNEO: Part 5. *Lymantriidae*

Part 8. *Casniidae*, *Callidulidae*, *Drepanidae*, *Uraniidae*

by J. D. Holloway. 1998 (Pt. 5, 188pp, 12 pl.) and 1999 (Pt. 8, 155pp, 10 pl.). Malayan Nature Soc., Kuala Lumpur, Malaysia. ca. \$30 each.

These new parts for Holloway's *Moths of Borneo* series treat several families, as noted in the titles. Included also but as subfamilies are Epiplemae, Cyclidiidae, and Thyatiridae. The color plates illustrate all species in sharp color; there also are over 300 monochrome figures in each part showing genitalic characters.

A TAXONOMIC REVIEW OF THE GENUS *Grapholita* AND ALLIED GENERA (LEPIDOPTERA: TORTRICIDAE) IN THE PALAEARCTIC REGION

by F. Komai. 1999. 226pp (16 x 24cm).

Suppl. 55 in *Entomologica Scandinavica*. Scandinavian Soc. of Ent., Sandby, Sweden. \$70 (paper).

This comprehensive revision of the important tortricid genus *Grapholita* treats all species from Europe to Japan, including such economic species as the Oriental fruit moth (*Grapholita molesta*). Other genera treated include *Cryptophlebia*, *Matsumuraes*, *Selania*, *Pammena*, *Dierlia*, *Pseudopammena*, *Parapammena*, *Strophedra*, and *Andrioplecta*, plus the resurrected *Thaumatotibia* for some species formerly in *Cryptophlebia*. There are numerous illustrations of adults, genitalia and immature stages.

THE BUTTERFLIES AND MOTHS (Lepidoptera) OF KENTUCKY: An Annotated Checklist

by C. V. Covell, Jr. 1999. 220pp (21 x 28cm). Kentucky St. Nature Preserves Comm., Frankfort, KY. \$15.

This modestly priced catalog lists 2,388 species occurring in Kentucky. Since Kentucky is along the Ohio River and is rather centrally located in eastern North America, the faunal listing will be useful for neighboring areas as well. The catalog follows a simple format of records and dates of occurrence, and has the main distribution notes correlated with counties and the 68 Kentucky state parks. Only a few species have host records noted.

For 2000

LEPIDOPTERA OF TAIWAN. Volume 1. Part 1: Introduction. 1

by J. B. Heppner and H. Inoue (eds.). 2000. ca. 200pp (60 col. pl.) (22 x 28cm). Assoc. Trop. Lepid., Gainesville. \$125 (ATL discount price, \$81.50).

The main part of the color introduction is finally about ready for winter 2000. The Taiwan Lepidoptera fauna is summarized, with 60 color plates showing museum specimens of about one-third of the 2,900 species known. Included are a history of Lepidoptera studies in Taiwan, a summary of the survey project since 1980, a gazetteer for Taiwan (Japanese and Chinese names for Taiwan localities), keys to families color plates, and an updated bibliography of recent papers, plus new names and corrections recorded since 1992. Part 1 has been divided into a first section as noted for 2000, and a second section with added color photographs of species from nature, plus the hostplant index, probably in 2001. Part 2 was the 1992 catalog. Text is in English; the key to families is in English and Chinese (translated by H. Y. Wang).

Persons who already pre-ordered this title will receive the second section of Part 1 at no added charge; others will pay \$65 extra. New pre-publication orders will still be taken at the ATL discount price, for both sections of Part 1 until March 30, 2000 (normal \$2 shipping applies per copy). Future parts in the series will detail all species individually by family.

PASSINGS

† Kazuo Saitoh, 25 November 1998, in Hirosaki City, Japan

MEETINGS

- | | |
|------|---|
| 2000 | Association for Tropical Lepidoptera: April 14-16, Gainesville, Florida, USA |
| | Societas Europaea Lepidopterologica, May 28 - June 1, Bialowieza Forest, eastern Poland |
| | Lepidopterists' Society, Pacific Slope Section, June 23-25, Grants Pass, Oregon, USA |
| | Lepidopterists' Society, July 26-30, Winston-Salem, North Carolina, USA |
| | XXI International Congress of Entomology, August 20-26, Iguazu Falls, Brazil |
| 2001 | Association for Tropical Lepidoptera: April 20-22, Gainesville, Florida, USA |
| | Lepidopterists' Society, July 26-29, Corvallis, Oregon, USA |

CONTENTS

- 1 - Devy: Butterflies of Kakachi, southwestern Ghats, India
- 3 - Letters
- 4 - Fratello: Guyana Montane Expeditions

- 12 - 1998 Literature Review
- 52 - Book News