


GIT 1 OTC Drugs Doses

- Heartburn

Drug	Dosage Form	Age	Dose	Image
Antacids				
Fawar Fruit " Na bicarbonate "	Sachets	Adults	When needed 1 or 2 sachets	
Maalox " Al oxide + Mg hydroxide "	Sachets	Adults	When needed 1 or 2 sachets	
	Syrup	Adults	When needed 1 or 2 teaspoonfuls 4 times daily	
Gaviscon " Na alginate + Na bicarbonate "	Sachets	Adults	When needed 1 or 2 sachets	

	Syrup		When needed 1 or 2 teaspoonfuls 4 times daily	
Glycodal	Tab	Adults	When needed 1 or 2 tab	
Mucogel " Al oxide + Mg hydroxide "	Syrup	Adults	When needed 1 or 2 teaspoonfuls 4 times daily	
Epicogel " Al oxide + Mg hydroxide + Dimethicon "	Syrup	Adults	When needed 1 or 2 teaspoonfuls 4 times daily	
H2 Blockers				



HEALTH INNOVATORS

Antodine " Famotidine "40mg	Tab	Adults	Once daily before the main meal by 1 hour	
Famotak 40mg	Tab	Adults	Once daily before the main meal by 1 hour	
Rani " Famotidine "20mg	Sachets	Adults	Twice daily before the main meal by 1 hour	
Omez " Omeprazole 40 mg "	Tab	Adults	Once daily on the morning before a meal	

Controloc "pantoprazole 40 mg "	Tab	Adults	Once daily on the morning before a meal	
Esmorap "esmoprazole 40 mg "	Tab	Adults	Once daily on the morning before a meal	
Antacids + PPIs				
Downoprazole "Na bicarbonate + omeprazole 40mg "	cap	Adults	Once daily on the morning before or after the meal	
	Sachets	Adults	Once daily on the morning before or after the meal	

• Laxatives

Drug	Dosage Form	Age	Dose	Image
Stimulant Laxatives				
Minalax "Bisacodyl "	Tab	Adults	1-2 tablets at bedtime	
		Children > 6 years	1 tablet at bedtime	
Sennalax "Senna "	Tab	Adults	1-2 tablets at bedtime	
		Children > 6 years	1 tablet at bedtime	
Bisadyl "Bisacodyl "	Supp	Adults	1-2 Supp at bedtime	
		Children > 6 years	1 Supp at bedtime	

Osmotic Laxatives						
Lactulose	Syrup	Adults	30 ml Twice daily <th data-kind="parent" data-rs="3">  </th>			
		Children	15 ml twice daily			
		Infants	7.5 ml once daily			
Glycerin Adults	Supp	Adults	1 supp twice daily			
		Children	1 supp twice daily			
		Infants	1 supp twice daily			
HEALTH						
Bulk Laxatives						
Agiolax "Ispaghula + Senna"	Sachets	Adults	1 or 2 sachets per day			
		Children	1 sachet per day			




- **Probiotics**

Drug	Dosage Form	Age	Dose	Image
Lacto-Bacillus				
LacteoL Forte	Cap	Adults	1 -2 cap per day	
		Children	1 cap per day	
Linex Adults	Cap	Adults	1 -2 cap per day	
Linex Children	Sachets	Children	1 Sachet per day	
Enterogermina	Oral Amp	Adults	2 Amp 3 times daily	
		Children	1 Amp twice daily	


- Digestives "Appetizers", Spasmolytic, Anti-flatulence

INNOVATORS

Drug	Dosage Form	Age	Dose	Image
Digestives				

Digestin "enzymes"	Tab	Adults	3 times daily after or during the meals	
Digenorm "enzymes"	Syrup	Children	1 teaspoonful 3 times daily after or during the meals	
		Infants	10 drops 3 times daily after or during the meals	
		Adults	3 times daily after or during the meals	
Motilium	Tab	Adults	3 times daily after or during the meals	
Motinorm	Syrup	Adults	1 tablespoonful 3 times daily after or during the meals	
		Children	1 teaspoonful 3 times daily after or during the meals	
		Adults	3 times daily after or during the meals	
Anti-flatulence				
Flatidyl	Chew Tab	Adults	1 or 2 tablets 3 times daily after meals	

INNOVATORS

Simethicon	Drops	Infants “antispasmodic”	10 drops 3 times daily	
Spasulance	Films	Adults	1 or 2 films 3 times daily after meals	
Spasmolytics				
Viscralgin “Tiemounium”	Tab	Adults	1 tab 3 times daily before meals	
	Syrup	Children	1 teaspoonful 3 times daily before meals	

	Amp	Adults	When needed	<p>6 Ampoules 2 ml</p> <p>visceralgine</p> <p>Tiemonium methyl sulfate spasmolytic</p> <p>For I.M. or I.V. injection</p> <p>Produced by South Egyptian Industries Company "SEDIKO" 6 October City - Egypt Tel.: 38200575/38200878/38200879/38200896 Fax: 38200293</p> 
Coloverin SR “ Mebeverin “	cap	Adults	1 cap 3 times daily before meals	
Spasmofen “ hyoscine + ketoprofen “	Tab	Adults	1 tab 3 times daily before meals	
	Amp		When needed	
Spasmolytics + Anti flatulence + Digestives				
Spasmodigestin “ Enzymes + dimethicon +dicycloamine +	Tab	Adults	1 tab 3 times daily before meals	
Spasmoamrase “Enzymes +dimethicon+mebe verin”	Tab	Adults	1 tab 3 times daily before meals	
Coloverin D “ mebeverin +dimethicon”	Tab	Adults	1 tab 3 times daily before meals	
Coloverin A “ Mebeverin + chlordiazepoxide”	Tab	Adults	1 tab 3 times daily before meals	
Librax “ Chlordiazepoxide + clidinium bromide “	Tab	Adults	1 tab 3 times daily before meals	
Colona “ Mebeverin + Sulpiride”	Tab	Adults	1 tab 3 times daily before meals	