

XPIRIENT RELIEF 750MG PEPPERMINT

Page 1 of 6

Xpirient

Tampa, FL, USA 33634



Safety



SAMPLE:DA90419005-001

Batch#: BML909, Sample Size: 30ML -grams Completed: 04/23/19 Expires: 04/23/20

Image



Pesticides - Passed Microbials - Passed Mycotoxins - Passed Heavy Metals - Passed Residual-Solvents - Passed Filth - Passed

Cannabinoids

Analyte	Weight(%)	mg/g
D9-THC	ND	ND
THCa	ND	ND
TOTAL THC	ND	ND
CBD	2.818	28.18
CBDa	ND	ND
TOTAL CBD	2.818	28.18
CBN	ND	ND
CBDV	ND	ND
D8-THC	ND	ND
THCV	ND	ND
CBG	ND	ND
CBGa	ND	ND
CBC	ND	ND
TOTAL CANNABINOIDS	2.818	28.18

Cannabinoids

0.00%	2.818%
Total THC	Total CBD
0	845.4 mg
THC/Container	CBD/Container

ND	ND	2.818	ND	ND	ND	ND	ND	ND	ND	ND	
D9-THC				CBN	CBDV	D8-THC	THCV	CBG	CBGa	CBC	-



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com



State License # n/a ISO Accreditation # 97164

Jorge Segredo Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



XPIRIENT RELIEF 750mg PEPPERMINT

Page 2 of 6

Xpirient Tampa, FL, USA 33634





SAMPLE:DA90419005-001

Batch#: BML909, Sample Size: 30ML -grams Completed: 04/23/19 Expires: 04/23/20

Pesticides	LOQ	Action Level	Result	Units	Туре
Daminozide	0.02	1	ND	ppm	Plant growth regulator
Acephate	0.01	0.4	ND	ppm	Insecticide
Flonicamid	0.01	1	ND	ppm	Pyridine Insecticide, Aphicide
Oxamyl	0.01	1	ND	ppm	Carbamate Insecticide, Acaricide, Nematicide
Methomyl	0.01	0.4	ND	ppm	Carbamate Insecticide, Acaricide, Metabolite
Thiamethoxam	0.01	0.2	ND	ppm	Neonicotinoid Insecticide
Imidacloprid	0.01	0.4	ND	ppm	Neonicotinoid Insecticide
Dimethoate	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Acetamiprid	0.01	0.2	ND	ppm	Insecticide
Thiacloprid	0.01	0.2	ND	ppm	Neonicotinoid Insecticide, Molluscicide
Aldicarb	0.02	0.4	ND	ppm	Insecticide, Nematicide
Dichlorvos	0.05	0.1	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Propoxur	0.01	0.2	ND	ppm	Carbamate Insecticide, Acaricide
Carbofuran	0.01	0.2	ND	ppm	Insecticide, Nematicide
Carbaryl	0.01	0.2	ND	ppm	Insecticide
Imazalil	0.01	0.2	ND	ppm	Imidazole Fungicide
Metalaxyl	0.01	0.2	ND	ppm	Phenylamide Fungicide
Chlorantraniliprole	0.01	0.2	ND	ppm	Insecticide
Phosmet	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Spiroxamine	0.01	0.4	ND	ppm	Morpholine Fungicide
Naled	0.01	0.5	ND	ppm	Organophosphate Insecticide, Acaricide
Methiocarb	0.01	0.2	ND	ppm	Carbamate Insecticide, Molluscicide, Bird repellent
Azoxystrobin	0.01	0.2	ND	ppm	Fungicide
Paclobutrazol	0.01	0.4	ND	ppm	Triazole Plant growth regulator; Fungicide
Malathion	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide
Myclobutanil	0.01	0.2	ND	ppm	Triazole Fungicide
Bifenazate	0.01	0.2	ND	ppm	Insecticide
Spirotetramat	0.02	0.2	ND	ppm	Tetramic acid Insecticide
Ethoprophos	0.01	0.2	ND	ppm	Insecticide, Nematicide
Fenoxycarb	0.01	0.2	ND	ppm	Carbamate Insecticide
Kresoxim-methyl	0.01	0.4	ND	ppm	Strobilurin Fungicide, Bactericide
Tebuconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Diazanon	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Repellent



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com



State License # n/a ISO Accreditation # 97164

Jorge Segredo Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



XPIRIENT RELIEF 750mg PEPPERMINT

Page 3 of 6

Xpirient Tampa, FL, USA 33634





SAMPLE:DA90419005-001

Batch#: BML909, Sample Size: 30ML -grams Completed: 04/23/19 Expires: 04/23/20

Pesticides	LOQ	Action Level	Result	Units	Туре
Propiconazole	0.01	0.4	ND	ppm	Triazole Fungicide
Clofentezine	0.01	0.2	ND	ppm	Tetrazine Acaricide
Spinosad (Spinosyn A)	0.01	0.2	ND	ppm	Insecticide
Prallethrin	0.05	0.2	ND	ppm	Synthetic pyrethroid Insecticide
Trifloxystrobin	0.01	0.2	ND	ppm	Strobilurin Fungicide
Piperonyl butoxide	0.01	3	ND	ppm	Cyclic aromatic; Performance enhancer, Synergist
Chlorpyrifos	0.01	0.2	ND	ppm	Organophosphate Insecticide
Hexythiazox	0.01	1	ND	ppm	Carboxamide Acaricide
Etoxazole	0.01	0.2	ND	ppm	Diphenyl oxazoline Acaricide
Spiromesifen	0.01	0.2	ND	ppm	Tetronic acid Insecticide
Pyrethrins (Pyrethrin I)	0.01	1	ND	ppm	Insecticide
Fenpyroximate	0.01	0.4	ND	ppm	Pyrazolium Acaricide, Insecticide
Pyridaben	0.01	0.2	ND	ppm	Pyridazinone Insecticide, Acaricide
Permethrins	0.05	0.2	ND	ppm	Pyrethroid Insecticide
Abamectin B1a	0.02	0.5	ND	ppm	Insecticide
Etofenprox	0.01	0.4	ND	ppm	Pyrethroid Insecticide
Bifenthrin	0.01	0.2	ND	ppm	Acaricide, Insecticide
Fludioxonil	0.01	0.4	ND	ppm	Phenylpyrrole Fungicide
Fipronil	0.02	0.4	ND	ppm	Phenylpyrazole Insecticide
Cypermethrin	0.02	1	ND	ppm	Pyrethroid Insecticide, Veterinary substance
Mevinphos	0.01	0.1	ND	ppm	Organophosphate Insecticide, Acaricide
Dimethomorph	0.01	0.1	ND	ppm	Morpholine Fungicide
Coumaphos	0.01	0.2	ND	ppm	Insecticide
Spinosad (Spinosyn D)	0.01	0.2	ND	ppm	Insecticide



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com



State License # n/a ISO Accreditation # 97164

Jorge Segredo Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



XPIRIENT RELIEF 750mg PEPPERMINT

Page 4 of 6

Xpirient

Tampa, FL, USA 33634





SAMPLE:DA90419005-001

Batch#: BML909, Sample Size: 30ML -grams Completed: 04/23/19 Expires: 04/23/20

Residual solvent	Action Level(ppm)	Pass/Fail	Results(ppm)
Hexanes (2,3-dimethylbutane)	290	Pass	ND .
1,4-Dioxane	380	Pass	ND
Pentanes (iso-pentane)	5000	Pass	ND
Pentanes (neo-pentane)	5000	Pass	ND
Butanes (iso-butane)	5000	Pass	ND
2-Butanol	5000	Pass	ND
2-Ethoxyethanol	160	Pass	ND
2-Propanol	5000	Pass	ND
Acetone	5000	Pass	ND
Acetonitrile	410	Pass	ND
Benzene	1	Pass	ND
Butanes (n-butane)	5000	Pass	ND
Cyclohexane	3880	Pass	ND
Dichloromethane	600	Pass	ND
Hexanes (2,2-dimethylbutane)	290	Pass	ND
Xylenes-O (1,2-dimethylbenzene)	2170	Pass	ND
Xylenes-M (1,3-dimethylbenzene)	2170	Pass	ND
Xylenes-P (1,4-dimethylbenzene)	2170	Pass	ND
Ethanol	5000	Pass	ND
Ethyl acetate	5000	Pass	ND
Ethylbenzene	2170	Pass	ND
Ethyl ether	5000	Pass	ND
Ethylene Oxide	50	Pass	ND
Heptane	5000	Pass	ND
n-Hexane	290	Pass	ND
Isopropyl acetate	5000	Pass	ND
Methanol	3000	Pass	ND
Hexanes (2-methylpentane)	290	Pass	ND
Hexanes (3-methylpentane)	290	Pass	ND
Pentanes (n-pentane)	5000	Pass	ND
Propane	5000	Pass	ND
Tetrahydrofuran	720	Pass	ND
Toluene	1068	Pass	ND
Xylenes	2170	Pass	ND



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com



State License # n/a ISO Accreditation # 97164

Jorge Segredo Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NE-Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



XPIRIENT RELIEF 750mg **PEPPERMINT**

Page 5 of 6

Xpirient FL. USA 33626





SAMPLE:DA90419005-001

Batch#: BML909, Sample Size: 30ML -grams Completed: 04/23/19 Expires: 04/23/20

Cannabinoid Profile Test Result-Analysis Method: SOP.T.40.020, SOP.T.30.050

Analytical Batch:DA002881 Reagent LOT ID Dilution Consumables Id 041919.R09 180711 10 041819.R04 SFN-BX-1025 041819.R03 850C4-850AK 840C6-840H

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

Filth and foreign Materials-Analysis Method: SOP.T.40.013

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is use for inspection.

Mycotoxin Analysis-Analysis Method :SOP.T.30.065, SOP.T.40.065 Analytical Batch: DA002880 Analyte Results **Action Level** Aflatoxin G2 0.02 Aflatoxin G1 0.02 Aflatoxin B2 ND 0.02 0.02 Aflatoxin B1 ND Ochratoxin A+ ND 0.02

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.065 for Sample Preparation and SOP.T40.065 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflotoxin B1, B2, G1, G2) must be <20µg/Kg. Ochratoxins must be <20µg/Kg.

Micro Analysis-Analysis method: SOP.T.40.043

Pathogens Results Aspergillus_terreus_1J2 not present in 1 gram. Aspergillus_niger not present in 1 gram. Aspergillus_fumigatus not present in 1 gram. Aspergillus_flavus not present in 1 gram. Salmonella_specific_gene not present in 1 gram. Escherichia_coli_Shigella_spp_ not present in 1 gram. $Total_Yeast_and_Mold$ not present in 1 gram.

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL 33314** 1-954-368-7664 info@eviolabsfl.com



Analytical Batch: DA002886

State License # n/a ISO Accreditation #

Jorge Segredo Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.











XPIRIENT RELIEF 750mg PEPPERMINT

Page 6 of 6

Xpirient

FL, USA 33626





SAMPLE:DA90419005-001

Batch#: BML909, Sample Size: 30ML -grams Completed: 04/23/19 Expires: 04/23/20

Analytical Batch :DA002879

Analytical Batch: DA002873

Consumables ID

Pesticide Analysis-Analysis Method:SOP.T.30.065, SOP.T.40.065

 Reagent LOT/ID
 Dilution
 Consumables ID

 041919.R10
 1
 180711

 SFN-BX-1025
 5
 FN-BX-1025

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 57 Pesticides. (Method: SOP.T.30.065 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T.40.065 Procedure for Pesticide Quantification Using LCMS).

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

 Reagent LOT/ID
 Dilution

 041019.R21
 50

 041719.R22
 50

041019.R19 011519.01 042219.R06 042219.R07

040819.R38 041819.R27 042219.R08 042219.R09 042219.R10 042219.R11

042219.R11 041519.R21 040119.03

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Metal Result **Action-Level** Arsenic ND 1.500 Cadmium ND 0.500 Lead ND 0.500 Mercury ND 3 Abbreviation:ppm=Parts Per Million

Residual SolventsAnalysis Method:SOP.T.40.032

Analytical Batch :DA002874

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 34 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com



State License # n/a ISO Accreditation # 97164

Jorge Segredo Lab Director

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=in-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.





