





Kart Master July, 2019


Part # MSRP

Wheel Bead Locks "OTK Style" with o-ring. 5mm			
	Black 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Blk	1.69
	Blue 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Blu	
	Red 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Red	
	Gold 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Gld	
	Purple 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Prpl	
	Green 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Grn	
	GunMetal 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-GnMtl	
	Silver 5MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-OTK-Slvr	


Wheel Bead Locks "Douglas Style" with o-ring. 5mm			
	Black 5MM : "Douglas Style". Anodized Aluminum	BL/BH-Blk	1.69
	Red 5MM : "Douglas Style". Anodized Aluminum	BL-OTK-Red	
	Gold 5MM : "Douglas Style". Anodized Aluminum	BL-OTK-Gld	
	Purple 5MM : "Douglas Style". Anodized Aluminum	BL-OTK-Prpl	
	GunMetal 5MM : "Douglas Style". Anodized Aluminum	BL-OTK-GnMtl	



6mm Wheel Bead Locks : Fix wheels with stripped 5mm bead lock holes. Drill, Tap, Insert - Fixed!			
	Black 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-Blk	2.49
	Blue 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-Blu	
	Red 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-Red	
	Gold 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-Gld	
	Purple 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-Prpl	
	Green 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-Grn	
	GunMetal 6MM : "OTK Tony Kart" Style. Anodized Aluminum	BL-6mm-GnMtl	


Ceramic Hybrid Bearings! 52100 Steel Races, Si3N4 Ceramic Balls, Polyimide Cage, Rubber Seals, C3 Clearance, P6 Precision			
	Axle Bearing : 30mm Axle : 30mm I.D. 62mm O.D.	CHB30	59.99
	Axle Bearing : 40mm Axle : 40mm I.D. 80mm O.D.	CHB40	84.99
	Axle Bearing : 50mm Axle : 50mm I.D. 80mm O.D.	CHB50	89.99
	Wheel Bearing : 17mm Spindle : 17mm I.D. 35mm O.D. 10mm Width	CHB17x35x10	24.99
	Wheel Bearing : 25mm Spindle "OTK Size" : 25mm I.D. 42mm O.D. 12mm Width	CHB25x42x12	34.99
	Wheel Bearing : 25mm Spindle "all others" : 25mm I.D. 42mm O.D. 9mm width	CHB25x42x9	39.99

AIM MyChron Port Sealing Cap Fits all MyChron, Data Hubs, and Evo Data Loggers. With o-ring to keep water and dust out of vacant ports			
	Black : Anodized Aluminum	M_Plug_Blak	2.99
	Blue : Anodized Aluminum	M_Plug_Blue	2.99
	Red : Anodized Aluminum	M_Plug_Red	2.99
	Gold : Anodized Aluminum	M_Plug_Gld	2.99
	Green : Anodized Aluminum	M_Plug_Grn	2.99
	GunMetal : Anodized Aluminum	M_Plug_GnMtl	2.99


Chassis Protector Skid Plates			
	Teflon Impregnated Nylon with Fiber Reinforcement Delivers a Slicker, Faster Slide and Lasts Longer Formed to Snuggly Wrap 28, 30, & 32mm Chassis. 170mm Width = More Protection		
	Single Protector Plate with '4-point' Installation Kit (sold by each)	CPP_Kit	12.99

Hub Spacers			
	Internal Spacers for Rear Hubs Aluminum 14pc Set		
	40mm : 14pcs: 2x20mm, 2x15mm, 2x10mm, 2x7mm, 2x5mm, 2x3mm, 2x1mm End Caps	HSK40	29.99
	50mm : 14pcs: 2x20mm, 2x15mm, 2x10mm, 2x7mm, 2x5mm, 2x3mm, 2x1mm End Caps	HSK50	29.99


Pill Covers. Keep the competition from knowing your castor / camber settings. 8 Magnets; Stays on Good. Anodized Aluminum; Looks Good.			
	Black : 35mm O.D. (to fit all OTK Chassis)	PC_OTK_Blak	19.99
	Blue : 35mm O.D. (to fit all OTK Chassis)	PC_OTK_Blue	
	Red : 35mm O.D. (to fit all OTK Chassis)	PC_OTK_Red	
	Purple : 35mm O.D. (to fit all OTK Chassis)	PC_OTK_Prpl	
	Black : 39mm O.D. (to fit TopKart, CompKart, BirelArt, Ricciardo, Parolin, Nitro, etc.)	PC_39_Blak	19.99
	Blue : 39mm O.D. (to fit TopKart, CompKart, BirelArt, Ricciardo, Parolin, Nitro, etc.)	PC_39_Blue	
	Red : 39mm O.D. (to fit TopKart, CompKart, BirelArt, Ricciardo, Parolin, Nitro, etc.)	PC_39_Red	
	Gold : 39mm O.D. (to fit TopKart, CompKart, BirelArt, Ricciardo, Parolin, Nitro, etc.)	PC_39_Gld	



Bumper Keepers
Keep the Bumper off The Track,
Keep the Kart in The Race !




To fit 28mm Chassis tube size : Complete Kit	BKK28	74.99
To fit 30mm Chassis tube size : Complete Kit	BKK30	74.99
To fit 32mm Chassis tube size : Complete Kit	BKK32	74.99
Just the Arms (use your own xtra OTK Chassis Clamps)	BKK_Arms	19.99
Bolt/Spacer Kit (4x45mm bolts + 4xSmall O.D. Spacers for use with OTK clamps)	BKK_BS_OTK	9.99




Cable Clamps, Anodized Aluminum
Good for either throttle or brake cables

Blue : Anodized Aluminum	ATC_Blu	3.99
Red : Anodized Aluminum	ATC_Red	
Green : Anodized Aluminum	ATC_Grn	
Gold : Anodized Aluminum	ATC_Gld	




Pedal Extenders to Fit OTK Pedals
15mm I.D. to Fit OTK Pedals
90mm / 3.5" Wide Face
Four Extension Options to Grow with Driver
73mm / 2.9", 54mm / 2.1", 35mm / 1.4", and 15mm / .6"
Includes Sleeves to also fit std 14mm round pedals

Pedal Extenders: PAIR GunMetal	PE_long	89.99
--------------------------------	---------	-------




X30 Crank Lock Tool
Fiber Reinforced Nylon
Locks Crank In Place ..
Makes removing the sprocket/clutch easier/quicker.


X30 Crank Lock	CL_lame_X30	9.99
----------------	-------------	------




Steering Wheel Hubs for OTK
10 Degree Angled Mount
6-Hole Tony Kart Pattern ... CNC'd 6061-T6 Aluminum




Steering Hub Mount, 6 Hole, 10 Degree Angle, Gold Anodized	SWH_6H_Gld	49.99
Steering Hub Mount, 6 Hole, 10 Degree Angle, GunMetal Anodized	SWH_6H_GnMtl	49.99



3-Hole Steering Wheel Hubs
10 Degree Angled Mount
CNC'd 6061-T6 Aluminum
Fits most every brand kart except Coyote,
and some Margay & Arrow




Black : 20mm I.D. 10 Degree Angle	SWH_3H_10_BlK	39.99
Gold : 20mm I.D. 10 Degree Angle	SWH_3H_10_Gld	39.99
GunMetal : 20mm I.D. 10 Degree Angle	SWH_3H_10_GnMtl	39.99
GunMetal : 20mm I.D. 7.5 Degree Angle	SWH_3H_7.5_GnMtl	29.99




Steering Mount Wedge
Fits BOTH 6-Hole
and 3-Hole Steering Mounts

10 Degree Steering Mount Wedge Black Only	SWH_10	19.99
15 Degree Steering Mount Wedge Black Only	SWH_15	24.99




Steering Mount Data Bracket
FLAT
10 Degree
15 Degree Angled
Fits BOTH 6-Hole and 3-Hole Steering Mounts

Black : FLAT 0 Degree 5mm Thick	SMWDB_0_BlK	34.99
GunMetal : FLAT 0 Degree 5mm Thick	SMWDB_0_GnMtl	
Gold : 10 Degree	SMWDB_10_Gld	39.99
GunMetal : 10 Degree	SMWDB_10_GnMtl	
GunMetal : 15 Degree	SMWDB_15_GnMtl	45.99



Mychron 5 Mounting Spacer
Premium CNC'd Billet 6061-T6 Aluminum
Mounts gauge forward of wheel
using any Kart Master data bracket
Includes Flange Hex Head Bolt



30mm Tall Spacer : 30mm of standoff - best for OTK steering wheels	M5S_30	9.99
35mm Tall Spacer, provides 35mm of standoff - best for all other 4-spoke steering wheels	M5S_35	



Mychron 5 Mounting Bracket
Behind the Wheel Mounting
Chromed Steel
Fits both 6-hole and 3-hole steering wheels/hubs

Chromed Steel - Universal Fit

M5_Bracket_Steel 15.99



Briggs Pulse & Oil Plug Set
Anodized Aluminum / Includes O-Ring
Sold as a 3-Pack Set; one pulse plug and two oil plugs

Black 3-Pack : Pulse Plug + 2 Oils Plugs

BPS_BlK_3pk 9.99

Green 3-Pack : Pulse Plug + 2 Oils Plugs

BPS_Grn_3pk

GunMetal 3-Pack : Pulse Plug + 2 Oils Plugs

BPS_GnMtl_3pk

Purple 3-Pack : Pulse Plug + 2 Oils Plugs

BPS_Prpl_3pk

Red 3-Pack : Pulse Plug + 2 Oils Plugs

BPS_Red_3pk



Seat Padding 3/8" Thick
Durable . Closed Cell Rubber
Firm . Great Integrity . Won't Collapse
Long Lasting . Gas & Oil Resistant Rubber
Repositionable;
Fabric Back with Adhesive Velcro Strips

Set Padding 2-Pc RIB Set 3/8" Thick (9mm)

SPDG_Rib 16.99

Set Padding 1-Pc Back 3/8" Thick (9mm)

SPDG_Back 9.99



Aluminum
Seat Mounting
Spacers

10mm Thick 41mm O.D., 8.5mm I.D. Anodized GunMetal

8LDW41x10 1.75

20mm Thick 41mm O.D., 8.5mm I.D. Anodized GunMetal

8LDW41x20 2.5



Low Profile Seat Reinforcement Washer Set
3.5mm thick (20% less than a conical)
Large 60mm O.D. Flat Surface (no painful pressure point)
Reinforces the Seat (reduces cross-hole cracking)



Inner & Outer Washer, plus Spacer, plus M5/M8 Installation Kit

LPSMW_Kit 9.99



Self Centering
Seat Mounting
Washer Set

Set = 1 inner + 1 outer washer aluminum black to fit 8mm hardware


SCSW_8 4.99



Seat Mounting Kit

- Premium '6 Bolt' Hardware Seat Mounting Hardware Kit
- 4) 41mm x 2mm Aluminum Flat Washers
 - 2) 52mm x 2mm Aluminum Flat Washers
 - 6) 33mm x 8mm Aluminum Conical Washers
 - 2) 8mm x 50mm and 4) 8mm x 30mm Flat Head Zinc 10.9 Bolts
 - 6) 8mm Flange Lock Nuts Zinc 10.9
 - 2) 41mm Dia. x 4mm Thick Aluminum Spacers
 - 8) 33mm Dia. x 6mm Thick Nylon Spacers

SMK_Pro 29.99



RUBBER Washers
Large Diameter : 2mm thick Neoprene Rubber
Excellent for cushioning seat mounting washers



10 Pack of 2mm Thick: 20mm O.D. (8mm I.D.)

RW20/2 4

10 Pack of 2mm Thick: 44mm O.D. (8mm I.D.)

RW44/2 6

10 Pack of 2mm Thick: 53mm O.D. (8mm I.D.)

RW53/2 8

10 Pack of 2mm Thick: 62mm O.D. (8mm I.D.)

RW62/2 10



Flat Aluminum Washers
Large Diameter
Excellent for Seat Mounting



10 Pack of 2mm Thick: 41mm O.D. (I.D. for 8mm bolts on all)

8LDW4x2 17

10 Pack of 2mm Thick: 52mm O.D. (I.D. for 8mm bolts on all)

8LDW52x2 17

10 Pack of 2mm Thick: 60mm O.D. (I.D. for 8mm bolts on all)

8LDW60x2 17

10 Pack of 4mm Thick: 52mm O.D. (I.D. for 8mm bolts on all)

8LDW52x4 25

10 Pack of 4mm Thick: 60mm O.D. (I.D. for 8mm bolts on all)

8LDW60x4 25




Seat Extension Brackets
Moves the Seat Forward
Bridges the Gap Between Seat/Strut

SMALL : Seat Extender Bracket Set (2pcs) 5mm Thick Steel, Zinc Plated (OTK Copy)

SE_Small 9.99


LARGE : Seat Extender Bracket Set (2pcs) 8mm Thick Aluminum, GunMetal Anodized

SE_Large 17.99




**Sprocket Carriers
(Sprocket Hubs)
CNC'd 6061-T6 Aluminum**

30mm : Black	SC30_BlK	59.99
30mm : Blue	SC30_Blue	
30mm : Red	SC30_Red	
30mm : Gold	SC30_Gld	
30mm : GunMetal	SC30_GnMtl	
40mm : Black	SC40_BlK	
40mm : Blue	SC40_Blue	
40mm : Red	SC40_Red	
40mm : Gold	SC40_Gld	
40mm : GunMetal	SC40_GnMtl	
50mm : Black	SC50_BlK	
50mm : Blue	SC50_Blue	
50mm : Gold	SC50_Gold	
50mm : GunMetal	SC50_GnMtl	




**219 Rear 1-Pc Sprockets
Hard Anodized
6061-T6 Aluminum**

68T through 94T (Grey Hard Anodized Finish)	SPKT_Size	14
---	-----------	----



**219 Rear 1-Pc Sprockets
Premium Endurite 7075-T6 Aluminum**

68T through 92T (some limited sizes available in Red)	ESPKT_Size	25
---	------------	----




**Brake Disc Carriers
(Brake Hubs)
CNC'd 6061-T6 Aluminum**

30mm : Black	BDC30-Blk	59.99
30mm : Blue	BDC30_Blue	
30mm : Red	BDC30_Red	
30mm : Gold	BDC30_Gld	
30mm : GunMetal	BDC30_GnMtl	
40mm : Black	BDC40_BlK	
40mm : Blue	BDC40_Blue	
40mm : Red	BDC40_Red	
40mm : Gold	BDC40_Gld	
40mm : GunMetal	BDC40_GnMtl	
50mm : Black	BDC50_BlK	
50mm : Blue	BDC50_Blue	
50mm : Red	BDC50_Red	
50mm : Gold	BDC50_Gold	
50mm : GunMetal	BDC50_GnMtl	




**Magnetic Oil Drain Plug
1/4" Tapered .. for Briggs**


Magnetic Oil Drain Plug ... 1/4" Tapered .. for Briggs	BMODP	5
--	-------	---



**Hose Clamps
Hand Tighten-able
'Butterfly Key' is permanently attached. Stainless Steel.
No more fumbling to find a screwdriver or such - quick and easy**



40mm - 63mm = 1.57inch - 2.48inch Sold as a Pack of Ten Clamps	HC40_63	12.5
52mm - 76mm = 2.05inch - 2.99inch Sold as a Pack of Ten Clamps	HC52_76	13.5
65mm - 89mm = 2.55inch - 3.05inch Sold as a Pack of Ten Clamps	HC65_89	18.5
155mm - 178mm = 6.10inch - 7.00inch Sold as a Pack of Ten Clamps	HC155_178	27.5



Exhaust Mount Bracket
For OTK and Many Others
Includes **extension bracket**.

EB-Right	Right Side : Steel : with extension bracket	19.99
EB-Left	Left Side : Steel : with extension bracket	19.99



Axle Collars with Shoulder
(Split with Keyway)

AC30-BLK 16.5 / 1.5	30mm Axle Collar : 16.5mm wide w/ 1.5mm Shoulder, Black, Split, 6061-T6 Aluminum	11.99
AC30-W3S-BLK 22 / 3	30mm Axle Collar : 22mm wide w/ 3mm Shoulder, Black, Split, 6061-T6 Aluminum	11.99
AC30-W7S-BLK 22 / 7	30mm Axle Collar : 22mm wide w/ 7mm Shoulder, Black, Split, 6061-T6 Aluminum	15.99
AC40-BLK 16.5 / 1.5	40mm Axle Collar : 16.5mm wide w/ .5mm Shoulder, Black, Split, 6061-T6 Aluminum	
AC50-BLK 16.5 / .5	50mm Axle Collar : 16.5mm wide w/ .5mm Shoulder, Black, Split, 6061-T6 Aluminum	15.99



Double Wide Axle Collars
(Split with Keyway)
CNC'd 6061-T6 Aluminum

AC30-DBL-BLK 35 / .5	30mm Collar: 35mm wide w/.5mm shoulder Black, Split, (has both 6mm and 8mm keyways)	22.00
AC40-DBL-BLK 35 / .5	40mm Axle Collar: 35mm wide w/ .5mm shoulder Black, Split	24.00
AC50-DBL-BLK 35 / .5	50mm Axle Collar: 35mm wide w/ .5mm shoulder Black, Split	27.00



Boot Straps
Security for your spark plug boot
Black, Blue, Red, Gold, Purple, Green, Silver



SPBS-Specify Color		5.99
--------------------	--	------



Tie Rods, Pro Series
Machined Aluminum - 8mm LH/RH Threaded
GunMetal Color Only

MTR-size : Specify Size	Pro Series Machined Tie Rod, GunMetal: Available Size: 185mm through 295mm in 5mm increments	12.99
-------------------------	---	-------



Tie Rods, Hex Aluminum
8mm LH/RH Threaded


HTR-size-color : Specify Size & Color	All Size: 185mm through 295mm in 5mm increments: Black, Blue, Gold, GunMetal, or Red	9.99
---------------------------------------	---	------



Tie Rods, ROUND Aluminum
Hollow Throughout
8mm LH/RH Threaded
these tie rods have no branding or size markings



RTR-220 -? : Specify Color	220mm : Gold or Red	7.99
RTR-270 -? : Specify Color	270mm : Gold, Red or Blue	
RTR-215 -GunMetal		7.99
RTR-220 -GunMetal		
RTR-250 -GunMetal	215mm : GunMetal 220mm : GunMetal 250mm : GunMetal	
RTR-270 -GunMetal		7.99
RTR-275 -GunMetal		
RTR-280 -GunMetal	270mm : GunMetal 275mm : GunMetal 280mm : GunMetal	



Tie Rod Ends
(heim joints)


TRE-RH	RIGHT Hand Threaded Tie Rod End w/Jam Nut, 8mm	TRE_RH	8
TRE-LH	LEFT Hand Threaded Tie Rod End w/Jam Nut, 8mm	TRE_LH	8



FRoM Spacers
(full range of motion)
For Tie Rod Ends
allows full range
of motion in steering


8mm I.D. FRoM Spacers for Tie Rod Ends * Steel, White Zinc Plated *

	FRoM_8	0.99	0.89
--	--------	------	------



NEW STYLE
17mm Spindle Spacers
aluminum anodized **BLACK Only**

SS-5mmx17mm-BLK	Black	5mm wide Alum Wheel Spacer : for 17mm Spindle	1.5
SS-10mmx17mm-BLK	Black	10mm wide Alum Wheel Spacer : for 17mm Spindle	1.75
SS-20mmx17mm-BLK	Black	20mm wide Alum Wheel Spacer : for 17mm Spindle	2




25mm Spindle Spacers
aluminum anodized **SILVER only**

WS10mmx25mm-SLV	Silver	10mm wide Alum Wheel Spacer :for 25mm Spindle	1.6
WS5mmx25mm-SLV	Silver	5mm wide Alum Wheel Spacer :for 25mm Spindle	1.6



Axle Removal Tool
Aluminum Black Anodized Pusher Heads
Knurled Black Oxide Steel Handle

	Handle	ARH	13
AR-Head - Specify Size	25mm, 30mm, 40mm, 50mm or 1.25 Inch	AR_HEAD_size	13



Float Gauge & Jet Holder
for Rotax Max / Dellorto VHSx carbs

	Aluminum with Magnetic Back	FGJH	15
--	-----------------------------	------	----