




TESA
TECHNOLOGY



wood brown & sharpe

**BEST
DEALS** 2023-1

SMART MEASUREMENT SOLUTIONS



Prime Tech Sales, Inc.

P. 800-642-4243

www.primetechsales.com

Mailing Address:

PO BOX 460
East Amherst, NY 14051

Shipping Address

9300 County Road BLDG F
Clarence Center, NY 14032

Valid until 06.30.2023
Prices exclude VAT

μ-HITE sets

The ultra compact turnkey solution


**HIGH
ACCURACY**



00730503P2

Standard	Factory standard
Resolution	0.001 mm / 0.0001 mm .0001 / .00005 in
Data output(s)	TLC, USB
Max. displacement speed	Fast displacement: 10, 20, 30, 40 mm/s Probing: 5, 10 mm/s
Measuring force	1.0 ± 0.2 N 0.6 ± 0.2 N
Units	mm / in
Zero	Fixed
Max. perm. errors	Axial: 1 μm Offset: 2 μm
Repeatability	Axial: 0.5 μm Offset: 1 μm
Remark(s)	The metrological specifications are valid only for the measuring head and not for the complete system.

Order number	Description	Reg. price [\$]	Promo price [\$]
00730503P1	μ-HITE 1 set	6870	6183
00730503P2	μ-HITE 2 set	7815	7033



Discover more with our
product video!



Order number	EDP number	Description	Reg. price [\$]	Promo price [\$]
00730503P1		μ-HITE set 1	6870	6183
Composed of				
		μ-HITE		
47.68001	41300	Footswitch, Jack, 1.8 m	363	290
04760183	76653	TLC-BLE Bluetooth® emitter + USB dongle receiver + 1.5 m extension cable set	129	116
00730503P2		μ-HITE set 2	7815	7033
Composed of				
		μ-HITE		
47.68001	41300	Footswitch, Jack, 1.8 m	363	290
04760183	76653	TLC-BLE Bluetooth® emitter + USB dongle receiver + 1.5 m extension cable set	129	116
00760186	20194	9 elements accessories set	992	793



TWIN-CAL IP67 universal digital calipers



Order number	EDP number	Description	Measuring range [in] / [mm]	Degree of protection	Thumb roller	Depth rod	Data output	Reg. price [\$]	Promo price [\$]
00530319	76730	TWIN-CAL IP67	0 – 6 / 0 – 150	IP67	Without	Square	TLC	258	206
00530320	76731	TWIN-CAL IP67	0 – 6 / 0 – 150	IP67	Without	Round	TLC	258	206
00530321	76732	TWIN-CAL IP67	0 – 6 / 0 – 150	IP67	With	Round	TLC	258	206
00530322	76733	TWIN-CAL IP67	0 – 8 / 0 – 200	IP67	With	Square	TLC	351	280
00530323	76734	TWIN-CAL IP67	0 – 12 / 0 – 300	IP67	With	Square	TLC	468	374

Trio-Packs: 3 digital calipers



THINK BIG!
With the Trio-Pack
each instrument is only **\$195!**

Order number	EDP number	Description	Measuring range [in] / [mm]	Degree of protection	Thumb roller	Depth rod	Data output	Reg. price [\$]	Promo price [\$]
00530319P	77143	Trio-Pack TWIN-CAL IP67	0 – 6 / 0 – 150 (x3)	IP67	Without	Square	TLC	733	586
00530320P	77144	Trio-Pack TWIN-CAL IP67	0 – 6 / 0 – 150 (x3)	IP67	Without	Round	TLC	733	586

MICROMASTER

digital external micrometers




Order number	EDP number	Description	Data output	Measuring range [in]	Reg. price [\$]	Promo price [\$]
06030010	26918	MICROMASTER EASY		0 – 1.2	522	417
06030020	21231	MICROMASTER IP54		0 – 1.2	538	430
06030021	21232	MICROMASTER IP54		1 – 2	667	533
06030022	21233	MICROMASTER IP54		2 – 3	744	595
06030023	21234	MICROMASTER IP54		3 – 4	829	663
06030030	21236	MICROMASTER IP54 RS	Opto-RS232	0 – 1.2	580	464
06030031	21237	MICROMASTER IP54 RS	Opto-RS232	1 – 2	721	576
06030032	21238	MICROMASTER IP54 RS	Opto-RS232	2 – 3	841	672
06030033	27029	MICROMASTER IP54 RS	Opto-RS232	3 – 4	930	744
06030034	27441	MICROMASTER IP54, small measuring faces	Opto-RS232	0 – 1.2	957	765
06030029	21235	Set of 3 MICROMASTER RS IP54	Opto-RS232	0 – 4	1790	1432




New product: TESA DIALTRONIC *COMPACT* digital dial gages



Discover more with our
product video!



Order number	EDP number	Description	Measuring range [in] / [mm]	Resolution [in] / [mm]	Degree of protection	Ø Dial [in] / [mm]	Measuring force N	Reg. price [\$]
01930260	77188	DIALTRONIC COMPACT	0.5 / 12.5	0.0005 / 0.01	IP54	1.77 / 45	0.5 – 0.9	496
01930261	77189	DIALTRONIC COMPACT	0.5 / 12.5	0.00005 / 0.001	IP54	1.77 / 45	0.5 – 0.9	707
01930263	77190	DIALTRONIC COMPACT	0.5 / 12.5	0.00005 / 0.001	IP67	1.77 / 45	0.6 – 1.3	742



New product: TESA DIALTRONIC digital dial gages



\$586



\$704



\$1007



\$1609



\$437

Order number	EDP number	Description	Measuring range [in] / [mm]	Resolution [in] / [mm]	Degree of protection	Ø Dial [in] / [mm]	Measuring force N	Reg. price [\$]
01930320	78206	DIALTRONIC EASY	0.5 / 12.5	0.0005 / 0.01	IP51	2.36 / 60	0.65 – 0.9	586
01930321	77191	DIALTRONIC EASY	0.5 / 12.5	0.00005 / 0.001	IP51	2.36 / 60	0.65 – 0.9	686
01930300	77192	DIALTRONIC	0.5 / 12.5	0.0005 / 0.01	IP54	2.36 / 60	0.65 – 0.9	704
01930304	77195	DIALTRONIC	1 / 25	0.0005 / 0.01	IP54	2.36 / 60	0.65 – 1.15	798
01930301	77193	DIALTRONIC	0.5 / 12.5	0.00005 / 0.001	IP54	2.36 / 60	0.65 – 0.9	884
01930303	77194	DIALTRONIC	0.5 / 12.5	0.00005 / 0.001	IP67	2.36 / 60	0.7 – 1.4	1007
01930305	77196	DIALTRONIC	1 / 25	0.00005 / 0.001	IP54	2.36 / 60	0.65 – 1.15	963
01930309	77198	DIALTRONIC	2 / 50	0.00005 / 0.001	IP54	2.36 / 60	1.1 – 2.6	1609
01930311	77199	DIALTRONIC	4 / 100	0.00005 / 0.001	IP54	2.36 / 60	1.8 – 3.8	2032
01930313	77200	DIALTRONIC	6 / 150	0.00005 / 0.001	IP54	2.36 / 60	2.6 – 5.7	2193

Accessories:

Order number	EDP number	Description	Reg. price [\$]	Promo price [\$]
01639035	20527	Measuring support, with grade 00 granite, table = 100 x 150 x 40 mm, pole = Ø 20 x 240 mm	547	437

INTERAPID 312 Series


Analog lever-type dial test indicators

- Large measuring range
- Robust construction
- Dovetail mounting and a Ø 0.157 inch swiveling shank
- Bidirectional measurement
- Includes a revolution counter for a safe reading
- Always the same rotation direction of the pointer

Up to .060 inch
measuring range!



Order number	EDP number	Series	Range [in]	Scale interval [in]	Circular scale	Ø Dial [in]	Reg. price [\$]	Promo price [\$]
74.111370	42775	312b-1	.060	.0005	0 - 15 - 0	1.5	338	270
74.111371	86150	312b-2	.060	.0005	0 - 15 - 0	1.2	338	270
74.111372	41680	312b-3	.016	.0001	0 - 4 - 0	1.5	417	333
74.111377	41685	312b-1V	.060	.0005	0 - 15 - 0	1.5	363	290



Prime Tech Sales, Inc.

P. 800-642-4243
www.primetechsales.com

Mailing Address:

PO BOX 460
East Amherst, NY 14051

Shipping Address

9300 County Road BLDG F
Clarence Center, NY 14032