

# FACTORY REFURBISHED XCEL 9.12.9



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 900 mm / 35.4"  
Y: 1200 mm / 47.2"  
Z: 850 mm / 33.5"
- RC1 Controller
- Heidenhain Scale System
- HH-AS8-T2.5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 2 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY REFURBISHED MICROXCEL PFX 7.6.5



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 750mm 29.5"  
Y: 650mm 25.6"  
Z: 500mm / 19.7"
- RC1 Controller
- Heidenhain Scale System
- HH-A-T2.5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 3 weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY REFURBISHED XCEL XCEL 7.6.5



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 650 mm / 25.6"  
Y: 600 mm / 23.6"  
Z: 500mm / 19.7"
- RC1 Controller
- Heidenhain Scale System
- HH-AS8-T2.5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 4 weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY CERTIFIED OPTIV CLASSIC 321



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 300 mm  
Y: 200 mm  
Z: 150 mm
- High Resolution Color Camera, 1/2" CCD
- 6.5x CNC Motorized Zoom Optics
- 1.0x Front Lens Attachment. FOV min-max 0.85X to 6.4X
- Top Light: Coaxial White LED
- Backlight: Green LED
- Ring Light: Dual Angle, (8-Segment x 45°, 4 Segments at 90°)
- Laser Locating Pointer
- Glass Slide Artifact for Vision Sensor Calibration
- PC-DMIS PRO Vision® Software
- Software Training One Person 3 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 6 weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY CERTIFIED OPTIV CLASSIC 443



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 400 mm  
Y: 400 mm  
Z: 300 mm
- OPTIV Classic Base Machine
- CNC Motorized Zoom with Digital Color Camera and Ring Light
- HP-TM Touch-Trigger Probe
- Lens -- Objective 0.75X
- Touch Trigger Probe Module, HP-TM US SF
- Styli Kit 7, M2
- HR-P4 Stylus Module Changing Rack (4 ports, h=150)
- Optical Qualification Standard
- PC-DMIS CAD++ Vision
- PC-DMIS Tip Changer
- PC-DMIS Tactile for Vision
- 10 Days Software Training for One Person
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 4 to 6 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY CERTIFIED OPTIVSCAN ADVANTAGE 663



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 650 mm / 25.6"  
Y: 600 mm / 24"  
Z: 300 mm / 12"
- DC800 Controller
- LSP-X1c Scanning Probe with 3 Slot Changer
- Single Stage Rotary Table, Air Bearing, 122mm dia
- Part Clamping Set for Mechanical Bearing Rotary Table
- High Resolution 1/2" CCD Black and White Camera
- CNC Controlled Zoom Optics
- 2.5x Lens Attachment for CNC Zoom Lens
- 5x Lens Attachment for CNC Zoom Lens
- Top Light, Coaxial HALOGEN
- Backlight, LED
- Ring Light, Multi-Segment LED
- New Style Workstation
- PCDMIS CAD++ Vision® DCC
- PC-DMIS Tactile for Vision
- PC-DMIS Tip Changer Module
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 4 Weeks OAC (On Approved Credit)
- FCA, Elgin, IL

**Call for price**

# FACTORY REFURBISHED GLOBAL IMAGE 9208



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 900 mm / 35.4"  
Y: 2000 mm / 78.7"  
Z: 800 mm / 31.5"
- DC800 Controller
- HH-AS8-T2.5 Probe Head
- HP-S-X1H Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery: 6 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY REFURBISHED GLOBAL IMAGE 9158



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 900 mm / 35.4"  
Y: 1500 mm / 59"  
Z: 800 mm / 31.5"
- DC800 Controller
- HH-AS8-T2.5 Probe Head
- HP-S-X1H Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery: 6 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**



# FACTORY REFURBISHED GLOBAL ADVANTAGE 5.5.5



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 500 mm / 19.6"  
Y: 500 mm / 19.6"  
Z: 500 mm / 19.6"
- DC800 Controller
- Bellows
- HH-AS6-T5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 Days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 6 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY REFURBISHED ONE 775



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 700 mm / 27.5"
- Y: 700 mm / 27.5"
- Z: 500 mm / 19.6"
- DC241 Controller
- HH-A-T5 Probe Head
- HP-TM Touch Trigger Probe
- PC-DMIS CAD Software
- Software Training One Person 5 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery: 6 weeks (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY REFURBISHED ONE 7107



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 700 mm / 27.5"
- Y: 1000 mm / 39.4"
- Z: 650 mm / 25.6"
- DC241 Controller
- HH-A-T5 Probe Head
- HP-TM Touch Trigger Probe
- PC-DMIS CAD Software
- Software Training One Person 5 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery: 6 weeks (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY CERTIFIED PMM-C 8106



- Measuring Range: X: 800 mm / 31.5"  
Y: 1000 mm / 39.4"  
Z: 575 mm / 22.6"
- B5 Controller
- LSP-S2 Probe Head
- PC-DMIS CAD++ or Q7 Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 14 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

# FACTORY CERTIFIED REFERENCE 1597



- Measuring Range: X: 1500 mm / 59"  
Y: 900 mm / 35.4"  
Z: 700 mm / 27.5"
- B5 Controller
- LSP-S2 Probe Head
- PC-DMIS CAD++ or Q7 Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 14 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

# FACTORY CERTIFIED REFERENCE 1076



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 1000 mm / 39.4"  
Y: 700 mm / 27.5"  
Z: 590 mm / 23.2"
- B5 Controller
- LSP-S2 Probe Head
- PC-DMIS CAD++ or Q7 Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 14 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**\$Call for price**

# FACTORY REFURBISHED SINGLE ARM TORO RUNWAY 60.16.21



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range Per Arm: X: 6000 mm / 236"  
Y: 1600 mm / 63"  
Z: 2100 mm / 82.7"
- RC241 Controller
- HH-AS8-T5 Probe Head
- HP-TM Touch Trigger Probe
- PC-DMIS CAD++
- Cast Iron Plate
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty 1 Available
- Delivery 4 to 6 Weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

## FACTORY REFURBISHED XCEL 7.10.7



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 650 mm /25.6"  
Y: 1000 mm / 39.4"  
Z: 650 mm /25.6"
- RC1 Controller
- Heidenhain Scale System
- HH-AS8-T2.5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 8 weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**



# FACTORY REFURBISHED XCEL 9.15.9



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 900 mm / 35.4"  
Y: 1500 mm / 59"  
Z: 850 mm / 33.5"
- RC1 Controller
- Heidenhain Scale System
- HH-AS8-T2.5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 3 to 4 weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**

# FACTORY REFURBISHED MICROXCEL PFX 7.10.5



Photo Depiction of Machine

[go.hexagonmi.com/preownedcmms](https://go.hexagonmi.com/preownedcmms)

- Measuring Range: X: 750mm 29.5"  
Y: 1057mm 41.6"  
Z: 500mm / 19.7"
- RC1 Controller
- Heidenhain Scale System
- HH-AS8-T2.5 Probe Head
- HP-S-X1h Scanning Probe
- PC-DMIS CAD++ Software
- Software Training One Person 10 days
- Installation & Verification
- One (1) Year Warranty
- Qty: 1 Available
- Delivery: 6 weeks OAC (On Approved Credit)
- FCA, North Kingstown, RI

**Call for price**