



Certificate of Analysis

Compliance Test

Client Information:

Cann-I-Help Company inc
142 West Ave
142 west ave
CROSSVILLE, Tennessee 38555-4479

Batch # DT121124mc
Batch Date: 2024-12-11
Extracted From: Hemp


Test Reg State: Florida

Order # CAN250116-020001
Order Date: 2025-01-16
Sample # AAGH866

Sampling Date: 2025-01-16
Lab Batch Date: 2025-01-16
Completion Date: 2025-01-22

Initial Gross Weight: 77.000 g
Net Weight: 75.000 g

Number of Units: 2
Net Weight per Unit: 2500.000 mg



Potency
Tested

Product Image

Potency 10
Specimen Weight: 1517.500 mg

Tested
SOP13.001 (LCUV)



Potency Summary

Total Active THC 0.015% 0.375 mg	Total Active CBD 0.380% 9.500 mg
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids 0.395% 9.875 mg	

Pieces For Panel: 30

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	5.40E-5	0.015	3.800	0.380
Delta-9 THC	1.30E-5	0.015	0.150	0.015
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBG	2.48E-4	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			3.800	0.380
Total Active THC			0.150	0.015

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.