


Distinct by
Design



AMBERFLO CERAMIC TECHNOLOGY CO., LTD.

Factory Address: Manchang,Gusan village,Guxiang town,Chaoan district,
Chaozhou city,Guangdong

Mobile: +86 15816543610
Email: sales@amberflo.co
<https://amberflo-smart-t.com/>





1998

Established

25000m²

High Technology
Environment

**AMBERFLO
HAS A
HIGH-QUALITY
STAFF TEAM**

**THAT INTEGRATES
MARKETING,
RESEARCH,
DEVELOPMENT
AND PLANNING
AS A WHOLE.**

AmberFlo is located in a large domestic sanitary ware production base. It has advanced production lines, the first-class quality management as well as complete and perfect after-sales service. With its acumen and grasp of the market, **AmberFlo** constantly makes products with artistic taste and these products are loved by the users. Insisting on a cost-effective business philosophy, **AmberFlo** continues to grow and be stronger and stronger in the competition.

Whether a sanitary ware production enterprise is successful, the key lies in the success of the business philosophy. Market-oriented, to meet consumers' demand is an important rule that a successful enterprise should follow. At present, **AmberFlo** is in the stage to create a brand. As we meet the innovative, high-quality and attentive service requirement of the customers, we insist on carrying the marketing strategy of value, but not price. We will not seek private interests and break the good industry rules of the sanitary ware market. We will actively maintain the healthy development of the sanitary ware market. We hope to create a well-known brand which is popular with the consumers through our continued efforts!



Laboratory&Production Base



SMART TOILET LAB

The smart toilet laboratory focuses on innovative R&D in areas such as flushing system optimization and health monitoring technologies. By conducting real-scenario simulation experiments, it continuously improves product performance. Through research and application of health data analysis and smart interaction technologies, the lab is transforming smart toilets into modern intelligent health management terminals.



SMART TOILET PRODUCTION BASE

As the core platform for industry upgrading, the smart toilet production base integrates R&D, manufacturing and testing functions. Through the coordinated operation of automated production lines, digital management systems and intelligent logistics systems, it drives the transformation and upgrading of traditional bathroom products towards intelligent solutions.



Brand Vision

Innovation-Driven:
We consistently prioritize innovation as our core mission, dedicated to advancing product intelligence through technological breakthroughs. With a strong focus on R&D investment, we have built an elite team of engineers and designers committed to developing and optimizing smart sanitary products.

User-Centric Approach:
We prioritize user experience by integrating customer needs and feedback into product design. Through attentive listening and rigorous testing, we ensure every product delivers optimal performance and satisfaction.

Development

Service Upgrade:
By establishing a globalized marketing network and after-sales service system, we are committed to delivering more convenient and efficient service experiences for our users.

Technology Leadership:
We intensify R&D in cutting-edge technologies—particularly AI, IoT, and big data analytics—to consistently launch smart sanitary products with technological competitive advantages.

Washdown Smart toilet series

Silent
Flush




Cleanliness

Universal Cleanliness

The brand new split toilet features a water tank structure that significantly reduces traditional flushing noise, providing a whisper like quiet flushing experience.
Here, technology and tranquility are combined to bring a delightful bathroom experience.



Rimless



Configuration

Basic Version	Manually Operated Lid/Seat	Heated seat	Adjustable Heated Seat
	Ambient Night Light	Backup Power	Auto Flush When Leaving
Manual Version	Manual Flush	Foot Sensor Flush	Soft Closing Cover&Seat
	IPX4 Waterproof	No Minimum Water Pressure Required	
	● +Basic Version	Posterior Wash	Feminine Wash
	Oscillating Wash	Gentle Aid Function	Alternating Temp. Massage
	Adjustable Water Pressure	Nozzle Position Adjustable	Water Temp. Adjustable
Auto Version	Wind Temp. Adjustable	Warm Air Dryer	Self-cleaning Nozzle
	Instant Warm Water	LED Display	Wireless Remote Control
Options	● +Manual Version	Sensor-activated Automatic Lid	Auto Lid/seat with Foot Sensor
	Auto-flush For Men's Use		
Options	Anti-splash Foam System	Build-in Air Freshener	Inlet Water Filter
	UV Sanitization		


Product Information

Size: 678x380x780mm
Seat: 290x210mm
Customized plug types available for different countries.

Flushing method: Washdown
Rough-in: S-trap 100~250mm
P-trap 180mm



S-trap:100~250mm with flexible tube



P-trap 180mm



Rimless



Floor Standing Toilet


Size: 520x380x445mm

Seat: 290x210mm


Customized plug types available for different countries.

Flushing method: Washdown

Rough-in: P-trap 180mm



P-trap 180mm



Configuration	Basic Version	Manually Operated Lid/Seat Manual Flush Soft Closing Cover&Seat	Heated seat Foot Sensor Flush IPX4 Waterproof	Adjustable Heated Seat Backup Power No Minimum Water Pressure Required	Auto Flush When Leaving Ambient Night Light
	Manual Version	● +Basic Version Gentle Aid Function Water Temp. Adjustable Instant Warm Water	Posterior Wash Alternating Temp. Massage Wind Temp. Adjustable LED Display	Feminine Wash Adjustable Water Pressure Warm Air Dryer Wireless Remote Control	Oscillating Wash Nozzle Position Adjustable Self-cleaning Nozzle Auto-adjusting Seat Heater
	Auto Version	● +Manual Version	Sensor-activated Automatic Lid	Auto Lid/seat with Foot Sensor	Auto-flush For Men's Use
	Options	Anti-splash Foam System	Build-in Air Freshener	Inlet Water Filter	UV Sanitization



Rimless



Wall Hung Toilet


Size: 520x380x365mm

Seat: 290x210mm


Customized plug types available for different countries.

Flushing method: Washdown

Rough-in: P-trap 180mm



P-trap 180mm





Configuration	Basic Version	Manually Operated Lid/Seat Manual Flush Soft Closing Cover&Seat	Heated seat Foot Sensor Flush IPX4 Waterproof	Adjustable Heated Seat Backup Power No Minimum Water Pressure Required	Auto Flush When Leaving Ambient Night Light
	Manual Version	● +Basic Version Gentle Aid Function Water Temp. Adjustable Instant Warm Water	Posterior Wash Alternating Temp. Massage Wind Temp. Adjustable LED Display	Feminine Wash Adjustable Water Pressure Warm Air Dryer Wireless Remote Control	Oscillating Wash Nozzle Position Adjustable Self-cleaning Nozzle Auto-adjusting Seat Heater
	Auto Version	● +Manual Version	Sensor-activated Automatic Lid	Auto Lid/seat with Foot Sensor	Auto-flush For Men's Use
	Options	Anti-splash Foam System	Build-in Air Freshener	Inlet Water Filter	UV Sanitization




T1901

Water Tank




T1900-00

Water Tank



T1900-10

Water Tank






Smart Toilet

Non-electric Smart Toilet

All-in-One Ceramic Water Tank - Enhanced Flushing Experience

We've optimized the internal structure to ensure smooth flushing even during power outages, guaranteeing uninterrupted performance.

The innovative built-in tank design significantly reduces flushing noise (as low as 45dB), delivering a remarkably quiet operation.



Product Architect :
Scient

Design

Designer's Notes

When designing this smart toilet, we first considered a core issue:
The product must maintain normal operation even in the event of a power outage or unexpected circumstances.
To achieve this, we optimized the flushing system to ensure it can function without electricity.
Next, we specifically improved the noise reduction performance.
Through the unique structural design of the built-in water tank, we made the water flow path smoother, reducing the sound of water colliding with the pipes.
Additionally, our product features a specially designed mechanical flushing function that can be activated by adjusting the configuration.
In other words, even without power, you can still manually operate it to achieve basic bidet functionality.




Wash-down structure



Conventional water mechanism ,
No water pressure limited .



Power-free Cleaning System





Silent Flow




QuietComfort

Innovative built-in water tank design eliminates traditional bathroom noise, delivering a whisper-quiet flushing experience.

Operates without water pressure dependence and functions reliably even during power outages, ensuring consistent performance in all conditions.



RIMLESS



Configuration

Basic Version	Manually Operated Lid/Seat	Heated seat	Adjustable Heated Seat
	Ambient Night Light	Backup Power	Auto Flush When Leaving
Manual Version	Manual Flush	Foot Sensor Flush	Soft Closing Cover&Seat
	IPX4 Waterproof	No Minimum Water Pressure Required	
Auto Version	● +Basic Version	Posterior Wash	Feminine Wash
	Oscillating Wash	Gentle Aid Function	Alternating Temp. Massage
Options	Adjustable Water Pressure	Nozzle Position Adjustable	Water Temp. Adjustable
	Wind Temp. Adjustable	Warm Air Dryer	Self-cleaning Nozzle
Manual Version	Instant Warm Water	LED Display	Wireless Remote Control
	Auto-adjusting Seat Heater		
Auto Version	● +Manual Version	Sensor-activated Automatic Lid	Auto Lid/seat with Foot Sensor
	Auto-flush For Men's Use		
Options	Anti-splash Foam System	Build-in Air Freshener	Inlet Water Filter
	UV Sanitization		

Product Information

Size: 678x385x600mm


Seat: 300x210mm

Customized plug types available for different countries.


Flushing method: Washdown

Rough-in: S-trap 100~250mm

P-trap 180mm



S-trap:100-250mm with flexible tube



P-trap 180mm

T-009

Keswick

Ease of Installation Assured
In-built tank
Connects direct to the water supply



Lip-Free
Design




Tornado



White

Grey




Configuration

Basic Version	Manually Operated Lid/Seat Ambient Night Light Manual Flush IPX4 Waterproof	Heated seat Backup Power Foot Sensor Flush No Minimum Water Pressure Required	Adjustable Heated Seat Auto Flush When Leaving Soft Closing Cover&Seat
Manual Version	+Basic Version Oscillating Wash Adjustable Water Pressure Wind Temp. Adjustable Instant Warm Water Auto-adjusting Seat Heater	Posterior Wash Gentle Aid Function Nozzle Position Adjustable Warm Air Dryer LED Display	Feminine Wash Alternating Temp. Massage Water Temp. Adjustable Self-cleaning Nozzle Wireless Remote Control
Auto Version	+Manual Version Auto-flush For Men's Use	Sensor-activated Automatic Lid	Auto Lid/seat with Foot Sensor
Options	Anti-splash Foam System UV Sanitization	Build-in Air Freshener	Inlet Water Filter


Product Information

Size: 685x385x455mm
Seat: 300x200mm
Customized plug types available for different countries.

Flushing method: Tornado Washdown
Rough-in: S-trap 100~250mm
P-trap 180mm



S-trap:100-250mm
with flexible tube



P-trap 180mm

T-013