ManageEngine Cloud Security Plus

The National Security Agency's recommendations for cloud security



www.cloudsecurityplus.com

ndex	Introduction							
	Cloud vulnerability types according to the NSA	_ 2						
	 Misconfiguration 	— 2						
	 Poor access control 	- 3						
	 Shared tenancy vulnerabilities 	— 4						
	 Supply chain vulnerabilities 	— 5						
	Summary	— 6						

Introduction

Cloud adoption comes with numerous advantages and benefits to an organization, but it also comes with a certain amount of risk. As the cloud industry becomes more mainstream, the underlying concept of cloud technology still isn't fully understood by everyone who uses it, making security decisions a hassle. To ease the confusion, the National Securty Agency (NSA) has published a document explaining the cloud infrastructure and its security vulnerabilities.

Cloud vulnerability classes according to the NSA

The NSA categorizes cloud vulnerabilities into four classes:

- Misconfiguration
- Poor access control
- Shared tendency vulnerabilities
- Supply chain vulnerabilities

1. Misconfiguration

Users are given certain privileges within the cloud infrastructure based on their responsibilities in the organization. When these privileges are not configured correctly, some user accounts may have access to information they're not supposed to have access to, while others may not have access to the information they need. Such misconfiguration of privileges, especially access privileges, pose the risk of sensitive information being leaked.

To prevent users from sharing sensitive information publicly, organizations can implement cloud service policies. Apart from leveraging cloud service policies, organizations should also continuously monitor all cloud resources, security events, and configuration changes to detect any misconfigured access or misuse of access.

One way to do this is auditing access logs using automated third-party solutions as these solutions provide detailed information about what happens in your cloud environment. Cloud Security Plus is a log management and monitoring tool for public cloud platforms that enables admins to monitor user activity and configuration changes, and receive real-time alerts through email to detect unusual behavior.

Cloud Security Plus	На	ome Reports	Search	Alerts	Settings	Support	😁 Purch	ase Now Jump to	License ? Cloud Account Setting	🕑 🕶
AWS Azure Salesforce	Google								Favo	ourite
User Login Activity	•	Recent User Activ	/ity							
Failed/Unauthorized Activity	•								🛃 Export As 🔄 M	/ore
IAM Activity	•	Account:	aws		~		Top Activity Base	ed on User		
User Activity	-	Period:	🛅 01-14	4-2020 - 02-12-2	020 ×	3k				
Recent Failed Events by User		Select user:	Click to S	Select Users	Add	SE 2 3	63			
Recent User Activity			Click to 3	ACCC 03013	- Add	Vumber of Operations				
Network Security Groups	•					r of O				
VPC Activity	•					a 1k —	298			
S3 Bucket Activity Reports	•					0k	le	55 151	44	
WAF Reports	•					Dome9-	Connect SreeHari config-ro	le-us-e csp_test_u	iser AWSMaci	
Security Token Service	•						Recent User /	Activity		
AWS Config Reports	•									
EC2 Reports	•							1-25 of 3061	25 🗸	
Amazon Auto Scaling Reports	•	User Name		Even	t Time	Event Source	Event Name	Source IP Add	dress Details	İs
		Dome9-Connect		02-12	2-2020 15:55:51	ec2.amazonaws.com	DescribeSecurityGroups	3.81.47.58	View	
		Dome9-Connect		02-12	2-2020 15:52:16	ec2.amazonaws.com	DescribeSecurityGroups	3.81.47.58	View	
		Dome9-Connect		02-12	2-2020 15:52:15	ec2.amazonaws.com	DescribeSecurityGroups	3.81.47.58	View	
		Dome9-Connect		02-12	2-2020 15:52:15	ec2.amazonaws.com	DescribeSecurityGroups	3.81.47.58	View	

Figure 1: Recent user activity report in Cloud Security Plus

2. Poor access control

Authentication is the definitive security layer that prevents intruders from getting inside an environment. When this access control mechanism is compromised, the consequences can be disastrous. A poor access control mechanism will give intruders easy access to sensitive information, and allows them to change privileges and wreak havoc from within an organization.

A strong authentication model is imperative to prevent breaches in security. Multi-factor authentication can also be implemented to ensure that only authorized users gain access to an organization's network. Apart from stringent authentication measures, auditing access logs and login attempts can show if there are signs of a breach or unusual activity.

Third-party solutions provide more comprehensive information than native solutions of cloud service providers (CSPs) on reports such as user login activities. With solutions like Cloud Security Plus, admins can also track failed login attempts, which come in handy for detecting threats such as brute-force attacks.

						😸 Purchase Now Jump to 🦊 License ? 🕴 🗸
Cloud Security Plus	/ H	lome Reports	Search Alerts	Settings	Support	Cloud Account Settings
AWS Azure Salesforce	Googl					Favourites
User Login Activity	•	Recent Error Ev	ents			
Failed/Unauthorized Activity	-					📑 Export As 🛛 🔄 More
Recent Error Events		Account:	aws	*		Top Activity Based on User
Recent Login Failures		Period:	01-14-2020 - 02-1	2-2020 ×	300	
Recent Authorization Failures		Select user:	Click to Select Users	Add	Number of Operations 000	282
IAM Activity	•				200 Dera	
User Activity	- •				5 100	
Network Security Groups	- • [qump	12 12 5
VPC Activity	•				2 0	
S3 Bucket Activity Reports	•					Dome9-Connect AWSMacieServiceCusto csp_test_user SreeHari
WAF Reports	•					Recent Error Events
Security Token Service	•					
AWS Config Reports	•					1-25 of 311 25 🕶
EC2 Reports	•					
		Event Time	Event Name	Error Code		Error Message
		02-12-2020 15:46:59	GetAccountPublicAccessBlock	NoSuchPublicAcc	essBlockConfiguration	The public access block configuration was not found
		02-12-2020 15:46:59	GetBucketWebsite	NoSuchWebsiteCo	onfiguration	The specified bucket does not have a website configuration
		02-12-2020 15:46:59	GetBucketTagging	NoSuchTagSet		The TagSet does not exist

Figure 2: Recent error events report in Cloud Security Plus

3. Shared tenancy vulnerabilities

Cloud environments involve the use of multiple hardware and software components which are often sourced from various vendors. With such a complex infrastructure, there is a risk of one or more of these components will contain a vulnerability. Any attacker who is well-informed about the components used in a particular cloud environment can easily exploit the vulnerabilities of those components.

Two vulnerabilities that fall under this category are:

- Hypervisor vulnerability
- Containerization vulnerability

Hypervisor is software responsible for creating and running virtual machines. Cloud environments rely heavily on virtualization, which makes any hypervisor vulnerability critical. Containerization is technology that involves encapsulating all the necessary components to run an application independently on suitable hardware. Containerization vulnerabilities may give impostors access to sensitive data, which can be misused.

To mitigate these vulnerabilities, it is advised to run sensitive workloads on bare-metal or dedicated instances so that there are no other tenants in that instance that can access your information through an exploit. Additionally, data can be encrypted with strong encryption methods, which can then be continuously monitored. Closely monitoring the network can also help in detecting and mitigating a breach at the earliest stage.

4. Supply chain vulnerabilities

Supply chain vulnerabilities occur due to the design of cloud technology itself: i.e, multiple sources of hardware and software. It is a daunting task for CSPs to monitor a wide network of resources where they might miss some vulnerabilities, so it is wise to implement a security measure to ensure that your environment is not exploited through those loopholes.

Monitoring plays an important role here as well. Monitoring sensitive resources helps with detecting unusual activity in file servers. With every cloud activity logged, admins can detect unusual behavior by monitoring specific logs, but finding patterns that indicate suspicious behavior manually can be a time-consuming challenge.

Third-party solutions offer canned reports that collect logs and display them in an easy-to-read format. Cloud Security Plus can go a step further by allowing admins to configure alerts via email for activities that indicate malicious intent.

loud S	ecurity	Plus) _H	ome	Reports Search	Alerts	Settings	Support		; Purchase No	w Jump to 🦊 License ? 😌 O Cloud Account Settings		
Accou	int aws	(aws)	~	Period 🛅 01-1	4-2020 - 02-12-2020	× Alert P	rofile All	~		▶ Alert Profiles		
Ť		Total 3105		× 3	Critical 105		Trouble 0	•	Attention 0	Create Alert Profile View Alert Profiles		
tal Alert	(a)	View Details >		<u>View</u>	Details >		View Details)		View Details >	Recent Alerts		
ital Alerti	(5)							1-25 of 310	5 ▶ 25 -	Alert "aws" triggered for event (eventID = 1bc486db-853c-465a-		
Actions	Account	Alert Profile	Severity	Time	Message				Details	894d-00b782488467). 6 minutes ago		
î	aws	aws	critical	02-12-2020 16:01:15	Alert "aws" trigge	red for event (ever	ntID = 1bc486db-853c-465a	a-894d-00b782488467).	View	Alert "aws" triggered for event		
î	aws	aws	critical	02-12-2020 16:01:01	Alert "aws" trigge	red for event (ever	ntID = 9f6e75e4-7c1d-487c	-af21-2f2a9a357a87).	View	(eventID = 9f6e75e4-7c1d-487c- 2f2a9a357a87).		
â	aws	aws	critical	02-12-2020 15:58:33	Alert "aws" trigge	red for event (ever	ntID = d88d5ee1-cfa8-429b	-9a36-f6b970fe364e).	View	6 minutes ago Alert "aws" triggered for event		
ā	aws	aws	critical	02-12-2020 15:55:51	Alert "aws" trigge	red for event (ever	ntID = e34b5e63-140f-47f6	-8308-dce3f3a8f91b).	View	(eventID = d88d5ee1-cfa8-429b- 9a36-f6b970fe364e).		
ā	aws	aws	critical	02-12-2020 15:55:51	Alert "aws" trigge	red for event (ever	ntID = bb3edbad-fab1-433	8-8613-caae699247f3).	View	9 minutes ago		
â	aws	aws	critical	02-12-2020 15:55:51	Alert "aws" trigge	red for event (ever	ntID = ca615f8f-9796-4edb	-84f1-cd8d145cfc95).	View	Alert "aws" triggered for event (eventID = e34b5e63-140f-47f6- 8308-dce3f3a8f91b).		
î	aws	aws	critical	02-12-2020 15:52:16	Alert "aws" trigge	red for event (ever	ntID = 4978439b-3736-47e	8-a82c-8066db0e6224).	View	11 minutes ago		
î	aws	aws	critical	02-12-2020 15:52:16	Alert "aws" trigge	red for event (ever	ntID = 5d020e02-2fa7-4555	-b955-0ac437e48336).	View	Alert "aws" triggered for event (eventID = ca615f8f-9796-4edb-84f		
÷	aws	aws	critical	02-12-2020 15:52:16	Alert "aws" trigge	red for event (ever	ntID = 8f10e98b-fa73-4103	-ba5c-47a651007349).	View	cd8d145cfc95).		

Figure 3: Alerts tab in Cloud Security Plus

Summary

The benefits cloud environments offer attract many organizations to migrate to the cloud. Careful implementation of the cloud environment will ensure effective security against vulnerabilities and the risks associated with cloud technology. Third-party security solutions can go a long way in mitigating those risks and vulnerabilities. To simplify cloud security and management, organizations should look to implement a comprehensive solution that can provide the necessary insights for monitoring and securing cloud environments.

ManageEngine) Cloud Security Plus

The easy deployment, adaptive scalability, and economical costs of cloud platforms have many organizations adopting it. However, meeting compliance needs and growing security concerns of data loss and unauthorized access, hinders the tapping of the platform's full potential. Cloud Security Plus is your silver lining, as it combats these security concerns. It gives complete visibility into AWS, Salseforce, Google Cloud Platform, and Microsoft Azure cloud infrastructures. The comprehensive reports, easy search mechanism, and customizable alert profiles enable you to track, analyze, and react to events happening in your cloud environments.

