

In-Season Plant Growth Regulators, Foliar Nutritients, and Micronutrients



Optimize In-Season Genetic Potential



Optimize In-Season Genetic Potential

Provide essential nutrition and stress management solutions in-season.







EARLY-SEASON PGR FOR RAPID PLANT DEVELOPMENT

REVLINE® EARLY-SEASON provides two essential growth-promoting plant hormones for optimal crop development and yield. These two EPA-registered plant growth regulators (PGRs) are found in nature and stimulate seeding and plant growth, improving root development.

REVLINE EARLY-SEASON contains indole-butyric acid for fast, vigorous root growth and cytokinin for optimal vegetative and reproductive development.

BENEFITS

- Boosts root growth and plant vigor
- Improves plant health and physiology
- Increases yield potential and grain qualitY
- Contains vitamins that aid transplanting and plant growth
- Optimizes the genetic potential of every plant in your field

ACTIVE INGREDIENTS

Cytokinin (as kinetin)	00.15%
Indole-3-butyric Acid	00.85%

RECOMMENDED USE RATE

In-Furrow: 2 fl oz per acre

Foliar: 2 fl oz per acre.

PRODUCT AVAILABILITY

- 2 x 2.5 gallon case
- 275-gallon tote

@2023 Meristem Crop Performance® Group, LLC. All rights reserved. REVLINE is a trademark of Meristem Crop Performance Group, LLC. Revised 07/23.





HARVESTSHIELD™ COMPLETE is a first-pass solution specifically formulated to protect and reduce yield loss of crops under abiotic stress conditions.

By combining nutrients with stress mitigation ingredients, HARVESTSHIELD COMPLETE allows growers to see more value in the nutrients made available to the plant.

PRODUCT BENEFITS

- Protects a farmer's investment during critical growth stages
- Shields impact of abiotic stresses, securing increased vield potential
- Promotes vegetative and reproductive growth during key rain events on stressed acres

STRESS MITIGATION VALUE

L-Proline: an anti-stressor (osmotic regulator) amino acid accumulated by plants to fight off abiotic stresses. Plants primed with Proline are tolerant to stress before the event occurs. Proline is an antioxidant that regulates the balance of active oxidation in plant cells through a synergistic relationship.

Phenolic Acid Compounds: metabolites play an important role as local or systemic resistance builders in protecting plants against pathogens. Phenolic Acid compounds are more potent than humic and fulvic as they are naturally released from the plant's seeds, roots, and/or residue decomposition to improve tolerance to stress and signal cell wall growth.

Guaranteed Analysis 5-0-0

ACTIVE INGREDIENTS	
Nitrogen (N)	5.00%
4.0% Urea Nitrogen	
1.0% Other nitrogen	4.00%
Sulfur (S)	1.00%
Boron (B)	
Manganese (Mn)	
Molybdenum (Mo)	
Zinc (Zn)	
Derived from urea, zinc sulfate, managanese	sulfate, boric acid, sodium molybdate

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

L-Proline	5,000 ppm
Phenolic Acids	19,800 ppm

RECOMMENDED USE RATE

FOLIAR APPLICATION

Apply 1 qt/acre and repeat as needed.

HARVESTSHIELD COMPLETE is more effective if applied prior to stress events or during rapid vegetative growth stages.

Application may also be beneficial during early to midflowering growth stages.

PRODUCT AVAILABILITY

- · 2x2.5 gallon jugs
- 250-gallon tote

Density: 9.09 lb/gal

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH AND HARVESTSHIELD are trademarks of Meristern Crop Performance Group, LLC. Revised 08/23.











HOMESTRETCH™ SULFUR 17 is specifically formulated for foliar delivery of sulfur. Sulfur is important for chlorophyl formation, nodulation, enzyme activation, and S-containing amino acids.

PRODUCT BENEFITS

- Ultimate tank mix formulation compatibility
- Maximum nutrient mobility and efficiency, allowing for a lower application rate per acre
- Low salt index and low impurities

AGRONOMIC BENEFITS

Sulfur: aids in protein and enzyme synthesis.

Guaranteed Analysis 8-0-0-17S

ACTIVE INGREDIENTS

Derived from urea and ammonium thiosulfate.

RATE RECOMMENDATIONS

FOLIAR APPLICATION

Field, Row, Vegetable, and Vine Crops: Apply 0.5–4 quarts per acre per application throughout the growing season. More frequent applications at 1–2 pints per acre may be needed to correct deficiencies once they occur.

SOIL APPLICATION

Field and Row Crops: 2–4 quarts per acre banded either as a stand alone or in combination with liquid NPK starter fertilizers at planting or as a side-dress during the season.

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- · 250-gallon tote

Weight: 10.21 lb/gal @ 68°F

Specific Gravity: 1.22

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristern Crop Performance Group, LLC. Revised 04/23.







REVLINE® LATE-SEASON PLANT GROWTH REGULATOR

LATE SEASON
PLANT GROWTH REGULATOR

REVLINE® LATE-SEASON is a fortified cytokinin designed to increase pollination and support photosynthesis during fruit or grain fill. The unique combination produces more flowering/fruiting sites, and more importantly increases the plant's net capture of solar energy to help drive sugar production.

INFLUENCE REPRODUCTIVE STAGE

Early reproductive application increases branching, flowering, and fruiting sites

OPTIMIZE PLANT METABOLISM

Strengthens plant cell structures and maintains photosynthesis, even in stress conditions


PRODUCE LARGER YIELDS

Boost yield potential by increasing pod/grain size and reducing abortion incidence


Greater pollination + more energy capture

= More Yield!

REVLINE® LATE-SEASON on Soybean



REVLINE® LATE-SEASON on Corn @VT




ACTIVE INGREDIENTS

Kinetin	0.12%
GABA	0.98%
Choline Chloride	1.95%

Rate: 12.8 oz/Ac

Net Weight: 5.31 lbs (2.40kg)



©2023 Meristern Crop Performance® Group, LLC. All rights reserved. REVLINE is a trademark of Meristern Crop Performance Group, LLC. Revised 07/23







Farmers that drive for yield know that season-long plant health is critical to maximizing genetic potential. Foliar feeding is one of the most efficient ways to supply nutrition to crops during critical growth stages.

HOMESTRETCH® NKB-S is a 2-0-15 formulation, specifically formulated with a boost of potassium, boron, and sulfur. It is ideal for in-season nutrient applications on row crops and is an excellent tank mix partner.

PRODUCT BENEFITS

- Ultimate tank mix formulation compatibility
- Maximum nutrient mobility and efficiency, allowing for a lower application rate per acre
- · Low salt index and low impurities
- Contains a proprietary, high efficiency form of boron
- Healthier plants, stress mitigation, enhanced quality and yield
- At a value that just makes sense

PRODUCT AVAILABILITY

- 2 x 2.5 gallon jugs
- · 250-gallon tote

Density: 11.15 lb/gal at 68°F

Guaranteed Analysis 2-0-15

ACTIVE INGREDIENTS

2.00%
15.00%
4.50%
2.50%
0.25%

Derived from urea, potassium sulfate, sodium molybdate, potassium borate.

AGRONOMIC BENEFITS

Boron: essential to new growth, pollination and reproduction. Stabilizes cell walls, which provides plant structure and integrity. Also aids in nitrogen assimilation and root nodulation formation, which enhances nitrogen uptake and utilization.

Potassium: assists with drought tolerance, nodulation, lodging resistance and defense against insects and diseases. Critical to high yields.

Sulfur: important for chlorophyl formation, nodulation, enzyme activation, and S-containing amino acids. Also aids in protein and enzyme synthesis.

APPLICATION RECOMMENDATIONS

Apply 1-2 quarts per acre per application throughout the growing season. More frequent applications at 1 pint per acre may be needed to correct deficiencies once they occur.

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH® is a trademark of Meristern Crop Performance Group, LLC. Revised 07/23.





Farmers that drive for yield know that season-long plant health is critical to maximizing genetic potential. Foliar feeding is one of the most efficient ways to supply nutrition to crops during critical growth stages.

HOMESTRETCH® by is a foliar applied formulation of 4-0-0 with a micronutrient package. It is ideal for in-season nutrient applications on row crops and can be used as a tank mix partner.

PRODUCT BENEFITS

- High quality and mobile form of readily available nutrients for plants
- Low use rates
- · Low salt index and low impurities
- Reduced stress through improved plant health
- Drives higher yields
- · At a value that just makes sense

AGRONOMIC BENEFITS

Sulfur: aids in protein and enzyme synthesis.

Boron: essential to new growth, pollination and reproduction. Stabilizes cell walls, which provides plant structure and integrity. Also aids in nitrogen assimilation and root nodulation formation, which enhances nitrogen uptake and utilization.

Manganese: aids in herbicide metabolism, chlorophyll formation and plant respiration. It is also critical to photosynthesis.

Zinc: promotes root and shoot growth; helps plants withstand environmental stress.

Guaranteed Analysis 4-0-0

ACTIVE INGREDIENTS

Nitrogen (N)	4.00%
4.0% Urea Nitrogen	
Sulfur (S)	3.00%
Boron (B)	0.25%
Manganese (Mn)	
Zinc (Zn)	
Derived from urea, boric acid, manga	nese sulfate and zinc sulfate.

APPLICATION RECOMMENDATIONS

FOLIAR APPLICATION

Ground: Apply 1-2 quarts in a minimum of 10 gallons of water per acre and repeat as needed.

Aerial: Apply 1-2 pints in a minimum of 5 gallons of water per acre and repeat as needed.

SOIL APPLICATION

Use 1-3 quarts in a minimum of 10 gallons of water per acre. Not for use with starter fertilizer.

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- · 250 gallon tote

Weight: 10.5 lb/gal @ 68°F

Specific Gravity: 1.26

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristern Crop Performance Group, LLC. Revised 06/23.







Farmers that drive for yield know that season-long plant health is critical to maximizing genetic potential. Foliar feeding is one of the most efficient ways to supply nutrition to crops during critical growth stages.

HOMESTRETCH™ ULTRA by Meristem Crop Performance™ is a foliar-applied formulation of 5-0-0 with an advanced formulation of micronutrients. It is ideal for in-season nutrient applications on row crops and is an excellent tank mix partner.

HOMESTRETCH ULTRA is approved for use with Engenia® and XtendiMax® with VaporGrip® Technology.

For info, visit:

EngeniaTankMix.com

XtendiMaxApplicationRequirements.com

PRODUCT BENEFITS

- Ultimate tank mix formulation compatibility
- Compatible with 2,4-D, Dicamba, and Formesafen-based herbicides
- Excellent compatibility in ultra low spray volumes such as aerial applications
- Drives season-long plant health by providing micronutrients critical for growth and development
- Prepares plants to deal with season-long stressors
- · At a value that just makes sense

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- · 250 gallon tote

Weight: 10.6 lb/gal
Specific Gravity: 1.27

Guaranteed Analysis 5-0-0

ACTIVE INGREDIENTS

Total Nitrogen (N)	5.00%
5.0% Urea Nitrogen	
Sulfur (S)	2.00%
Boron (B)	0.50%
Manganese (Mn)	
Molybdenum (Mo)	
Zinc (Zn)	

Derived from urea, boric acid, manganese sulfate, sodium molybdate and zinc sulfate.

APPLICATION RECOMMENDATIONS

FIELD, ROW, VEGETABLE AND VINE CROPS

Apply 1-2 quarts per acre per application throughout the growing season. More frequent applications at 1 pint per acre may be needed to correct deficiencies once they occur.

AGRONOMIC BENEFITS

Sulfur: aids in protein and enzyme synthesis.

Boron: essential to new growth, pollination and reproduction. Stabilizes cell walls, which provides plant structure and integrity. Also aids in nitrogen assimilation and root nodulation formation, which enhances nitrogen uptake and utilization.

Manganese: aids in herbicide metabolism, chlorophyll formation and plant respiration. It is also critical to photosynthesis.

Molybdenum: promotes root nodulation growth and enhances nitrogen utilization.

Zinc: promotes root and shoot growth; helps plants withstand environmental stress.

©2025 Meristem Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristem Crop Performance Group, LLC.

XtendiMax® and VaporGrip® are registered trademarks of Bayer Group. Engeria® is a registered trademark of BASF. Revised 03/23.





Boron is one of the most common micronutrient deficiencies. Without sufficient levels of boron many plant functions can be impaired. Low B can negatively impact vegetative and reproductive growth, cell and tissue growth and reproductive capacity.

HOMESTRETCH™ B by Meristem Crop Performance™ is designed for maximum nutrient mobility and performance, with one of the most efficient and user friendly forms of boron available.

PRODUCT BENEFITS

- Provides up to 8x more efficiency and mobility than 10% boron
- Highly soluble and stable across a broad pH range
- Boron will not precipitate when it comes in contact with acidic solutions
- Compatible with other micronutrients, including Zn and Ca
- Compatible with insecticides, herbicides and fungicides that have very specific pH ranges

AGRONOMIC BENEFITS

Boron: essential to new growth, pollination and reproduction. Stabilizes cell walls, which provides plant structure and integrity. Also aids in nitrogen assimilation and root nodulation formation, which enhances nitrogen uptake and utilization.

Guaranteed Analysis

ACTIVE INGREDIENTS

5.0% Water soluble boron Derived from boric acid.

RATE RECOMMENDATIONS

FOLIAR APPLICATION

Field, Row, Vegetable and Vine Crops: Apply 0.5-1 pint per acre per application throughout the growing season. More frequent applications at 1 pint per acre may be needed to correct deficiencies once they occur.

Fruit and Nut Tree Crops: Apply 1-4 pints per acre per application throughout the growing season. More frequent applications at 2 pint per acre may be needed to correct deficiencies once they occur.

Ornamentals: Apply 1-2 pints per 100 gallons water. Cover foliage thoroughly to point of runoff.

SOIL APPLICATION

All crops: Use 1-3 quarts per acre. Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- 250 gallon tote

Weight: 10.6 lb/gal @ 68°F

Specific Gravity: 1.27

@2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristern Crop Performance Group, LLC. Revised 04/23.





Boron is one of the most common micronutrient deficiencies. Boron positively impacts vegetative and reproductive growth, cell and tissue growth and reproductive capacity.

Molybdenum is the micronutrient that aids in nitrogen utilization and sulfur metabolism.

HOMESTRETCH™ B-Mo is designed for maximum nutrient mobility and performance, and is one of the most efficient and user friendly forms of boron available.

PRODUCT BENEFITS

- Provides up to 8x more efficiency and mobility than 10% boron
- Highly soluble and stable across a broad pH range
- Boron will not precipitate when it comes in contact with acidic solutions
- Compatible with other micronutrients, including Zn and Ca
- Compatible with insecticides, herbicides and fungicides that have very specific pH ranges

AGRONOMIC BENEFITS

Boron: Boron provides structural integrity and flexibility to the primary cell walls. It also improves vegetative and reproductive growth.

Molydbenum: Molybdenum is involved in many functions within the plant. It aids nitrogen and sulfur metabolism, as well as aids in hormone biosynthesis and toxic compound transformation. It is essential to root nodulation formation in legumes; and helps convert N_2 to ammonium and converts nitrate to nitrate.

Guaranteed Analysis

ACTIVE INGREDIENTS

Boron (B)	5.00%
5.0% Water soluble boron	
Molybdenum (Mo)	0.50%
Derived from boric acid and sodium molybdate.	

RATE RECOMMENDATIONS

FOLIAR APPLICATION

Field, Row, Vegetable and Vine Crops: Apply 0.5-1 pint per acre per application throughout the growing season. More frequent applications at 1 pint per acre may be needed to correct deficiencies once they occur.

Fruit and Nut Tree Crops: Apply 1-4 pints per acre per application throughout the growing season. More frequent applications at 2 pint per acre may be needed to correct deficiencies once they occur.

Ornamentals: Apply 1-2 pints per 100 gallons water. Cover foliage thoroughly to point of runoff.

SOIL APPLICATION

All crops: Use 1-3 quarts per acre.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- 250-gallon tote

Weight: 10.7 lb/gal @ 68°F

Specific Gravity: 1.28

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristern Crop Performance Group, LLC. Revised 04/23.





Boron is critical to development and growth of new cells in the plant meristem, affecting terminal growth, flowering and fruit development. Boron is also required for protein synthesis, pollination and reproduction. Boron is one of the most common micronutrient deficiencies. Without sufficient levels of boron many plant functions can be impaired.

Low B can negatively impact vegetative and reproductive growth, cell and tissue growth and reproductive capacity. HOMESTRETCH® 10% BORON is an effective, readily available source of boron for soil and foliar applications to field, row, vegetable, fruit, tree, and vine crops.

PRODUCT BENEFITS

- Highly soluble and stable across a broad pH range
- Boron stays in suspension when it comes in contact with acidic solutions
- Compatible with other micronutrients, including Zn and Ca
- Compatible with insecticides, herbicides and fungicides that have very specific pH ranges

AGRONOMIC BENEFITS

Boron: Boron provides structural integrity and flexibility to the primary cell walls. It also improves vegetative and reproductive growth.

Guaranteed Analysis

ACTIVE INGREDIENTS

Derived from boron ethanolamine.

RATE RECOMMENDATIONS

FOLIAR APPLICATION

All Crops: Apply up to 5 quarts per acre in sufficient water for thorough coverage. Use at least 1 gallon of water for each pint of HOMESTRETCH 10% B Early morning or late evening applications give the best results. Boron is not easily translocated within the plant, therefore multiple foliar applications at low rates during the growing season are most effective. Allow 14-21 days between treatments.

SOIL APPLICATION

All crops: Apply up to 3 gallons per acre in sufficient carrier to give complete coverage. Do not use in soil applications where it will directly contact the seed. Soil applied boron must be moved into the root zone to be absorbed by the plant. This can be accomplished by irrigation, rainfall, or tillage. HOMESTRETCH 10% B may also be applied via drip or sprinkler fertigation using rates listed above.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation. Apply 1-2 quarts per acre per application throughout the growing season. More frequent applications at 1 pint per acre may be needed to correct deficiencies once they occur.

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- · 250 gallon tote

Weight: 11.14 lb/gal @ 68°F

Specific Gravity: 1.33

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristern Crop Performance Group, LLC. Revised 06/23.









HOMESTRETCH® MN 6% is a fully chelated solution recommended for the prevention and/or correction of manganese deficiency in all crops when used as a part of a balanced fertility program.

PRODUCT BENEFITS

- Ideal for use with liquid starter fertilizers and as a foliar application in difficult tank mixes
- Superior compatibility with:
 - Almost all NPK fertilizers
 - Thiosulfate solutions
 - Orthophosphates, Polyphosphates
 - High pH solutions
 - Nitrogen and SRN solutions
- Application flexibility. May be mixed directly into growing media, applied as a soil drench or added to fertigation systems.
- More efficient than other forms of nutrients; up to 6x ratio in harsh soil conditions

AGRONOMIC BENEFITS

Manganese: aids in herbicide metabolism, chlorophyll formation and plant respiration. It is also critical to photosynthesis

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- 250 gallon tote

Weight: 11.1 lb/gal @ 68°F Specific Gravity: 1.33

Guaranteed Analysis

ACTIVE INGREDIENTS

.6.00% Manganese (Mn)...

Derived from manganese ethylenediaminetetraacetate.

RATE RECOMMENDATIONS

FOLIAR APPLICATION

Avoid applying this product when plants are suffering from moisture stress. If there is any doubt, apply the spray solution to a small test area of the crop or foliage to assess any undesirable effects or phytotoxicity before general application.

Field, Row, and Vegetable Crops: Apply 1-2 pints per acre in a minimum of 20 gallons water.

Fruit, Tree and Vine Crops: Apply 1-2 pints per acre in a minimum of 25 gallons water. For smooth skinned fruit apply 1 pint per acre in 50-100 gallons of water.

Aerial: Apply 0.5-1 pint per acre in at least 10 gallons of water.

Optimum rate of application will vary depending on soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and general health. For best results, follow soil/tissue test recommendation.

SOIL APPLICATION

Field, Row, and Vegetable Crops: Apply 2-8 quarts per acre.

Fruit, Tree and Vine Crops: Apply 2-10 quarts per acre or 1 to 5 Tbsp per inch of tree diameter.

©2023 Meristem Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristem Crop Performance Group, LLC. Revised 06/23.







HOMESTRETCH[®] Zinc 9% offers high quality, fully chelated EDTA micronutrients. The chelation shields and protects the nutrients, which prevents them from reacting and binding with other elements in the soil and other fertilizers. This protection helps ensure that nutrients remain available to the plant in a wide range of tank mixes, as well as pH and soil conditions.

HOMESTRETCH Zinc 9% can withstand even the most challenging soil conditions, such as high alkaline calcareous soils. HOMESTRETCH Zinc 9% also offers superior tank mix compatibility and will perform in complex tank mix situations, such as neutralized orthophosphate solutions.

HOMESTRETCH Zinc 9% has been approved as a tank mix partner with the 2, 4-D based herbicide, Enlist Duo® with Colex-D® Technology.

PRODUCT BENEFITS

- Ideal for use with liquid starter fertilizers and as a foliar application in difficult tank mixes
- Superior compatibility with:
 - Almost all NPK fertilizers
 - Thiosulfate solutions
 - Orthophosphates, Polyphosphates
 - High pH solutions
 - Nitrogen and SRN solutions
- Application flexibility. May be mixed directly into growing media, applied as a soil drench or added to fertigation systems.
- More efficient than other forms of nutrients; up to 6x ratio in harsh soil conditions
- Compatible with insecticides, herbicides and fungicides that have very specific pH ranges

Guaranteed Analysis

ACTIVE INGREDIENTS Zinc (Zn).......9.00% Derived from zinc FDTA

AGRONOMIC BENEFITS

Zinc: promotes root and shoot growth; helps plants withstand environmental stress.

RATE RECOMMENDATIONS

FOLIAR APPLICATION

Avoid applying this product when plants are suffering from moisture stress. If there is any doubt, apply the spray solution to a small test area of the crop or foliage to assess any undesirable effects or phytotoxicity before general application.

Field, Row and Vegetable Crops: Apply 1-2 pints per acre in a minimum of 20 gallons water.

Fruit, Tree and Vine Crops: Apply 1-4 pints per acre per application throughout the growing season. More frequent applications at 2 pint per acre may be needed to correct deficiencies once they occur.

Aerial: Apply 0.5-1 pint per acre in at least 10 gallons of water.

SOIL APPLICATION

Field, Row and Vegetable Crops: Apply 2-8 quarts per acre.

Fruit, Tree and Vine Crops: Apply 2-10 quarts per acre or 1 to 4 Tbsp per inch of tree diameter.

PRODUCT AVAILABILITY

- 2x2.5 gallon jugs
- 250 gallon tote
- Bulk

Weight: 11.2 lb/gal @ 68°F

Specific Gravity: 1.30

©2023 Meristern Crop Performance® Group, LLC. All rights reserved. HOMESTRETCH is a trademark of Meristern Crop Performance Group, LLC. Enlist One and Cole-D are trademarks of Corteva Agriscience LLC. Revised 06/23.









