




SMITHS MOTOR CYCLE EQUIPMENT

1965

THREE-WHEELERS, "BUBBLE" CARS, INVALID CARRIAGES—see back cover

SMITHS

Motor Cycle Equipment — 1965

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	VARIOUS
		MILES	KILOS		COMPLETE	LENGTH		
A.J.S.	14 CSR Sapphire Ninety 250 cc	SSM.2001/02	SSM.2001/03		DF.9110/00	5'2"	BG.5330/857	
	16 Sceptre 350 cc }	SSM.3002/00A	SSM.3002/01A	RSM.3003/00 (E)	DF.9110/00	5'5"	BG.5330/257	
	18 Statesman 500 cc }				DF.9111/03 (E)	2'8"	BG.1508/05 (E)	
	31 Swift 650 cc }							
	31 CSR Hurricane 650 cc }							
	33 CS 745 cc }	SSM.3001/00A	SSM.3001/01A	RSM.3003/00 (E)	DF.9110/00	5'5"	BG.5330/257	
AMBASSADOR					DF.9111/03 (E)	2'8"	BG.1508/05 (E)	
	16 C 350 cc }	SSM.3001/00A	SSM.3001/01A	RSM.3003/00 (E)	DF.9110/00	5'7 1/2"	BG.5330/1067	
	18 CS Southerner Scrambler 500 cc }				DF.9111/03 (E)	2'8"	BG.1508/05 (E)	
	3 Star TS	SN.3170/46			DF.1111/15	3'2"		BULB 6 VOLT 40-621-085-11
	Super 'S' TS Twin	SC.3303/42			DF.1111/15	3'2"		FIXING BRACKET 31-674-109-01
								TRIP RESET 41-148-203-10
ARIEL	Pixie Moped 50 cc	SSM.1100/04	SSM.1100/05		DF.7231/00	2'3"	BG.5351/00	
	Leader TS Twin 250 cc	SSM.5003/00A (c)	SSM.5003/01A (c)		DF.9111/02	3'1"		
	Arrow 200 TS Twin (Standard) 199 cc }	SSM.2001/00	SSM.2001/03		DF.9111/02	3'1"		
BOND	Arrow Super TS Twin (Sports) 250 cc }				DF.9111/02	3'1"		
	P3 Scooter (Electric Starter) 147 cc	SN.3170/14			DF.1111/02	3'8"		

A.	See Chart for separate Inner and Outer Drives.	G.	
B.		H.	
C.	Trip Speedometer	J.	
D.		K.	
E.	Optional	L.	
F.		M.	

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEAR BOX	VARIOUS	
		MILES	KILOS		COMPLETE	LENGTH			
B.S.A.	B.1. Scooter B.2. Scooter	} SN.3170/18	SN.3153/88		DF.1106/14	4'8½"			
	B.1.S. Scooter B.2.S. Scooter	} SN.3170/17	SN.3153/87		DF.1106/14	4'8½"			
	K.1. Beagle 75 cc	SSM.1100/00	SSM.1100/01		DF.7231/00	2'3"	BG.5346/421		
	C.15 Star 250 cc D7 Star 175 cc	SSM.2001/00	SSM.2001/03		DF.9110/00	4'10½"	BG.5330/847		
(B) (	C.15 Trials & Cat.	} SSM.5001/03A(C)			DF.9110/00	5'1"	BG.5330/247	TRIP RESET 41-148-203-10	
(	C.15 Starfire Roadster								
(	C.15 Starfire Scrambles								
(	B.40 Enduro Star								
	SS.80 250 cc	SSM.2001/02	SSM.2001/03		DF.9110/00	4'10½"	BG.5330/847		
	SS.90 350 cc B.40 350 cc	SSM.2001/02	SSM.2001/03 SSM.2001/05 (F)		DF.9110/00	4'10½"	BG.5330/247		
(B) (	A.50 Star	} SSM.4001/00A (C)			DF.9110/02	3'4"		TRIP RESET 41-118-125-79	
(	A.65 Star								
(	A.50 Royal Star								
(	A.65 Royal Star								
(B) (	A.50 Cyclone	} SSM.5001/03A (C)			DF.9110/02	3'4"		TRIP RESET 41-148-203-10	
(	A.65 Spitfire Hornet								
(B) (	A.65 Thunderbolt Rocket	} SSM.5001/03A (C)			DF.9110/02	3'8"		TRIP RESET 41-148-203-10	
(	A.65 Lightning Rocket								
(B)	A.65 Lightning Rocket			RSM.3003/02A (GE)	DF.9110/00	2'9"			
(B)	A.65 Lightning Rocket			RSM.3003/04A (HE)	DF.9110/00	2'9"			
(B)	A.65 Lightning Rocket			RSM.3003/06 (JE)	DF.9110/00	2'9"			
(Excluding U.S.A.)	A.65 Rocket (Lamp Fitting)	SSM.4001/00A (C)	SSM.4001/01A (C)		DF.9110/02	3'4"		TRIP RESET 41-118-125-79	
(B)	Daytona Racer 500 cc			RSM.3003/06	N.O.M. (K)				

A.	See Chart for separate Inner and Outer Drives	G.	0-8,000 rpm
B.	U.S.A. only	H.	0-9,000 rpm
C.	Trip Speedometer	J.	0-10,000 rpm
D.		K.	N.O.M. = Not Our Manufacture.
E.	Optional	L.	
F.	As SSM.2001/03 but with Dull Chrome Bezel	M.	

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	VARIOUS	VARIOUS
		MILES	KILOS		COMPLETE	LENGTH			
COTTON	Vulcan 197 cc	SN.3170/02	SN.3170/03		DF.1111/15	3'0"			
	Herald 250 cc) Double Gloster 250 cc) Continental 250 cc) Continental Deluxe 250 cc) Corsair 250 cc)	SN.3170/02	SN.3170/03		DF.1111/15	3'6"			
	Conquest 250 cc	SSM.4001/00A (C)			DF.9111/00	4'6"	BG.2504/01	GEAR RING 31-812-110	PINION 31-813-120 TRIP RESET 41-118-125-52
	Trials 250 cc	SN.3170/14			DF.1111/15	3'0"			
	Telstar Racer 250 cc			RN.1104/02	DF.1111/15	3'8"	BG.1507/03 BG.2410/00 (D)		(L)
	Messenger 325 cc	SN.3170/02	SN.3170/03		DF.1111/15	3'6"			
	D.K.R. (8 Volt) " " ") Capella Scooter 175 cc) Capella Scooter 200 cc)	SN.3171/01			DF.1110/00	3'1"	BG.5117/047		(K)
	D.K.R. (12 Volt) " " ") Capella Scooter 175 cc) Capella Scooter 200 cc)	SN.3171/00			DF.1110/00	3'1"	BG.5117/047		(K)
	D.M.W. Deemster KS 250 cc) Deemster ES 250 cc)	SC.3303/41			DF.1111/15	3'2"			(M)
	MK 9 TS	SN.3170/46			DF.1111/15	3'2"		BULB 6 VOLT 40-621-085-11	
	MK 17 Trials	SC.1101/02			DF.1110/20	5'0"			
	250 Sports TS Twin Dolomite 250 cc)	SC.3303/42			DF.1111/15	3'2"			(M)
	Hornet Racer 250 cc			RN.1104/01	DF.1111/15	2'5"	BG.1507/03		(L)

A.	See Chart for separate Inner and Outer Drives	G.	
B.		H.	
C.	Trip Speedometer	J.	
D.	Angle Drive (Instrument End)	K.	Tank Unit FT.5786/05 also required for Deluxe Models
E.		L.	Mounting Ring MS.1003/00 also required.
F.		M.	Fixing Bracket 31-674-109-01 also required

MAKE	MODEL & DESCRIPTION		SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	VARIOUS		
			MILES	KILOS		COMPLETE	LENGTH				
ENFIELD	Turbo Twin	250 cc)	SSM.2001/02	SSM.2001/03	RSM.2001/00 (E)	DF.9111/00	3'4"	BG.5330/847 BG.1508/04			
	Turbo Twin Sports	250 cc)				DF.9111/00	3'7"				
	Crusader Super 5	250 cc)	SSM.2001/00	SSM.2001/03		DF.9111/00	4'5"			BG.5331/247	
	Crusader Sports	250 cc)				DF.9111/00	3'7"				
	Continental	250 cc)									
	Continental GT	250 cc)									
	Bullet	350 cc)									
	Clipper	250 cc)	SC.1304/04	SC.1304/06		DF.1110/21	4'4"			BG.5331/247	
	Olympic	250 cc)									
	Clipper Airflow	250 cc	SC.1304/04	SC.1304/06		DF.1110/30	4'9"			BG.5331/247	
	Trials	250 cc	SSM.3002/00			DF.9110/00	4'6"			BG.5331/247	
	I.S.D.T.	250 cc	SSM.4001/00 (C)	SSM.4001/01 (C)		DF.9110/00	4'5"			BG.5331/247	
		Interceptor (U.K. Model)	736 cc	SSM.3002/00		SSM.3002/01	DF.9110/00			4'7"	BG.5331/247
	(B)	Interceptor	736 cc	SSM.3002/00		SSM.3002/01	DF.9110/00			4'10"	BG.5331/247
	(B)	Interceptor	736 cc		RSM.3004/02 (E)	DF.9111/00	3'7"	BG.1506/01			
	Racer	250 cc		RN.1102/00	DF.1111/15	2'10"	BG.1507/03				
EXCELSIOR	U.14 T.S.	150 cc	SSM.2001/00		DF.9110/00	4'5½"	BG.5331/227				
FRANCIS & BARNETT.	87 Falcon	199 cc	SSM.2001/02		DF.9110/00	4'8"	BG.5330/847				
	88 Fulmar	150 cc)	SN.3170/42		DF.1110/24	4'0"	BG.5330/247				
	90 Fulmar Sports	150 cc)									
	89 Cruiser Twin	250 cc	SSM.2001/00		DF.9111/00	3'8"					
	91 Cruiser Sports Twin	250 cc	SSM.2001/02		DF.9111/00	3'4"					
	92 Trials TS		SSM.2001/00		DF.9110/00	4'6"	BG.5330/1047				

A.	See Chart for separate Inner and Outer Drives	G.	
B.	U.S.A. only	H.	
C.	Trip Speedometer	J.	
D.		K.	
E.	Optional	L.	
F.		M.	

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	VARIOUS	VARIOUS
		MILES	KILOS		COMPLETE	LENGTH			
INVACAR (GREEVES)	20 TE Trials 197 cc)	SSM.2001/00			DF.9111/00	5'0"	BG.2504/01	GEAR RING 31-812-110	G/B PINION 31-813-125
	20 TE Trials 250 cc)								
	24 TFS Trials 250 cc)								
(B) {	20 TE Trials)	SSM.5002/00 (GK)			DF.9111/00	5'0"	BG.2504/01	GEAR RING 31-812-110	G/B PINION 31-813-125
	24 TE Trials)								
	24 TFS Trials)								
(B) {	24 MD 250 cc)	SSM.5002/00 (GK)			DF.9111/00	5'0"	BG.2504/01	GEAR RING 31-812-110	G/B PINION 31-813-125
	24 MDS 250 cc)								
JAMES	20 DC 248 cc)	SSM.2001/00	SSM.2001/03	RN.1104/05	DF.9111/00	4'8"	BG.2504/01	GEAR RING 31-812-110	G/B PINION 31-813-120
	25 DC 250 cc)								
	25 DCX 250 cc)								
	25 DD 250 cc)								
	32 DC 325 cc)								
	32 DCX 325 cc)								
	32 DD 325 cc)								
	Silverstone Racer 250 cc				DF.1111/15	2'2"	BG.1507/03 BG.2410/00 (D)		
	SGL Scooter 150 cc	SN.3170/47			DF.1110/24	3'0"	BG.5330/027		
	LI Comet 100 cc	SSM.2001/00			DF.9110/00	4'7"	BG.5330/847		
	L20 199 cc)	SSM.2001/02			DF.9110/00	4'8"	BG.5330/847		
	L20 S 199 cc)								
	M15 150 cc	SSM.2001/00			DF.9110/00	4'5"	BG.5330/847		
	M25 S 250 cc	SSM.2001/02			DF.9111/00	3'4"			
	M25 T	SSM.2001/00			DF.9110/00	4'6"	BG.5330/1047		

A.	See Chart for separate Inner and Outer Drives	G.	
B.	U.S.A. only	H.	
C.	Trip Speedometer	J.	
D.	Angle Drive (Instrument End)	K.	Trip Reset 41-118-127-40 also required
E.		L.	
F.		M.	

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX
		MILES	KILOS		COMPLETE	LENGTH	
MATCHLESS	G 2 CSR 250 cc	SSM.2001/02	SSM.2001/03		DF.9110/00	5'2"	BG.5330/857
	G 3 Mercury 350 cc)						
	G 12 Majestic 650 cc)	SSM.3002/00A	SSM.3002/01A	RSM.3003/00 (E)	DF.9110/00 DF.9111/03	5'5" 2'8"	BG.5330/257 BG.1508/05
	G 12 CSR Monarch 650 cc)						
	G 80 Major 500 cc)						
	G 12 CSR Monarch 650 cc (	SSM.3002/00A	SSM.3002/01A	RSM.3003/00 (E)	DF.9110/00 DF.9111/03	5'5" 2'8"	BG.5330/257 BG.1508/05
	G 15 745 cc)						
	G 15 CSR 745 cc)	SSM.3001/00A	SSM.3001/01A	RSM.3003/00 (E)	DF.9110/00 DF.9111/03	5'5" 2'8"	BG.5330/257 BG.1508/05
	N 15)						
	N 15 CS)						
NORTON	G 3C 350 cc)	SSM.3001/00A	SSM.3001/01A		DF.9110/00	5'7½"	BG.5330/1067
	G 80 CS 500 cc)			RSM.3003/00 (E)	DF.9111/03	2'8"	BG.1508/05
	Jubilee 250 cc)	SSM.2001/02	SSM.2001/03		DF.9110/00	5'2"	BG.5330/857
	Navigator 350 cc)						
	ESB 384 cc)	SSM.2001/02	SSM.2001/03		DF.9110/00	5'2"	BG.5330/257
	E.S. 400 384 cc)						
	88 ss 497 cc)	SSM.3002/00A	SSM.3002/01A	RSM.3003/00 (E)	DF.9110/00 DF.9111/03	5'7½" 2'8"	BG.5330/257 BG.1508/05
	650 ss 647 cc)						
	650/99 650 cc)	SSM.3001/00A	SSM.3001/01A	RSM.3003/00 (E)	DF.9110/00 DF.9111/03	5'9" 2'8"	BG.5330/257 BG.1508/05
	Atlas 745 cc)						
	50 Mk. II 348 cc)	SSM.3002/00A	SSM.3002/01A	RSM.3003/00 (E)	DF.9110/00	5'5"	BG.5330/257
	ES 2 MK. II 497 cc)				DF.9111/03	2'8"	BG.1508/05

A.	See Chart for separate Inner and Outer Drives	G.	
B.		H.	
C.		J.	
D.		K.	
E.	Optional	L.	
F.		M.	

MAKE	MODEL & DESCRIPTION		SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	VARIOUS	VARIOUS
			MILES	KILOS		COMPLETE	LENGTH			
PHELON & MOORE	35 TS Twin	249 cc	SN.3170/02	SN.3170/03		DF.1111/15	3'1"			
	100 Deluxe 120 S	598 cc 645 cc	SSM.3002/00A	SSM.3002/01A		DF.9111/00	5'6"	BG.2517/00	GEAR RING 31-812-117-01	G/B PINION 31-813-167
PHOENIX SCOOTERS	100 Standard									
	150 "									
	175 "									
	200 "									
	150 Super Deluxe									
	175 " "		SN.3170/10			DF.1106/14	5'3"	BG.5101/11		
	200 " "									
	S150 Self Start S175 " " S200 " "									
TRIUMPH	Super Deluxe Twin	250 cc	SN.3170/51			DF.1111/15	4'8"			
	Tina Scooter	97 cc	SSM.1100/00	SSM.1100/01		DF.7250/00	2'11½"			
	T20 Tiger Cub	200 cc	SSM.2001/00	SSM.2001/03		DF.9110/00	4'10"	BG.5330/847		
	T20 SH Tiger Cub	200 cc								
	T20 SS	200 cc	SSM.2001/00	SSM.2001/03		DF.9110/00	4'10"	BG.5330/247		
	TR 20 Trials Cub	200 cc			RSM.2002/00 (E)	DF.9158/00	2'10½"			(K)
	T20 Scrambles	200 cc								
	Tigress Single TS1	175 cc	SN.3170/18	SN.3170/58		DF.1106/14	4'8½"			
	Tigress Twin TW2	250 cc								
	3TA Twenty One	348 cc	SSM.5002/00A (C)	SSM.5002/01A (C)		DF.9110/00	4'10"	BG.5330/887	TRIP RESET 41-118-127-72	
	5TA Speed Twin	490 cc								
	T90 Tiger Sports	348 cc								
	T100 SS Tiger Sports	490 cc	SSM.5001/00A (C)	SSM.5001/01A (C)		DF.9110/00	4'10"	BG.5330/287	TRIP RESET 41-148-203-10	
	T100 SC Tiger Sports	490 cc								
	TR6 SS Trophy	649 cc	SSM.5001/00A (C)	SSM.5001/01A (C)		DF.9106/01	3'4½"		TRIP RESET 41-148-203-10	(K)
	T120 Bonneville	649 cc			RSM.3001/02A (E)	DF.9158/00	2'10½"			
	6T Thunderbird	649 cc	SSM.5002/00A (C)	SSM.5002/01A (C)		DF.9106/01	3'8"		TRIP RESET 41-118-127-72	

A.	See Chart for separate Inner and Outer Drives	G.	
B.		H.	
C.	Trip Speedometer	J.	
D.		K.	Inner Flex End 31-371-398-10 and Flex Washer 31-523-101 also required.
E.	Optional	L.	
F.		M.	

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	VARIOUS
		MILES	KILOS		COMPLETE	LENGTH		
VELOCE	Viceroy Scooter 248 cc	SN.3170/32			DF.1111/17	5'7"		
	LE Mk. III 192 cc)	SSM.2001/00	SSM.2001/03		DF.9111/01	2'9"		
	LE Vogue 192 cc)							
	Viper 349 cc)	SSM.4001/00A (C)	SSM.4001/01A (C)	RSM.3003/03 (E)	DF.9110/00 DF.9111/00 (E)	5'3" 3'0"	BG.5303/11 BG.1507/02 (E)	TRIP RESET 41-118-125-37
	Viper Clubman 349 cc)							
	Scrambler 349 cc)							
	MSS 499 cc)							
	Venom 499 cc)							
	Venom Clubman 499 cc)							
	Endurance 499 cc)							
	Scrambler 499 cc)							
	Venom Thruxton 499 cc (	SSM.5001/00A (C)	SSM.5001/01A (C)	RSM.3003/03 (E)	DF.9110/00 DF.9111/00 (E)	5'3" 3'0"	BG.5303/11 BG.1507/02 (E)	TRIP RESET 41-148-203-10

A.	See Chart for separate Inner and Outer Drives	G.	
B.		H.	
C.	Trip Speedometer	J.	
D.		K.	
E.	Optional	L.	
F.		M.	

FLEXIBLE DRIVE CHART


Flexible Drive (Complete)	Inner Flexible Drive (Only)	Outer Flexible Drive (Only)	Flexible Drive (Complete)	Inner Flexible Drive (Only)	Outer Flexible Drive (Only)
DF.1106/14	DI.1124/00	D0.1106/14	DF.7231/00	(Non Detachable)	
DF.1110/00	DI.1110/00	D0.1110/00	DF.7250/00	(Non Detachable)	
DF.1110/20	DI.1124/00	D0.1110/20	DF.9106/01	DI.1124/05	D0.9106/01
DF.1110/21	DI.1124/00	D0.1110/21	DF.9110/00	DI.1124/05	D0.9110/00
DF.1110/24	DI.1124/00	D0.1110/24	DF.9110/02	DI.1124/05	D0.9110/02
DF.1110/30	DI.1124/00	D0.1110/30	DF.9111/00	DI.1124/06	D0.9111/00
DF.1111/00	DI.1110/02	D0.1111/00	DF.9111/01	DI.1124/06	D0.9111/01
DF.1111/02	DI.1110/02	D0.1111/02	DF.9111/02	DI.1124/06	D0.9111/02
DF.1111/15	DI.1111/00	D0.1111/09	DF.9111/03	DI.1124/06	D0.9111/03
DF.1111/17	DI.1111/00	D0.1111/11	DF.9158/00	DI.1124/07	D0.9158/00

The above chart shows the code numbers of the separate inner and outer flexible drives which form the complete flexible drives listed in the specification section of this booklet.

SMITHS *Motor Cycle Equipment*

Illustrated on these pages is a representative range of the most popular types of motor cycle equipment manufactured by Smiths.


Note: All Smiths motor cycle speedometers are available to register either miles or kilometers per hour.



Speedometer 3" Chronometric Type

The movement is contained in a heavy pressed steel case, specially treated internally and externally against rust. The case is finished in black enamel and the screwed-on bezel is polished chromium plate. Also available with flange bezel and cadmium finished case for nacelle or headlamp installation.

Dial black with white figures and available with or without internal illumination.



60 mm. Speedometer

Nemag movement also for lightweight motor cycles. Strap or handle-bar fixing. Variety of dial colourings to choose from.


60 mm. Revolution Indicators

Revolution Indicators to match the 60 mm. speedometer are available. Maximum revolutions per minute, ratio and rotation available in any combination of the following:


MAX. R.P.M. 10,000 12,000 16,000

RATIO 2:1 4:1 4:1

ROTATION Clockwise or anti-clockwise.



For full details of matching
60 and 80 mm Revolutions Indicators.
see separate leaflet Ref. No. S.909.



80 mm. 'Shallow' Speedometer.

Magnetic Type with Anti-vibration mounting incorporated in the instrument case and fully geared counter assembly to eliminate 'slip' or 'jumping'.

The movement is contained in a pressed steel case, specially treated internally and externally against rust. White figures, red pointer on duo-grey dial.


Provision for internal illumination. Suitable Flexible Drive, DF.9110/00 or DF.9111/00 Series.

60 mm. 'Shallow' Speedometer.

Magnetic Type for Lightweight Motor Cycles. Anti-vibration mounting incorporated in the instrument case and fully geared counter assembly, to eliminate 'slip' or 'jumping', are important features of these new instruments.

Light grey dial with dark grey figures and red pointer. Polished Stainless Steel bezel. Internal illumination.

Suitable Flexible Drive, DF.9110/00 or DF.9111/00 Series.



3" Revolution Indicators

Chronometric movement.

Black dial, white figures and pointer, chrome bezel.

Right angle drive can be built in. A maximum hand may be incorporated if required.

Maximum revolutions per minute, ratio and rotation available in any combination of the following:

MAX. R.P.M. 8,000 9,000 10,000 12,000

RATIO 2:1 4:1 4:1 4:1

ROTATION Clockwise or anti-clockwise

THREE WHEELERS & INVALID CARRIAGES

MAKE	MODEL & DESCRIPTION	SPEEDOMETER		REV. INDICATOR	FLEXIBLE DRIVE (A)		GEARBOX	GEAR RING	GEARBOX PINION	GEARBOX BRACKET
		MILES	KILOS		COMPLETE	LENGTH				
W & F BARRETT	Invalid Carriage	SN.3170/52			DF.1111/17	3'0"	BG.2507/01	31-812-303-02		
BOND	MK 'G' 2/3 Seater Tourer) MK 'G' 2/3 Seater Coupe) MK 'G' 4 Seater Saloon) MK 'G' Ranger Van) MK 'G' Estate Car)	SN.4352/00 (B) SN.4352/01			DF.1111/00	8'6"				
SCOOTER-CAR (HUNSLET)	TS Deluxe Threewheeler 200 cc	SN.3170/05			DF.1111/02	6'9½"				
	TS Deluxe Twin Threewheeler 250 cc)	SN.3170/15			DF.1111/02	6'6"				
STANLEY ENGINEERING	MK 7 Invalid Carriage	SN.3170/21			DF.1111/00	8'0"	BG.2504/01	31-811-517-02	41-280-118-00	31-354-601-00
TIPPEN	Delta Invalid Carriage	SN.3170/33			DF.1111/15	8'0"	BG.2507/09		41-280-118-00	

A.	See Chart for separate Inner and Outer Drives	G.	
B.	Fitted to Van only	H.	
C.		J.	
D.		K.	
E.		L.	
F.		M.	

SMITHS

MOTOR ACCESSORY DIVISION

The Motor Accessory Division of S. Smith & Sons (England) Ltd

HEAD OFFICE
CRICKLEWOOD WORKS
LONDON NW2

Telephone: Gladstone 3333

SALES AND SERVICE
50 OXGATE LANE
LONDON NW2

Telephone: Gladstone 8030

Telegrams: Speedofac, Londcn. Telex 22671.