

## Classic Black

The most recognizable of all of the Smiths ranges, the classic black faced gauge was not only the choice for such manufacturers as Aston Martin, Lotus and MG but also for every enthusiast looking to add to or replace instruments in their vehicle. This is the classic font from the 60's and 70's but we also have the manufacturer specific fonts in other ranges.



### FUEL TANK LEVEL

### CLASSIC BLACK

**Part No. BF2242-00C**

Type: Bimetal Electric

Range: 0-1/2-4/4 Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 "V"

Use sender Part No.

TB9006KitorTB9013Kit

Alternative:BF2242-10C

(Chrome 1/2 Round)

[Fitting Instructions](#)



### FUEL TANK LEVEL

### CLASSIC BLACK

**Part No. BF2242-00CA**

Type: 12 volt Electric

Range: 0-1/2-4/4

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit TB9011KIT

or TB9013KIT

[Fitting Instructions](#)



### FUEL TANK LEVEL

### CLASSIC BLACK

**Part No. BF2242-00CB**

Type: Stepping Motor Electric

Range: 0-1/2-4/4

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit TB9011KIT or

TB9013KIT

[LED LIGHTING](#)

[Fitting Instructions](#)



### BOOST PRESSURE

### CLASSIC BLACK

**Part No. PG1310-40CB**

Type: Stepping Motor Electric

Range: 0-30 PSI

Scale: Full

Dia: 52mm

Bezel: Black 1/2 "V"

Use Sender Kit

PTR2300-10-8NKIT

[Fitting Instructions](#)



### BOOST PRESSURE

### CLASSIC BLACK

**Part No. PG1310-60CB**

Type: Stepping Motor Electric

Range: 0-30 PSI

Scale: Full

Dia: 52mm

Bezel: Black 1/2 "V"

[Fitting Instructions](#)



### BOOST PRESSURE

### CLASSIC BLACK

**Part No. EMP1-1B32-00C**

Type: Stepping Motor Electric

Range: -15-30 PSI

Scale: Full

Dia: 52mm

Bezel: Black 1/2 "V"

[Fitting Instructions](#)



### OIL PRESSURE

### CLASSIC BLACK

**Part No. BP2404-00CA**

Type: 12 VOLT Electric

Range: 0-100 PSI

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No.

PTR1000-6-10

[Fitting Instructions](#)



### OIL PRESSURE

### CLASSIC BLACK

**Part No. BP2404-00C**

Type: Bimetal Electric

Range: 0-100 PSI Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No.

PTR1810-1-10

Alternative:BP2404-03C

(Chrome 1/2 Round)

[Fitting Instructions](#)



**OIL PRESSURE****CLASSIC BLACK****Part No. PG1310-00CB**

Type:SteppingMotorElectric

Range: 0-100 PSI

Scale: Full

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit

PTTR2300-10-8NKITLED LIGHTING

[Fitting Instructions](#)**OIL PRESSURE****CLASSIC BLACK****Part No. PL2328-00C**

Type: Mechanical

Range: 0 -100psi

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Alternative: PL2328-06C

(Chrome 1/2 Round)

[Fitting Instructions](#)**OIL PRESSURE****CLASSIC BLACK****Part No. PG1310-00C**

Type: Mechanical

Range: 0-100 PSI Scale: Full

Fitting: 1/8in NPT Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Fitting Kit Part No.LK-2

Use Sender Kit PTTR2300-10-8NKIT

Alternative:PG1310-17C

(Chrome 1/2 Round)

[Fitting Instructions](#)**OIL PRESSURE & WATER TEMP****CLASSIC BLACK****Part No. GD1301-64C078**

Type: Mechanical

Range: 0-100 PSI / 90-230° F

Scale: Arc Dia: 52mm

Fitting: 1/8in NPT / 3/8BSP

Bezel: Chrome 1/2 "V"

Capillary length 78inches.

Comes with 3/8BSP to 5/8UNF

adaptor. Use LK-1 on Pressure

Alternative: GD1301-83C078

(Chrome 1/2 Round)

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. BT2240-00C**

Type: BimetalElectric

Range: 50-140° C

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No.TT6811-01

Alternative:BT2240-09C

(Chrome 1/2 Round)

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-00CB**

Type: 12 voltElectric

Range: 30-110° C

Scale:Full

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No. TT3001-8N

LED LIGHTING

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-00C078**

Type: Mechanical

Range: 30-110° C Scale: Full

A2 Bulb Dia: 52mm

Bezel: Chrome 1/2 "V"Capillary

length 78inches.Inc3/8BSP to

5/8UNF adaptor

Alternative: TG1310-23C078k2

Bulb Degree FChrome1/2V

[Fitting Instructions:](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-01C078**

Type: Mechanical

Range: 30-110° C Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome 1/2 "V"

Capillary length 78inches.

Comes with 3/8BSP to

5/8UNF adaptor

Alternative: TG1310-09C078

(Chrome 1/2 Round)

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-23C078**

Type:Mechanical

Range:90-230F

Scale: Full Scale

Dia: 52mm

Bezel: Chrome 1/2 "V"

[Fitting Instructions:](#)

REPRESENTATIVE

IMAGE

**OIL TEMPERATURE****CLASSIC BLACK****Part No. TG1311-01C078**

Type: Mechanical

Range: 40-140° C Scale: Arc

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome 1/2 "V"

Capillary length 78inches.

Comes with 3/8BSP to 5/8UNF

adaptor

Alternative: TG1311-06C078

(Chrome 1/2 Round)

[Fitting Instructions:](#)

**OIL TEMPERATURE****CLASSIC BLACK****Part No. TG1301-61CB**

Type: 12 volt Electric  
 Range: 40-140° C  
 Scale: Full  
 Fitting: 3/8BSP  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 Use SenderPartNo.  
 T3005-8N  
 LED LIGHTING  
**Fitting Instructions**

**OIL TEMPERATURE****CLASSIC BLACK****Part No. BT2240-01C**

Type: Bimetal Electric  
 Range: 50-140° C  
 Scale: Arc  
 Fitting: Spade Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 Use Sender Part No.  
 TT6811-01 Alternative:  
 BT2240-07C  
 (Chrome 1/2 Round)  
**Fitting Instructions**

**AMBIENT TEMPERATURE****CLASSIC BLACK****Part No. TG1305-04CB**

Type: Stepping Motor Electric  
 Range: -10 - 60 °C  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
 includes sender  
 LED LIGHTING  
**Fitting Instructions**

**OUTSIDE TEMPERATURE****CLASSIC BLACK****Part No. TG1303-01CB**

Type: Stepping motor Electric  
 Range: -20 - 50° C  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 includes sender  
 With Black bezel TG1303-01BB  
 LED LIGHTING  
**Fitting Instructions:**

**VACUUM****CLASSIC BLACK****Part No. VG1302-03CB**

Type: Stepping Motor Electric  
 Range: 0-30 inHg  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V" Use  
 Sender Kit  
 PTTR2300-03-8N KIT  
 LED LIGHTING  
**Fitting Instructions**

**VOLTMETER****CLASSIC BLACK****Part No. ABV2220-00C**

Type: Electrical  
 Range: 11-15 Volts  
 Scale: Arc  
 Fitting: Spade  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: ABV2220-16C  
 (Chrome 1/2 Round)  
**Fitting Instructions:**

**VOLTMETER****CLASSIC BLACK****Part No. BV2220-00CB**

Type: Stepping Motor Electric  
 Range: 11-17 Volts  
 Scale: Arc  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 LED LIGHTING  
**Fitting Instructions:**

**CLOCK****CLASSIC BLACK****Part No. CA2-1032-00C**

Type: Electrical  
 Range: 12 hours  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: CA2-1032-02C  
 (Chrome 1/2 Round)  
**Fitting Instructions:**

**CLOCK****CLASSIC BLACK****Part No. CA1100-01C**

Type: Electrical  
 Range: 12hour Scale: Full  
 Fitting: Spade Dia: 52mm  
 Bezel: Chrome  
 Push Button to reset (Do Not  
 Turn)  
 Alternative: CA1100-14C  
 (Chrome 1/2 Round)  
**Fitting Instructions:**

**CLOCK****CLASSIC BLACK****Part No. CA2-1032-03C**

Type: Electrical  
 Range: 12hour  
 Scale: Full  
 Dia: 60mm  
 Bezel: Chrome  
**Fitting Instructions**



**AMMETER****CLASSIC BLACK****Part No. AM1340-03C**

Type:Electrical  
 Range:30-0-30  
 Scale:Arc  
 Dia:52mm  
 Bezel: Chrome 1/2 "V"  
 Alternative:AM1340-09C  
 (Chrome 1/2 Round)  
**Fitting Instructions**

**AMMETER****CLASSIC BLACK****Part No. AM1640-03C**

Type: Electrical  
 Range: 60-0-60 Amps  
 Scale: Arc  
 Fitting: Spade  
 Dia: 52mm  
 Bezel: Chrome 1/2 "V"  
 Alternative:AM1640-20C  
 (Chrome 1/2 Round)  
**Fitting Instructions**

**TACHOMETER****CLASSIC BLACK****Part No. RVC1004-00CB**

Type: Electrical  
 Range: 0-10000 RPM  
 Scale: Full  
 Fitting: Harness Dia: 80mm  
 Bezel: Chrome Full "V"  
 4, 6 or 8 Cyl.  
 Adjustable redline pointer.  
 Suits 400-25 Tacho Pod  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC1006-00CB**

Type: Electrical  
 Range: 0-8000 RPM  
 Scale: Full  
 Fitting: Harness Dia: 80mm  
 Bezel: Chrome Full "V"  
 4, 6 or 8 Cyl.  
 Adjustable redline pointer. Suits  
 400-25 Tacho Pod  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC1-1B32-00C**

Type:Electric  
 Range:0-8000RPM  
 Scale:Full  
 Dia:52mm  
 Bezel: Chrome 1/2 "V"  
**LED LIGHTING**  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC1490-00CB**

Type: Electrical  
 Range: 0-7000 RPM  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: RVC1490-06CB  
 (Chrome 1/2 Round)  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC1690-00CB**

Type: Electric  
 Range:0-7000 RPM  
 Scale: Full  
 Dia:80mm  
 Bezel: Chrome 1/2 "V"  
 Alternative:  
 RVC1690-03CB(Chrome  
 1/2Round)  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC1890-00CB**

Type: Electric  
 Range: 0-7000 RPM  
 Scale: Full  
 Dia:80mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: RVC1890-02CB  
 (Chrome 1/2 Round)  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC2890-00CB**

Type: Electric  
 Range:0-7000 rpm  
 Scale:Full  
 Dia:80mm  
 Bezel: Chrome 1/2 "V"  
 Alternative:RVC2890-03CB  
 (Chrome 1/2 Round)  
**Fitting Instructions:**

**TACHOMETER****CLASSIC BLACK****Part No. RVC2490-00CB**

Type:Electric  
 Range:0-7000 RPM  
 Scale:Full  
 Dia:100mm  
 Bezel: Chrome 1/2 "V"  
 Alternative:RVC2490-08CB  
 (Chrome 1/2 Round)  
**Fitting Instructions:**



**TACHOMETER**

**CLASSIC BLACK**

Part No. **RVC2690-00CB**

Type: Electric  
Range: 0 -7000RPM  
Scale: Full  
Dia: 100mm  
Bezel: Chrome 1/2 "V"  
Alternative: RVC2690-02CB  
(Chrome 1/2 Round)  
**Fitting instructions:**



**TACHOMETER**

**CLASSIC BLACK**

Part No. **RVC2490-24CB**

Type: Electric  
Range: 0-10000 RPM  
Scale: Full  
Dia: 100mm  
Bezel: Chrome 1/2 "V"  
Representative Image  
**Fitting Instructions**



## SMITHS classic electronic speedometers



### SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-05CB**

Type: Electric  
 Range: 0-240kph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chromel/2"V"  
 Alternative: SN5234-37CB  
 (Chrome 1/2 Round)

**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-07CB**

Type: Electric  
 Range: 0 - 270 kph  
 Scale: Full  
 Fitting: Harness  
 Dia: 80mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: SN5234-39CB  
 (Chrome 1/2 Round)

**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-10CB**

Type: Electric  
 Range: 0 - 220 kph  
 Scale: Full  
 Fitting: Harness  
 Dia: 100mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: SNT5372-63CB  
 (Chrome 1/2 Round)

**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-09CB**

Type: Electric  
 Range: 0-140 mph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome 1/2"V"  
 Alternative: SNT5372-62CB  
 (Chrome 1/2 Round)

**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-07CB**

Type: Electric  
 Range: 0 - 270 kph  
 Scale: Full  
 Fitting: Harness  
 Dia: 100mm  
 Bezel: Chrome 1/2 "V"  
 Alternative: SNT5372-61CB  
 (Chrome 1/2 Round)

**Fitting Instructions:**



## SMITHS classic mechanical speedometers



### SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-05C**

Type: Mechanical  
Range: 0-240 kph

Dia: 80mm  
Bezel: Chrome 1/2 "V"  
625 Revs per Kilometer

Alternative: SN5234-37C  
(Chrome 1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-06C**

Type: Mechanical  
Range: 0-170mph

1000 turns per mile  
Dia: 80mm  
Bezel: Chrome 1/2 "V"  
Alternative: SN5234-38C  
(Chrome 1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-07C**

Type: Mechanical  
Range: 0-270 kph  
625 turns per km

Scale: Full  
Dia: 80mm  
Bezel: Chrome 1/2 "V"  
Alternative: SN5234-39C  
(Chrome 1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-04C**

Type: Mechanical  
Range: 0-140 mph  
1000 turns per mile

Scale: Full  
Dia: 80mm  
Bezel: Chrome 1/2 "V"  
Alternative:  
SN5234-36C (Chrome  
1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-10C**

Type: Mechanical  
Range: 0-220 kph  
625 turns per km

Scale: Full  
Dia: 100mm  
Bezel: Chrome 1/2 "V"  
Alternative: SNT5372-49C  
(Chrome 1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-09C**

Type: Mechanical  
Range: 0-140 mph  
1000 turns per mile

Scale: Full  
Dia: 100mm  
Bezel: Chrome 1/2 "V"  
Alternative:  
SNT5372-48C (Chrome  
1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-07C**

Type: Mechanical  
Range: 0-270 kph  
625 turns per km

Scale: Full  
Dia: 100mm  
Bezel: Chrome 1/2 "V"  
Alternative: SNT5372-47C  
(Chrome 1/2 Round)  
**Fitting Instructions:**



### SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-06C**

Type: Mechanical  
Range: 0-170 mph  
1000 turns per mile

Scale: Full  
Dia: 100mm  
Bezel: Chrome 1/2 "V"  
Alternative: SNT5372-46C  
(Chrome 1/2 Round)  
**Fitting Instructions:**



## Classic Magnolia

The Magnolia Range brings a warm quality feel associated with leather interiors and wood grain.

Perfect in any hot rod or street classic, even your wooden boat.



### AMMETER

### CLASSIC MAGNOLIA

Part No. **AM1640-05C**

Type: Electrical  
Range: 60-0-60 Amps  
Scale: Arc  
Fitting: Spade  
Dia: 52mm  
Bezel: Chrome Full "V"  
Alternative: AM1640-21C  
(Chrome 1/2 Round)



[Fitting Instructions](#)

### AMMETER

### CLASSIC MAGNOLIA

Part No. **AM1340-05C**

Type: Electric  
Range: 30-0-30  
Scale: Arc  
Dia: 52mm  
Bezel: Chrome Full "V"  
Alternative: AM1340-10C  
(Chrome 1/2 Round)



[Fitting Instructions](#)

### CLOCK

### CLASSIC MAGNOLIA

Part No. **CA1100-03C**

Type: Electric  
Range: 12hour Scale: Full  
Fitting: Spade Dia: 52mm  
Bezel: Chrome Full "V"  
Push Button to Reset (Do Not Turn)  
Alternative: CA1100-05C  
(Chrome 1/2 Round)



[Fitting Instructions](#)

### CLOCK

### CLASSIC MAGNOLIA

Part No. **CA2-1032-01C**

Type: Electronic  
Range: 12 hours  
Scale: Full  
Dia: 52mm  
Bezel: Chrome Full "V"



[Fitting Instructions](#)

### OIL PRESSURE & WATER TEMP CLASSIC MAGNOLIA

Part No. **GD1301-65C**

Type: Mechanical  
Range: 0-100 PSI / 90-230° F  
Scale: Arc Dia: 52mm  
Fitting: 1/8in NPT / 3/8BSP  
Bezel: Chrome Full "V"  
Capillary length 78inches.  
Comes with 3/8BSP to 5/8UNF adaptor. Use LK-1 on Pressure  
Alternative: GD1301-84C078  
(Chrome 1/2 Round)



[Fitting Instructions](#)

### FUEL TANK LEVEL

### CLASSIC MAGNOLIA

Part No. **BF2242-02C**

Type: Electric  
Range: 0 - 1/2 - 4/4 Scale: Arc  
Fitting: Spade Dia: 52mm  
Bezel: Chrome Full "V"  
Use sender Part No. TB9006Kit or TB9013Kit  
Alternative: BF2242-13C  
(Chrome 1/2 Round)



[Fitting Instructions](#)

### OIL PRESSURE

### CLASSIC MAGNOLIA

Part No. **BP2404-01C**

Type: Electrical  
Range: 0-100 PSI Scale: Arc  
Fitting: Spade Dia: 52mm  
Bezel: Chrome Full "V"  
Use Sender Part No. PTR1810-1-10  
Alternative: BP2404-04C  
(Chrome 1/2 Round)



[Fitting Instructions](#)

### OIL PRESSURE

### CLASSIC MAGNOLIA

Part No. **BP2404-01CA**

Type: Electrical  
Range: 0-100 PSI  
Scale: Arc Dia: 52mm  
Bezel: Chrome Full "V"  
Use Sender Part No. PTR1810-1-10, PTR1811-06, PTR1811-10, PTR1812-06, PTR1812-10



[Fitting Instructions](#)



**OIL PRESSURE****CLASSIC MAGNOLIA****Part No. PG1310-46CB**

Type: Electrical  
 Range: 0-100 psi  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
 Use Sender Part No.  
 PTR3000-8N-10  
[Fitting Instructions](#)

**OIL PRESSURE****CLASSIC MAGNOLIA****Part No. PL2328-04C**

Type: Mechanical  
 Range: 0-100 psi  
 Scale: Arc  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
 Alternative: PL2328-07C  
 (Chrome Half Round)

[Fitting Instructions](#)**OIL PRESSURE****CLASSIC MAGNOLIA****Part No. PG1310-01C**

Type: Mechanical  
 Range: 0-100 PSI Scale: Full  
 Fitting: 1/8in NPT Dia: 52mm  
 Bezel: Chrome Full "V"  
 Use Fitting Kit Part No. LK-2  
 Use Sender Kit PTTR2300-10-8NKIT  
 Alternative: PG1310-18C  
 (Chrome 1/2 Round)  
[Fitting Instructions](#)

**BOOST PRESSURE****CLASSIC MAGNOLIA****Part No. EMP1-1B32-02C**

Type: Electrical  
 Range: -15-30 PSI  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"

[Fitting Instructions](#)**BOOST PRESSURE****CLASSIC MAGNOLIA****Part No. EMP1-1B32-04C**

Type: Electrical  
 Range: -15-30 PSI  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Half "V"  
[Fitting Instructions](#)

**TURBO PRESSURE****CLASSIC MAGNOLIA****Part No. EMP1-1B32-07C**

Type: Electrical  
 Range: -1-2 Bar  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
[Fitting Instructions](#)

**OIL TEMPERATURE****CLASSIC MAGNOLIA****Part No. BT2240-05C**

Type: Electrical  
 Range: 50-140° C  
 Scale: Arc  
 Fitting: Spade Dia: 52mm  
 Bezel: Chrome Full "V"  
 Use Sender Part No. TT6811-01  
 Alternative: BT2240-11C  
 (Chrome 1/2 Round)  
[Fitting Instructions](#)

**OIL TEMPERATURE****CLASSIC MAGNOLIA****Part No. TG1311-02C078**

Type: Mechanical  
 Range: 40-140° C  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
 Alternative: TG1311-07C078  
 (Chrome 1/2 Round)  
[Fitting Instructions](#)

**WATER TEMPERATURE****CLASSIC MAGNOLIA****Part No. TG1310-02C078**

Type: Mechanical  
 Range: 30-110° C  
 Scale: Full  
 Fitting: 3/8BSP Dia: 52mm  
 Bezel: Chrome Full "V"  
 Comments: Capillary length 78 in.  
 Alternative: TG1310-10C078  
 (Chrome 1/2 Round)  
[Fitting Instructions](#)

**WATER TEMPERATURE****CLASSIC MAGNOLIA****Part No. TG1310-02CB**

Type: Electrical  
 Range: 30-110° C  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
 Use Sender Part No.  
 TT3001-8N  
[Fitting Instructions](#)



**WATER TEMPERATURE****CLASSIC MAGNOLIA****Part No. BT2240-04C**

Type: Electrical  
 Range: 50-140° C  
 Scale: Arc  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
 Use Sender Part No.TT6811-01  
 Alternative:BT2240-10C  
 (Chrome 1/2 Round)

**Fitting Instructions****VOLTMETER****CLASSIC MAGNOLIA****Part No. ABV2220-04CA**

Type: Electrical  
 Range: 11-17Volts  
 Scale: Arc  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
**Fitting Instructions**

**VOLTMETER****CLASSIC MAGNOLIA****Part No. ABV2220-04C**

Type: Electrical  
 Range: 11-17 Volts  
 Scale: Arc  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
**Fitting Instructions**

**VOLTMETER****CLASSIC MAGNOLIA****Part No. BV2220-04CB**

Type: Electrical  
 Range: 11-17 Volts  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
**Fitting Instructions**

**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1490-01CB**

Type: Electric  
 Range: 0 -7000 RPM  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative:RVC1490-07CB  
 (Chrome 1/2 Round)  
**Fitting Instructions**

**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1-1B32-01C**

Type: Electric  
 Range: 0 -8000 RPM  
 Scale: Full  
 Dia: 52mm  
 Bezel: Chrome Full "V"  
**Fitting Instructions**

**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2490-01CB**

Type: Electrical  
 Range: 0-7000 RPM  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative: RVC2490-09CB  
 (White dial Chrome Full "V"  
**Fitting Instructions**

**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1B90-10C**

Type: Electric  
 Range: 0-8000 RPM  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative: RVC1B90-11C  
 (Chrome 1/2 Round)  
 Representative Image  
**Fitting Instructions**

**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2490-25CB**

Type: Electric  
 Range: 0-10000 RPM  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
**Fitting Instructions**  
 Representative Image

**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2690-01CB**

Type: Electric  
 Range: 0-7000 RPM  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative: RVC2690-03CB  
 (Chrome 1/2 Round)  
**Fitting Instructions**



**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1690-01CB**

Type: Electrical  
 Range: 0-7000 RPM  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative:  
 RVC1690-02CB(Chrome  
 1/2 Round)

**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1006-02CB**

Type: Electrical  
 Range: 0-8000 RPM Scale: Full  
 Fitting: Harness Dia: 80mm  
 Bezel: Chrome Full "V"  
 4, 6 or 8 Cyl.  
 Adjustable redline pointer. Suits in  
 dash mounting  
 Alternative: RVC1006-01CB  
 (White dial Chrome Full "V")

**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1890-01CB**

Type: Electrical  
 Range: 0-7000 RPM  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative: RVC1890-03CB  
 (Chrome 1/2 Round)

**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2890-01CB**

Type: Electric  
 Range: 0 - 7,000 rpm  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative:  
 RVC2890-04CB(Chrome  
 1/2 Round)

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-19CB**

Type: Electronic  
 Range: 0 - 240 kph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative: SNT5372-65CB  
 (Chrome 1/2 Round)

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-09C**

Type: Mechanical  
 Range: 0-240 kph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 625 Revs per Kilometer  
 Alternative: SN5234-41C  
 (Chrome 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-08C**

Type: Mechanical  
 Range: 0-170 mph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 1000 Revs per Mile  
 Alternative: SN5234-40C  
 (Chrome 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-10C**

Type: Mechanical  
 Range: 0-140 mph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 1000 Revs per Mile  
 Alternative:  
 SN5234-42C (Chrome  
 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-16C**

Type: Mechanical  
 Range: 0 - 170 mph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 1000 Revs per Mile  
 Alternative: SNT5372-50C  
 (Chrome 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-11C**

Type: Mechanical  
 Range: 0-270kph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 625 Revs per Mile  
 Alternative: SN5234-43C  
 (Chrome 1/2 Round)

**Fitting Instructions:** Representative Image

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-19C**

Type: Mechanical  
 Range: 0 -240 kph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 625 Revs per Kilometer  
 Alternative: SNT5372-53C  
 (Chrome 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-17C**

Type: Mechanical  
 Range: 0 - 270 kph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 625 revs Kilometer  
 Alternative:  
 SNT5372-51C  
 (Chrome 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-18C**

Type: Electric  
 Range: 0-140 mph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative: SNT5372-52C  
 (Chrome 1/2 Round)

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-17CB**

Type: Electric  
 Range: 0-270kph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative: SNT5372-67CB  
 (Chrome 1/2 Round)

**Fitting Instructions**

Representative Image

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-09CB**

Type: Electric  
 Range: 0-220 kph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative: SN5234-41CB

(White dial Chrome Full "V")

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-20CA**

Type: Electronic  
 Range: 0 - 300 kph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-11CB**

Type: Electric  
 Range: 0-270 kph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative: SN5234-43CB  
 (Chrome 1/2 Round)

**Fitting Instructions**

Representative Image

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-10CB**

Type: Electric  
 Range: 0-140 mph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative: SN5234-42CB  
 (Chrome 1/2 Round)

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-16CB**

Type: Electric  
 Range: 0-170 mph  
 Scale: Full  
 Dia: 100mm  
 Bezel: Chrome Full "V"  
 Alternative: SNT5372-64CB  
 (Chrome 1/2 Round)

**Fitting Instructions****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-08CB**

Type: Electric  
 Range: 0-170 mph  
 Scale: Full  
 Dia: 80mm  
 Bezel: Chrome Full "V"  
 Alternative: SN5234-40CB  
 (Chrome 1/2 Round)

**Fitting Instructions**

## SPEEDOMETER

## CLASSIC MAGNOLIA

Part No. **SNT5372-18CB**

Type: Electric

Range: 0-140mph

Scale: Full

Dia: 100mm

Bezel: Chrome Full "V"

Alternative: SNT5372-66CB

(Chrome 1/2 Round)

**Fitting Instructions**

