

LOTUS



Lotus Cortina



LOTUS

SPEEDOMETER

LOTUS

Part No. SN6138-00

Type: Mechanical
 Range: 0-140 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
 960 turns per mile
Fitting Instructions:



Lotus Elan



LOTUS

FUEL GAUGE

LOTUS

Part No. FG2530-71

Type: bi metal Electric
 Range: E-1/4-1/2-3/4-F
 Scale: Arc
 Dia: 52mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions



FUEL GAUGE

LOTUS

Part No. BF2201-19

Type: bi metal Electric
 Range: E-1/4-1/2-3/4-F
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions



OIL PRESSURE & WATER TEMP

LOTUS

Part No. GD1301-23C078

Type: Mechanical
 Range: 0-60 psi/ 30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
 Capillary Length: 78 inches
Fitting Instructions:



TACHOMETER

LOTUS

Part No. RV12402-00BB

Type: Electric
 Range: 0-8000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions



SPEEDOMETER

LOTUS

Part No. SN6136-00A


Type: Mechanical
 Range: 0-140 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 1000 turns per mile
Fitting Instructions:



SPEEDOMETER **LOTUS**

Part No. SN6207-08

Type: Mechanical
 Range: 0-140 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Dial: Black
 980 turns per mile
Fitting Instructions



SPEEDOMETER **LOTUS**

Part No. SN6207-08CB

Type: Electronic
 Range: 0-140 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Dial: Black
Fitting Instructions



SPEEDOMETER **LOTUS**

Part No. SN6207-10CB


Type: Electronic
 Range: 0-140 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Dial: Black
Fitting Instructions



SPEEDOMETER **LOTUS**

Part No. SN6207-10

Type: Mechanical
 Range: 0-140 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Dial: Black
 980 turns per mile
Fitting Instructions



LOTUS

Lotus Elite



TACHOMETER **LOTUS**


Part No. RN2306-00

Type: Electric
 Range: 0-8000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions



LOTUS

Lotus Esprit



CLOCK **LOTUS**

Part No. PAC1-1051-22B


Type: Electric
 Range: 12 hours
 Scale: Full
 Dia: 52mm
 Bezel: Black Full "V"
Fitting Instructions



BOOST GAUGE **LOTUS**

Part No. PMP1-1B51-00B


Type: Electric
 Range: 0-1 bar
 Scale: Arc
 Dia: 52mm
 Bezel: Black Full "V"
 Dial: Black
Fitting Instructions:



FUEL GAUGE **LOTUS**

Part No. PFC1-1B51-00B

Type: Electric
 Range: 0-1/2-1
 Scale: Arc
 Dia: 52mm
 Bezel: Black Full "V"
 Dial: Black
Fitting Instructions:



OIL PRESSURE**LOTUS****Part No. POP1-1B51-00B**

Type:Electric
 Range:0-7bar
 Scale: Arc
 Dia: 52mm
 Bezel: Black Full "V"
 Dial: Black
Fitting Instructions:

**WATER TEMPERATURE****LOTUS****Part No. PCT1-1B51-00B**

Type:Electric
 Range:50-120°C
 Scale:Arc
 Dia: 52mm
 Bezel:Black Full "V"
 Dial: Black
Fitting Instructions:

**TACHOMETER****LOTUS****Part No. PET5-1B51-00B**

Type:Electric
 Range0-8000 RPM
 Scale:Full
 Dia:100mm
 Bezel:BlackFull "V"
 Dial:Black
Fitting Instructions:

**SPEEDOMETER****LOTUS****Part No. PES5-1B51-00B**

Type: Electric
 Range:0-180 MPH
 Scale:Full
 Dia: 100mm
 Bezel:BlackFull "V"
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****LOTUS****Part No. PES5-1B51-01B**

Type:Electric
 Range0-300 KMH
 Scale:Full
 Dia:100mm
 Bezel:BlackFull "V"
 Dial:Black
Fitting Instructions:



Representative Image

SPEEDOMETER**LOTUS****Part No. PES5-1B51-02B**

Type: Electric
 Range: 0-180 MPH
 Scale: Full
 Dia: 100mm
 Bezel: BlackFull "V"
 Dial:Black
Fitting Instructions:



Representative Image

LOTUS**Lotus Europa****TACHOMETER****LOTUS****Part No. RVI1432-00CB**


Type:Electronic
 Range:0-8000 RPM
 Scale: Full
 Dia:80mm
 Bezel: Chrome and Black Half Round
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****LOTUS****Part No. SN5226-13CB**

Type:Electric
 Range:0-230KMH
 Scale:Full
 Dia: 80mm
 Bezel: Chrome and Black Half Round
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****LOTUS****Part No. SN5226-12CB**

Type: Electric
 Range:0-140 MPH
 Scale:Full
 Dia: 80mm
 Bezel:Chrome and Black Half Round
 Dial: Black
Fitting Instructions:



Representative Image

LOTUS

Lotus Racing



OIL PRESSURE & WATER TEMP LOTUS

Part No. **GD1500-37XC072**

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 72 inches
Fitting Instructions:



OIL PRESSURE & WATER TEMP LOTUS

Part No. **GD1500-37-EX**

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



WATER TEMPERATURE LOTUS

Part No. **TG1501-12C078**

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 78 inches
Fitting Instructions:



Representative Image

WATER TEMPERATURE LOTUS

Part No. **TG1501-14C070**

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 70 inches
Fitting Instructions:



OIL TEMPERATURE LOTUS

Part No. **TG1501-15C078**

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 78 inches
Fitting Instructions:



WATER TEMPERATURE LOTUS

Part No. **TG1501-12**

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



Representative Image

OIL TEMPERATURE LOTUS

Part No. **PMP1-1B51-00B**

Type: Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V" Dial: Black
Fitting Instructions:



Representative Image

OIL TEMPERATURE LOTUS

Part No. **PAC1-1051-22B**

Type: Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 72 inches
Fitting Instructions:



Representative Image

MG



CLOCK

MG

Part No. **CA1100-30C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52 mm
Bezel: 1/2 V chrome/
inner black bezel

Fitting Instructions:



CLOCK

MG

Part No. **CA1100-31C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Magnolia
Bezel: 1/2 V chrome/
inner black bezel"

Fitting Instructions:



CLOCK

MG

Part No. **CA1100-37C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: 1/2 V chrome/
inner black bezel
Front Reset

Fitting Instructions:



CLOCK

MG

Part No. **CA1100-32C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Magnolia
Bezel: Chrome Full "V"

Fitting Instructions:



CLOCK

CLASSIC BLACK

Part No. **CA1100-01C**

Type: 12 volt Electric
Range: 12 hour Scale: Full
Fitting: Spade Dia: 52mm
Bezel: Chrome
Push Button to reset (Do Not
Turn)
Alternative: CA1100-14C
(Chrome 1/2 Round)

Fitting Instructions:



CLOCK

MG

Part No. **CA1100-39C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm

Magnolia
Bezel: Chrome Half "V"

Fitting Instructions:



MG DUAL GAUGES



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-64C078**

Type: Mechanical
 Range: 0-100 psi / 90-230°F
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-102C072**

Type: Mechanical
 Range: 0-100 psi / 30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-104C078**

Type: Mechanical
 Range: 0-60 psi / C-N-H
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-105C078**

Type: Mechanical
 Range: 0-60 psi / C-N-H
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-21C072**

Type: Mechanical
 Range: 0-100 psi / C-N-H
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-45C078**

Type: Mechanical
 Range: 0-60 psi / C-N-H
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-53C078**

Type: Mechanical
 Range: 0-80 psi / C-N-H
 Scale: Arc
 Dia: 52 mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-61C078**

Type: Mechanical
 Range: 0-100 psi / 90-230°F
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-63C072**

Type: Mechanical
Range: 0-100psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Back Illumination
Fitting Instructions:



OIL PRESSURE & WATER TEMP MGB

Part No. **GD1301-83C072**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MGB

Part No. **GD1301-83C078**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1310-28C078**

Type: Mechanical
Range: 0-60 psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

OIL PRESSURE & WATER TEMP MGA

Part No. **GD1501-01C078**

Type: Mechanical
Range: 0-100 psi / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1501-04C078**

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1501-14C078**

Type: Mechanical
Range: 0-100 psi / 90-230°F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1501-15C078**

Type: Mechanical
Range: 0-100 psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1502-06C072**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Fitting Instructions:



Slot Illumination

MAGNOLIA DUAL GAUGES MG & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-105C078**

Type: Mechanical
 Range: 0-60 psi / C-N-H
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-75C072**

Type: Mechanical
 Range: 0-100psi/30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
 Capillary length: 72 inches
 Dial: Magnolia
 Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-104C078**

Type: Mechanical
 Range: 0-60 psi / C-N-H
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-96C078**

Type: Mechanical
 Range: 0-100 psi/30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Bulb: K
 Capillary length: 78 inches
 Dial: Black
 Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-85C078**

Type: Mechanical
 Range: 0-100psi/30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
 Bulb: K
 Capillary length: 78 inches
 Dial: Magnolia
 Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-92C072**

Type: Mechanical
 Range: 0-100psi/30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Black Half Round
 Bulb: A2
 Capillary length: 72 inches
 Dial: Magnolia
 Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-14C078**

Type: Mechanical
 Range: 0-100 psi / 30-110 C
 Scale: Arc
 Dia: 52 mm
 Bezel: Chrome Full "V"
 Bulb: A2
 Capillary length: 78 inches
 Dial: Magnolia
 Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-81C078**

Type: Mechanical
 Range: 100psi/30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Half "V"
 Bulb: A2
 Capillary length: 78 inches
 Dial: Magnolia
 Oil Pressure Kit: LK-2 required
Fitting Instructions:



MG FUEL GAUGES

Bimetal Fuel gauges require a voltage regulator



FUEL LEVEL MGB

Part No. **BF2226-00**

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:

250-20 ohms



FUEL LEVEL MGB

Part No. **BF2226-00B**

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Fitting Instructions:

250-20 ohms



FUEL LEVEL MGB

Part No. **BF2226-01C**

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:

250-20 ohms



FUEL LEVEL MGB

Part No. **BF2226-02**

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Fitting Instructions:

250-20 ohms



FUEL LEVEL MG

Part No. **FG2530-70**

Type: Bimetal Electric
Range: 250-19 ohms
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:

250-20 OHMS



FUEL LEVEL MG

Part No. **FG2530-05**

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:

250-20 OHMS



FUEL LEVEL MG

Part No. **BF2239-00**

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:

250-20 ohms



PRESSURE MG

Part No. **PL2324-00**

Type: Mechanical
Range: 0-100 psi / 0-7 kg
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



MGA JAEGER



SPEEDOMETER

MGA

Part No. **SN6104-06CB**

Type:Electric
 Range:0-200kph
 Scale:Full
 Dia:100mm
 Bezel:Chrome Half "V"
Fitting Instructions

Jaeger

Representative image



TACHOMETER

MGA

Part No. **RN2312-01CB**

Type:Electric
 Range:0-7000rpm
 Scale:Full
 Dia:100mm
 Bezel:Chrome Half "V"
Fitting Instructions



SPEEDOMETER

MG

Part No. **SN6161-07**

Type:Mechanical
 Range:0-200 kph
 Scale:Full
 Dia:100mm
 Bezel:Chrome Half "V"

900 REVS PER KM

Fitting Instructions:



OIL PRESSURE & WATER TEMP

MGA

Part No. **GD1501-01C078**

Type:Mechanical
 Range:0-100 psi /90-230 °F
 Scale:Arc
 Dia:52mm
 Bezel:Chrome Half "V"
Fitting Instructions



OIL PRESSURE & WATER TEMP

MG

Part No. **GD1501-04C078**

Type:Mechanical
 Range:0-100psi/30-110 °C
 Scale:Arc
 Dia:52mm
 Bezel:Chrome Half "V"
Fitting Instructions



FUEL LEVEL

MG

Part No. **FG2530-05**

Type:BimetalElectric
 Range:E-1/2-F
 Dia:52mm
 Bezel:Chrome Half "V"

Fitting Instructions

250-20 OHMS



MGB SERIES 3 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN5226-00**

Type: Mechanical
 Range: 0-140 mph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

1020 turns per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5226-01**

Type: Mechanical
 Range: 0-220 kph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

640 turns per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5226-10**

Type: Mechanical
 Range: 0-160 kph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
 840 turns per mile

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN5230-11S**

Type: Mechanical
 Range: 0-140 mph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

Fitting Instructions:

960 Turns per mile



SPEEDOMETER

MG

Part No. **SN5230-011CB**

Type: Electric
 Range: 0-140 mph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

Fitting Instructions



SPEEDOMETER

MG

Part No. **SN5230-11CB**

Type: Electric
 Range: 0-140 mph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

Fitting Instructions



SPEEDOMETER

MG

Part No. **SN5230-12CB**

Type: Electric
 Range: 0-220 kph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN5230-12S**

Type: Mechanical
 Range: 0-220 kph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"

Fitting Instructions

600 revs per mile



MGB SERIES 3 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN5230-13**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

1000 turns per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5230-15**

Type: Mechanical
Range: 0-200 kph
Scale: Full
Dia: 80mm
Bezel: Black Half "V"

620 Revs per mile

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN5230-15C**

Type: Mechanical
Range: 0-200 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

620 Revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5231-00**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

1280 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-00**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Dual Scale
120mph/180kmh

1000 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-02**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Dual Scale
120mph/190kmh

1000 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-50CB**

Type: Electric
Range: 0-220 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Dual Scale

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-13**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

1000 revs per mile

Fitting Instructions:



MGB SERIES 1 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN6125-04**

Type: Mechanical
Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"
1060 Revs per mile

Fitting Instructions:



Representative image

SPEEDOMETER

MG

Part No. **SN6125-04A**

Type: Mechanical

Range: 0-120 mph


Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 V

1060 revs per mile

Fitting Instructions:



Representative image

SPEEDOMETER

MG

Part No. **SN6125-05**

Type: Mechanical

Range: 0-200 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

660 Revs per km

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6125-06**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1060 revs per mile

Fitting Instructions:



Representative Image

SPEEDOMETER

MG

Part No. **SN6125-06A**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1020 turns per mile

Fitting Instructions:



Representative Image

SPEEDOMETER

MG

Part No. **SN6142-01**

Type: Mechanical

Range: 0-200 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

660 turns per kilometer

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6142-07**

Type: Mechanical

Range: 0-160 kph


Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

840 turns per kilometer

Fitting Instructions:



Representative Image

SPEEDOMETER

MG

Part No. **SN6142-09CB**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

Fitting Instructions



MGB SERIES 2 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN6144-00**

Type: Mechanical
 Range: 0-120 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

1040 revs per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-01**

Type: Mechanical
 Range: 0-200 kph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

660 revs per km
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-02**

Type: Mechanical
 Range: 0-120 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

1020 revs per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-20**

Type: Mechanical
 Range: 0-120 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

1280 revs per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-23**

Type: Mechanical
 Range: 0-120 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

1280 revs per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-28**

Type: Mechanical
 Range: 0-120 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

1216 revs per mile
Fitting Instructions:



Representative image

SPEEDOMETER

MG

Part No. **SN6144-24**

Type: Mechanical
 Range: 0-200 kph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"

800 revs per km
Fitting Instructions:



MGB SERIES 2 ELECTRONIC SPEEDOMETER'S

SPEEDOMETER

MG

Part No. **SN6144-000CB**

Type: Electric
 Range: 0-120mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
[Fitting Instructions](#)



SPEEDOMETER

MG

Part No. **SN6144-003CB**

Type: Electric
 Range: 0-200kph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
[Fitting Instructions](#)



SPEEDOMETER

MG

Part No. **SN6144-36CB**

Type: Electric
 Range: 0-120mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
[Fitting Instructions](#)



SPEEDOMETER

MG

Part No. **SN6144-38CB**

Type: Electric
 Range: 0-120 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
[Fitting Instructions](#)



Representative image

MG MAGNOLIA SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN6144-01CB**

Type: Electric
 Range: 0-200 kph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Fitting Instructions



SPEEDOMETER

MG

Part No. **SN6144-36C**

Type: Mechanical
 Range: 0-120mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 1040 TURNS PER MILE
 Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-37C**

Type: Mechanical
 Range: 0-120mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 1130 Turns Per Mile
 Fitting Instructions:



TACHOMETER

MG

Part No. **RVI2401-20CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 12V -ve earth
 Stepping Motor
 Movement
 Magnolia
 Fitting Instructions



Representative Image

TACHOMETER

MG

Part No. **RVI2415-01CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 12V -ve earth
 Stepping Motor Movement
 Magnolia
 Fitting Instructions



Representative Image

MGB SERIES 3 TACHOMETER'S



TACHOMETER

MGB

Part No. **RVC1410-00CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
Fitting Instructions



TACHOMETER

MGB

Part No. **RVC1414-00CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
Fitting Instructions



TACHOMETER

MGB

Part No. **RVC1414-01CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
Fitting Instructions



TACHOMETER

MGB GT V8

Part No. **RVC1810-00CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
Fitting Instructions



TACHOMETER

MGB

Part No. **RV11439-00CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
 Red and Orange segments at 5500 - 7000 RPM
Fitting Instructions



TACHOMETER

MGB GT

Part No. **RV11433-00CB**

Type: Stepping Motor Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half ROUND
 4 CYL
Fitting Instructions



TACHOMETER**MGB****Part No. RVC2415-00CB**

Type: Electric
 Range: 0-7000rpm
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Half "V"
[Fitting Instructions](#)

**TACHOMETER****MGB****Part No. RVI2401-00CB**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 12V -ve earth
 Stepping Motor Movement
[Fitting Instructions](#)

**TACHOMETER****MGB****Part No. RVI2401-00CA**

Type: Electric
 Range: 0-7000rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 12V -ve earth
[Fitting Instructions](#)

**TACHOMETER****MGB****Part No. RVI2401-01CB**

Type: Electric
 Range: 0-7000rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 12V -ve earth
 Stepping Motor Movement
[Fitting Instructions](#)

**TACHOMETER****MGB****Part No. RVI2401-00CBPOS**

Type: Electric
 Range: 0-7000 rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 12V +ve earth
 Stepping Motor Movement
[Fitting Instructions](#)

**TACHOMETER****MGB****Part No. RVI2415-00CB**

Type: Electric
 Range: 0-7000rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 -ve earth 4 Cylinder
 Alternative: RVI2415-00BB
 (Black Bezel)
[Fitting Instructions](#)

**TACHOMETER****RACING MGB****Part No. RVI2415-02CB**

Type: Electric
 Range: 0-8000 rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 -ve earth 6 Cylinder
[Fitting Instructions](#)

**TACHOMETER****MOD MGB****Part No. RVI2415-03CB**

Type: Electric
 Range: 0-7000rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome 1/2 V
 -ve earth 8 Cylinder
[Fitting Instruction](#)

**TACHOMETER****MGB****Part No. RVI2415-04CB**

Type: Electric
 Range: 0-7000rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 -ve earth 4 Cylinder
[Fitting Instructions](#)



MGB Digital Tachometer 7K 100mm Black

100mm Digital Tachometer with black dial, white print and white pointer. With Black or Chrome half 'V' bezel and Orange / Red Sectors at 55500 -7000 RPM. Ignition warning light. 12V -ve earth. Available in 4, 6 and 8 Cylinder



TACHOMETER

MG

Part No. **RVI2430-00BB**

Type: Electric
Range: 0-7000 rpm

Scale: Full
Dia: 100mm
Bezel: Black Half "V"

4 CYL
[Fitting Instructions](#)



TACHOMETER

MG

Part No. **RVI2430-00CB**

Type: Electric
Range: 0-7000 rpm

Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"

4 CYL
[Fitting Instructions](#)



TACHOMETER

MG

Part No. **RVI2440-00CB**

Type: Electric
Range: 0-7000 rpm

Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"

8 CYL
[Fitting Instructions](#)



TACHOMETER

MG

Part No. **RVI2619-00CB**

Type: Electric
Range: 0-7000 rpm

Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"

6 CYL
[Fitting Instructions](#)



TACHOMETER

MG

Part No. **RVI2630-00BB**

Type: Electric
Range: 0-7000 rpm
Scale: Full

Dia: 100mm
Bezel: Black Half "V"

6 CYL
[Fitting Instructions](#)



TACHOMETER

MG

Part No. **RVI2630-00CB**

Type: Electric
Range: 0-7000 rpm
Scale: Full

Dia: 100mm
Bezel: Black Half "V"

6 CYL
[Fitting Instructions](#)



TRIUMPH



Triumph Stag



TRIUMPH

CLOCK

TRIUMPH

Part No. **CA1100-16B**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



CLOCK

TRIUMPH

Part No. **CA1100-17C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



FUEL LEVEL

TRIUMPH

Part No. **BF2201-21**

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE

TRIUMPH

Part No. **PG1310-31B**

Type: Electric
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE

TRIUMPH

Part No. **PG1310-32C**

Type: Electric
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE & WATER TEMP TRIUMPH

Part No. **GD1301-21B072**

Type: Electric
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



WATER TEMP TRIUMPH

TRIUMPH

Part No. **BT2204-23**


Type: Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



WATER TEMP TRIUMPH

Part No. BT2230-01

Type: Electric
 Range: C-H
 Scale: Arc
 Dia: 52mm
 Bezel: Black
 Dial: Black
Fitting Instructions:



VOLTMETER TRIUMPH

Part No. ABV2204-00


Type: Electric
 Range: 0-16 Volts
 Scale: Arc
 Dia: 52mm
 Bezel: Black
 Dial: Black
Fitting Instructions:



VOLTMETER TRIUMPH

Part No. ABV2213-00


Type: Electric
 Range: 11-17 Volts
 Scale: Arc
 Dia: 52mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions:



TACHOMETER TRIUMPH

Part No. RVI2819-00BB


Type: Electric
 Range: 0-7000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions:



TACHOMETER TRIUMPH

Part No. RVC2811-00CB

Type: Electric
 Range: 0-7000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions:



SPEEDOMETER TRIUMPH

Part No. SN6201-06


Type: Electric
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black
 Dial: Black
Fitting Instructions:



SPEEDOMETER TRIUMPH

Part No. SN6212-00S


Type: Mechanical
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black Full "V"
 Dial: Black
 1000 turns per mile
Fitting Instructions:



SPEEDOMETER TRIUMPH

Part No. SN6215-02


Type: Mechanical
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black Full "V"
 Dial: Black
Fitting Instructions:



SPEEDOMETER TRIUMPH

Part No. SN6212-005CB


Type: Electronic
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Dial: Black
Fitting Instructions:



SPEEDOMETER TRIUMPH

Part No. SN6212-005BB

Type: Electronic
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black and Chrome Half "V"
 Dial: Black
Fitting Instructions:



Representative image

TRIUMPH

Triumph Spitfire



FUEL LEVEL

TRIUMPH

Part No. **BF2201-16**

Type: Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia:52mm
Bezel: Black Half "V"
Dial: Black

Fitting Instructions:



Representative image

FUEL LEVEL

TRIUMPH

Part No. **BF2201-16C**

Type: Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia:52mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **BT2204-12**

Type: Electric
Range: C-N-H
Scale: Arc
Dia:52mm
Bezel: Black Half "V"
Dial: Black

Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **BT2204-12C**

Type: Electric
Range: C-N-H
Scale: Arc
Dia:52mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **BT2230-00**

Type: Electric
Range: C-N-H
Scale: Arc
Dia:52mm
Bezel: Chrome and Black Half "V"
Dial: Black

Fitting Instructions:




TACHOMETER

TRIUMPH

Part No. **RN1319-00**

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia:100mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



Representative image

TACHOMETER

TRIUMPH

Part No. **RN1319-02**

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia:100mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



Representative image


TACHOMETER

TRIUMPH

Part No. **RN1319-04**

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia:100mm
Bezel: Black Half "V"
Dial: Black

Fitting Instructions:



Representative image

TACHOMETER

TRIUMPH

Part No. **RN1326-00AS**

Type: Electric
Range: 0-7000 RPM
Scale: Full
Dia:100mm
Bezel: Chrome and Black Half "V"
Dial: Black

Fitting Instructions:



SPEEDOMETER**TRIUMPH****Part No. SNT6211-14SB**

Type: Mechanical
 Range: 0-120 MPH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome
 Dial: Black
Fitting Instructions:

**Triumph TR2****AMMETER****TRIUMPH****Part No. AM1340-18C**

Type: Electric
 Range: (-)30-0-30
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Glass: Domed
Fitting Instructions:

**AMMETER****TRIUMPH****Part No. AM1340-19C**

Type: Electric
 Range: (-)30-0-30
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Glass: Flat
Fitting Instructions:



Representative Image

FUEL GAUGE**TRIUMPH****Part No. FG2530-20**

Type: Electric
 Range: E-1/2-F
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Dial: Black
Fitting Instructions:

**OIL PRESSURE****TRIUMPH****Part No. PL2561-00**

Type: Electric
 Range: 0-100 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome
Fitting Instructions:

**OIL PRESSURE****TRIUMPH****Part No. PL2561-01**

Type: Electric
 Range: 0-7kgm
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
Fitting Instructions:

**WATER TEMP****TRIUMPH****Part No. TL2561-03**

Type: Electric
 Range: 30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Glass: Domed
Fitting Instructions:

**WATER TEMP****TRIUMPH****Part No. TL2561-11**

Type: Electric
 Range: 30-110°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Glass: Flat
Fitting Instructions:



Representative Image

WATER TEMP

TRIUMPH

Part No. TL2561-01

Type: Electric

Range: 90-230 °F

Scale: Arc

Dia: 52mm

Bezel: Chrome

Dial: Black

Fitting Instructions:

