Smiths Gauges

For generations, Smiths gauges have set the standard in quality instruments and gauges for classic cars.

Starting with the original Smiths tooling, we employ only the finest materials and craftsmanship for each and everyone of our instruments, which means, not only are you assured of owning the original but undoubtedly the best, so why settle for anything less.

Smiths instruments are manufactured in the UK by Caerbont Automotive Instruments.



AC Cobra Gauges

Smiths gauges were originally chosen by AC and Carol Shelby for the iconic Cobra sports car. Now you can equip your own Cobra with the same instruments as used in the original.

For people seeking the ultimate in authenticity the speedo is also available in reverse wind (counter clockwise) operation as fitted to the original Cobra. Electric gauges are also available as an alternative to the original mechanical gauges.

Smiths Cobra range, the only choice for Cobra builders!

AMMETER **AC COBRA**

Part No. AM1640-04C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER **AC COBRA**

Part No. AM1640-07C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER **AC COBRA**

Part No. AM1640-10C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER **AC COBRA**

Part No. AM1640-23C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

FUEL TANK LEVEL — AC COBRA

Part No. BF2242-03C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Fitting Kit Part No.
TB9006Kit or TB9013Kit

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-03C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by
ABF2242-03CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-03CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Replaces ABF2242-03C

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-05C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
16-158 ohms
Obsolete - replaced by
ABF2242-05CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-05CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
16-158 ohms
Replaces ABF2242-05C

Fitting Instructions



Representative Image

FUEL LEVEL — AC COBRA

Part No. ABF2242-06C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
240-33 ohms
Obsolete - replaced by
ABF2242-06CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-06CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
240-33 ohms
Replaces ABF2242-06C

Fitting Instructions



Representative Image

FUEL LEVEL — AC COBRA

Part No. ABF2242-07C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
0-90 ohms
Obsolete - replaced by
ABF2242-07CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-07CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
0-90 ohms
Replaces ABF2242-07C

Fitting Instructions



Representative Image

FUEL LEVEL — AC COBRA

Part No. ABF2242-11C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
16-158ohms

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-12C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-18CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-08C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-12C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-31CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-32CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-33CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-56CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. APG1310-02C

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. PTR1000-6-10
Obsolete - replaced by APG1310-02CB

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-02CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-07CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. APG1310-02CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Replaces APG1310-02C

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. APG1310-04CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. FOP1-1B52-33C

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-19CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-48CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-52CB

Type: Stepping Motor Electric
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-81CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-85CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-02C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Fitting Kit Part No.L K-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-04C

Type: Mechanical
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-07C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-19C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-03CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Sender PTTR2300-03-8NKIT required

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-27CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit PTTR2300-10-8NKIT

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-20CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-35CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-49CB

Type: Stepping Motor Electric
Range: 0-15 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-50CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-53CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender PTTR2300-3-8NKIT

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N
Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-45C078

Type: Mechanical
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. ATG1301-23C

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. TT6811-01
Obsolete - replaced by ATG1301-23CB
Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use with Sender Part No. TT3005-8N

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. ATG1301-23CB

Type: Stepping Motor Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Replaces ATG1301-23C

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. ATG1301-27CB

Type: Stepping Motor Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. FCT1-1B52-44C

Type: Stepping Motor Electric
Range: 100-250°F
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use sender TT3001-8N

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23B078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C114

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 114 inches

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C156

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 156 inches

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C168

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 168 inches



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-26CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: chrome
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-44CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-63CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-66CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-67C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-68C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-74CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender TT3005-8N



Fitting Instructions

OIL TEMPERATURE — AC COBRA

Part No. TG1301-24C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N



Fitting Instructions

OIL TEMPERATURE — AC COBRA

Part No. TG1301-46C078

Type: Mechanical
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

OIL TEMPERATURE — AC COBRA

Part No. ATG1301-24C

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. TT6811-01
Obsolete - replaced by ATG1301-24CB

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. ATG1301-24CB

Type: Stepping Motor Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Part No. TT6811-01
Replaces ATG1301-24C

Fitting Instructions



Representative Image

OIL TEMPERATURE — AC COBRA

Part No. TG1301-24CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-27CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: chrome
LED Lighting
Use Sender Part No.
TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-65CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use Sender Part No.
TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. FOT1-1B52-01C

Type: Stepping Motor Electric
Range: 50-150°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use sender TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-24B078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-24C120

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 120 inches

Fitting Instructions



CLOCK — AC COBRA

Part No. CA1100-09C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Analogue Clock

Fitting Instructions



CLOCK — AC COBRA

Part No. CA1100-12C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. CA1100-45C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. CTE3107-05C

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. FAC1-1052-09C

Type: Stepping Motor Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. ABV2220-07C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-07CB

Fitting Instructions



VOLTMETER — AC COBRA

Part No. ABV2220-07CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-07C

Fitting Instructions



Representative Image

VOLTMETER — AC COBRA

Part No. BV2220-25CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. BV2220-29CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. FVO1-1B52-04C

Type: Stepping Motor Electric
Range: 9-17 Volts
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. PVO1-1B52-01C

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



BOOST — AC COBRA

Part No. EMP1-1B32-07C

Type: Stepping Motor Electric
Range: Minus 1 to +2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



BOOST — AC COBRA

Part No. EMP1-1B32-03C

Type: Stepping Motor Electric
Range: Minus 1 to +2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting
Distributor/Coil sensing

Fitting Instructions



TACHOMETER — AC COBRA

Part No. FET5-1B52-01C

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-01CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-08CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-11CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-13CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-04CB

Type: Stepping Motor Electric
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-02CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-03CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting
Anticlockwise Direction.
Electronic Programable calibration. 6 digit LED odometer

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-05CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting
Clockwise Direction. Electronic Programable calibration. 6 digit LED odometer

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-06CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-07CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-08CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-19CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting
Anticlockwise

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-20CB

Type: Stepping Motor Electric
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions




SPEEDOMETER — AC COBRA

Part No. SN5346-21CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting
Anticlockwise

Fitting Instructions




SPEEDOMETER — AC COBRA

Part No. SN5346-22CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-24CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-25CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-26CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting
Anticlockwise



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-34CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-02

Type: Mechanical
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-04

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-12

Type: Mechanical
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-19

Type: Mechanical
Range: 0-180 mph
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Anticlockwise



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-20

Type: Mechanical
Range: 0-160 mph
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions