Classic Black

The most recognizable of all of the Smiths ranges, the classic black faced gauge was not only the choice for such manufacturers as Aston Martin, Lotus and MG but also for every enthusiast looking to add to or replace instruments in their vehicle. This is the classic font from the 60's and 70's but we also have the manufacturer specific fonts in other ranges.



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-00C

Type: Bimetal Electric
Range: 0-1/2-4/4
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TB9006Kit or TB9013Kit

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-00CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Kit TB9011KIT
or TB9013KIT

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-00CB

Type: Stepping Motor Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit TB9011KIT
or TB9013KIT

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-10C

Type: Bimetal Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-29CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-08CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side
mount. 5 Hole TA9030-000 Top
Mount

Fitting Instructions



BOOST PRESSURE — CLASSIC BLACK

Part No. PG1310-40CB

Type: Stepping Motor Electric
Range: 0-30 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



BOOST PRESSURE — CLASSIC BLACK

Part No. PG1310-60CB

Type: Stepping Motor Electric
Range: 0-30 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
LED Lighting

Fitting Instructions



BOOST PRESSURE — CLASSIC BLACK

Part No. EMP1-1B32-00C

Type: 12 Volt Electric
Range: -15-30 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. BP2404-00CA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
PTR1000-6-10

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. BP2404-00C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-00CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. BP2404-00BA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender PTR1000-6-10

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-00BB

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender
PTTR2300-10-8NKIT

Fitting Instructions




OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-01CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-34CB

Type: Stepping Motor Electric
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-45CB

Type: Stepping Motor Electric
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-16-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-17C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PL2328-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PL2328-06C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Fitting Kit Part No. LK-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-01B

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-21C

Type: Mechanical
Range: 0-60 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-51C

Type: Mechanical
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-64C039

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 39 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-64C078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Fitting: 1/8in NPT / 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF
adaptor. Use LK-1 on Pressure

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-66C078

Type: Mechanical
Range: 0-7 kgm/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-69C078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches
Bulb

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-76C078

Type: Mechanical
Range: 0-160 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-88C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-89B078

Type: Mechanical
Range: 0-100 PSI /30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-89C078

Type: Mechanical
Range: 0-100 PSI /30-110°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-150B055

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 55 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-15C-078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Bulb

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-00B078

Type: Mechanical
Range: 0-100 PSI /03-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 PSI /30-100°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-04C022

Type: Mechanical
Range: 0-160 PSI / 30-120° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 22 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-13B078

Type: Mechanical
Range: 0-100 PSI / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1310-19B048

Type: Mechanical
Range: 0-60 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 48 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1310-23C078

Type: Mechanical
Range: 0-160 PSI / 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1310-25C078

Type: Mechanical
Range: 0-100 PSI /30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1500-37C078

Type: Mechanical
Range: 0-160 PSI /30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-00C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TT6811-01



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-09C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1301-62CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-00CB

Type: Stepping Motor Electric
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Part No.
TT3001-8N



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2214-00

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-00BA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender TT6811-01



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-00CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-04CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-07C090

Type: 12 Volt Electric
Range: 30-110°C 90 inch
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-11C078

Type: 12 Volt Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-12C078

Type: 12 Volt Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-19CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-20CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1311-14CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-00C078

Type: Mechanical
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Inc3 /8BSP to 5/8UNF adaptor

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-09C078

Type: Mechanical
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-23C078

Type: Mechanical
Range: 90-230F
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01B078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01C120

Type: Mechanical
Range: 30-110°C 120 inch
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-23CB

Type: Mechanical
Range: Electrical Full Sweep
90-230°F
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use TT3001-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-01C078

Type: Mechanical
Range: 40-140°C
Scale: Arc
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-06C078

Type: Mechanical
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-00B096

Type: Mechanical
Range: 40-140° C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1301-61CB

Type: Stepping Motor Electric
Range: 40-140° C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Part No.
T3005-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. BT2240-01C

Type: Bimetal Electric
Range: 50-140° C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TT6811-01

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. BT2240-01CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. BT2240-07C

Type: Bimetal Electric
Range: 50-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use Sender TT6811-01 and
Voltage Regulator BR1307-00

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-00BB

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting
Use TT3005-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-00CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
TT3005-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-01B078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-01C020

Type: 12 Volt Electric
Range: 40-140°C 20 inch
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-12C078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-12CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3005-8N

Fitting Instructions



AMBIENT TEMPERATURE — CLASSIC BLACK

Part No. TG1305-04CB

Type: Stepping Motor Electric
Range: -10-60 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Includes sender. With black
bezel TG1303-01BB

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1303-01CB

Type: Stepping Motor Electric
Range: -20-50°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Includes sender. With black bezel TG1303-01BB

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1303-01BB

Type: 12 Volt Electric
Range: -30-50°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender TT6820-00

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1305-04BB

Type: 12 Volt Electric
Range: -10-60°C
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender TT6820-00

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1303-05CB

Type: Stepping Motor Electric
Range: -10-60°C
Scale: Full
Bezel: Chrome
LED Lighting
Includes sender. With black bezel TG1303-01BB

Fitting Instructions



VACUUM — CLASSIC BLACK

Part No. VG1302-03CB

Type: Stepping Motor Electric
Range: 0-30 inHg
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit PTTR2300-03-8NKIT

Fitting Instructions



VACUUM — CLASSIC BLACK

Part No. VG1302-04CB

Type: Stepping Motor Electric
Range: 0-100 kpa
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00C

Type: 12 Volt Electric
Range: 11-15 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-00CB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00CB

Type: Stepping Motor Electric
Range: 11-15 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-00C

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-21CB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-21C

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. BV2220-00CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. BV2220-25CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full Round
LED Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Without ISO Symbol
Obsolete - replaced by ABV2220-00BB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00BB

Type: Bimetal Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Without ISO Symbol
Replaces ABV2220-00B

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-21BB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21BB

Type: Bimetal Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Replaces ABV2220-21B

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. BV2220-00BB

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. BV2220-04CA

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. BV2220-23CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-00C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-00B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA1100-01C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA1100-14C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-02C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-03C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-05B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA1100-00C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-01HVC

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-02C

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-02HR

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-02HVC

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Dummy Centre Reset



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1340-03C

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1640-03C

Type: 12 Volt Electric
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1640-20C

Type: 12 Volt Electric
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting




Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1340-03B

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1340-07C

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
No ISO Symbol



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1004-00CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suits 400-25 Tacho Pod



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1004-06CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1006-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suits 400-25 Tacho Pod



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1006-07CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1-1B32-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1490-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1490-06CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1690-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1690-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1890-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2490-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2490-08CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2490-24CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2690-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 6 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2890-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 8 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2890-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 8 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1B90-14C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1B90-15C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1-1B32-03C

Type: Bimetal Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1004-00CBEMPI

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1004-00CBSPEEDWELL

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1006-00CBEMPI

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1890-00BB

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1890-02CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2690-02CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 6 cyl
LED Lighting



Fitting Instructions

SMITHS classic electronic speedometers



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-05CB

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-07CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-09CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-10CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-04CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-06CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-36C

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-36CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-37C

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-37CB

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-38C

Type: 12 Volt Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-38CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-39C

Type: 12 Volt Electric
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-39CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-06CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07B

Type: 12 Volt Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Black
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07BB

Type: 12 Volt Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-60CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-61CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-62CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-63CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SMITHS classic mechanical speedometers



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-05C

Type: Mechanical
Range: 0-240 kmh
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 Revs per Kilometer

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-06C

Type: Mechanical
Range: 0-170 mph
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-07C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 turns per km

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-04C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-10C

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 turns per km

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-09C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 turns per km

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-06C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-46C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-47C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-48C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-49C

Type: Mechanical
Range: 0-240 kmh
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-29CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-36BB

Type: 12 Volt Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-38BB

Type: 12 Volt Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-38CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-39CB

Type: Stepping Motor Electric
Range: 0-150 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-16-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-42CB

Type: Stepping Motor Electric
Range: 0-15 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE ACCESSORIES

Part No. PG1310-44CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT



Fitting Instructions