OUR MOST POPULAR DUAL GAUGES






TEMPERATURE BULB TYPES A2 & K2

A2 BULB

Common in A & B Series Engines the bulb has a tapered seating and a 5/8 x 18 UNF Male Nut.

: HUHFRP P HQGID EUDVVIDGDSVRUIRU DJRRGVHDOEHWWUIQWMQDOFHDUDQFHIDQGVR VRSWKHP DBIQXVWXVQJ IQRWKHKHDG



Note:
Pictures with a red star are a representative image.
Refer to the left for accurate details.
For more information please contact us.

K2 BULB

Common in Big Healey, Jaguar etc the bulb has a 3/8 Female Nut.
It is supplied with either;
a 3/8 BSP Male to 5/8 x 18 Male (#31-363-415) ; or
a 3/8 BSP Male to 3/8 NPT Male (#31-363-472-00)

OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-11C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-65C078

Type: Mechanical
Range: 0-7 kgcm2/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



DUAL GAUGES CLASSIC IMPERIAL



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-150B055

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 55 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-15C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



DUAL GAUGES CLASSIC METRIC



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-15C-078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-66B078

Type: Mechanical
Range: 0-7kgcm2/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C039

Type: Mechanical
Range: 0-7kgcm2/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 39 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-66C078

Type: Mechanical
Range: 0-7kgcm2/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-13B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-05C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-69C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-88C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64B078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C039

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 39 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C020

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 20 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-25C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



DUAL GAUGES classic open wheelers



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-19B048

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 48 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-118-C078

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-118-C096

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 96 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-37C078

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-17B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-17B090

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 90 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



FUEL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1500-119-C072

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: chrome
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B078

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B144

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 144 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



DUAL GAUGES classic open wheelers



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B078

Type Mechanical
Range 0-160psi/ 30-120°C
Scale Arc
Dia: 52mm
Bezel Black Full "V"
Bulb K
Capillary length: 78 inches
Dial Black
Oil Pressure Kit: LK-2 required Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B086

Type Mechanical
Range 0-160psi/30-120° C
Scale Arc
Dia 52 mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 86 inches

Dial: Black
Oil Pressure Kit: LK-2 required Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04C022

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 22 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-14C014

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 14 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-23C078

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



OIL PRESSURE & OIL TEMP

Part No. GD1500-37-EX

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



OIL PRESSURE & OIL TEMP

Part No. GD1500-37XC072

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



CLASSIC DUAL GAUGES MAGNOLIA IMPERIAL



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
Magnolia
41-712-101-275



OIL PRESSURE & WATER TEMP DUAL GAUGES

PART No. GD1301-68C078

Type: Mechanical
Range: 0-100psi/90-230° F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half Round
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-84C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-70C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-97C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line
Fitting Instructions



DUAL GAUGES MGA MIDGET & HEALEY SPRITE



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-86B078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-86C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-19C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-62B072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-62B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1301-82B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & OIL TEMP

Part No. GD1301-87C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-61C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-102C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82C120

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 120 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82C140

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 140 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-94C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-87C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



JAEGER or SMITHS DUAL GAUGES

MGA MIDGET & HEALEY SPRITE

COMPLETE WITH ORIGINAL FLOODLIGHTING SLOTS



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-99C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-62C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-01C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



SMITHS MGB DUAL GAUGES



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-04C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP MG

Part No. GD1502-06C072

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-14C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-15C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21B072

Type: Mechanical
Range: 0-100 PSI/CNH
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



SMITHS MGB GT V8 DUAL GAUGES



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21C072

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-45C078

Type: Mechanical
Range: 0-60 PSI/CNH
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



MAGNOLIA DUAL GAUGES MG & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-75C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Dial: Magnolia
Incandescent Lighting
Capillary length: 72 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-96C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-85C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-14C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-81C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



MAGNOLIA DUAL GAUGES MGB GT & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-16B080

Type: Mechanical
Range: 0-100 PSI/30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 80 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



DUAL GAUGES LOTUS



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-20B080

Type: Mechanical
Range: 0-100 PSI/30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 80 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-23C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-100C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-00B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-00C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-19B078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-23-078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-23C030

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 30 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-82B096

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 96 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-04C072

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 72 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-04C144

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 144 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-16BB

Type: Mechanical
Range: 0-100 PSI/30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-19B078

Type: Mechanical
Range: 0-60 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-28C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1500-103C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1500-89C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. TGD1301-64078

Type: Mechanical
Range: & Water Temperature Mechanical Full Sweep 0-100 PSI/90-230°F
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. TGD1301-65078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Full "V" Aluminium
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1301-20C078

Type: Mechanical
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-21C091

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 91 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-61

Type: Electric
Range: 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1301-83C078

Type: Mechanical
Range: 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-90B072

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 72 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-90C072

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 72 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-91C078

Type: Mechanical
Range: 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-93B078

Type: Mechanical
Range: 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1310-00C120

Type: Mechanical
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 120 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1310-01C120

Type: Mechanical
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 120 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1310-04B096

Type: Mechanical
Range: 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 96 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1500-116B078

Type: Mechanical
Range: 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 78 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1500-116B086

Type: Mechanical
Range: 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 86 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1500-116B115

Type: Mechanical
Range: 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 115 inches
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & OIL TEMP — CLASSIC

Part No. GD1500-118

Type: Mechanical
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



FUEL & WATER TEMP — GT40

Part No. GD1500-37C072

Type: 12 Volt Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



FUEL & WATER TEMP — GT40

Part No. GD1500-37C0105

Type: 12 Volt Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



FUEL & WATER TEMP — CLASSIC

Part No. GD1500-119

Type: 12 Volt Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions

