SMITHS

Classic & Performance Instruments

Product Catalogue and Part Number Index

Howard Instruments Pty Ltd

Official Australian Distributor for Smiths Instruments UK
59-63 St Hellier St, Heidelberg Heights VIC 3081
Phone 03 9457 4755 info@howardinstruments.com.au
smiths-instruments.com.au

Contents

Classic Black 3

Classic Magnolia 24

AC Cobra 35

Aston Martin 47

Austin Healey 49

Dual Gauges 50

Flight 71

GT40 74

International 77

Jaguar 83

Land Rover 99

Lotus 106

MG 113

Mini 127

Motorcycle 137

Motorsport 143

Porsche 149

Telemetrix 154

Triumph 158

TVR 163

VW 171

Sunbeam 178

Prism 179

Accessories 180

Part Number Index 203

Classic Black

The most recognizable of all of the Smiths ranges, the classic black faced gauge was not only the choice for such manufacturers as Aston Martin, Lotus and MG but also for every enthusiast looking to add to or replace instruments in their vehicle. This is the classic font from the 60's and 70's but we also have the manufacturer specific fonts in other ranges.



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-00C

Type: Bimetal Electric
Range: 0-1/2-4/4
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TB9006Kit or TB9013Kit

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-00CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Kit TB9011KIT
or TB9013KIT

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-00CB

Type: Stepping Motor Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit TB9011KIT
or TB9013KIT

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-10C

Type: Bimetal Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-29CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL — CLASSIC BLACK

Part No. BF2242-08CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use 6 hole Sender TB9011KIT
Top Mount or TB9013KIT Side
mount. 5 Hole TA9030-000 Top
Mount

Fitting Instructions



BOOST PRESSURE — CLASSIC BLACK

Part No. PG1310-40CB

Type: Stepping Motor Electric
Range: 0-30 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



BOOST PRESSURE — CLASSIC BLACK

Part No. PG1310-60CB

Type: Stepping Motor Electric
Range: 0-30 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
LED Lighting

Fitting Instructions



BOOST PRESSURE — CLASSIC BLACK

Part No. EMP1-1B32-00C

Type: 12 Volt Electric
Range: -15-30 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. BP2404-00CA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
PTR1000-6-10

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. BP2404-00C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-00CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. BP2404-00BA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender PTR1000-6-10

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-00BB

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-01CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-34CB

Type: Stepping Motor Electric
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-45CB

Type: Stepping Motor Electric
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-16-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-17C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PL2328-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PL2328-06C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Fitting Kit Part No. LK-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-01B

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-21C

Type: Mechanical
Range: 0-60 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — CLASSIC BLACK

Part No. PG1310-51C

Type: Mechanical
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-64C039

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 39 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-64C078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Fitting: 1/8in NPT / 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF
adaptor. Use LK-1 on Pressure

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-66C078

Type: Mechanical
Range: 0-7 kgm/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1301-69C078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches
Bulb

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-76C078

Type: Mechanical
Range: 0-160 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-88C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-89B078

Type: Mechanical
Range: 0-100 PSI /30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-89C078

Type: Mechanical
Range: 0-100 PSI /30-110°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-150B055

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 55 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1301-15C-078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Bulb

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-00B078

Type: Mechanical
Range: 0-100 PSI /03-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 PSI /30-100°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-04C022

Type: Mechanical
Range: 0-160 PSI / 30-120° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 22 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC BLACK

Part No. GD1310-13B078

Type: Mechanical
Range: 0-100 PSI / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1310-19B048

Type: Mechanical
Range: 0-60 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length: 48 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1310-23C078

Type: Mechanical
Range: 0-160 PSI / 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1310-25C078

Type: Mechanical
Range: 0-100 PSI /30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — CLASSIC BLACK

Part No. GD1500-37C078

Type: Mechanical
Range: 0-160 PSI /30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-00C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TT6811-01



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-09C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1301-62CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-00CB

Type: Stepping Motor Electric
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Part No.
TT3001-8N



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2214-00

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-00BA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender TT6811-01



Fitting Instructions

WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-00CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions




WATER TEMPERATURE — CLASSIC BLACK

Part No. BT2240-04CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-07C090

Type: 12 Volt Electric
Range: 30-110°C 90 inch
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-11C078

Type: 12 Volt Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-12C078

Type: 12 Volt Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-19CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-20CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1311-14CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3001-8N

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-00C078

Type: Mechanical
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Inc3 /8BSP to 5/8UNF adaptor

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-09C078

Type: Mechanical
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-23C078

Type: Mechanical
Range: 90-230F
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01B078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-01C120

Type: Mechanical
Range: 30-110°C 120 inch
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — CLASSIC BLACK

Part No. TG1310-23CB

Type: Mechanical
Range: Electrical Full Sweep
90-230°F
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use TT3001-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-01C078

Type: Mechanical
Range: 40-140°C
Scale: Arc
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-06C078

Type: Mechanical
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-00B096

Type: Mechanical
Range: 40-140° C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1301-61CB

Type: Stepping Motor Electric
Range: 40-140° C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Part No.
T3005-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. BT2240-01C

Type: Bimetal Electric
Range: 50-140° C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TT6811-01

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. BT2240-01CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. BT2240-07C

Type: Bimetal Electric
Range: 50-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use Sender TT6811-01 and
Voltage Regulator BR1307-00

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-00BB

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting
Use TT3005-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-00CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
TT3005-8N

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-01B078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-01C020

Type: 12 Volt Electric
Range: 40-140°C 20 inch
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-12C078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — CLASSIC BLACK

Part No. TG1311-12CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting
Use TT3005-8N

Fitting Instructions



AMBIENT TEMPERATURE — CLASSIC BLACK

Part No. TG1305-04CB

Type: Stepping Motor Electric
Range: -10-60 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Includes sender. With black
bezel TG1303-01BB

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1303-01CB

Type: Stepping Motor Electric
Range: -20-50°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Includes sender. With black bezel TG1303-01BB

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1303-01BB

Type: 12 Volt Electric
Range: -30-50°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender TT6820-00

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1305-04BB

Type: 12 Volt Electric
Range: -10-60°C
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender TT6820-00

Fitting Instructions



OUTSIDE TEMPERATURE — CLASSIC BLACK

Part No. TG1303-05CB

Type: Stepping Motor Electric
Range: -10-60°C
Scale: Full
Bezel: Chrome
LED Lighting
Includes sender. With black bezel TG1303-01BB

Fitting Instructions



VACUUM — CLASSIC BLACK

Part No. VG1302-03CB

Type: Stepping Motor Electric
Range: 0-30 inHg
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit
PTTR2300-03-8NKIT

Fitting Instructions



VACUUM — CLASSIC BLACK

Part No. VG1302-04CB

Type: Stepping Motor Electric
Range: 0-100 kpa
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00C

Type: 12 Volt Electric
Range: 11-15 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-00CB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00CB

Type: Stepping Motor Electric
Range: 11-15 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-00C

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-21CB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-21C

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. BV2220-00CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. BV2220-25CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full Round
LED Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Without ISO Symbol
Obsolete - replaced by ABV2220-00BB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-00BB

Type: Bimetal Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Without ISO Symbol
Replaces ABV2220-00B

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-21BB

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. ABV2220-21BB

Type: Bimetal Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Replaces ABV2220-21B

Fitting Instructions



Representative Image

VOLTMETER — CLASSIC BLACK

Part No. BV2220-00BB

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. BV2220-04CA

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER — CLASSIC BLACK

Part No. BV2220-23CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-00C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-00B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA1100-01C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA1100-14C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-02C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA2-1032-03C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-05B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CA1100-00C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-01HVC

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-02C

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-02HR

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



CLOCK — CLASSIC BLACK

Part No. CTE3107-02HVC

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Dummy Centre Reset



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1340-03C

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1640-03C

Type: 12 Volt Electric
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1640-20C

Type: 12 Volt Electric
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting




Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1340-03B

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER — CLASSIC BLACK

Part No. AM1340-07C

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
No ISO Symbol



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1004-00CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suits 400-25 Tacho Pod



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1004-06CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1006-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suits 400-25 Tacho Pod



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1006-07CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

TACHOMETER — CLASSIC BLACK

Part No. RVC1-1B32-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1490-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1490-06CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1690-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1690-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1890-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2490-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2490-08CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2490-24CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2690-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 6 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2890-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Preset for 8 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2890-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 8 cyl
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1B90-14C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1B90-15C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1-1B32-03C

Type: Bimetal Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1004-00CBEMPI

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1004-00CBSPEEDWELL

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1006-00CBEMPI

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1890-00BB

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC1890-02CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — CLASSIC BLACK

Part No. RVC2690-02CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 6 cyl
LED Lighting



Fitting Instructions

SMITHS classic electronic speedometers



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-05CB

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-07CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-09CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-10CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-04CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-06CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-36C

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-36CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-37C

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-37CB

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-38C

Type: 12 Volt Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-38CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-39C

Type: 12 Volt Electric
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-39CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-06CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07B

Type: 12 Volt Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Black
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07BB

Type: 12 Volt Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-60CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-61CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-62CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-63CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SMITHS classic mechanical speedometers



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-05C

Type: Mechanical
Range: 0-240 kmh
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 Revs per Kilometer

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-06C

Type: Mechanical
Range: 0-170 mph
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-07C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 turns per km

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SN5234-04C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-10C

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 turns per km

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-09C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-07C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
625 turns per km

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-06C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-46C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-47C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-48C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — CLASSIC BLACK

Part No. SNT5372-49C

Type: Mechanical
Range: 0-240 kmh
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-29CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-36BB

Type: 12 Volt Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-38BB

Type: 12 Volt Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-38CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-39CB

Type: Stepping Motor Electric
Range: 0-150 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-16-8NKIT

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-42CB

Type: Stepping Motor Electric
Range: 0-15 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE ACCESSORIES

Part No. PG1310-44CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT



Fitting Instructions

Classic Magnolia

The Magnolia Range brings a warm quality feel associated with leather interiors and wood grain.

Perfect in any hot rod or street classic, even your wooden boat.



AMMETER CLASSIC — MAGNOLIA

Part No. AM1340-05C

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



AMMETER CLASSIC — MAGNOLIA

Part No. AM1340-10C

Type: 12 Volt Electric
Range: 30-0-30 Amps
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



AMMETER CLASSIC — MAGNOLIA

Part No. AM1640-05C

Type: 12 Volt Electric
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



AMMETER CLASSIC — MAGNOLIA

Part No. AM1640-21C

Type: 12 Volt Electric
Range: 60-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



AMMETER CLASSIC — MAGNOLIA

Part No. AM1640-09C

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
NO

Fitting Instructions




AMMETER CLASSIC — MAGNOLIA

Part No. AM1640-29C

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK CLASSIC — MAGNOLIA

Part No. CA1100-03C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Push Button to Reset (Do Not Turn)

Fitting Instructions



CLOCK CLASSIC — MAGNOLIA

Part No. CA1100-05C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Push Button to Reset (Do Not Turn)

Fitting Instructions



CLOCK CLASSIC — MAGNOLIA

Part No. CA2-1032-01C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC — MAGNOLIA

Part No. GD1301-70C078

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP CLASSIC — MAGNOLIA

Part No. GD1301-81C072

Type: Mechanical
Range: 0-100 PSI / 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL CLASSIC — MAGNOLIA

Part No. BF2242-02C

Type: Bimetal Electric
Range: 0-1/2-4/4
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No.
TB9006Kit or TB9013Kit

Fitting Instructions



FUEL TANK LEVEL CLASSIC — MAGNOLIA

Part No. BF2242-13C

Type: Bimetal Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting

Fitting Instructions




FUEL TANK LEVEL CLASSIC — MAGNOLIA

Part No. BF2242-30CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions




FUEL TANK LEVEL CLASSIC — MAGNOLIA

Part No. BF2242-02CA

Type: 12 Volt Electric
Range: 0-1/2-4/4
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL CLASSIC — MAGNOLIA

Part No. BF2242-02CB

Type: Stepping Motor Electric
Range: 0-1/2-4/4
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. BP2404-01CA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10, PTR1811-06,
PTR1811-10, PTR1812-06,
PTR1812-10

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. BP2404-01C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. BP2404-04C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. PG1310-01C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Fitting Kit Part No. LK-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. PG1310-18C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. PG1310-46CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Part No.
PTR3000-8N-10

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. PL2328-04C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. PL2328-07C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE CLASSIC — MAGNOLIA

Part No. PL2310-06

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



BOOST PRESSURE CLASSIC — MAGNOLIA

Part No. EMP1-1B32-02C

Type: 12 Volt Electric
Range: -15-30 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



BOOST PRESSURE CLASSIC — MAGNOLIA

Part No. EMP1-1B32-04C

Type: 12 Volt Electric
Range: -15-30 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



TURBO PRESSURE CLASSIC — MAGNOLIA

Part No. EMP1-1B32-07C

Type: 12 Volt Electric
Range: -1-2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE CLASSIC — MAGNOLIA

Part No. BT2240-05C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. TT6811-01

Fitting Instructions



OIL TEMPERATURE CLASSIC — MAGNOLIA

Part No. BT2240-11C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use Sender TT6811-01 Use Voltage Regulator BR1307-00

Fitting Instructions



OIL TEMPERATURE CLASSIC — MAGNOLIA

Part No. TG1311-02CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting

Fitting Instructions



OIL TEMPERATURE CLASSIC — MAGNOLIA

Part No. TG1311-02C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions




WATER TEMPERATURE CLASSIC — MAGNOLIA

Part No. TG1310-02C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Comments: Capillary length 78 in

Fitting Instructions




WATER TEMPERATURE CLASSIC — MAGNOLIA

Part No. TG1310-10C078

Type: Mechanical
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE CLASSIC — MAGNOLIA

Part No. TG1310-02CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Part No. TT3001-8N

Fitting Instructions



WATER TEMPERATURE CLASSIC — MAGNOLIA

Part No. BT2240-04C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. TT6811-01

Fitting Instructions



WATER TEMPERATURE CLASSIC — MAGNOLIA

Part No. BT2240-10C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE CLASSIC — MAGNOLIA

Part No. BT2240-16CA

Type: 12 Volt Electric
Range: 50-140° C
Scale: Arc
Dia: 52mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions




WATER TEMPERATURE CLASSIC MAGNOLIA

Part No. TG1305-03CB

Type: Stepping Motor Electric
Range: -10-60°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender TT6820-00

Fitting Instructions



WATER TEMPERATURE CLASSIC MAGNOLIA

Part No. BT2240-18CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



WATER TEMPERATURE CLASSIC MAGNOLIA

Part No. BT2240-19CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions




WATER TEMPERATURE CLASSIC MAGNOLIA

Part No. TG1310-03CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting

Fitting Instructions




WATER TEMPERATURE CLASSIC MAGNOLIA

Part No. TG1310-22CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting

Fitting Instructions




VOLTMETER CLASSIC MAGNOLIA

Part No. ABV2220-04C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by
ABV2220-04CB

Fitting Instructions




VOLTMETER CLASSIC MAGNOLIA

Part No. ABV2220-04CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Replaces ABV2220-04C

Fitting Instructions



Representative Image

VOLTMETER CLASSIC MAGNOLIA

Part No. BV2220-04CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



VOLTMETER CLASSIC MAGNOLIA

Part No. ABV2220-04B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER CLASSIC MAGNOLIA

Part No. RVC1004-02CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: .80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1006-08CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1006-02CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suitsin dash mounting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1490-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1490-07CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1690-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1690-02CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1890-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1890-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2490-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2490-09CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2490-25CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Preset for 4 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2690-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Preset for 6 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2690-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Preset for 6 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2890-01CB

Type: Stepping Motor Electric
Range: 0-7,000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Preset for 8 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC2890-04CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Preset for 8 cyl
LED Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1B90-10C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1B90-11C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1-1B32-01C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1-1B32-04C

Type: Bimetal Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER CLASSIC — MAGNOLIA

Part No. RVC1004-07CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-08C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting
1000 Revs per Mile

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-09C

Type: Mechanical
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting
625 Revs per Kilometer

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-10C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting
1000 Revs per Mile

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-11C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting
625 Revs per Mile

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-40C

Type: Mechanical
Range: 0-170 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-41C

Type: Mechanical
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
625 Revs per Kilometer

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-42C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
1000 Revs per Mile

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-16C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
1000 Revs per Mile

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-17C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
625 revs Kilometer

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-18C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-19C

Type: Mechanical
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
625 Revs per Kilometer

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-50C

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
1000 Revs per Mile

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-51C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
625 revs Kilometer

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-52C

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-53C

Type: Mechanical
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
625 revs Kilometer

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-43C

Type: Mechanical
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



SSPPEEEEDDOOMMEETTEERR CCLLAASSSSIICC — MMAAGGNNOOLLIIAA

Part No. SN5234-08CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-09CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-10CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-11CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-40CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-41CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-42CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SN5234-43CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-16CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-17CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-18CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-19CB

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-64CB

Type: Stepping Motor Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-65CB

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-66CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

SPEEDOMETER CLASSIC — MAGNOLIA

Part No. SNT5372-67CB

Type: Stepping Motor Electric
Range: 0-270 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
LED Lighting



Fitting Instructions

Smiths Gauges

For generations, Smiths gauges have set the standard in quality instruments and gauges for classic cars.

Starting with the original Smiths tooling, we employ only the finest materials and craftsmanship for each and everyone of our instruments, which means, not only are you assured of owning the original but undoubtedly the best, so why settle for anything less.

Smiths instruments are manufactured in the UK by Caerbont Automotive Instruments.



AC Cobra Gauges

Smiths gauges were originally chosen by AC and Carol Shelby for the iconic Cobra sports car. Now you can equip your own Cobra with the same instruments as used in the original.

For people seeking the ultimate in authenticity the speedo is also available in reverse wind (counter clockwise) operation as fitted to the original Cobra. Electric gauges are also available as an alternative to the original mechanical gauges.

Smiths Cobra range, the only choice for Cobra builders!

AMMETER — AC COBRA

Part No. AM1640-04C

Type: 12 Volt Electric
Range: 50-0-50 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



AMMETER — AC COBRA

Part No. AM1640-07C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



AMMETER — AC COBRA

Part No. AM1640-10C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



AMMETER — AC COBRA

Part No. AM1640-23C

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



FUEL TANK LEVEL — AC COBRA

Part No. BF2242-03C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Fitting Kit Part No.
TB9006Kit or TB9013Kit

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-03C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by
ABF2242-03CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-03CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Replaces ABF2242-03C

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-05C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
16-158 ohms
Obsolete - replaced by
ABF2242-05CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-05CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
16-158 ohms
Replaces ABF2242-05C

Fitting Instructions



Representative Image

FUEL LEVEL — AC COBRA

Part No. ABF2242-06C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
240-33 ohms
Obsolete - replaced by
ABF2242-06CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-06CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
240-33 ohms
Replaces ABF2242-06C

Fitting Instructions



Representative Image

FUEL LEVEL — AC COBRA

Part No. ABF2242-07C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
0-90 ohms
Obsolete - replaced by
ABF2242-07CB

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-07CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
0-90 ohms
Replaces ABF2242-07C

Fitting Instructions



Representative Image

FUEL LEVEL — AC COBRA

Part No. ABF2242-11C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
16-158ohms

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-12C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. ABF2242-18CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-08C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-12C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use 6 hole Sender TB9011KIT Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-31CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Full
Bezel: Chrome Full "V"
LED Lighting
Use 6 hole Sender TB9011KIT Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-32CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use 6 hole Sender TB9011KIT Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-33CB

Type: Stepping Motor Electric
Range: E-1/2-F
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use 6 hole Sender TB9011KIT Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



FUEL LEVEL — AC COBRA

Part No. BF2242-56CB

Type: Stepping Motor Electric
Range: E-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use 6 hole Sender TB9011KIT Top Mount or TB9013KIT Side mount. 5 Hole TA9030-100 Top Mount

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. APG1310-02C

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. PTR1000-6-10
Obsolete - replaced by APG1310-02CB

Fitting Instructions




OIL PRESSURE — AC COBRA

Part No. PG1310-02CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-07CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. APG1310-02CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Replaces APG1310-02C

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. APG1310-04CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. FOP1-1B52-33C

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-19CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-48CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-52CB

Type: Stepping Motor Electric
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-81CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-85CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-02C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Fitting Kit Part No.L K-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-04C

Type: Mechanical
Range: 0-160 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-07C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Oil Line Kit LK-2

Fitting Instructions



OIL PRESSURE — AC COBRA

Part No. PG1310-19C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-03CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Sender PTTR2300-03-8NKIT
required

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-27CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-20CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-35CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-49CB

Type: Stepping Motor Electric
Range: 0-15 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-50CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



FUEL PRESSURE — AC COBRA

Part No. PG1310-53CB

Type: Stepping Motor Electric
Range: 0-10 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-45C078

Type: Mechanical
Range: 40-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. ATG1301-23C

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. TT6811-01
Obsolete - replaced by ATG1301-23CB

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use with Sender Part No. TT3005-8N

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. ATG1301-23CB

Type: Stepping Motor Electric
Range: 50-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Replaces ATG1301-23C

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. ATG1301-27CB

Type: Stepping Motor Electric
Range: 50-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. FCT1-1B52-44C

Type: 12 Volt Electric
Range: 100-250°F
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use sender TT3001-8N

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23B078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C114

Type: 12 Volt Electric
Range: 40-140°C 114 inch
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C156

Type: 12 Volt Electric
Range: 40-140°C 156 inch
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — AC COBRA

Part No. TG1301-23C168

Type: 12 Volt Electric
Range: 40-140°C 168 inch
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-26CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-44CB

Type: Stepping Motor Electric
Range: 40-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-63CB

Type: Stepping Motor Electric
Range: 40-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-66CB

Type: Stepping Motor Electric
Range: 40-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-67C078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-68C078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

WATER TEMPERATURE — AC COBRA

Part No. TG1301-74CB

Type: Stepping Motor Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use sender TT3005-8N



Fitting Instructions

OIL TEMPERATURE — AC COBRA

Part No. TG1301-24C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-46C078

Type: Mechanical
Range: 40-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. ATG1301-24C

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No. TT6811-01
Obsolete - replaced by ATG1301-24CB

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. ATG1301-24CB

Type: Stepping Motor Electric
Range: 50-140°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Part No. TT6811-01
Replaces ATG1301-24C

Fitting Instructions



Representative Image

OIL TEMPERATURE — AC COBRA

Part No. TG1301-24CB

Type: Stepping Motor Electric
Range: 40-140° C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Kit TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-27CB

Type: Stepping Motor Electric
Range: 40-140° C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Use Sender Part No. TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-65CB

Type: Stepping Motor Electric
Range: 40-140° C
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
LED Lighting
Use Sender Part No. TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. FOT1-1B52-01C

Type: 12 Volt Electric
Range: 50-150°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use sender TT3005-8N

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-24B078

Type: 12 Volt Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — AC COBRA

Part No. TG1301-24C120

Type: 12 Volt Electric
Range: 40-140°C 120 inch K2 Bulb
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. CA1100-09C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Analogue Clock

Fitting Instructions



CLOCK — AC COBRA

Part No. CA1100-12C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. CA1100-45C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. CTE3107-05C

Type: Bimetal Electric
Scale: Full
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — AC COBRA

Part No. FAC1-1052-09C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. ABV2220-07C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-07CB

Fitting Instructions



VOLTMETER — AC COBRA

Part No. ABV2220-07CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Replaces ABV2220-07C

Fitting Instructions



Representative Image

VOLTMETER — AC COBRA

Part No. BV2220-25CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full Round
LED Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. BV2220-29CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. FVO1-1B52-04C

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



VOLTMETER — AC COBRA

Part No. PVO1-1B52-01C

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



BOOST — AC COBRA

Part No. EMP1-1B32-07C

Type: 12 Volt Electric
Range: 0-2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



BOOST — AC COBRA

Part No. EMP1-1B32-03C

Type: 12 Volt Electric
Range: Minus 1 to +2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender
PTTR2300-3-8NKIT

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting
Distributor/Coil sensing

Fitting Instructions



TACHOMETER — AC COBRA

Part No. FET5-1B52-01C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-01CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-08CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-11CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — AC COBRA

Part No. RVC2816-13CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-04CB

Type: Stepping Motor Electric
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-02CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-03CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome
LED Lighting
Anticlockwise Direction.
Electronic Programable
calibration. 6 digit LED odometer

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-05CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting
Clockwise Direction. Electronic Programable calibration. 6 digit LED odometer

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-06CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-07CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-08CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-19CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting
Anticlockwise

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-20CB

Type: Stepping Motor Electric
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions




SPEEDOMETER — AC COBRA

Part No. SN5346-21CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting
Anticlockwise

Fitting Instructions




SPEEDOMETER — AC COBRA

Part No. SN5346-22CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-24CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-25CB

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



SPEEDOMETER — AC COBRA

Part No. SN5346-26CB

Type: Stepping Motor Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 Round
LED Lighting
Anticlockwise



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-34CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-02

Type: Mechanical
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-04

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-12

Type: Mechanical
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-19

Type: Mechanical
Range: 0-180 mph
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Anticlockwise



Fitting Instructions

SPEEDOMETER — AC COBRA

Part No. SN5346-20

Type: Mechanical
Range: 0-160 mph
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

ASTON MARTIN



SPEEDOMETER — ASTON MARTIN

Part No. SN6153-64

Type: Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Flat Chrome
Dial: Black

Fitting Instructions



SPEEDOMETER — ASTON MARTIN

Part No. SN6153-65

Type: Electric
Range: 0-290 kmh
Scale: Full
Dia: 100mm
Bezel: Flat Chrome
Dial: Black

Fitting Instructions



SPEEDOMETER — ASTON MARTIN

Part No. SN6153-85

Type: Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Flat Chrome
Dial: Black

Fitting Instructions



SPEEDOMETER — ASTON MARTIN

Part No. SN6153-89

Type: Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Flat Chrome
Dial: Black

Fitting Instructions



OIL PRESSURE — ASTON MARTIN

Part No. PG1502-39

Type: Electric
Range: 0-160 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



OIL TEMPERATURE — ASTON MARTIN

Part No. TL2303-04

Type: Electric
Range: 50-125 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



FUEL GAUGE — ASTON MARTIN

Part No. BF2300-05

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black

Fitting Instructions



FUEL GAUGE — ASTON MARTIN

Part No. FG2530-56

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Flat Chrome
Dial: Black

Fitting Instructions



TACHOMETER — ASTON MARTIN

Part No. RN2352-01CB

Type: Mechanical
Range: 0-7000 RPM
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



TACHOMETER — ASTON MARTIN

Part No. RVI2600-00A

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



AMMETER — ASTON MARTIN

Part No. AM1340-17C

Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Flat Chrome
Dial: Black



Fitting Instructions

CLOCK — ASTON MARTIN

Part No. CE3107-00

Type: Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Chrome Full "V"
Dial: Black



Fitting Instructions

AUSTIN HEALEY



SPEEDOMETER — AUSTIN HEALEY

Part No. SN6155-21

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — AUSTIN HEALEY

Part No. SN6155-22

Type: Electric
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



OUR MOST POPULAR DUAL GAUGES






TEMPERATURE BULB TYPES A2 & K2

A2 BULB

Common in A & B Series Engines the bulb has a tapered seating and a 5/8 x 18 UNF Male Nut.

: HUHFRP P HQGLD EUDVVLDGDSWRUIRU DJRRGVHDOEH WWULQVMQDOFHDUDQFHLDQGVR VWRSWKHP DGHQXVLQJ LQWRVWKHKHDG



Note:
Pictures with a red star are a representative image.
Refer to the left for accurate details.
For more information please contact us.

K2 BULB

Common in Big Healey, Jaguar etc the bulb has a 3/8 Female Nut.
It is supplied with either;
a 3/8 BSP Male to 5/8 x 18 Male (#31-363-415) ; or
a 3/8 BSP Male to 3/8 NPT Male (#31-363-472-00)

OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-11C078

Type: Mechanical
Range: 0-100 PSI/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 PSI/30-110° C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil PressureKit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-65C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



DUAL GAUGES CLASSIC IMPERIAL



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-150B055

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mmm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 55 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-15C078

Type: Mechanical
Range: 0-100 PSI/ 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00B078

Type: Mechanical
Range: 0-100 PSI/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89C078

Type: Mechanical
Range: 0-100 PSI/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



DUAL GAUGES CLASSIC METRIC



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-15C-078

Type: Mechanical
Range: 0-100 PSI/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-66B078

Type: Mechanical
Range: 0-7kgcm2/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C039

Type: Mechanical
Range: 0-7kgcm2/ 30-110° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 39 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-66C078

Type: Mechanical
Range: 0-7 kgm/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89B078

Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-13B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-05C078

Type: Mechanical
Range: 0-100 PSI/ 30-110° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-69C078

Type: Mechanical
Range: 0-100 PSI/90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-88C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64B078

Type: Mechanical
Range: 90-230°F/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C039

Type: Mechanical
Range: 90-230°F/0-100 PSI
Scale: Arcdia5m2mmm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 39 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C078

Type: Mechanical
Range: 90-230°F/ 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C020

Type: Mechanical
Range: 90-230°F/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 20 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-25C078

Type: Mechanical
Range: 0-100 PSI/ 30-110° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



DUAL GAUGES classic open wheelers



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-19B048

Type: Mechanical
Range: 0-60 PSI/90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Capillary length: 48 inches
Bulb type: K2

Fitting Instructions



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-118-C078

Type: Mechanical
Range: 0-160 PSI/30-120° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-118-C096

Type: Mechanical
Range: 0-160 PSI/ 30-120° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 96 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-37C078

Type: Mechanical
Range: 0-160 PSI/ 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-17B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-17B090

Type: Mechanical
Range: 0-100 PSI/ 30-1. 0° C
Arc
Dia: 52mm
Bezel: Bulb: Capillary length:
90 inches Dial: Black Oil
Pressure Kit: LK-2 required
Incandescent Lighting

Fitting Instructions



FUEL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1500-119-C072

Type: Mechanical
Range: 0-160 PSI/ 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B078

Type: Mechanical
Range: 0-160 PSI/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B144

Type: Mechanical
Range: 0-160 PSI/30-120° C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 144 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



DUAL GAUGES classic open wheelers



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B078

Type Mechanical
Range 0-160psi/ 30-120°C
Scale Arc
Dia: 52mm
Bezel Black Full "V"
Bulb K
Capillary length: 78 inches
Dial Black
Oil Pressure Kit: LK-2 required Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B086

Type Mechanical
Range 0-160psi/30-120° C
Scale Arc
Dia 52 mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 86 inches

Dial: Black
Oil Pressure Kit: LK-2 required Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04C022

Type: Mechanical
Range: 0-160 PSI/ 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 22 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-14C014

Type: Mechanical
Range: 0-160 PSI/ 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 14 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-23C078

Type: Mechanical
Range: 0-160 PSI/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & OIL TEMP

Part No. GD1500-37-EX

Type: Mechanical
Range: 0-160 PSI/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & OIL TEMP

Part No. GD1500-37XC072

Type: Mechanical
Range: 0-160 PSI/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches

Fitting Instructions



CLASSIC DUAL GAUGES MAGNOLIA IMPERIAL



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
Magnolia
41-712-101-275



OIL PRESSURE & WATER TEMP DUAL GAUGES

PART No. GD1301-68C078

Type: Mechanical
Range: 0-100psi/90-230˚ F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half Round
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-84C078

Type: Mechanical
Range: 0-100 PSI/ 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-70C078

Type: Mechanical
Range: 0-100 PSI/ 90-230° F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-97C078

Type: Mechanical
Range: 0-100 PSI/90-230° F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



DUAL GAUGES MGA MIDGET & HEALEY SPRITE



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-86B078
Type: Mechanical
Range: 0-100 PSI/90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-86C078
Type: Mechanical
Range: 0-100 PSI/ 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-19C078
Type: Mechanical
Range: 0-100 PSI/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-62B072
Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-62B078
Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mmmm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 96 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



PRESSURE & TEMP DUAL GAUGES

Part No. GD1301-82B078
Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & OIL TEMP

Part No. GD1301-87C078
Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-61C078
Type: Mechanical
Range: 0-100 PSI/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-102C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82C120

Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 120 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82C140

Type: Mechanical
Range: 30-110°C/0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 140 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-94C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-87C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



JAEGER or SMITHS DUAL GAUGES

MGA MIDGET & HEALEY SPRITE

COMPLETE WITH ORIGINAL FLOODLIGHTING SLOTS



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-99C072

Type: Mechanical
Range: 0-100 PSI/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-62C072

Type: Mechanical
Range: 30-110°C/ 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-01C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



SMITHS MGB DUAL GAUGES



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-04C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP MG

Part No. GD1502-06C072

Type: Mechanical
Range: 0-100 PSI /90-230F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-14C078

Type: Mechanical
Range: 0-100 PSI/ 90-230° F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-15C078

Type: Mechanical
Range: 0-100 PSI/30-110c
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21B072

Type: Mechanical
Range: 0-100 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



SMITHS MGB GT V8 DUAL GAUGES



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21C072

Type: Mechanical
Range: 0-100 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-45C078

Type: Mechanical
Range: 0-60 PSI/ C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required
Fitting Instructions



MAGNOLIA DUAL GAUGES MG & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-75C072

Type: Mechanical
Range: 0-100 PSI / 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 72 inches
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-96C078

Type: Mechanical
Range: 0-100 PSI/30-110° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-85C078

Type: Mechanical
Range: 0-100 PSI/30-110° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-14C078

Type: Mechanical
Range: 0-100 PSI/ 30-110 C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-81C078

Type: Mechanical
Range: 100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required

Fitting Instructions



MAGNOLIA DUAL GAUGES MGB GT & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-16B080

Type: Mechanical
Range: 0-100 PSI/0-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 80 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



DUAL GAUGES LOTUS



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-20B080

Type: Mechanical
Range: 0-100 PSI/30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 80 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required
Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-23C078

Type: Mechanical
Range: 0-60 PSI/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-100C078

Type: Mechanical
Range: 0-60 PSI/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-00B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-00C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-19B078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-23-078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-23C030

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-82B096

Type: Mechanical
Range: 0-100 PSI /30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-04C072

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-04C144

Type: Mechanical
Range: 0-160 PSI/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-16BB

Type: Mechanical
Range: 0-100 PSI/30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-19B078

Type: Mechanical
Range: 0-60 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1310-28C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1500-103C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1500-89C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. TGD1301-64078

Type: Mechanical
Range: & Water Temperature
Mechanical Full Sweep 0-100 PSI /90-230°F
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. TGD1301-65078

Type: Mechanical
Range: 0-100 PSI/90-230°F
78 inch
Scale: Arc
Dia: 52mm
Bezel: Full V Aluminium
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1301-20C078

Type: Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-21C091

Type: Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-61

Type: Electric
Range: 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1301-83C078

Type: Electric
Range: 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-90B072

Type: Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-90C072

Type: Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions




OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-91C078

Type: Electric
Range: 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-93B078

Type: Electric
Range: 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1310-00C120

Type: Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1310-01C120

Type: Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1310-04B096

Type: Electric
Range: 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1500-116B078

Type: Electric
Range: 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1500-116B086

Type: Electric
Range: 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — CLASSIC

Part No. GD1500-116B115

Type: Electric
Range: 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & OIL TEMP — CLASSIC

Part No. GD1500-118

Type: Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL & WATER TEMP — GT40

Part No. GD1500-37C072

Type: Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL & WATER TEMP — GT40

Part No. GD1500-37C0105

Type: Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL & WATER TEMP — CLASSIC

Part No. GD1500-119

Type: Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FLIGHT RANGE



CLOCK FLIGHT

Part No. FAC1-1052-00C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

WATER TEMP FLIGHT

Part No. FCT1-1B52-00C

Type: 12 Volt Electric
Range: 40-120 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

WATER TEMP FLIGHT

Part No. FCT1-1B52-35C

Type: 12 Volt Electric
Range: 40-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT3001-8N



Fitting Instructions

FUEL LEVEL FLIGHT

Part No. FFC1-1B52-00C

Type: 12 Volt Electric
Range: 0-1/4-1/2-3/4-4/4
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

FLIGHT BOOST FLIGHT

Part No. FMP1-1B52-00C

Type: 12 Volt Electric
Range: -1-2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

OIL PRESSURE FLIGHT

Part No. FOP1-1B52-00C

Type: 12 Volt Electric
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

OIL PRESSURE FLIGHT

Part No. FOP1-1B52-02C

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

OIL PRESSURE FLIGHT

Part No. FOP1-1B52-17C

Type: 12 Volt Electric
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

VOLTMETER FLIGHT

Part No. FVO1-1B52-00C

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

OIL TEMP FLIGHT

Part No. FOT1-1B52-00C

Type: 12 Volt Electric
Range: 50-100 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

OIL TEMP FLIGHT

Part No. FAT1-1B52-00C

Type: 12 Volt Electric
Range: -20-50°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER FLIGHT

Part No. FES3-1B52-00C

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER FLIGHT

Part No. FES3-1B52-01C

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER FLIGHT

Part No. FES3-1B52-02C

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER FLIGHT

Part No. FES5-1B52-00C

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER FLIGHT

Part No. FES5-1B52-01C

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

SPEEDOMETER FLIGHT

Part No. FES5-1B52-02C

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

TACHOMETER FLIGHT

Part No. FET1-1B52-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

TACHOMETER FLIGHT

Part No. FET3-1B52-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

TACHOMETER FLIGHT

Part No. FET3-1B52-01C

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

TACHOMETER FLIGHT

Part No. FET5-1B52-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Incandescent Lighting



Fitting Instructions

TACHOMETER FLIGHT

Part No. FET5-1B52-08C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

TACHOMETER FLIGHT

Part No. FET5-1B52-14C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions



GT40 Gauges

The GT40 is a motor racing icon that achieved legendary victories at Le Mans. Every GT40 was equipped with gauges from Smiths.

The classic lines of the black bezels, red sector tacho and 200mph speedo are combined with the GT40 font

Your GT40 project deserves gauges that meet the requirements of low volume compliance.

AMMETER — GT40

Part No. AM1640-16B

Type: 12 Volt Electric
Range: -50-0-50 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



CLOCK — GT40

Part No. EAC1-1052-95B

Type: 12 Volt Electric
Range: 12hrs
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — GT40

Part No. PG1310-09B

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Fitting Kit Part No. LK-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — GT40

Part No. PG1310-09BB

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender Kit
PTTR2300-10-8NKI T

Fitting Instructions



FUEL TANK LEVEL — GT40

Part No. ABF2242-15B

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender TB9011KIT or TB9013KIT
Obsolete - replaced by ABF2242-15BHRB

Fitting Instructions



FUEL TANK LEVEL — GT40

Part No. ABF2242-15BHRB

Type: Bimetal Electric
Range: E-1/2-F
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender TB9011KIT or TB9013KIT
Replaces ABF2242-15B

Fitting Instructions



Representative Image

OIL TEMPERATURE — GT40

Part No. TG1301-31B120

Type: Mechanical
Range: 40-140° C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length 120in.Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N

Fitting Instructions



OIL TEMPERATURE — G GTT4400

Part No. TG1301-31BB

Type: 12 Volt Electric
Range: 40-140° C
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender Par No.
TT3005-8N

Fitting Instructions



OIL TEMP — GT40

Part No. TG1301-31B078

Type: Mechanical
Range: 40-140°C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length 78in. Comes with 3/8BSP to 5/8UNF adapter
Use Sender Kit TT3005-8N

Fitting Instructions



WATER TEMPERATURE — GT40

Part No. TG1301-30BB

Type: 12 Volt Electric
Range: 30-120° C
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use Sender Part No.
TT3001-8N

Fitting Instructions



WATER TEMPERATURE — GT40

Part No. TG1301-30CB

Type: Stepping Motor Electric
Range: 30-120° C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



WATER TEMPERATURE — GT40

Part No. TG1301-30B078

Type: Mechanical
Range: 30-120° C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length 78in. Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N

Fitting Instructions



WATER TEMPERATURE — GT40

Part No. TG1301-30B120

Type: Mechanical
Range: 30-120° C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Capillary length 120in. Comes with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N

Fitting Instructions



VOLTMETER — GT40

Part No. ABV2220-11B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-11BB

Fitting Instructions



VOLTMETER — GT40

Part No. ABV2220-11BB

Type: Bimetal Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Replaces ABV2220-11B

Fitting Instructions



Representative Image

TACHOMETER — GT40

Part No. RVC2816-04BB

Type: 12 Volt Electric
Range: 8000 RPM
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Red sector 6500 - 7000rpm

Fitting Instructions



TACHOMETER — G GGTT440

Part No. RVC2816-05BB

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — G GTT4400

Part No. RVC2816-06BB

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — GT40

Part No. SN3327-04BB

Type: 12 Volt Electric
Range: 320 kmh / 200 mph
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting
kmh outer/mph inner scale

Fitting Instructions



SPEEDOMETER — GT40

Part No. SN3327-02BB

Type: 12 Volt Electric
Range: 0-200 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — GT40

Part No. SN3327-00

Type: Mechanical
Range: 200 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting
(1184 turns per mile input)
mph scale only

Fitting Instructions



SPEEDOMETER — GT40

Part No. SN3327-03

Type: Mechanical
Range: 320 kmh/ 200 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting
1184 turns per mile

Fitting Instructions



SPEEDOMETER — GT40

Part No. SN3327-08

Type: Mechanical
Range: 0-200 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Incandescent Lighting

Fitting Instructions



FUEL PRESSURE — ACCESSORIES

Part No. PG1310-033BB

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



INTERNATIONAL RANGE



CLOCK INTERNATIONAL

Part No. IAC1-1052-00B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

CLOCK INTERNATIONAL

Part No. IAC1-1052-01B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

CLOCK INTERNATIONAL

Part No. IAC1-1052-00C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Front Reset



Fitting Instructions

CLOCK INTERNATIONAL

Part No. IAC1-1052-01C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Remote Reset



Fitting Instructions

AMMETER INTERNATIONAL

Part No. IAM1-0052-03B

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER INTERNATIONAL

Part No. IAM1-0052-06B

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER INTERNATIONAL

Part No. IAM1-0052-03C

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER INTERNATIONAL

Part No. IAM1-0052-06C

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE INTERNATIONAL

Part No. IOP1-1552-07B

Type: 12 Volt Electric
Range: 0-7 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE INTERNATIONAL

Part No. IOP1-1552-10B

Type: 12 Volt Electric
Range: 0-10 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE INTERNATIONAL

Part No. IOP1-1552-10C

Type: 12 Volt Electric
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE INTERNATIONAL

Part No. IOP1-1552-15B

Type: 12 Volt Electric
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use Sender PTR3000-8N-14

Fitting Instructions



OIL TEMP INTERNATIONAL

Part No. IOT1-1452-15B

Type: 12 Volt Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL TEMP INTERNATIONAL

Part No. IOT1-1452-15C

Type: 12 Volt Electric
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender PTR3000-8N-7

Fitting Instructions



OIL TEMP INTERNATIONAL

Part No. IOT1-1452-50B

Type: 12 Volt Electric
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use Sender TT3005-8N

Fitting Instructions



TRANSMISSION OIL TEMP INTERNATIONAL

Part No. ITT1-1452-15B

Type: 12 Volt Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER INTERNATIONAL

Part No. IVO1-1052-02B

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER INTERNATIONAL

Part No. IVO1-1052-03B

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER INTERNATIONAL

Part No. IVO1-1052-02B

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

VOLTMETER INTERNATIONAL

Part No. IVO1-1052-02C

Type: 12 Volt Electric
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender TT3005-8N



Fitting Instructions

VOLTMETER INTERNATIONAL

Part No. IVO1-1052-03C

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES3-1B32-00B

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES3-1B32-01B

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES3-1B32-02B

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES3-1B32-03B

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES5-1B32-00B

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES5-1B32-01B

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER INTERNATIONAL

Part No. IES5-1B32-02B

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER

Part No. IES5-1B32-03B

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES3-1B32-00C

Type: Bimetal Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES3-1B32-01C

Type: Bimetal Electric
Range: 0-180 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES3-1B32-02C

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES3-1B32-03C

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-00B

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-00C

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-01B

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-01C

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-02B

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-02C

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-03B

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IES5-1B32-03C

Type: 12 Volt Electric
Range: 0-280 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER

Part No. IET3-5B32-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET3-5B32-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET3-5B32-03B

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET5-5B32-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET3-5B32-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET3-5B32-03B

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: Black 1/2 Round
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET3-5B32-03C

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
Incandescent Lighting

Fitting Instructions



TACHOMETER INTERNATIONAL

Part No. IET5-5B32-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

TACHOMETER INTERNATIONAL

Part No. IET5-5B32-00C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

TACHOMETER INTERNATIONAL

Part No. IET5-5B32-02B

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions


Jaguar Charging System



AMMETER — JAGUAR

Part No. AM1340-15B

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting



Fitting Instructions

AMMETER — JAGUAR

Part No. AM1340-20B

Type: 12 Volt Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting



Fitting Instructions

AMMETER — JAGUAR

Part No. AM1640-17B

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting



Fitting Instructions

AMMETER — JAGUAR

Part No. AM1640-31B

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting



Fitting Instructions

AMMETER — JAGUAR

Part No. AM1640-28B

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

AMMETER — JAGUAR

Part No. AM1640-28C

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting




Fitting Instructions

AMMETER — JAGUAR

Part No. AM1640-34B

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 Round
Incandescent Lighting
Use sender PTR1015-06



Fitting Instructions

VOLTMETER — JAGUAR

Part No. ABV2202-01B

Type: 12 Volt Electric
Range: 10-16 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Obsolete - replaced by
ABV2202-01BB



Fitting Instructions

VOLTMETER — JAGUAR

Part No. ABV2202-01BB

Type: Bimetal Electric
Range: 10-16 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Replaces ABV2202-01B

Fitting Instructions



Representative Image

VOLTMETER — JAGUAR

Part No. ABV2202-00B

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting
Obsolete - replaced by
ABV2202-00BB

Fitting Instructions



VOLTMETER — JAGUAR

Part No. ABV2202-00BB

Type: Bimetal Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting
Replaces ABV2202-00B,
ABV2202-00, ABV2202-00C

Fitting Instructions



Representative Image

VOLTMETER — JAGUAR

Part No. ABV2202-00

Type: 12 Volt Electric
Range: 10-16 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Obsolete - replaced by
ABV2202-00BB

Fitting Instructions



VOLTMETER — JAGUAR

Part No. ABV2202-00C

Type: 12 Volt Electric
Range: 10-16 Volts
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting
Obsolete - replaced by
ABV2202-00BB

Fitting Instructions



VOLTMETER — JAGUAR

Part No. ABV2202-05BB

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
LED Lighting

Fitting Instructions



Jaguar Fuel gauges & Clocks



E TYPE SERIES 1 FUEL TANK LEVEL — JAGUAR

Part No. BF2200-11

Type: Bimetal Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



E TYPE SERIES 1 FUEL TANK LEVEL — JAGUAR

Part No. BF2200-13

Type: Bimetal Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



E TYPE SERIES 2FUEL TANK LEVEL — JAGUAR

Part No. BF2200-12

Type: Bimetal Electric
Range: E-1/4-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



E TYPE SERIES 2 FUEL TANK LEVEL — JAGUAR

Part No. BF2200-14

Type: Bimetal Electric
Range: E-1/4-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



ETYPE FUEL TANK LEVEL — JAGUAR

Part No. BF2200-06

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



ETYPE FUEL TANK LEVEL — JAGUAR

Part No. ABF2242-16C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



ETYPE FUEL TANK LEVEL — JAGUAR

Part No. BF2200-00

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use sender TF1104-049

Fitting Instructions



ETYPE FUEL TANK LEVEL — JAGUAR

Part No. BF2200-01

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use sender TF1104-049

Fitting Instructions



ETYPE FUEL TANK LEVEL — JAGUAR

Part No. EBF2200-12

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
LED Lighting

Fitting Instructions



ETYPE FUEL TANK LEVEL — JAGUAR

Part No. FG2530-72B

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
PETROL
Use sender FT5301-06A 6 hole top mount or TBS1114-014R smith fix mount

Fitting Instructions



Jaguar Clocks



CLOCK — JAGUAR

Part No. CTE3107-01HR

Type: 12 Volt Electric
Range: 12 hours Scale :Full
Dia: 60mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



CLOCK — JAGUAR

Part No. CTE3107-02HV

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Black Half "V"
Incandescent Lighting

Fitting Instructions



CLOCK — JAGUAR

Part No. CTE3107-03B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 60mm
Bezel: Black Half "V"
Incandescent Lighting

Fitting Instructions



CLOCK — JAGUAR

Part No. CTE3107-02HRC

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



Jaguar Electric Temperature gauges



WATER TEMP — JAGUAR

Part No. BT2200-10

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2200-01

Type: Bimetal Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2200-09

Type: Bimetal Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2200-08

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2217-03

Type: Bimetal Electric
Range: C-NRMAL-H
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2217-01

Type: Bimetal Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2200-11

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2217-03B

Type: Bimetal Electric
Range: C-H
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2200-12

Type: Electric
Range: 70-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. BT2204-11W

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use sender TT4201-00A

Fitting Instructions



WATER TEMP — JAGUAR

Part No. ECT1-1B32-10B

Type: 12 Volt Electric
Range: 40-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
LED Lighting
Use sender TT3001-8N

Fitting Instructions



WATER TEMP — JAGUAR

Part No. TG1301-36B078

Type: Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMP — JAGUAR

Part No. TG1501-36B078

Type: Electric
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



Jaguar Electrical Pressure Gauges
Negative Earth



OIL PRESSURE — JAGUAR

Part No. APE2300-00NEG

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Semi matt Black

Fitting Instructions



OIL PRESSURE — JAGUAR

Part No. ABP2210-00RNEG

Type: 12 Volt Electric
Range: 0-80 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — JAGUAR

Part No. APE2300-02NEG

Type: 12 Volt Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — JAGUAR

Part No. APE2300-03NEG

Type: 12 Volt Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — JAGUAR

Part No. APE2300-03CNEG

Type: 12 Volt Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — JAGUAR

Part No. APE2300-04NEG

Type: 12 Volt Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — JAGUAR

Part No. APE2300-05NEG

Type: 12 Volt Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



Jaguar Electrical Pressure Gauges
Positive Earth



OIL PRESSURE — JAGUAR

Part No. APE2300-02RNEG

Type: 12 Volt Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 Round
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. EOP1-1B32-09B

Type: 12 Volt Electric
Range: 0-70 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender
PTTR2300-10-8KIT



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PG1310-10B

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PG1501-00

Type: Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

Jaguar Mechanical Pressure Gauges



OIL PRESSURE — JAGUAR

Part No. PL2300-04

Type: Mechanical
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PL2329-00B

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 Round
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PL2329-00FVB

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



Jaguar Mechanical Speedometers



SPEEDOMETER — JAGUAR

Part No. SN6322-01

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
760 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-02

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
764 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-04

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
820 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-10

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
700 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-10A

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
700 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-15

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
820 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-30

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
820 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-47

Type: Mechanical
Range: 0-280 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
760 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6332-00

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
1312 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6332-02

Type: 12 Volt Electric
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
760 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-00

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
1216 turns per mile

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-09

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Half Round
Incandescent Lighting
1090 turns per mile

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-09A

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
1120 turns per mile

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-18

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-29

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
1312 turns per mile

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-48

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
1070 turns per mile

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6322-49

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
1090 turns per mile

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6332-05A

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
700 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6332-15

Type: Mechanical
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
760 turns per km

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN5412-00

Type: Mechanical
Range: 0-180 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — JAGUAR

Part No. SN6332-06

Type: Mechanical
Range: 0-160 mph
Scale: Arc
Dia: 120mm
Bezel: Black 1/2 Round
Incandescent Lighting

Fitting Instructions



Jaguar E TYPE SERIES 1 TACHOMETER & CLOCK



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7413-03

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Blue LED Lighting
Red Sector 5.5-6k

Fitting Instructions



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7413-16

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
White LED Lighting
Red Sector 5.5-6k

Fitting Instructions



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7414-05

Type: 12 Volt Electric
Range: 0-5500 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Green LED Lighting
Red Sector 5-5k

Fitting Instructions



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7414-06

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Green LED Lighting
Red Sector 5.0-6k

Fitting Instructions



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7414-09

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
White LED Lighting
Red Sector 5.0-6k

Fitting Instructions



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7414-10

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Green LED Lighting
Red Sector 5.0-6k

Fitting Instructions



E TYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7414-11

Type: 12 Volt Electric
Range: 0-5500 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Green LED Lighting
Red Sector 5.0-6k

Fitting Instructions



ETYPE SERIES 1 TACHOMETER — JAGUAR

Part No. RV7403-00BB

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Half "V"
Blue LED Lighting
Red Sector 5.5-6k

Fitting Instructions



Jaguar E TYPE SERIES 2 TACHOMETER



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4600-00

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Blue LED Lighting
Red Sector 6.0-7.0k

Fitting Instructions



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4610-00

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Green LED Lighting
Red Sector 5.5-6k

Fitting Instructions



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4612-00

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Half Round
Incandescent Lighting
Red Sector 5.5-6k

Fitting Instructions



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4600-00L

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
Red Sector 5.5-6k

Fitting Instructions



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4612-02NEG

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black 1/2 Round
Incandescent Lighting
Red Sector 5.0-6k

Fitting Instructions



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4612-02HR

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black 1/2 Round
Incandescent Lighting
Red Sector 5.0-6k

Fitting Instructions



E TYPE SERIES 2 TACHOMETER — JAGUAR

Part No. RVI4612-02FV

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
Red Sector 5.0-6k

Fitting Instructions



Jaguar C TYPE ELECTRONIC SPEEDOMETER



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-00C

Type: 12 Volt Electric
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-03B

Type: 12 Volt Electric
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-04C

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-00B

Type: Bimetal Electric
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-03C

Type: Bimetal Electric
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-04B

Type: Bimetal Electric
Range: 0-240 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-09C

Type: Bimetal Electric
Range: 0-80 mph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-10C

Type: 12 Volt Electric
Range: 0-80 mph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-11C

Type: Bimetal Electric
Range: 0-170 mph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-12B

Type: Bimetal Electric
Range: 0-180 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-12C

Type: Bimetal Electric
Range: 0-180 mph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B32-14B

Type: Bimetal Electric
Range: 0-180 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B62-01B

Type: Bimetal Electric
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B62-04B

Type: Bimetal Electric
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B62-05B

Type: Bimetal Electric
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black 1/2 Round
Incandescent Lighting



Fitting Instructions

C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B63-01B

Type: Bimetal Electric
Range: 0-160 mph
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

C TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B63-04B

Type: Bimetal Electric
Range: 0-260 kmh
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

Jaguar E Type Electronic Speedometers



E TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B64-01B

Type: 12 Volt Electric
Range: 0-160 mph
Scale: Full
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

E TYPE SPEEDOMETER — JAGUAR

Part No. EES7-1B64-04B

Type: 12 Volt Electric
Range: 0-260 kmh
Scale: Full
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

SMITHS C Type Electronic Tachometers



C TYPE TACHOMETER — JAGUAR

Part No. EET7-1B32-00B

Type: 12 Volt Electric
Range: 0-6500 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

C TYPE TACHOMETER — JAGUAR

Part No. EET7-1B32-03C

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

C TYPE TACHOMETER — JAGUAR

Part No. EET7-1B32-05B

Type: 12 Volt Electric
Range: 5-8000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SMITHS Classic Racing C Type D Type & XKSS Mechanical Instruments



D TYPE TACHOMETER — JAGUAR

Part No. RC167

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting
Beige Lettering

Fitting Instructions



D TYPE TACHOMETER — JAGUAR

Part No. EET7-1B32-04C

Type: Bimetal Electric
Range: 5-8000 RPM
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



D TYPE TACHOMETER — JAGUAR

Part No. EET7-1B32-07B

Type: Bimetal Electric
Range: 0-8000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



D TYPE TACHOMETER — JAGUAR

Part No. EET7-1B32-12B

Type: Bimetal Electric
Range: 5-8000 RPM
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



D TYPE TACHOMETER — JAGUAR

Part No. RVC2010-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



D TYPE TACHOMETER — JAGUAR

Part No. RVI4600-00HRB

Type: Bimetal Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black 1/2 Round
Incandescent Lighting

Fitting Instructions



D TYPE TACHOMETER — JAGUAR

Part No. RVI4612-03

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 120mm
Bezel: Black 1/2 Round
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PG1504-02

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PL2300-04C

Type: Mechanical
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — JAGUAR

Part No. PL2300-05

Type: Mechanical
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 Round
Incandescent Lighting



Fitting Instructions

PRESSURE & TEMP — JAGUAR

Part No. GD1310-04B108

Type: Mechanical
Range: 0-160 PSI/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

PRESSURE & TEMP — JAGUAR

Part No. GD1310-04C108

Type: Mechanical
Range: 0-160 PSI/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

PRESSURE & TEMP — JAGUAR

Part No. GD1301-72B078

Type: Mechanical
Range: 0-100 PSI/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

PRESSURE & TEMP — JAGUAR

Part No. GD1301-73B078

Type: Mechanical
Range: 0-100 PSI/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

LAND ROVER



LAND ROVER

Landrover Series 1



FUEL GAUGE — LAND ROVER

Part No. FG2530-06

Type: Bimetal Electric
Range: 0-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Dial: Blac

Fitting Instructions



OIL PRESSURE & WATER TEMP — LAND ROVER

Part No. GD1310-16B080

Type: Mechanical
Range: -0100 PSI/ 30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Bulb

Fitting Instructions



OIL PRESSURE & WATER TEMP — LAND ROVER

Part No. GD1310-16BB

Type: Mechanical
Range: 0-100 PSI/30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — LAND ROVER

Part No. GD1310-20B080

Type: Mechanical
Range: -0100 PSI/ 30-100°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Bulb

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3102-09

Type: Mechanical
Range: 0-75 mph
Scale: Full
Dia: 60mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
1575 turns per mile

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3102-10

Type: Mechanical
Range: 0-120 kmh
Scale: Full
Dia: 60mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
980 turns per mile

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3102-11

Type: Mechanical
Range: 0-75 mph
Scale: Full
Dia: 60mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
1504 turns per mile

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3102-12

Type: Mechanical
Range: 0-120 kmh
Scale: Full
Dia: 60mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
940 turns per mile

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3152-11

Type: Mechanical
Range: 0-75 mph
Scale: Full
Dia: 60mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3152-12

Type: Mechanical
Range: 0-120 kmh
Scale: Full
Dia: 60mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



LAND ROVER

Landrover Series 2 &3



FUEL GAUGE — LAND ROVER

Part No. BF6106-05SPR

Type: Bimetal Electric
Range: E-1/4-1/2-F
Scale: Arc
Dia:
52mmNote:FitsinsidetheIP323 ngInstructions
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — LAND ROVER

Part No. PL2310-00FVB

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



WATER TEMP, FUEL LEVEL&CHARGE — LAND ROVER

Part No. IP3247-01

Type: Bimetal Electric
Range: C-N-H/ E-1/2-F/
On-Off
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting
Note: these gauges are
temporarily unavailable

Fitting Instructions



WATER TEMP, FUEL LEVEL&CHARGE — LAND ROVER

Part No. IP3231-09

Type: Bimetal Electric
Range: C-N-H/ E-1/2-F/
On-Off
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting
Note: these gauges are
temporarily unavailable

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SNT6209-07

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
880 turns per mile

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SNT6209-10AS

Type: Mechanical
Range: 5-75 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
1200 turns per mile

Fitting Instructions



Representative Image

SPEEDOMETER — LAND ROVER

Part No. SNT6209-24

Type: Mechanical
Range: 5-95 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
1376 turns per mile

Fitting Instructions



Representative Image

SPEEDOMETER — LAND ROVER

Part No. SNT6209-26

Type: Mechanical
Range: 5-95 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
1540 turns per mile

Fitting Instructions



Representative Image

SPEEDOMETER — LAND ROVER

Part No. SNT6209-28

Type: Mechanical
Range: 5-95 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
1376 turns per mile

Fitting Instructions



Representative Image

SPEEDOMETER — LAND ROVER

Part No. SNT6209-32

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
860 turns per mile

Fitting Instructions



Representative Image

SPEEDOMETER — LAND ROVER

Part No. SNT6209-42

Type: Mechanical
Range: 0-95 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting
1408 turns per mile

Fitting Instructions



Representative Image

LAND ROVER

Landrover Range Rover



AMMETER — LAND ROVER

Part No. AM1340-03B

Type: 12 Volt Electric
Range: -30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions




AMMETER — LAND ROVER

Part No. AM1640-07B

Type: 12 Volt Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — LAND ROVER

Part No. CA1100-28B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — LAND ROVER

Part No. BP2211-00

Type: Bimetal Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — LAND ROVER

Part No. BP2211-10

Type: Bimetal Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Satin black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — LAND ROVER

Part No. BP2208-03

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use sender PTR1810-1-10

Fitting Instructions



OIL TEMPERATURE — LAND ROVER

Part No. BT2227-01

Type: Bimetal Electric
Range: 60-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — LAND ROVER

Part No. BT2227-02

Type: Bimetal Electric
Range: 60-135 °C
Scale: Arc
Dia: 52mm
Bezel: Black
Dial: Black
Incandescent Lighting
Enamel Full "V"

Fitting Instructions



OIL TEMPERATURE — LAND ROVER

Part No. BT2227-03

Type: Bimetal Electric
Range: 60-135°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — LAND ROVER

Part No. BT2241-00

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



VOLTMETER — LAND ROVER

Part No. ACV2201-10

Type: 12 Volt Electric
Range: -Normal-
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Obsolete - replaced by ACV2201-10BB

Fitting Instructions



VOLTMETER — LAND ROVER

Part No. ACV2201-10BB

Type: Bimetal Electric
Range: -Normal-
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting
Replaces ACV2201-10

Fitting Instructions



Representative Image

LAND ROVER

Landrover
Defender 90-110



FUEL GAUGE — LAND ROVER

Part No. ACF2211-01BB

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — LAND ROVER

Part No. ACF2212-02

Type: 12 Volt Electric
Range: E-F
Scale: Arc
Dia: 52mm
Bezel: Black
Dial: Black
Incandescent Lighting
Flat Voltage: 24V
Obsolete - replaced by ACF2212-02BB

Fitting Instructions



FUEL GAUGE — LAND ROVER

Part No. ACF2212-02BB

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Replaces ACF2212-02

Fitting Instructions



OIL PRESSURE — LAND ROVER

Part No. ACP2213-02BB

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black
Incandescent Lighting
Flat

Fitting Instructions



OIL PRESSURE — LAND ROVER

Part No. ACP2212-02BB

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black
Incandescent Lighting
Flat

Fitting Instructions



OIL TEMPERATURE — LAND ROVER

Part No. ACT2218-03BB

Type: Bimetal Electric
Range: 130-150 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



COOLANT TEMP — LAND ROVER

Part No. ACT2219-08BB

Type: Bimetal Electric
Range: C-H
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



COOLANT TEMP — LAND ROVER

Part No. ACT2218-05BB

Type: Bimetal Electric
Range: C-H
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



COOLANT TEMP — LAND ROVER

Part No. ACT2219-03BB

Type: Bimetal Electric
Range: 50-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



VOLTMETER — LAND ROVER

Part No. ACV2207-01BB

Type: Bimetal Electric
Range: 10-17 Volt
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

LAND ROVER

Landrover TD5



FUEL GAUGE — LAND ROVER

Part No. PFC1-1B53-00B

Type: 12 Volt Electric
Range: E-F
Scale: Arc
Dia: 52mm
Bezel: Black
Dial: Black
Incandescent Lighting
Flat



Fitting Instructions

COOLANT TEMPERATURE — LAND ROVER

Part No. PCT1-1B53-00B

Type: Bimetal Electric
Range: 100-250°C
Scale: Arc
Dia: 52mm
Bezel: Black
Incandescent Lighting
Flat



Fitting Instructions

COOLANT TEMPERATURE — LAND ROVER

Part No. BT6106-19

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting
Use sender TT3804-00A



Fitting Instructions

TACHOMETER — LAND ROVER

Part No. PET1-1B53-00B

Type: 12 Volt Electric
Range: 0-5000 RPM
Scale: Full
Dia: 52mm
Bezel: Black
Dial: Black
Incandescent Lighting
Flat



Fitting Instructions

TACHOMETER — LAND ROVER

Part No. PET1-1B53-01B

Type: 12 Volt Electric
Range: 0-5000 RPM
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting



Fitting Instructions

TACHOMETER — LAND ROVER

Part No. RVC2490-27BB

Type: 12 Volt Electric
Range: 0-5000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Preset for 4 cyl
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — LAND ROVER

Part No. PES5-1B53-00B

Type: 12 Volt Electric
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Black
Dial: Black
Incandescent Lighting
Flat



Fitting Instructions

SPEEDOMETER — LAND ROVER

Part No. PES5-1B53-01B

Type: Bimetal Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Black
Dial: Black
Incandescent Lighting
Flat

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3391-01

Type: Electric
Range: 0-75 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3391-02

Type: Electric
Range: 0-120 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3391-03

Type: Electric
Range: 0-75 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LAND ROVER

Part No. SN3391-04

Type: Electric
Range: 0-120 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



LOTUS



SPEEDOMETER — LOTUS

Part No. SN6138-00

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting
960 turns per mile

Fitting Instructions



CLOCK — LOTUS

Part No. CE3145-00

Type: 12 Volt Electric
Range: 12hrs
Scale: Full
Dia: 52mm
Bezel: Chrome Full Round
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — LOTUS

Part No. FG2530-71

Type: Bimetal Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — LOTUS

Part No. BF2201-19

Type: Bimetal Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — LOTUS

Part No. BF2201-19C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Use Sender TB5532-104

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1301-23C078

Type: Mechanical
Range: 0-60 PSI/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI2402-00BB

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6136-00A

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-08

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
980 turns per mile

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-08CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-10CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-10

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
980 turns per mile

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN5226-13

Type: Mechanical
Range: 0-230 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
500TPK

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6136-01A

Type: Mechanical
Range: 0-230 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
620 TPK

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6136-04

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
620 TPK

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6153-101

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6153-102

Type: Mechanical
Range: 0-230 kmh
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6153-103

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Grey
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6153-104

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Grey
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-09

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-11

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6207-11-A

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SNT5372-05

Type: Mechanical
Range: 0-220kmh
Scale: Full
Dia: 100mm
Bezel: Black
Dial: Black
Incandescent Lighting
1000 TPM A079N 6021 F

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SNT5372-06

Type: Mechanical
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Black
Dial: Black
Incandescent Lighting
1000 TPM

Fitting Instructions



TACHOMETER — LOTUS

Part No. RN2306-00

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



CLOCK — LOTUS

Part No. PAC1-1051-22B

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — LOTUS

Part No. PAC1-1051-10B

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



BOOST GAUGE — LOTUS

Part No. PMP1-1B51-00B

Type: 12 Volt Electric
Range: 0-1 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — LOTUS

Part No. PFC1-1B51-00B

Type: 12 Volt Electric
Range: 0-1/2-1
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — LOTUS

Part No. FG2530-71C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting
Use sender FT3334-50

Fitting Instructions



OIL PRESSURE — LOTUS

Part No. POP1-1B51-00B

Type: 12 Volt Electric
Range: 0-7 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — LOTUS

Part No. GD1500-37

Type: Electric
Range: 0-160 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — LOTUS

Part No. BP2207-00

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Use sender PTR1810-1-10

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. PCT1-1B51-00B

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. TG1305-01CB

Type: Stepping Motor Electric
Range: -10-60°C
Scale: Full
Dia: 52mm
Bezel: Black
Dial: Black
LED Lighting

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. BT2204-10

Type: Bimetal Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Grey
Incandescent Lighting
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. BT2221-00C

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. BT2224-00

Type: Bimetal Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Grey
Incandescent Lighting
Use sender TT4201-00A

Fitting Instructions



TACHOMETER — LOTUS

Part No. PET5-1B51-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. PES5-1B51-00B

Type: 12 Volt Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. PES5-1B51-01B

Type: 12 Volt Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI1432-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome and Black Half Round
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RN2306-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVC1490-09BB

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI2402-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI2402-04CC

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI2410-04CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI2419-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — LOTUS

Part No. RVI2434-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN5226-13CB

Type: Stepping Motor Electric
Range: 0-230 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome and Black Half Round
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN5226-12CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome and Black Half Round
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. PES5-1B51-02B

Type: Bimetal Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6136-00AC

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6136-00BB

Type: 12 Volt Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — LOTUS

Part No. SN6136-00CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black
LED Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1500-37XC072

Type: Mechanical
Range: 0-160 PSI/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 72 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — LOTUS

Part No. GD1500-37-EX

Type: Mechanical
Range: 0-160 PSI/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. TG1501-12C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. TG1501-14C070

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 70 inches

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. TG1501-12

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — LOTUS

Part No. TG1301-83C

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — LOTUS

Part No. TG1501-15C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches

Fitting Instructions



OIL TEMPERATURE — LOTUS

Part No. TG1501-15C070

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 70 inches

Fitting Instructions



OIL TEMPERATURE — LOTUS

Part No. TG1503-52

Type: Mechanical
Range: 40-140 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
K2 Bulb

Fitting Instructions



VOLTMETER — ACCESSORIES

Part No. ABV2207-00

Type: 12 Volt Electric
Range: 10-18 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Grey
Incandescent Lighting
Obsolete - replaced by ABV2207-00CB

Fitting Instructions



VOLTMETER — ACCESSORIES

Part No. ABV2207-00CB

Type: Stepping Motor Electric
Range: 10-18 Volts
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Grey
LED Lighting
Replaces ABV2207-00

Fitting Instructions



Representative Image

MG



CLOCK — MG

Part No. CA1100-01C

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Chrome
Incandescent Lighting
Push Button to reset (Do Not Turn)

Fitting Instructions



PRESSURE — MG

Part No. PL2324-00

Type: Mechanical
Range: 0-100 PSI/0-7 kg
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



MG DUAL GAUGES



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-64C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-102C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-21C072

Type: Mechanical
Range: 0-100 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-45C078

Type: Mechanical
Range: 0-60 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-53C078

Type: Mechanical
Range: 0-80 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-61C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-63C072

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Back Illumination




Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-83C078

Type: Mechanical
Range: 0-100 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1310-28C078

Type: Mechanical
Range: 0-60 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1501-01C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1501-04C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1501-14C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1501-15C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE & WATER TEMP — MG

Part No. GD1502-06C072

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
Slot Illumination



Fitting Instructions

MAGNOLIA DUAL GAUGES MG & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-75C072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 72 inches
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-96C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-85C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: K2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-14C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-81C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Dial: Magnolia
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Oil Pressure Kit: LK-2 required

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-21B072

Type: Mechanical
Range: 0-100 PSI/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-62B072

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-62B078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1301-87C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. GD1302-45C078

Type: Electric
Range: 0-60 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MG

Part No. BT2231-01

Type: Bimetal Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



MG FUEL GAUGES

Bimetal Fuel gauges require a voltage regulator



FUEL LEVEL — MG

Part No. BF2226-00

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
250-20 ohms

Fitting Instructions



FUEL LEVEL — MG

Part No. BF2226-02

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
250-20 ohms

Fitting Instructions



FUEL LEVEL — MG

Part No. BF2300-02

Type: Bimetal Electric
Range: 250-19 ohms
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



FUEL LEVEL — MG

Part No. FG2530-70

Type: Bimetal Electric
Range: 250-19 ohms
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting

Fitting Instructions



FUEL LEVEL — MG

Part No. FG2530-05

Type: Bimetal Electric
Range: E-1/2-F
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
250-20

Fitting Instructions



FUEL LEVEL — MG

Part No. BF2239-00

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Incandescent Lighting
250-20 ohms

Fitting Instructions



FUEL LEVEL — MG

Part No. FG2530-72C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



MGA JAEGER



SPEEDOMETER — MG

Part No. SN6144-39CB

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6104-06CB

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
Jaeger

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6161-07

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
900 REVS PER KM

Fitting Instructions



TACHOMETER — MG

Part No. RN2312-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



MGB SERIES 3 SPEEDOMETER S



SPEEDOMETER MG

Part No. SN5226-00

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
1020 turns per mile



Fitting Instructions

SPEEDOMETER MG

Part No. SN5226-01

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
640 turns per mile



Fitting Instructions

SPEEDOMETER MG

Part No. SN5226-10

Type: Mechanical
Range: 0-160 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
840 turns per mile



Fitting Instructions

SPEEDOMETER MG

Part No. SN5230-11S

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
960 Turns per mile



Fitting Instructions

SPEEDOMETER MG

Part No. SN5230-011CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

SPEEDOMETER MG

Part No. SN5230-11CB

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

SPEEDOMETER MG

Part No. SN5230-12CB

Type: Stepping Motor Electric
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

SPEEDOMETER MG

Part No. SN5230-12S

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
600 revs per mile



Fitting Instructions

MGB SERIES 3 SPEEDOMETER S



SPEEDOMETER MG

Part No. SN5230-13

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
1000 turns per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN5230-15

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 80mm
Bezel: Black Half "V"
Incandescent Lighting
620 Revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN5230-15C

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
620 Revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN5231-00

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
1280 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN5234-00

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
Dual Scale 120mph/180kmh
1000 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN5234-02

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Incandescent Lighting
Dual Scale 120mph/190kmh
1000 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN5234-50CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting
Dual Scale

Fitting Instructions



MGB SERIES 1 SPEEDOMETER S



SPEEDOMETER MG

Part No. SN6125-04

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1060 Revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6125-04A

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
1060 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6125-05

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
660 Revs per km

Fitting Instructions



SPEEDOMETER MG

Part No. SN6125-06

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1060 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6125-06A

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1020 turns per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6142-01

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
660 turns per kilometer

Fitting Instructions



SPEEDOMETER MG

Part No. SN6142-07

Type: Mechanical
Range: 0-160 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
840 turns per kilometer

Fitting Instructions



SPEEDOMETER MG

Part No. SN6142-09CB

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



MGB SERIES 2 SPEEDOMETER S



SPEEDOMETER MG

Part No. SN6144-00

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1040 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-01

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
660 revs per km

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-02

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1020 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-11

Type: Mechanical
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
640 revs per km

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-20

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1280 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-23

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1280 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-28

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1216 revs per mile

Fitting Instructions



SPEEDOMETER MG

Part No. SN6144-24

Type: Mechanical
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
800 revs per km

Fitting Instructions



MGB SERIES 2 ELECTRONIC SPEEDOMETER S

SPEEDOMETER — MG

Part No. SN6144-00CB

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-000CB

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-03CB

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-36CB

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-38CB

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



MG MAGNOLIA SPEEDOMETER S



SPEEDOMETER — MG

Part No. SN6144-01CB

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN5230-012CB

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-003CB

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-36C

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1040 turns per mile

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-37C

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
1130 Turns Per Mile

Fitting Instructions



SPEEDOMETER — MG

Part No. SN6144-10

Type: Mechanical
Range: 0-220 kmh
Scale: Arc
Dia: 100mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MG

Part No. RVI2415-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Magnolia
LED Lighting
12V -ve earth Stepping Motor Movement

Fitting Instructions



MGB SERIES 3 TACHOMETER S



TACHOMETER — MG

Part No. RVC1410-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

TACHOMETER — MG

Part No. RVC1414-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

TACHOMETER — MG

Part No. RVC1414-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

TACHOMETER MGB — MG

Part No. RVC1810-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting



Fitting Instructions

TACHOMETER — MG

Part No. RVI1439-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
LED Lighting
Red and Orange segments at 5500 - 7000RPM



Fitting Instructions

TACHOMETER — MG

Part No. RVI1433-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
LED Lighting
4CYL



Fitting Instructions

TACHOMETER — MG

Part No. RVI2401-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
12V -ve earth Stepping Motor Movement



Fitting Instructions

TACHOMETER — MG

Part No. RVI2401-00CA

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
12V -ve earth



Fitting Instructions

TACHOMETER — MG

Part No. RVI2401-00CBPOS

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Incandescent Lighting
12V +ve earth Stepping Motor Movement

Fitting Instructions



TACHOMETER — MG

Part No. RVI2401-01CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
12V -ve earth Stepping Motor Movement

Fitting Instructions



TACHOMETER — MG

Part No. RVI2415-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
-ve earth 4Cylinder

Fitting Instructions



TACHOMETER — MG

Part No. RVI2415-00BB

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MG

Part No. RVI2415-02CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
-ve earth 6Cylinder

Fitting Instructions



TACHOMETER — MG

Part No. RVI2415-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
LED Lighting
-ve earth 8Cylinder

Fitting Instructions



TACHOMETER — MG

Part No. RVI2415-04CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting
-ve earth 4 Cylinder

Fitting Instructions



MGB Digital Tachometer 7K 100mm Black

100mm Digital Tachometer with black dial white print and white pointer. With Black or Chrome half V bezel and Orange / Red Sectors at 55500 -7000 RPM. Ignition warning light. 12V -ve earth. Available in 4 6 and 8 Cylinder



TACHOMETER — MG

Part No. RVI2430-00BB

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Incandescent Lighting
4 CYL

Fitting Instructions



TACHOMETER — MG

Part No. RVI2430-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
4CYL

Fitting Instructions



TACHOMETER — MG

Part No. RVI2440-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
8CYL

Fitting Instructions



TACHOMETER — MG

Part No. RVI2619-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
LED Lighting
6CYL

Fitting Instructions



TACHOMETER — MG

Part No. RVI2630-00BB

Type: 12 Volt Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Incandescent Lighting
6CYL

Fitting Instructions



TACHOMETER — MG

Part No. RVI2630-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
LED Lighting
6CYL

Fitting Instructions



TACHOMETER — MG

Part No. RVC2415-00CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



Mini Range

Authentic Smiths Instruments as fitted to the original classic mini in the UK.

Choice of black and magnolia dials.

Speedometer ranges available in MPH or KPH.

Electronic Speedometers are now available.

Chrome round bezels. 1/2v bezels are available
Speedo includes a voltage regulator and a fuel gauge.



SPEEDOMETER — MINI

Part No. SN4421-01SA
Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-00SA
Type: Mechanical
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-32
Type: Mechanical
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-33
Type: Mechanical
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-60
Type: Mechanical
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-03SA
Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-32CS
Type: Mechanical
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-34CC
Type: Mechanical
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-35CC

Type: Mechanical
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-70

Type: Mechanical
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-71

Type: Mechanical
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-74

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-75

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-61

Type: 12 Volt Electric
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-62

Type: 12 Volt Electric
Range: 0-130 mph/210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-63

Type: 12 Volt Electric
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-73

Type: 12 Volt Electric
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — MINI

Part No. TG1311-00C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — MINI

Part No. BP2404-00C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender PTR1810-1-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. BP2404-01C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender PTR1810-1-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-00CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-46CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use sender
PTTR2300-10-8KIT

Fitting Instructions



OIL PRESSURE — MINI

Part No. BP2404-01CA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender PTR1000-6-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-01C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2310-05

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-04C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-11

Type: Bimetal Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-31

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-38

Type: Bimetal Electric
Scale: Full
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-00CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use sender TT3001-8N

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-02CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-00C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-02C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-07C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — MINI

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 PSI /30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



FUEL GAUGE — MINI

Part No. BF6108-00SPR

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use senderTFS9915-000R

Fitting Instructions



FUEL GAUGE — MINI

Part No. BF6108-04SPR

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use senderTFS9915-000R

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-00CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-02CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-08CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-02CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-05CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-01CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-00BB

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-00CBPOS

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-01CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



Mini Range John Cooper

Authentic Smiths Aftermarket Instruments as fitted to the original classic mini.



WATER TEMPERATURE — MINI

Part No. BT2240-18CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2240-19CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-38CW

Type: Bimetal Electric
Range: C-N-H
Scale: Arc
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender TT4803/00A
& voltage regulator

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2240-00CW

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-08C120

Type: 12 Volt Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-03C

Type: Mechanical
Range: 0-7 bar
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-09C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2310-00

Type: Mechanical
Range: 0-100 PSI/7kgcm2
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2310-00W

Type: Mechanical
Range: 0-100 PSI/7kgcm2
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use oil line kit LK-2

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-06C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE & WATER TEMP — MINI

Part No. GD1301-15C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions




AMMETER — MINI

Part No. AM1640-29C

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — MINI

Part No. TG1305-02CB

Type: Stepping Motor Electric
Range: -10-60°C
Scale: Full
Dia: 52mm
Bezel: Chrome
LED Lighting

Fitting Instructions



OIL TEMPERATURE — MINI

Part No. BT2240-05CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



CLOCK — MINI

Part No. CA1100-02C

Type: Bimetal Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — MINI

Part No. CA1100-06C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions




CLOCK — MINI

Part No. CA1100-23C

Type: Bimetal Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-01CC

Type: 12 Volt Electric
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-00CC

Type: 12 Volt Electric
Range: 0-100 mph/0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-60CC

Type: 12 Volt Electric
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-62CC

Type: 12 Volt Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-18CC

Type: 12 Volt Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-19CC

Type: 12 Volt Electric
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-20CC

Type: 12 Volt Electric
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-32CC

Type: 12 Volt Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-33CC

Type: 12 Volt Electric
Range: 0-200 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-72CC

Type: 12 Volt Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4417-62CC

Type: 12 Volt Electric
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-61CC

Type: 12 Volt Electric
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-63CC

Type: 12 Volt Electric
Range: 0-200 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-73CC

Type: 12 Volt Electric
Range: 0-200 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-77

Type: 12 Volt Electric
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-79

Type: 12 Volt Electric
Range: 0-140kmh
Scale: Full
Dia: 133mm
Bezel: Chrome
Incandescent Lighting

Fitting Instructions




VOLTMETER — MINI

Part No. ABV2220-04C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-04CB

Fitting Instructions



VOLTMETER — MINI

Part No. ABV2220-04CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Replaces ABV2220-04C

Fitting Instructions



Representative Image

MOTORCYCLE



SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-00C

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-01C

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-02C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-03C

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-04C

Type: Stepping Motor Electric
Range: 0-230 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-05C

Type: Stepping Motor Electric
Range: 0-190 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-06C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-08C

Type: Stepping Motor Electric
Range: 0-160 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome 1/2 Round



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-10C

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-11C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-14C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-15B

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 82mm
Bezel: Black Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-15C

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-16C

Type: Stepping Motor Electric
Range: 0-184 mph
Scale: Full
Dia: 82mm
Bezel: Chrome 1/2 Round



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-17C

Type: Stepping Motor Electric
Range: 0-156 mph
Scale: Full
Dia: 82mm
Bezel: Chrome 1/2 Round



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-20C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-21C

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-22C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-23C

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-24C

Type: Stepping Motor Electric
Range: 0-150 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-25C

Type: Stepping Motor Electric
Range: 0-240 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-26C

Type: Stepping Motor Electric
Range: 0-80 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-28C

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-07C

Type: Stepping Motor Electric
Range: 0-230 kmh
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-13C

Type: Stepping Motor Electric
Range: 0-140 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES3-1B52-31C

Type: Stepping Motor Electric
Range: 0-184 mph
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES5-1B52-01C

Type: Stepping Motor Electric
Range: 0-120 mph
Scale: Full
Dia: 125mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — MOTORCYCLE

Part No. RES5-1B52-03C

Type: Stepping Motor Electric
Range: 0-220 kmh
Scale: Full
Dia: 125mm
Bezel: Chrome Full "V"



Fitting Instructions

MOTORCYCLE



TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-01C

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-02C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-03C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-04C

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-06C

Type: Stepping Motor Electric
Range: 0-6000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-13C

Type: Stepping Motor Electric
Range: 0-1000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome 1/2 Round



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-14B

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Black Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-14C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-20C

Type: Stepping Motor Electric
Range: 0-9000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-21C

Type: Stepping Motor Electric
Range: 0-9000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-22C

Type: Stepping Motor Electric
Range: 0-9000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-23C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-31C

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-00C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-11C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-32C

Type: Stepping Motor Electric
Range: 5-8000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"
Waterproof, with fuel gauge (electric)



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET3-1B52-33C

Type: Stepping Motor Electric
Range: 5-8000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"
Waterproof, yellow writing



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET5-1B52-00C

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 125mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET5-1B52-01B

Type: Stepping Motor Electric
Range: 0-12000 RPM
Scale: Full
Dia: 125mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET5-1B52-01C

Type: Stepping Motor Electric
Range: 0-12000 RPM
Scale: Full
Dia: 125mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET5-1B52-02C

Type: Stepping Motor Electric
Range: 0-12000 RPM
Scale: Full
Dia: 125mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — MOTORCYCLE

Part No. RET7-1B52-00C

Type: Stepping Motor Electric
Range: 0-6000 RPM
Scale: Full
Dia: 182mm
Bezel: Chrome Full "V"



Fitting Instructions

9v Battery TACHOMETER — MOTORCYCLE

Part No. SRT3-1B32-01B

Type: Stepping Motor Electric
Range: 0-12000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
9 volt Battery



Fitting Instructions

9v Battery TACHOMETER — MOTORCYCLE

Part No. SRT3-1B32-05B

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Black 1/2 "V"
9 volt Battery



Fitting Instructions

9v Battery TACHOMETER — MOTORCYCLE

Part No. SRT3-1B32-09B

Type: Stepping Motor Electric
Range: 0-12000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
9 volt Battery



Fitting Instructions

9v Battery TACHOMETER — MOTORCYCLE

Part No. SRT3-1B32-08B

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 82mm
Bezel: Chrome Full "V"
9 volt Battery



Fitting Instructions


SENSORS — MOTORCYCLE

Part No. EMP45-1

Tacho Sensor



Fitting Instructions



TACHOMETER **MOTORSPORT**

Part No. RET3-1A32-01

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-49
(Chrome Half Round)

Fitting Instructions



TACHOMETER **MOTORSPORT**

Part No. RET3-1A32-02

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-50
(Chrome Half Round)

Fitting Instructions



TACHOMETER **MOTORSPORT**

Part No. RET3-1A32-03

Type: 12 Volt Electric
Range: 0-12000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-51
(Chrome Half Round)

Fitting Instructions



TACHOMETER **MOTORSPORT**

Part No. RET3-1A32-04

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-52
(Chrome Half Round)

Fitting Instructions



TACHOMETER **MOTORSPORT**

Part No. RET3-1A32-05

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-53
(Chrome Half Round)

Fitting Instructions



TACHOMETER **MOTORSPORT**

Part No. RET3-1A32-06

Type: 12 Volt Electric
Range: 0-18000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-54
(Chrome Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-13

Type: 12 Volt Electric
Range: 0-8000 RPM (0-3000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Prosport Plus max revs recall

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-14

Type: 12 Volt Electric
Range: 0-10000 RPM (0-4000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Prosport Plus max revs recall

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-15

Type: 12 Volt Electric
Range: 0-12000 RPM (0-5000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-16

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-17

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-18

Type: 12 Volt Electric
Range: 0-18000 RPM (0-9000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-19

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Prosport F1 shift lamps & max revs recall

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-20

Type: 12 Volt Electric
Range: 0-10000 RPM (0-4000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Prosport F1 shift lamps & max revs recall

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-21

Type: 12 Volt Electric
Range: 0-12000 RPM (0-5000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-22

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-23

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-24

Type: 12 Volt Electric
Range: 0-18000 RPM (0-9000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-49

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-50

Type: 12 Volt Electric
Range: 0-10000 RPM (0-4000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Alternative: RET3-1A32-02 (Chrome Full "V")

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-51

Type: 12 Volt Electric
Range: 0-12000 RPM (0-5000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Alternative: RET3-1A32-03 (Chrome Full "V")

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-52

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Alternative: RET3-1A32-04 (Chrome Full "V")

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-53

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Alternative: RET3-1A32-05 (Chrome Full "V")

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET3-1A32-54

Type: 12 Volt Electric
Range: 0-18000 RPM (0-9000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Alternative: RET3-1A32-06 (Chrome Full "V")

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-01

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-44 (Silver Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-02

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-39 (Chrome Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-03

Type: 12 Volt Electric
Range: 0-12000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-40
(Silver Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-04

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-41
(Silver Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-05

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-42
(Silver Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-06

Type: 12 Volt Electric
Range: 0-18000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-43
(Silver Half Round)

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-13

Type: 12 Volt Electric
Range: 0-18000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Prosport Plus max revs recall

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-14

Type: 12 Volt Electric
Range: 0-10000 RPM (0-4000
compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Prosport Plus max revs recall

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-15

Type: 12 Volt Electric
Range: 0-12000 RPM (0-5000
compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-17

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-16

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-18

Type: 12 Volt Electric
Range: 0-18000 RPM (0-9000
compressed)
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-19

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Prosport F1 shift lamps & max revs recall

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-20

Type: 12 Volt Electric
Range: 0-10000 RPM (0-4000 compressed)
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Prosport F1 shift lamps & max revs recall

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-21

Type: 12 Volt Electric
Range: 0-12000 RPM (0-5000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-22

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-23

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-24

Type: 12 Volt Electric
Range: 0-18000 RPM (0-9000 compressed)
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-39

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Alternative: RET5-1A32-02 (Chrome Full "V")

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-40

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Alternative: RET5-1A32-03 (Chrome Full "V")

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-41

Type: 12 Volt Electric
Range: 0-12000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round

Fitting Instructions



TACHOMETER — MOTORSPORT

Part No. RET5-1A32-42

Type: 12 Volt Electric
Range: 0-14000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Alternative: RET5-1A32-05 (Chrome Full "V")

Fitting Instructions



TACHOMETER MOTORSPORT

Part No. RET5-1A32-43

Type: 12 Volt Electric
Range: 0-16000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Alternative: RET5-1A32-06
(Chrome Full "V")



Fitting Instructions

TACHOMETER MOTORSPORT

Part No. RET5-1A32-44

Type: 12 Volt Electric
Range: 0-18000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver Half Round
Alternative: RET5-1A32-01
(Chrome Full "V")



Fitting Instructions

BOOST PRESSURE MOTORSPORT

Part No. RMP3-3832-01

Type: 12 Volt Electric
Range: -1 to +3 bar
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"



Fitting Instructions

PORSCHE



OIL PRESSURE — PORSCHE

Part No. EOP1-6352-00C

Type: 6 Volt Electric
Range: 0-70 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Use sender TT3005-8N

Fitting Instructions



OIL PRESSURE & WATER TEMP — PORSCHE

Part No. ETO3-1B72-51B

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 80mm
Bezel: Black Full "V"
Dial: Black

Fitting Instructions



TACHOMETER — PORSCHE

Part No. RVC2490-19CB

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. SNT5372-77CB

Type: 12 Volt Electric
Range: 0-200 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. SNT5372-71CB

Type: 12 Volt Electric
Range: 0-220 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black

Fitting Instructions



WATER TEMP & OIL PRESSURE — PORSCHE

Part No. ETO5-1B32-10B

Type: 12 Volt Electric
Range: 50-150°C/0-10 bar
Scale: Arc
Dia: 80mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — PORSCHE

Part No. ETO5-1B72-50B

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Dial: Black

Fitting Instructions



OIL PRESSURE & WATER TEMP — PORSCHE

Part No. ETO5-1B72-50C

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black

Fitting Instructions



WATER TEMP & FUEL LEVEL — PORSCHE

Part No. ETO3-1B32-00B

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 80mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — PORSCHE

Part No. EET9-1B32-02CB

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — PORSCHE

Part No. EET9-1B32-04B

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — PORSCHE

Part No. EET9-1B32-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



TACHOMETER — PORSCHE

Part No. EET9-1B32-01B

Type: 12 Volt Electric
Range: 0-10000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting
Use a 73-10 ohm sender

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. EES5-1B32-150B

Type: 12 Volt Electric
Range: 0-190 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. EES5-1B32-151B

Type: 12 Volt Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. EES5-1B32-191B

Type: 12 Volt Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

SPEEDOMETER — PORSCHE

Part No. EES5-1B32-202C

Type: 12 Volt Electric
Range: 0-200kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting
Replaces SNT5372-77CB

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. EES5-1B32-203C

Type: 12 Volt Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting
Replaces SNT5372-77CB

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. EES5-1B72-50B

Type: 12 Volt Electric
Range: 0-190 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

SPEEDOMETER — PORSCHE

Part No. EES5-1B72-51B

Type: 12 Volt Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 Round
Dial: Black

Fitting Instructions



SPEEDOMETER — PORSCHE

Part No. EES5-1B72-51C

Type: 12 Volt Electric
Range: 0-190 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

SPEEDOMETER — PORSCHE

Part No. EES5-1B72-53B

Type: 12 Volt Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: Black 1/2 Round
Dial: Black

Fitting Instructions



CLOCK — PORSCHE

Part No. EAC3-1B32-10B

Type: 12 Volt Electric
Scale: Full
Bezel: Black Full "V"

Fitting Instructions



CLOCK — PORSCHE

Part No. EAC3-1B32-42B

Type: 12 Volt Electric
Scale: Full
Bezel: Black Full "V"

Fitting Instructions



CLOCK — PORSCHE

Part No. EAC3-1B72-50B

Type: 12 Volt Electric
Scale: Full
Bezel: Black Full "V"

Fitting Instructions



CLOCK — PORSCHE

Part No. EAC3-1B72-51B

Type: 12 Volt Electric
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Dial: Black

Fitting Instructions



CLOCK — PORSCHE

Part No. EAC3-1B72-51C

Type: 12 Volt Electric
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & FUEL LEVEL — PORSCHE

Part No. ETO3-1B32-43B

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & FUEL LEVEL — PORSCHE

Part No. ETO3-1B72-50B

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 80mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & FUEL LEVEL — PORSCHE

Part No. ETO3-1B72-51C

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 80mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & FUEL LEVEL — PORSCHE

Part No. ETO5-1B32-57C

Type: 12 Volt Electric
Range: 50-150°C/E-1/2-F
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions



WATER TEMP & OIL PRESSURE — PORSCHE

Part No. ETO5-1B32-15B

Type: 12 Volt Electric
Range: 50-150°C/0-5 bar
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & OIL PRESSURE — PORSCHE

Part No. ETO5-1B32-27B

Type: 12 Volt Electric
Range: 50-150°C/0-10 bar
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & OIL PRESSURE — PORSCHE

Part No. ETO5-1B32-43B

Type: 12 Volt Electric
Range: 50-150°C/0-10 bar
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & OIL PRESSURE — PORSCHE

Part No. ETO5-1B72-51C

Type: 12 Volt Electric
Range: 50-150°C/0-5 bar
Scale: Arc
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

WATER TEMP & OIL PRESSURE — PORSCHE

Part No. ETO5-1B72-52B

Type: 12 Volt Electric
Range: 50-150°C/0-10 bar
Scale: Arc
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

FUEL GAUGE — PORSCHE

Part No. EFC1-1552-84C

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting

Fitting Instructions

Image coming soon

OIL PRESSURE — PORSCHE

Part No. EOP1-1352-81C

Type: 12 Volt Electric
Range: 0-70 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting
Use sender 360.001

Fitting Instructions

Image coming soon

TACHOMETER — PORSCHE

Part No. EET5-1B32-87C

Type: 12 Volt Electric
Range: 0-6000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting
Replaces RVC2490-19CB



Fitting Instructions

TACHOMETER — PORSCHE

Part No. EET9-1B32-03B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Image coming soon

Fitting Instructions

TACHOMETER — PORSCHE

Part No. EET9-1B32-43B

Type: 12 Volt Electric
Range: 600-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Image coming soon

Fitting Instructions

TACHOMETER — PORSCHE

Part No. EET9-1B32-51C

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"
Dial: Black



Fitting Instructions

TACHOMETER — PORSCHE

Part No. EET9-1B72-50B

Type: 12 Volt Electric
Range: 600-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
LED Lighting

Image coming soon

Fitting Instructions

TACHOMETER — PORSCHE

Part No. EET9-1B72-51C

Type: 12 Volt Electric
Range: 600-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"
Dial: Black
LED Lighting

Image coming soon

Fitting Instructions

Telemetrix

Smiths Telemetrix range is designed for a modern sporting look with attractive brushed aluminium bezels, cirrus white dials and red pointers creating great clarity for the performance and race car driver.

The Telemetrix range was original equipment on the TVR range of sports carsin the UK.



AMMETER — TELEMETRIX

Part No. TAM1-0052-06

Type: Electric
Range: 60-0-60 A
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

AMMETER — TELEMETRIX

Part No. TAM1-0052-03

Type: Electric
Range: 30-0-30 A
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

CLOCK — TELEMETRIX

Part No. TAC1-1052-00

Type: Electric
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

CLOCK — TELEMETRIX

Part No. TAC1-1052-01

Type: Electric
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

OIL PRESSURE — TELEMETRIX

Part No. TOP1-3832-10

Type: Mechanical
Range: 0-10 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Use Fitting Kit Part No. LK-2



Fitting Instructions

OIL PRESSURE & WATER TEMP — TELEMETRIX

Part No. TGD1301-64078

Type: Mechanical
Range: 0-100 psi/90-230 °F
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Capillary length 78in. Comes with 3/8BSP to 5/8UNF adaptor. Use LK-1 on Pressure Fitting



Fitting Instructions

OIL PRESSURE — TELEMETRIX

Part No. TOP1-3832-07

Type: Mechanical
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Use Fitting Kit Part No. LK-2



Fitting Instructions

OIL PRESSURE & WATER TEMP — TELEMETRIX

Part No. TGD1301-65078

Type: Mechanical
Range: 0-100 psi/90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Full V Aluminium
Capillary length 78in.



Fitting Instructions

FUEL PRESSURE — TELEMETRIX

Part No. TFP1-3832-07

Type: Mechanical
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Use Fitting Kit Part No. LK-2

Fitting Instructions



FUEL PRESSURE — TELEMETRIX

Part No. TFP1-3832-02

Type: Mechanical
Range: 0-2 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Use Fitting Kit Part No. LK-2

Fitting Instructions



WATER TEMPERATURE — TELEMETRIX

Part No. TCT1-1452-25

Type: Electric
Range: 100-250 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium

Fitting Instructions



WATER TEMPERATURE — TELEMETRIX

Part No. TCT1-3832-002

Type: Mechanical
Range: 40-150 °C
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Capillary length 78in. Comes with 3/8BSP to 5/8UNF adaptor.

Fitting Instructions



TRANSMISSION OIL TEMPERATURE — TELEMETRIX

Part No. TTT1-1452-15

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Use Sender Part No. TT3005-8N

Fitting Instructions



OIL TEMPERATURE — TELEMETRIX

Part No. TOT1-1452-30

Type: Electric
Range: 120-300 °F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Use Sender Part No. TT3005-8N

Fitting Instructions



OIL TEMPERATURE — TELEMETRIX

Part No. TOT1-3832-002

Type: Mechanical
Range: 40-150 °C
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium
Capillary length 78inches. Comes with 3/8BSP to 5/8UNF adaptor.

Fitting Instructions



TURBO BOOST — TELEMETRIX

Part No. TMP1-3832-21

Type: Mechanical
Range: -1 to +1.5 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium

Fitting Instructions



TURBO BOOST — TELEMETRIX

Part No. TMP1-1B32-00

Type: Mechanical
Range: -1 to +2 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium

Fitting Instructions



TURBO BOOST — TELEMETRIX

Part No. TMP1-1B32-01

Type: Mechanical
Range: -1 to +3 bar
Scale: Full
Dia: 52mm
Bezel: 1/2 Round Aluminium

Fitting Instructions



SPEEDOMETER — TELEMETRIX

Part No. TES5-1B32-02

Type: Electric
Range: 0-240 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES3-1B32-00

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES5-1B32-03

Type: Electric
Range: 0-280 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES3-1B32-02

Type: Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES3-1B32-01

Type: Electric
Range: 0-1 80 mph
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES3-1B32-03

Type: Electric
Range: 0-280 kmh
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES5-1B32-01

Type: Electric
Range: 0-1 80 mph
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES5-1B32-00

Type: Electric
Range: 0-1 40 mph
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES3-5B32-01

Type: Electric
Range: 0-180 mph
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

SPEEDOMETER — TELEMETRIX

Part No. TES5-1B32-04

Type: Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium



Fitting Instructions

TACHOMETER — TELEMETRIX

Part No. TET3-5B32-00

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium
2, 3 or 4 pulses / rev

Fitting Instructions



TACHOMETER — TELEMETRIX

Part No. TET3-5B32-03

Type: Electric
Range: 0-14000 RPM
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium

Fitting Instructions



TACHOMETER — TELEMETRIX

Part No. TET5-5B32-00

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
2, 3 or 4 Pulse / rev

Fitting Instructions



TACHOMETER — TELEMETRIX

Part No. TET3-5B32-04

Type: Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: 1/2 Round Aluminium

Fitting Instructions



TRIUMPH



CLOCK — TRIUMPH

Part No. CA1100-16B

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



CLOCK — TRIUMPH

Part No. CA1100-17C

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



FUEL GAUGE — TRIUMPH

Part No. BF2201-21

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



OIL PRESSURE — TRIUMPH

Part No. PG1310-31B

Type: Mechanical
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — TRIUMPH

Part No. PG1310-32C

Type: Mechanical
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE & WATER TEMP — TRIUMPH

Part No. GD1301-21B072

Type: Mechanical
Range: 0-100 psi/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. BT2204-23

Type: Electric
Range: 50-140 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. BT2230-01

Type: Electric
Range: C-H
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



TACHOMETER — TRIUMPH

Part No. RVI2819-00BB

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



TACHOMETER — TRIUMPH

Part No. RVC2811-00CB

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SN6201-06

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SN6212-00S

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black
1000 turns per mile

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SN6215-02

Type: Mechanical
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SN6212-005CB

Type: Electric
Range: 0-140 mph / 0-225 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SN6212-005BB

Type: Electric
Range: 0-140 mph / 0-225 kmh
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SN6212-20CB

Type: Electric
Range: 0-140 mph / 0-225 kmh
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Magnolia

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SNT6211-12SB

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



FUEL GAUGE — TRIUMPH

Part No. BF2201-16

Type: Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



FUEL GAUGE — TRIUMPH

Part No. BF2201-16C

Type: Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. BT2204-12

Type: Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. BT2204-12C

Type: Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. BT2230-00

Type: Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black
Use sender TT4201-00A

Fitting Instructions



TACHOMETER — TRIUMPH

Part No. RN1319-00

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



TACHOMETER — TRIUMPH

Part No. RN1319-02

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



TACHOMETER — TRIUMPH

Part No. RN1319-04

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



TACHOMETER — TRIUMPH

Part No. RN1326-00AS

Type: Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SNT6211-04S

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SNT6211-12S

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Dial: Black

Fitting Instructions



SPEEDOMETER — TRIUMPH

Part No. SNT6211-14SB

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome
Dial: Black

Fitting Instructions



AMMETER — TRIUMPH

Part No. AM1340-18C

Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Domed

Fitting Instructions



AMMETER — TRIUMPH

Part No. AM1340-19C

Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Flat

Fitting Instructions



FUEL GAUGE — TRIUMPH

Part No. FG2530-20

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black

Fitting Instructions



FUEL GAUGE — TRIUMPH

Part No. BF2201-17

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome
Dial: Black

Fitting Instructions



FUEL GAUGE — TRIUMPH

Part No. BF2232-00

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Dial: Black

Fitting Instructions



OIL PRESSURE — TRIUMPH

Part No. PL2561-00

Type: Mechanical
Range: 0-100 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
TR2-3a Jaeger 106966

Fitting Instructions



OIL PRESSURE — TRIUMPH

Part No. PL2561-01

Type: Electric
Range: 0-7 kgcm2
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. TL2561-03

Type: Mechanical
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Domed
Use adaptor 9915 or 9916

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. TL2561-11

Type: Mechanical
Range: 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Flat
Use adaptor 9915 or 9916

Fitting Instructions



WATER TEMPERATURE — TRIUMPH

Part No. TL2561-01

Type: Mechanical
Range: 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Use adaptor 9915 or 9916



Fitting Instructions

TVR



CLOCK — TVR

Part No. EAC1-1052-10A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Magnolia



Fitting Instructions

CLOCK — TVR

Part No. EAC1-1052-11A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Black



Fitting Instructions

CLOCK — TVR

Part No. EAC1-1052-12A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Cirrus White



Fitting Instructions

CLOCK — TVR

Part No. EAC1-1052-13A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Mint Green



Fitting Instructions

CLOCK — TVR

Part No. EAC1-1052-55A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Black



Fitting Instructions

CLOCK — TVR

Part No. EAC1-1052-56A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Magnolia



Fitting Instructions

CLOCK — TVR

Part No. EAC1-1052-57A

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Cirrus White



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-10A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-11A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-12A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-13A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-55A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-56A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-57A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

FUEL GAUGE — TVR

Part No. EFC1-1152-58A

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green



Fitting Instructions

OIL PRESSURE — TVR

Part No. EOP1-1352-10A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

OIL PRESSURE — TVR

Part No. EOP1-1352-11A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

OIL PRESSURE — TVR

Part No. EOP1-1352-12A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

OIL PRESSURE — TVR

Part No. EOP1-1352-13A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-55A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-56A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-57A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-58A

Type: Electric
Range: 0-90 psi
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-10A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-11A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-12A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-13A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-55A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-56A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

WATER TEMPERATURE — TVR

Part No. ECT1-1152-57A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

WATER TEMPERATURE — TVR

Part No. ECT1-1152-58A

Type: Electric
Range: 50-120 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-23A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Mint Green



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-24A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Cirrus White



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-25A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-32A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-33A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-35A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

OIL TEMPERATURE — TVR

Part No. EOT1-1452-36A

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

VOLTMETER — TVR

Part No. EVO1-1052-10A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-11A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-12A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-13A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-55A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-56A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-57A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-58A

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-55A

Type: Electric
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Black
Bulb: A2. Capillary length: 20 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-57A

Type: Electric
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Cirrus White
Bulb: A2. Capillary length: 20 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-58A

Type: Electric
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Mint Green
Bulb: A2. Capillary length: 20 inches



Fitting Instructions

OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-56A

Type: Electric
Range: 0-100 psi/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Magnolia
Bulb: A2. Capillary length: 20 inches



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-01A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-03A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-11A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-12A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-32A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-66A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

TACHOMETER — TVR

Part No. EET5-1B32-79A

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green



Fitting Instructions

TACHOMETER — TVR

Part No. FET3-1B32-00B

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-01A

Type: Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-02A

Type: Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-20A

Type: Electric
Range: 0-330 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-31A

Type: Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-32A

Type: Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-33A

Type: Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-61A

Type: Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-62A

Type: Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-111A

Type: Electric
Range: 0-330 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-113A

Type: Electric
Range: 0-330 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-136A

Type: Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-138A

Type: Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-139A

Type: Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-141A

Type: Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White



Fitting Instructions

SPEEDOMETER — TVR

Part No. EES5-1B32-143A

Type: Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. FES3-1B52-35B

Type: Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black



Fitting Instructions

SPEEDOMETER — TVR

Part No. FES3-1B52-36B

Type: Electric
Range: 0-160 mph
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black



Fitting Instructions

VW SPLIT SCREEN SERIES 1 & 2



CLOCK — VW SPLIT SCREEN

Part No. EAC1-1052-90C

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome

Fitting Instructions



OIL PRESSURE — VW SPLIT SCREEN

Part No. EOP1-1552-37C

Type: Electric
Range: 0-70 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
10-180 ohms

Fitting Instructions



CYLINDER HEAD TEMP — VW SPLIT SCREEN

Part No. EHT1-1B52-05C660

Type: Electric
Range: 100-600 °F
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
73-0 Ohms

Fitting Instructions



FUEL GAUGE — VW SPLIT SCREEN

Part No. EFC1-1352-03C

Type: Electric
Range: R-1/2-1/1
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
12 volts

Fitting Instructions



VOLTMETER — VW SPLIT SCREEN

Part No. EVO1-1052-95C

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW SPLIT SCREEN

Part No. EES9-1B36-01C

Type: Electric
Range: 0-120 kmh
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW SPLIT SCREEN

Part No. EES9-1B36-00C

Type: Electric
Range: 0-80 mph
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"
Alternative: EES9-1B36-01C
(Range 0-120 kmh)

Fitting Instructions



SPEEDOMETER — VW SPLIT SCREEN

Part No. EES9-1B36-07C

Type: Electric
Range: 0-180 kmh
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW SPLIT SCREEN

Part No. EES9-1B36-06C

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW SPLIT SCREEN

Part No. EES9-1B36-10C

Type: Electric
Range: 0-200 kmh
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



TACHOMETER — VW SPLIT SCREEN

Part No. EET1-1B52-01B

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Alternative Black bezel Part No. EET1-1B52-01C

Fitting Instructions



TACHOMETER — VW SPLIT SCREEN

Part No. EET1-1B52-01C

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Alternative Black bezel Part No. EET1-1B52-01B

Fitting Instructions



TACHOMETER — VW SPLIT SCREEN

Part No. EET3-1B32-88C

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"

Fitting Instructions



TACHOMETER — VW SPLIT SCREEN

Part No. EET4-1B32-05N

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



TACHOMETER — VW SPLIT SCREEN

Part No. EET4-1B32-06N

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



FUEL GAUGE — VW SPLIT SCREEN

Part No. EFC1-1352-01C

Type: Electric
Range: R-1/2-1/1
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



VW BEETLE



VOLTMETER — VW BEETLE

Part No. EVO1-1052-96C

Type: Electric
Range: 9-17volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



VOLTMETER — VW BEETLE

Part No. EVO1-1052-96B

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

Fitting Instructions



CLOCK — VW BEETLE

Part No. EAC1-1052-91C

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



CLOCK — VW BEETLE

Part No. EAC1-1052-91B

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"

Fitting Instructions



OIL PRESSURE — VW BEETLE

Part No. EOP1-1552-38C

Type: Electric
Range: 0-70 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
10-180 ohms Use 360.001

Fitting Instructions



OIL PRESSURE — VW BEETLE

Part No. EOP1-1552-38B

Type: Electric
Range: 0-70 psi
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
10-180 ohms Use 360.001

Fitting Instructions



OIL PRESSURE — VW BEETLE

Part No. EOP1-1552-41C

Type: Electric
Range: 0-70 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



OIL PRESSURE — VW BEETLE

Part No. EOP1-1552-43C

Type: Electric
Range: 0-7 Bar
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



OIL TEMPERATURE — VW BEETLE

Part No. EOT1-1452-27C

Type: Electric
Range: 50-150c
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
323-18.6 ohms Use
TT3005-8N

Fitting Instructions



OIL TEMPERATURE — VW BEETLE

Part No. EOT1-1452-27B

Type: Electric
Range: 50-150c
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
323-18.6 ohms Use
TT3005-8N

Fitting Instructions



FUEL GAUGE — VW BEETLE

Part No. EFC1-6352-01C

Type: Electric
Range: R-1/2-1/1
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
6 volt 73-0 ohms Use VW
Sender

Fitting Instructions



FUEL GAUGE — VW BEETLE

Part No. EFC1-6352-01B

Type: Electric
Range: R-1/2-1/1
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
6 volt 73-0 ohms Use VW
Sender

Fitting Instructions



FUEL GAUGE — VW BEETLE

Part No. EFC1-1352-02B

Type: Electric
Range: R-1/2-1/1
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
73-0 ohms Use VW Sender

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-02B

Type: Electric
Range: 0-80 mph
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Alternative: EES9-1B36-02C
(Chrome Bezel)

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-02C

Type: Electric
Range: 0-80 mph
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"
Alternative Black Bezel Part No. EES9-1B36-02B

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-03B

Type: Electric
Range: 0-120 kmh
Scale: Full
Dia: 115mm
Bezel: Black Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-03C

Type: Electric
Range: 0-120 kmh
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-04B

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 115mm
Bezel: Black Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-05B

Type: Electric
Range: 0-180 kmh
Scale: Full
Dia: 115mm
Bezel: Black Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-05C

Type: Electric
Range: 0-180 kmh
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-12B

Type: Electric
Range: 0-200 mph
Scale: Full
Dia: 115mm
Bezel: Black Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-18B

Type: Electric
Range: 0-80 mph
Scale: Full
Dia: 115mm
Bezel: Black Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-21B

Type: Electric
Range: 0-80 mph
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-21C

Type: Electric
Range: 0-80 mph
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"

Fitting Instructions



SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-22C

Type: Electric
Range: 0-140 kmh
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — VW BEETLE

Part No. EET1-1B52-02B

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 52mm
Bezel: Black Full "V"



Fitting Instructions

TACHOMETER — VW BEETLE

Part No. EET1-1B52-02C

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — VW BEETLE

Part No. EET3-1B32-90B

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"



Fitting Instructions

TACHOMETER — VW BEETLE

Part No. EET3-1B32-90C

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"



Fitting Instructions

TACHOMETER — VW BEETLE

Part No. EET3-1B32-100C

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia:
Bezel: Chrome Full "V"



Fitting Instructions

CLOCK — VW BEETLE

Part No. EAC1-1051-90C

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — VW BEETLE

Part No. EES9-1B36-04C

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 115mm
Bezel: Chrome Full "V"



Fitting Instructions

FUEL GAUGE — VW BEETLE

Part No. EFC1-1352-02C

Type: Electric
Range: R-1/2-1/1
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"



Fitting Instructions

FUEL GAUGE — VW BEETLE

Part No. EFC1-6352-02B

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"



Fitting Instructions

FUEL GAUGE — VW BEETLE

Part No. EFC1-6352-02C

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"



Fitting Instructions

OIL TEMPERATURE — VW BEETLE

Part No. EOT1-1452-26C

Type: Electric
Range: 50-150c
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"



Fitting Instructions

VW BAY WINDOW



CLOCK — VW BAY WINDOW

Part No. EAC4-1052-00N

Type: Electric
Range: 0-12 hour
Scale: Full
Dia: 86mm
Bezel: Chrome Full "V"



Fitting Instructions

CLOCK — VW BAY WINDOW

Part No. EAC4-1052-01N

Type: Electric
Range: 12 hours
Scale: Full
Dia: 86mm
Bezel: Chrome Full "V"



Fitting Instructions

CLOCK — VW BAY WINDOW

Part No. EAC4-1052-02N

Type: Electric
Range: 12 hours
Scale: Full
Dia: 86mm
Bezel: Chrome Full "V"



Fitting Instructions

SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-00N

Type: Electric
Range: 0-90 mph
Scale: Full
Dia: 100mm
Bezel: Grey



Fitting Instructions

SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-01N

Type: Electric
Range: 0-150 kmh
Scale: Full
Dia: 100mm
Bezel: Grey



Fitting Instructions

SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-06N

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Grey



Fitting Instructions

SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-02N

Type: Electric
Range: 0-90 mph
Scale: Full
Dia: 100mm
Bezel: Grey



Fitting Instructions

SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-03N

Type: Electric
Range: 0-150 kmh
Scale: Full
Dia: 100mm
Bezel: Grey



Fitting Instructions

SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-04N

Type: Electric
Range: 0-90 mph
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-05N

Type: Electric
Range: 0-150 kmh
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-08N

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



TACHOMETER — VW BAY WINDOW

Part No. EET4-1B32-00N

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



TACHOMETER — VW BAY WINDOW

Part No. EET4-1B32-02N

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



TACHOMETER — VW BAY WINDOW

Part No. EET4-1B32-03N

Type: Electric
Range: 0-6000 RPM
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



TACHOMETER — VW BAY WINDOW

Part No. EET4-1B32-04N

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



SPEEDOMETER — VW BAY WINDOW

Part No. EES7-1B02-07N

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Grey

Fitting Instructions



FUEL GAUGE — VW BAY WINDOW

Part No. EFC1-1B52-23C

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



OIL PRESSURE — VW BAY WINDOW

Part No. EOP1-1B52-37C

Type: Electric
Range: 0-70 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"

Fitting Instructions



SUNBEAM



VOLTMETER — SUNBEAM

Part No. ABV2220-26C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-26CB

Fitting Instructions



VOLTMETER — SUNBEAM

Part No. ABV2220-26CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-26C

Fitting Instructions



Representative Image

VOLTMETER — SUNBEAM

Part No. ABV2220-27C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-27CB

Fitting Instructions



VOLTMETER — SUNBEAM

Part No. ABV2220-27CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
LED Lighting
Replaces ABV2220-27C

Fitting Instructions



Representative Image

CLOCK — SUNBEAM

Part No. CTE3107-04C

Type: 12 Volt Electric
Scale: Full
Dia: 60mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — SUNBEAM

Part No. BF2242-06C

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use 6 hole Sender TB9011KIT Top Mount or TB9013KIT Side mount. 5 Hole TA9030-000 Top Mount

Fitting Instructions



OIL PRESSURE — SUNBEAM

Part No. PL2303-05

Type: Mechanical
Range: 0-100 PSI/7kgcm2
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



SPEEDOMETER — SUNBEAM

Part No. SN5321-14

Type: 12 Volt Electric
Range: 0-225kmh
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — SUNBEAM

Part No. RVI2812-03CB

Type: Stepping Motor Electric
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



WATER TEMPERATURE — SUNBEAM

Part No. BT2201-02

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT4201-00A

Fitting Instructions



PRISM



CLOCK — PRISM

Part No. PAC1-1054-00A

Type: Electric
Scale: Full
Dia: 52mm
Bezel: Chrome
Dial: White

Fitting Instructions



OIL TEMPERATURE — PRISM

Part No. POT1-1B54-00A

Type: Electric
Range: 50-150 °C
Scale: Full
Dia: 52mm
Bezel: Anodised
Dial: White

Fitting Instructions



WATER TEMPERATURE — PRISM

Part No. PCT1-1B54-00A

Type: Electric
Range: 40-120 °C
Scale: Full
Dia: 52mm
Bezel: Anodised
Dial: White

Fitting Instructions



SPEEDOMETER — PRISM

Part No. PES5-1B54-02A

Type: Electric
Range: 0-280 kmh
Scale: Full
Dia: 100mm
Bezel: Anodised
Dial: White

Fitting Instructions



SMITHS COMMON ACCESSORIES

smiths-instruments.com.au

VOLTAGE REGULATORS

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1300-01POS
Type: Electronic
DC Values: Positive
Fits: Mini



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1303-20POS
Type: Electronic
DC Values: Positive



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1307-00POS
Type: Electronic
DC Values: Positive
Fits: Cobra Classic



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1310-00POS
Type: Electronic
DC Values: Positive



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1300-01NEG
Type: Electronic
DC Values: Negative
Fits: Mini



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1303-20NEG
Type: Electronic
DC Values: Negative



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1307-00NEG
Type: Electronic
DC Values: Negative
Fits: Cobra Classic



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1308-00NEG
Type: Electronic
DC Values: Negative



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1310-00NEG
Type: Electronic
DC Values: Negative



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BR1308-00POS
Type: Electronic
DC Values: Positive



Fitting Instructions

VOLTAGE REGULATORS ACCESSORIES

Part No. BRE1303-20NEG
Type: Electronic
DC Values: Negative



Fitting Instructions

ANGLE DRIVES

ANGLE DRIVES ACCESSORIES

Part No. BG2410-30



Fitting Instructions

ANGLE DRIVES ACCESSORIES

Part No. BG2410-70SPR



Fitting Instructions

ANGLE DRIVES ACCESSORIES

Part No. BG2402-02
Fits: Jaguar
Size: 3/4 26 tpi - 1/2 26 tpi BSW



Fitting Instructions

ANGLE DRIVES ACCESSORIES

Part No. BG2402-03

Fits: Lotus
Ratio: 1:1
Size: 7/8 18UNS-2B 1/2" BSW
Dial illumination bezel



Fitting Instructions

ANGLE DRIVES ACCESSORIES

Part No. BG2402-08

Fits: Jaguar
Ref: C25547



Fitting Instructions

ANGLE DRIVES ACCESSORIES

Part No. BG2410-00

Fits: Jaguar
Ratio: 1:1 Non Reversing
Ref: C22041



Fitting Instructions

ANGLE DRIVES ACCESSORIES

Part No. BG2410-70

Size: 5/8 x 18



Fitting Instructions

OIL LINE KITS

OIL LINE KITS ACCESSORIES

Part No. HF22000-00-084

Length: 84 inches Fixed



Fitting Instructions

OIL LINE KITS ACCESSORIES

Part No. LK-2

Length: 2m Adjustable



Fitting Instructions

FUEL SENDERS

FUEL SENDERS — ACCESSORIES

Part No. TA9010-000

Range: 10 - 180 ohm
Size: 5 Hole
Terminal: Blade
Fits: International Earth Return Top Mount



Fitting Instructions

FUEL SENDERS — ACCESSORIES

Part No. TA9030-000

Range: 240-33 ohm
Size: 5 Hole
Terminal: Blade
Fits: International Earth Return



Fitting Instructions

FUEL SENDERS — ACCESSORIES

Part No. TA9030-100

Range: 250 - 20 ohm
Size: 5 Hole
Terminal: M4 stud
Fits: International Earth Return



Fitting Instructions

FUEL SENDERS — ACCESSORIES

Part No. TA9040-000

Range: 250 - 20 ohm
Size: 5 Hole
Terminal: Blade
Fits: International Earth Return



Fitting Instructions

FUEL SENDERS — ACCESSORIES

Part No. TA9050-100

Range: 3 - 80 ohm
Size: 5 Hole
Terminal: Blade
Fits: International Earth Return Top Mount



Fitting Instructions

FUEL SENDERS — ACCESSORIES

Part No. TA9110-000

Range: 10 - 180 ohm
Size: 5 Hole
Terminal: Blade Earth Return



Fitting Instructions

FUEL SENDERS — ACCESSORIES

Part No. TB9006KIT

Range: 250 - 20 ohm
Size: 6 Hole
Terminal: Shrouded
Fits: International Earth Return Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9010KIT

Range: 320-20ohm
Size: 6 Hole
Fits: International Insulated Return Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9011KIT

Range: 250 - 20 ohm
Size: 6 Hole
Fits: Classic Insulated Return Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9012KIT

Range: 325 - 20 ohm
Size: 6 Hole
Fits: International Insulated Return Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9013KIT

Range: 250 - 20 ohm
Size: 6 Hole
Fits: Classic Earth Return Side Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9014KIT

Range: 325 - 20 ohm
Size: 6 Hole
Fits: International Insulated Return Side Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9018KIT

Range: 325 - 20 ohm
Size: 6 Hole
Fits: Classic Earth Return Side Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. FT3334-50

Fits: Lotus
Range: 250-20 ohm
Size: 6 Hole
Side Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. FT5300-09

Fits: Sunbeam
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. FT5300-28

Fits: Jaguar
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. FT5300-29

Fits: Jaguar
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. FT5300-73

Range: 3-83 ohm
Size: 6 Hole
Side Mount
Ref: 21A168



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. FT5301-06A

Fits: MG
Range: 3-83 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB1114-001W

Fits: Landrover
Range: 250-20 ohm
Size: 6 Hole
Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB1114-023

Fits: Lotus
Range: 250-20 ohm
Size: 6 Hole
Side Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB1114-031

Fits: MG
Range: 3-83 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB1214-001W

Fits: Landrover
Range: 250-20 ohm
Top Mount
Warning



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB1214-004

Fits: Jaguar
Range: 250-20 ohm
Top Mount
Warning



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB1214-010W

Fits: Landrover
Range: 250-20 ohm
Size: 6 Hole
Top Mount
Warning



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB2114-003

Fits: MG
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5532-072

Fits: Jaguar



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5532-099

Fits: Lotus
Range: 3-83 ohm
Size: 6 Hole
Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5532-103

Fits: Landrover
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5532-104

Fits: Lotus Elan Mk1
Bimetal Characteristic



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5532-108

Fits: Lotus
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5532-109

Fits: Lotus
Range: 3-83 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB5632-003

Fits: Landrover
Range: 250-20 ohm
Size: 6 Hole
Top Mount
Warning



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9006-000

Fits: Landrover
Range: 250-20 ohm
Size: 6 Hole
Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9010-000W

Range: 325-20 ohm
Size: 6 Hole
Top Mount
Warning



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9022-000

Fits: Lotus
Range: 325-20 ohm
Size: 5 Hole
Top Mount
Warning
Reinshagen Connector



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9022-005

Fits: Lotus



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TB9055-005

Fits: Lotus
Range: 250-20 ohm
Side Mount
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBA9010-000

Range: 10-180 ohm
Size: 6 Hole
Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS1114-010

Fits: Lotus
Range: 250-20 ohm
Side Mount
Smithfix

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1114-011

Fits: Lotus
Range: 250-20 ohm
Top Mount
Smithfix
Warning

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1114-014R

Fits: MG
Range: 250-20 ohm

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1114-028

Fits: Lotus
Range: 250-20 ohm
Top Mount
Smithfix
Warning

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1214-004

Fits: Lotus
Range: 250-20 ohm
Side Mount
Smithfix
Warning

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1214-013

Fits: Lotus
Range: 250-20 ohm
Side Mount
Smithfix
Warning

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1214-018

Range: 250-20 ohm
Side Mount
Smithfix
Warning

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1214-019

Fits: Jaguar
Range: 250-20 ohm
Side Mount
Smithfix
Warning

Fitting Instructions



FUEL SENDERS ACCESSORIES

Part No. TBS1514-001

Fits: Lotus
Range: 250-20 ohm
Side Mount
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS1514-005

Fits: Lotus
Range: 250-20 ohm
Side Mount
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS2114-002

Range: 250-20 ohm
Side Mount
Smithfix
Locking Ring



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5114-000

Fits: Jaguar
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5114-001

Fits: Jaguar
Range: 250-20 ohm
Side Mount Right
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5114-021W

Fits: MG
Range: 250-20 ohm



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5114-025W

Fits: Landrover
Range: 250-20 ohm
Top Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5214-006W

Fits: Landrover
Range: 250-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5214-010W

Fits: Landrover
Range: 250-20 ohm
Top Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5214-014W

Fits: Landrover
Range: 250-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5232-003

Fits: Triumph
Range: 250-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5232-009

Fits: Landrover
Range: 325-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5232-010

Fits: Landrover
Range: 325-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5232-015

Fits: Landrover
Range: 325-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5232-017

Fits: Landrover
Range: 325-20 ohm
Side Mount
Smithfix
Warning
Pipe



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5514-018

Fits: Jaguar
Range: 250-20 ohm
Side Mount Left
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5514-021

Fits: Jaguar
Range: 250-20 ohm
Side Mount
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS5514-022

Fits: Jaguar
Range: 250-20 ohm
Side Mount
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS9000-000W

Fits: Jaguar
Range: 250-20 ohm
Side Mount Left
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TBS9000-001W

Fits: Jaguar
Range: 250-20 ohm
Side Mount Right
Smithfix



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TF1104-040

Fits: Jaguar
Range: 250-20 ohm
Size: 6 Hole
Top Mount



Fitting Instructions

FUEL SENDERS ACCESSORIES

Part No. TF1104-049

Fits: Jaguar
Range: 250-20 ohm
Size: 6 Hole
Top Mount



Fitting Instructions

MINI FUEL SENDERS

MINI FUEL SENDERS ACCESSORIES

Part No. FT3331-02

Range: 3-80 Ohm
Fits: Triumph



Fitting Instructions

MINI FUEL SENDERS ACCESSORIES

Part No. TB1114-031W

Range: 250-20 Ohm
Size: 6 Hole
Fits: Mini Earth Return Side Mount

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. TB1114-034

Range: 250 - 20 Ohm
Size: 6 Hole
Fits: Mini Earth Return Top Mount

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. TB5532-090

Size: 5 Hole
Fits: VW Classic
Earth Return

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. TB9022-003

Size: 5 Hole
Fits: Aston Martin
Top Mounted

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. TBS1114-000R

Range: 250 - 19 ohm
Size: 6 Hole Side Mounted Earth Return

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. TFS9915-000R

Range: 250 - 20 Ohm
Fits: Classic
Special Side Swinger
Earth Return

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. FT2330-05

Fits: Mini
Range: 3-83 ohm
Size: 6 Hole
Side Mount
Ref: 2A2163

Fitting Instructions



MINI FUEL SENDERS ACCESSORIES

Part No. FT2345-00

Fits: Mini
Range: 3-83 ohm
Size: 6 Hole
Side Mount
Ref: 2A2163

Fitting Instructions



MINI FUEL SENDERS — ACCESSORIES

Part No. TF1001-508A

Fits: Mini
Range: 250-20 ohm
Size: 6 Hole
Side Mount

Fitting Instructions



MINI FUEL SENDERS — ACCESSORIES

Part No. TFS9915-001

Fits: Mini
Range: 250-20 ohm
Side Mount
Smithfix

Fitting Instructions



OIL PRESSURE SENDERS ARC SCALE GAUGES

OIL PRESSURE SENDERS — ACCESSORIES

Part No. PTR1000-6-10

Range: 0-100 psi / 300-10 ohms
Size: 1/8 x 27 nptf
Fits: Cobra

Fitting Instructions



OIL PRESSURE SENDERS — ACCESSORIES

Part No. PTR1001-06

Range: 0-60 psi / 10-180 ohms
Size: 1/4 19 bsp
Fits: Classic

Fitting Instructions



OIL PRESSURE SENDERS — ACCESSORIES

Part No. PTR1001-10EC

Range: 0-100 psi
Size: 1/4 19 bsp
Fits: Jaguar

Fitting Instructions



OIL PRESSURE SENDERS — ACCESSORIES

Part No. PTR1005-M12-10

Range: 0-100 psi
Size: M12 x 1.5
Fits: Caterham

Fitting Instructions



OIL PRESSURE SENDERS — ACCESSORIES

Part No. PTR1015-06

Range: 0-60 psi / 10-180 ohms
Size: 1/4 19 bsp
Fits: Jaguar

Fitting Instructions



OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1801-10

Range: 0-100 psi
Size: 1/4 19 bsp
Fits: Classic



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1810-1-10

Range: 0-100 psi
Size: 1/8 x 27 nptf
Fits: Classic



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1811-06

Range: 0-60 psi
Size: 1/4 19 bsp
Fits: Classic



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1811-10

Range: 0-100 psi
Size: 1/4 19 bsp
Fits: Classic



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1812-06

Range: 0-60 psi
Size: 1/2 20 unf
Fits: Classic



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1812-10

Range: 0-100 psi
Size: 1/2 20 unf
Fits: Landrover



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1813-06

Range: 0-60 psi
Size: 1/8 x 27 nptf
Fits: Lotus



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR3000-8N-10

Range: 0-7 bar / 10-180 ohms
Size: 1/8 x 27 nptf
Fits: International



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR3000-8N-14

Range: 0-10 bar / 10-180 ohms
Size: 1/8 x 27 nptf
Fits: International



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1000-2U-10

Fits: Cobra GT40
Range: 0-100 psi
Size: 1/2 20 unf



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1001-08

Fits: Jaguar
Range: 0-80 psi
Size: 1/4 19 bsp



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1002-10EC

Fits: Landrover
Range: 0-100 psi
Size: 1/2 20 unf



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1005-10

Fits: Landrover
Range: 0-100 psi
Size: M10X1
Ref: PRC4043



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1006-10

Fits: Lotus
Range: 0-7 bar
Size: M10X1
Ref: PRC4043



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR1012-06

Fits: Landrover
Range: 0-60 psi
Size: 1/2 20 unf
Ref: DRC2479



Fitting Instructions

OIL PRESSURE SENDERS ACCESSORIES

Part No. PTR2011-015

Fits: Lotus
Range: 0-1.5 bar
Size: 1/8 x 27 nptf



Fitting Instructions

OIL PRESSURE TRANSDUCER 270 DEGREE SWEEP GAUGES

OIL PRESSURE TRANSDUCER ACCESSORIES

Part No. PTTR2300-03-8NKIT

Range: -2 - +1 bar / 0-5 volts
Size: 1/8 x 27 nptf
Fits: All Full Sweep Electric Gauges Boost, Turbo and Supercharger



Fitting Instructions

OIL PRESSURE TRANSDUCER ACCESSORIES

Part No. PTTR2300-10-4NKIT

Range: 0-100 psi / 0-5 volt
Size: 1/4 x 27 nptf
Fits: All Full Sweep Electric Gauges 0-100psi or 0-7 bar



Fitting Instructions

OIL PRESSURE TRANSDUCER ACCESSORIES

Part No. PTTR2300-10-8NKIT

Range: 0-100 psi / 0-5 volts
Size: 1/8 x 27 nptf
Fits: All Full Sweep Electric Gauges 0-100psi or 0-7 bar



Fitting Instructions

OIL PRESSURE TRANSDUCER ACCESSORIES

Part No. PTTR2300-16-8NKIT

Range: 0-10 bar / 0-5 volt
Size: 1/8 x 27 nptf
Fits: All Full Sweep Electric Gauges 0-10 bar or 0-160psi



Fitting Instructions

SPEED SENSORS

SPEED SENSORS ACCESSORIES

Part No. GS202

GPS



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP44-1KIT

Hall Effect
Fits: VW Bay Window



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP46-1KIT

Hall Effect
Fits: Mini



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP46-2KIT

Hall Effect
Fits: Mini



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP48-1KIT

Hall Effect
Fits: Motorcycle



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP45-1

Engine Speed Sensor Ignition Pickup



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP34-1KIT

Inductive M8 With LED Operation Indicator



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. 340-808

Hall Effect
M22x1.5
8 impulses
5mm Lug
With connector & 230.064 tip



Fitting Instructions

SPEED SENSORS ACCESSORIES

Part No. EMP48-12N

Hall Effect Sensor
M12 x 1.5
3.8mm



Fitting Instructions

SPEED SENSORS — ACCESSORIES

Part No. TES1800-2628

Fits: Jaguar
Hall Effect
Size: 3/4 BSW
3mm SQ



Fitting Instructions

SPEED SENSORS — ACCESSORIES

Part No. TES1800-3028

Fits: Jaguar
Hall Effect
Size: 3/4 BSW
3mm SQ



Fitting Instructions

TEMPERATURE TRANSMITTERS

TEMPERATURE TRANSMITTERS — ACCESSORIES

Part No. TT3001-8N

Range: 40-120°C / 287-23 ohm
Size: 1/8 x 27 nptf
Fits: International



Fitting Instructions

TEMPERATURE TRANSMITTERS — ACCESSORIES

Part No. TT3005-8N

Range: 50-150°C / 323-18.6 ohm
Size: 1/8 x 27 nptf
Fits: International



Fitting Instructions

TEMPERATURE TRANSMITTERS — ACCESSORIES

Part No. TT3808-00

Range: 50-150°C / 323-18.6 ohm
Size: 1/8 x 27 nptf
Fits: International



Fitting Instructions

TEMPERATURE TRANSMITTERS — ACCESSORIES

Part No. TT3803-00A

Range: 40-120°C / 250-20 ohm
Size: 5/8x18 unf
Fits: Jaguar



Fitting Instructions

TEMPERATURE TRANSMITTERS — ACCESSORIES

Part No. TT4803-00A

Range: 50-140°C / 250-20 ohm
Size: 5/8x18 nptf
Fits: Classic



Fitting Instructions

TEMPERATURE TRANSMITTERS ACCESSORIES

Part No. TT4806-00

Range: 50-140°C / 250-20 ohm
Size: 5/8x18 nptf
Fits: Other



Fitting Instructions

TEMPERATURE TRANSMITTERS ACCESSORIES

Part No. TT6811-01

Range: 50-140°C / 250-20 ohm
Size: 1/8 x 27 nptf
Fits: Classic



Fitting Instructions

TEMPERATURE TRANSMITTERS ACCESSORIES

Part No. TT6811-03

Range: 1158-44 ohms
Size: 1/8 x 27 nptf
Fits: Caterham



Fitting Instructions

TEMPERATURE TRANSMITTERS ACCESSORIES

Part No. TT6820-00

Size: 5.7 Dia X 40 Long 3.5m Cable
Fits: Other



Fitting Instructions

TEMPERATURE TRANSMITTERS ACCESSORIES

Part No. TT3804-00A

Fits: Landrover
Range: 250-20 ohm
Size: 5/8x18 unf
Tapered Seat



Fitting Instructions

TEMPERATURE TRANSMITTERS ACCESSORIES

Part No. TT4803-01

Range: 250-20 ohm
Size: 5/8x18 unf



Fitting Instructions

TEMPERATURE ADAPTORS

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-050

Size: 1/4"-18nptf Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-051
Size: 3/8"-18nptf Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-052
Size: 5/8"-18unf Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-053
Size: 1/2"-14nptf Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-055
Size: M16x1.5 Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-054
Size: M14x1.5 Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-056
Size: M18x1.5 Male
1/8"-27nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 320-058
Size: 5/8"-18unf Male
1/2"-14nptf Female



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. 9916
Size: 3/8 x 18 Male
5/8 x 18 Female
With seat for A2



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. V99-ML-3-81

Size: 3/8 x 18 Male
3/8 x 18 Male



Fitting Instructions

TEMPERATURE ADAPTORS ACCESSORIES

Part No. v9917

Size: 3/8 x 18 Male
5/8 x 18 Male



Fitting Instructions

OIL GAUGE ADAPTOR

OIL GAUGE ADAPTOR ACCESSORIES

Part No. 230-031

Size: 1/8"-27nptf Male
1/8"-27nptf Female Side
1/8"-27nptf Female End



Fitting Instructions

OIL GAUGE ADAPTOR ACCESSORIES

Part No. 230-032

Size: 1/4"-18nptf Male
1/8"-27nptf Female Side
1/4"-18nptf Female End



Fitting Instructions

OIL GAUGE ADAPTOR ACCESSORIES

Part No. 230-033

Size: M10x 1mmMale
1/8NPTFemale Side M10x
1mm Female End



Fitting Instructions

OIL GAUGE ADAPTOR ACCESSORIES

Part No. 230-035

Size: M14x1.5 Male
1/8"-27nptf Female Side
M14x1.5 Female End



Fitting Instructions

OIL GAUGE ADAPTOR ACCESSORIES

Part No. 230-036

Size: 1/8"-28bspt Male
1/8"-27nptf Female Side
1/8"-28bspt Female End



Fitting Instructions

OIL GAUGE ADAPTOR — ACCESSORIES

Part No. v230-024

Engine End Fitting for Oil Pressure



Fitting Instructions

OTHER ACCESSORIES

OTHER ACCESSORIES — ACCESSORIES

Part No. 9915

5/8 x 5/8 seated adaptor A2 Temperature Gauges



Fitting Instructions

OTHER ACCESSORIES — ACCESSORIES

Part No. TACHOPODSPUN

Spun Aluminium
80mm Tacho Pod



Fitting Instructions

Part Number Index

2

230-031 Accessories 201
230-032 Accessories 201
230-033 Accessories 201
230-035 Accessories 201
230-036 Accessories 201

3

320-050 Accessories 199
320-051 Accessories 200
320-052 Accessories 200
320-053 Accessories 200
320-054 Accessories 200
320-055 Accessories 200
320-056 Accessories 200
320-058 Accessories 200
340-808 Accessories 197

9

9915 Accessories 202
9916 Accessories 200

A

ABF2242-03C AC Cobra 36
ABF2242-03CB AC Cobra 36
ABF2242-05C AC Cobra 36
ABF2242-05CB AC Cobra 36
ABF2242-06C AC Cobra 36
ABF2242-06CB AC Cobra 36
ABF2242-07C AC Cobra 36
ABF2242-07CB AC Cobra 36
ABF2242-11C AC Cobra 36
ABF2242-12C AC Cobra 37
ABF2242-15B GT40 74
ABF2242-15BHRB GT40 74
ABF2242-16C Jaguar 85
ABF2242-18CB AC Cobra 37
ABP2210-00RNEG Jaguar 88
ABV2202-00 Jaguar 84
ABV2202-00B Jaguar 84
ABV2202-00BB Jaguar 84
ABV2202-00C Jaguar 84
ABV2202-01B Jaguar 83
ABV2202-01BB Jaguar 84
ABV2202-05BB Jaguar 84
ABV2207-00 Lotus 112
ABV2207-00CB Lotus 112
ABV2220-00B Classic Black 12
ABV2220-00BB Classic Black 12
ABV2220-00C Classic Black 11
ABV2220-00CB Classic Black 11
ABV2220-04B Classic Magnolia 28
ABV2220-04C Classic Magnolia 28
ABV2220-04C Mini 136
ABV2220-04CB Classic Magnolia 28
ABV2220-04CB Mini 136
ABV2220-07C AC Cobra 43
ABV2220-07CB AC Cobra 43
ABV2220-11B GT40 75
ABV2220-11BB GT40 75
ABV2220-21B Classic Black 12
ABV2220-21BB Classic Black 12
ABV2220-21C Classic Black 11
ABV2220-21CB Classic Black 11
ABV2220-26C Sunbeam 178
ABV2220-26CB Sunbeam 178
ABV2220-27C Sunbeam 178
ABV2220-27CB Sunbeam 178
ACF2211-01BB Land Rover 103
ACF2212-02 Land Rover 103
ACF2212-02BB Land Rover 103
ACP2212-02BB Land Rover 103
ACP2213-02BB Land Rover 103
ACT2218-03BB Land Rover 103
ACT2218-05BB Land Rover 103
ACT2219-03BB Land Rover 103
ACT2219-08BB Land Rover 103
ACV2201-10 Land Rover 102
ACV2201-10BB Land Rover 102
ACV2207-01BB Land Rover 104
AM1340-03B Classic Black 14
AM1340-03B Land Rover 101
AM1340-03C Classic Black 14
AM1340-05C Classic Magnolia 24
AM1340-07C Classic Black 14
AM1340-10C Classic Magnolia 24
AM1340-15B Jaguar 83
AM1340-17C Aston Martin 48
AM1340-18C Triumph 161
AM1340-19C Triumph 161
AM1340-20B Jaguar 83
AM1640-03C Classic Black 14
AM1640-04C AC Cobra 35
AM1640-05C Classic Magnolia 24
AM1640-07B Land Rover 101
AM1640-07C AC Cobra 35
AM1640-09C Classic Magnolia 24
AM1640-10C AC Cobra 35
AM1640-16B GT40 74
AM1640-17B Jaguar 83
AM1640-20C Classic Black 14
AM1640-21C Classic Magnolia 24
AM1640-23C AC Cobra 35
AM1640-28B Jaguar 83
AM1640-28C Jaguar 83
AM1640-29C Classic Magnolia 24
AM1640-29C Mini 133
AM1640-31B Jaguar 83
AM1640-34B Jaguar 83
APE2300-00NEG Jaguar 88
APE2300-02NEG Jaguar 88
APE2300-02RNEG Jaguar 89
APE2300-03CNEG Jaguar 88
APE2300-03NEG Jaguar 88
APE2300-04NEG Jaguar 88
APE2300-05NEG Jaguar 88
APG1310-02C AC Cobra 37
APG1310-02CB AC Cobra 38
APG1310-04CB AC Cobra 38
ATG1301-23C AC Cobra 40
ATG1301-23CB AC Cobra 40
ATG1301-24C AC Cobra 42
ATG1301-24CB AC Cobra 42
ATG1301-27CB AC Cobra 40

B

BF2200-00 Jaguar 85
BF2200-01 Jaguar 85
BF2200-06 Jaguar 85
BF2200-11 Jaguar 84
BF2200-12 Jaguar 85
BF2200-13 Jaguar 84
BF2200-14 Jaguar 85
BF2201-16 Triumph 159
BF2201-16C Triumph 160
BF2201-17 Triumph 161
BF2201-19 Lotus 106
BF2201-19C Lotus 106
BF2201-21 Triumph 158
BF2226-00 MG 116
BF2226-02 MG 116
BF2232-00 Triumph 161
BF2239-00 MG 117
BF2242-00C Classic Black 3
BF2242-00CA Classic Black 3
BF2242-00CB Classic Black 3
BF2242-02C Classic Magnolia 25
BF2242-02CA Classic Magnolia 25
BF2242-02CB Classic Magnolia 25
BF2242-03C AC Cobra 36
BF2242-06C Sunbeam 178
BF2242-08C AC Cobra 37
BF2242-08CA Classic Black 3
BF2242-10C Classic Black 3
BF2242-12C AC Cobra 37
BF2242-13C Classic Magnolia 25
BF2242-29CA Classic Black 3
BF2242-30CA Classic Magnolia 25
BF2242-31CB AC Cobra 37
BF2242-32CB AC Cobra 37
BF2242-33CB AC Cobra 37
BF2242-56CB AC Cobra 37
BF2300-02 MG 116
BF2300-05 Aston Martin 47
BF6106-05SPR Land Rover 100
BF6108-00SPR Mini 130
BF6108-04SPR Mini 131
BG2402-02 Accessories 181
BG2402-03 Accessories 182
BG2402-08 Accessories 182
BG2410-00 Accessories 182
BG2410-30 Accessories 181
BG2410-70 Accessories 182
BG2410-70SPR Accessories 181
BP2207-00 Lotus 109
BP2208-03 Land Rover 102
BP2211-00 Land Rover 102
BP2211-10 Land Rover 102
BP2404-00BA Classic Black 4
BP2404-00C Classic Black 4
BP2404-00C Mini 129
BP2404-00CA Classic Black 4
BP2404-01C Classic Magnolia 25
BP2404-01C Mini 129
BP2404-01CA Classic Magnolia 25
BP2404-01CA Mini 129
BP2404-04C Classic Magnolia 26
BR1300-01NEG Accessories 180
BR1300-01POS Accessories 180
BR1303-20NEG Accessories 180
BR1303-20POS Accessories 180
BR1307-00NEG Accessories 180
BR1307-00POS Accessories 180
BR1308-00NEG Accessories 181
BR1308-00POS Accessories 181
BR1310-00NEG Accessories 181
BR1310-00POS Accessories 180
BRE1303-20NEG Accessories 181
BT2200-01 Jaguar 86
BT2200-08 Jaguar 86
BT2200-09 Jaguar 86
BT2200-10 Jaguar 86
BT2200-11 Jaguar 87
BT2200-12 Jaguar 87
BT2201-02 Sunbeam 178
BT2204-10 Lotus 109
BT2204-11 Mini 130
BT2204-11W Jaguar 87
BT2204-12 Triumph 160
BT2204-12C Triumph 160
BT2204-23 Triumph 158
BT2204-31 Mini 130
BT2204-38 Mini 130
BT2204-38CW Mini 132
BT2214-00 Classic Black 7
BT2217-01 Jaguar 86
BT2217-03 Jaguar 86
BT2217-03B Jaguar 87
BT2221-00C Lotus 109
BT2224-00 Lotus 109
BT2227-01 Land Rover 102
BT2227-02 Land Rover 102
BT2227-03 Land Rover 102

Part Number Index (continued)

BT2230-00 Triumph 160
BT2230-01 Triumph 158
BT2231-01 MG 116
BT2240-00BA Classic Black 7
BT2240-00C Classic Black 7
BT2240-00CA Classic Black 8
BT2240-00CW Mini 132
BT2240-01C Classic Black 10
BT2240-01CA Classic Black 10
BT2240-04C Classic Magnolia 27
BT2240-04CA Classic Black 8
BT2240-05C Classic Magnolia 27
BT2240-05CA Mini 133
BT2240-07C Classic Black 10
BT2240-09C Classic Black 7
BT2240-10C Classic Magnolia 27
BT2240-11C Classic Magnolia 27
BT2240-16CA Classic Magnolia 27
BT2240-18CA Classic Magnolia 28
BT2240-18CA Mini 132
BT2240-19CA Classic Magnolia 28
BT2240-19CA Mini 132
BT2241-00 Land Rover 102
BT6106-19 Land Rover 104
BV2220-00BB Classic Black 12
BV2220-00CB Classic Black 12
BV2220-04CA Classic Black 12
BV2220-04CB Classic Magnolia 28
BV2220-23CB Classic Black 12
BV2220-25CB Classic Black 12
BV2220-25CB AC Cobra 43
BV2220-29CB AC Cobra 43

C

CA1100-00C Classic Black 13
CA1100-01C Classic Black 13
CA1100-01C MG 113
CA1100-02C Mini 133
CA1100-03C Classic Magnolia 24
CA1100-05C Classic Magnolia 24
CA1100-06C Mini 133
CA1100-09C AC Cobra 42
CA1100-12C AC Cobra 42
CA1100-14C Classic Black 13
CA1100-16B Triumph 158
CA1100-17C Triumph 158
CA1100-23C Mini 134
CA1100-28B Land Rover 101
CA1100-45C AC Cobra 43
CA2-1032-00B Classic Black 13
CA2-1032-00C Classic Black 12
CA2-1032-01C Classic Magnolia 25
CA2-1032-02C Classic Black 13
CA2-1032-03C Classic Black 13
CE3107-00 Aston Martin 48
CE3145-00 Lotus 106
CTE3107-01HR Jaguar 85
CTE3107-01HVC Classic Black 13
CTE3107-02C Classic Black 13
CTE3107-02HR Classic Black 13
CTE3107-02HRC Jaguar 86
CTE3107-02HV Jaguar 85
CTE3107-02HVC Classic Black 14
CTE3107-03B Jaguar 86
CTE3107-04C Sunbeam 178
CTE3107-05B Classic Black 13
CTE3107-05C AC Cobra 43

E

EAC1-1051-90C VW 175
EAC1-1052-10A TVR 163
EAC1-1052-11A TVR 163
EAC1-1052-12A TVR 163
EAC1-1052-13A TVR 163
EAC1-1052-55A TVR 163
EAC1-1052-56A TVR 163
EAC1-1052-57A TVR 163
EAC1-1052-90C VW 171
EAC1-1052-91B VW 172
EAC1-1052-91C VW 172
EAC1-1052-95B GT40 74
EAC3-1B32-10B Porsche 151
EAC3-1B32-42B Porsche 151
EAC3-1B72-50B Porsche 151
EAC3-1B72-51B Porsche 151
EAC3-1B72-51C Porsche 151
EAC4-1052-00N VW 176
EAC4-1052-01N VW 176
EAC4-1052-02N VW 176
EBF2200-12 Jaguar 85
ECT1-1152-10A TVR 165
ECT1-1152-11A TVR 165
ECT1-1152-12A TVR 165
ECT1-1152-13A TVR 165
ECT1-1152-55A TVR 165
ECT1-1152-56A TVR 166
ECT1-1152-57A TVR 166
ECT1-1152-58A TVR 166
ECT1-1B32-10B Jaguar 87
EES5-1B32-01A TVR 169
EES5-1B32-02A TVR 169
EES5-1B32-111A TVR 169
EES5-1B32-113A TVR 169
EES5-1B32-136A TVR 170
EES5-1B32-138A TVR 170
EES5-1B32-139A TVR 170
EES5-1B32-141A TVR 170
EES5-1B32-143A TVR 170
EES5-1B32-150B Porsche 150
EES5-1B32-151B Porsche 150
EES5-1B32-191B Porsche 150
EES5-1B32-202C Porsche 150
EES5-1B32-203C Porsche 150
EES5-1B32-20A TVR 169
EES5-1B32-31A TVR 169
EES5-1B32-32A TVR 169
EES5-1B32-33A TVR 169
EES5-1B32-61A TVR 169
EES5-1B32-62A TVR 169
EES5-1B72-50B Porsche 151
EES5-1B72-51B Porsche 151
EES5-1B72-51C Porsche 151
EES5-1B72-53B Porsche 151
EES7-1B02-00N VW 176
EES7-1B02-01N VW 176
EES7-1B02-02N VW 176
EES7-1B02-03N VW 176
EES7-1B02-04N VW 177
EES7-1B02-05N VW 177
EES7-1B02-06N VW 176
EES7-1B02-07N VW 177
EES7-1B02-08N VW 177
EES7-1B32-00B Jaguar 94
EES7-1B32-00C Jaguar 94
EES7-1B32-03B Jaguar 94
EES7-1B32-03C Jaguar 95
EES7-1B32-04B Jaguar 95
EES7-1B32-04C Jaguar 94
EES7-1B32-09C Jaguar 95
EES7-1B32-10C Jaguar 95
EES7-1B32-11C Jaguar 95
EES7-1B32-12B Jaguar 95
EES7-1B32-12C Jaguar 95
EES7-1B32-14B Jaguar 95
EES7-1B62-01B Jaguar 95
EES7-1B62-04B Jaguar 95
EES7-1B62-05B Jaguar 96
EES7-1B63-01B Jaguar 96
EES7-1B63-04B Jaguar 96
EES7-1B64-01B Jaguar 96
EES7-1B64-04B Jaguar 96
EES9-1B36-00C VW 171
EES9-1B36-01C VW 171
EES9-1B36-02B VW 173
EES9-1B36-02B VW 174
EES9-1B36-02C VW 174
EES9-1B36-03B VW 174
EES9-1B36-03C VW 174
EES9-1B36-04B VW 174
EES9-1B36-04C VW 175
EES9-1B36-05B VW 174
EES9-1B36-05C VW 174
EES9-1B36-06C VW 171
EES9-1B36-07C VW 171
EES9-1B36-10C VW 171
EES9-1B36-12B VW 174
EES9-1B36-18B VW 174
EES9-1B36-21B VW 174
EES9-1B36-21C VW 174
EES9-1B36-22C VW 175
EET1-1B52-01B VW 172
EET1-1B52-01C VW 172
EET1-1B52-02B VW 175
EET1-1B52-02C VW 175
EET3-1B32-100C VW 175
EET3-1B32-88C VW 172
EET3-1B32-90B VW 175
EET3-1B32-90C VW 175
EET4-1B32-00N VW 177
EET4-1B32-02N VW 177
EET4-1B32-03N VW 177
EET4-1B32-04N VW 177
EET4-1B32-05N VW 172
EET4-1B32-06N VW 172
EET5-1B32-01A TVR 168
EET5-1B32-03A TVR 168
EET5-1B32-11A TVR 168
EET5-1B32-12A TVR 168
EET5-1B32-32A TVR 168
EET5-1B32-66A TVR 168
EET5-1B32-79A TVR 168
EET5-1B32-87C Porsche 153
EET7-1B32-00B Jaguar 96
EET7-1B32-03C Jaguar 96
EET7-1B32-04C Jaguar 97
EET7-1B32-05B Jaguar 97
EET7-1B32-07B Jaguar 97
EET7-1B32-12B Jaguar 97
EET9-1B32-00B Porsche 150
EET9-1B32-01B Porsche 150
EET9-1B32-02CB Porsche 150
EET9-1B32-03B Porsche 153
EET9-1B32-04B Porsche 150
EET9-1B32-43B Porsche 153
EET9-1B32-51C Porsche 153
EET9-1B72-50B Porsche 153
EET9-1B72-51C Porsche 153
EFC1-1152-10A TVR 163
EFC1-1152-11A TVR 164
EFC1-1152-12A TVR 164
EFC1-1152-13A TVR 164
EFC1-1152-55A TVR 164
EFC1-1152-56A TVR 164
EFC1-1152-57A TVR 164
EFC1-1152-58A TVR 164
EFC1-1352-01C VW 172
EFC1-1352-02B VW 173
EFC1-1352-02C VW 175
EFC1-1352-03C VW 171
EFC1-1552-84C Porsche 152
EFC1-1B52-23C VW 177

Part Number Index (continued)

EFC1-6352-01B	VW	173
EFC1-6352-01C	VW	173
EFC1-6352-02B	VW	175
EFC1-6352-02C	VW	176
EHT1-1B52-05C660	VW	171
EMP1-1B32-00C	Classic Black	4
EMP1-1B32-02C	Classic Magnolia	26
EMP1-1B32-03C	AC Cobra	44
EMP1-1B32-04C	Classic Magnolia	26
EMP1-1B32-07C	Classic Magnolia	26
EMP1-1B32-07C	AC Cobra	43
EMP34-1KIT	Accessories	197
EMP44-1KIT	Accessories	197
EMP45-1	Motorcycle	142
EMP45-1	Accessories	197
EMP46-1KIT	Accessories	197
EMP46-2KIT	Accessories	197
EMP48-12N	Accessories	197
EMP48-1KIT	Accessories	197
EOP1-1352-10A	TVR	164
EOP1-1352-11A	TVR	164
EOP1-1352-12A	TVR	164
EOP1-1352-13A	TVR	165
EOP1-1352-55A	TVR	165
EOP1-1352-56A	TVR	165
EOP1-1352-57A	TVR	165
EOP1-1352-58A	TVR	165
EOP1-1352-81C	Porsche	152
EOP1-1552-37C	VW	171
EOP1-1552-38B	VW	173
EOP1-1552-38C	VW	173
EOP1-1552-41C	VW	173
EOP1-1552-43C	VW	173
EOP1-1B32-09B	Jaguar	89
EOP1-1B52-37C	VW	177
EOP1-6352-00C	Porsche	149
EOT1-1452-23A	TVR	166
EOT1-1452-24A	TVR	166
EOT1-1452-25A	TVR	166
EOT1-1452-26C	VW	176
EOT1-1452-27B	VW	173
EOT1-1452-27C	VW	173
EOT1-1452-32A	TVR	166
EOT1-1452-33A	TVR	166
EOT1-1452-35A	TVR	166
EOT1-1452-36A	TVR	166
ETO3-1B32-00B	Porsche	150
ETO3-1B32-43B	Porsche	151
ETO3-1B72-50B	Porsche	152
ETO3-1B72-51B	Porsche	149
ETO3-1B72-51C	Porsche	152
ETO5-1B32-10B	Porsche	149
ETO5-1B32-15B	Porsche	152
ETO5-1B32-27B	Porsche	152
ETO5-1B32-43B	Porsche	152
ETO5-1B32-57C	Porsche	152
ETO5-1B72-50B	Porsche	149
ETO5-1B72-50C	Porsche	149
ETO5-1B72-51C	Porsche	152
ETO5-1B72-52B	Porsche	152
ETP1-3932-55A	TVR	167
ETP1-3932-56A	TVR	168
ETP1-3932-57A	TVR	167
ETP1-3932-58A	TVR	168
EVO1-1052-10A	TVR	167
EVO1-1052-11A	TVR	167
EVO1-1052-12A	TVR	167
EVO1-1052-13A	TVR	167
EVO1-1052-55A	TVR	167
EVO1-1052-56A	TVR	167
EVO1-1052-57A	TVR	167
EVO1-1052-58A	TVR	167
EVO1-1052-95C	VW	171
EVO1-1052-96B	VW	172
EVO1-1052-96C	VW	172
F		
FAC1-1052-00C	Flight	71
FAC1-1052-09C	AC Cobra	43
FAT1-1B52-00C	Flight	72
FCT1-1B52-00C	Flight	71
FCT1-1B52-35C	Flight	71
FCT1-1B52-44C	AC Cobra	40
FES3-1B52-00C	Flight	72
FES3-1B52-01C	Flight	72
FES3-1B52-02C	Flight	72
FES3-1B52-35B	TVR	170
FES3-1B52-36B	TVR	170
FES5-1B52-00C	Flight	72
FES5-1B52-01C	Flight	72
FES5-1B52-02C	Flight	72
FET1-1B52-00C	Flight	72
FET3-1B32-00B	TVR	168
FET3-1B52-00C	Flight	73
FET3-1B52-01C	Flight	73
FET5-1B52-00C	Flight	73
FET5-1B52-01C	AC Cobra	44
FET5-1B52-08C	Flight	73
FET5-1B52-14C	Flight	73
FFC1-1B52-00C	Flight	71
FG2530-05	MG	117
FG2530-06	Land Rover	99
FG2530-20	Triumph	161
FG2530-56	Aston Martin	47
FG2530-70	MG	116
FG2530-71	Lotus	106
FG2530-71C	Lotus	109
FG2530-72B	Jaguar	85
FG2530-72C	MG	117
FMP1-1B52-00C	Flight	71
FOP1-1B52-00C	Flight	71
FOP1-1B52-02C	Flight	71
FOP1-1B52-17C	Flight	71
FOP1-1B52-33C	AC Cobra	38
FOT1-1B52-00C	Flight	72
FOT1-1B52-01C	AC Cobra	42
FT2330-05	Accessories	192
FT2345-00	Accessories	192
FT3331-02	Accessories	191
FT3334-50	Accessories	184
FT5300-09	Accessories	184
FT5300-28	Accessories	185
FT5300-29	Accessories	185
FT5300-73	Accessories	185
FT5301-06A	Accessories	185
FVO1-1B52-00C	Flight	72
FVO1-1B52-04C	AC Cobra	43
G		
GD1301-00B078	Dual Gauges	67
GD1301-00C078	Dual Gauges	67
GD1301-100C078	Dual Gauges	67
GD1301-102C072	Dual Gauges	59
GD1301-102C072	MG	113
GD1301-14C078	Dual Gauges	65
GD1301-14C078	MG	115
GD1301-150B055	Classic Black	6
GD1301-150B055	Dual Gauges	51
GD1301-15C-078	Classic Black	6
GD1301-15C-078	Dual Gauges	52
GD1301-15C078	Dual Gauges	51
GD1301-15C078	Mini	133
GD1301-19B078	Dual Gauges	67
GD1301-19C078	Dual Gauges	58
GD1301-20C078	Dual Gauges	69
GD1301-21B072	Dual Gauges	63
GD1301-21B072	MG	115
GD1301-21B072	Triumph	158
GD1301-21C072	Dual Gauges	64
GD1301-21C072	MG	113
GD1301-21C091	Dual Gauges	69
GD1301-23-078	Dual Gauges	68
GD1301-23C030	Dual Gauges	68
GD1301-23C078	Dual Gauges	67
GD1301-23C078	Lotus	106
GD1301-45C078	Dual Gauges	64
GD1301-45C078	MG	113
GD1301-53C078	MG	114
GD1301-61	Dual Gauges	69
GD1301-61C078	Dual Gauges	58
GD1301-61C078	MG	114
GD1301-62B072	Dual Gauges	58
GD1301-62B072	MG	115
GD1301-62B078	Dual Gauges	58
GD1301-62B078	MG	115
GD1301-62C072	Dual Gauges	60
GD1301-63C072	MG	114
GD1301-64B078	Dual Gauges	53
GD1301-64C020	Dual Gauges	53
GD1301-64C039	Classic Black	5
GD1301-64C039	Dual Gauges	53
GD1301-64C078	Classic Black	5
GD1301-64C078	Dual Gauges	53
GD1301-64C078	MG	113
GD1301-65C078	Dual Gauges	50
GD1301-66B078	Dual Gauges	52
GD1301-66C078	Classic Black	5
GD1301-66C078	Dual Gauges	52
GD1301-69C078	Classic Black	5
GD1301-69C078	Dual Gauges	53
GD1301-70C078	Classic Magnolia	25
GD1301-70C078	Dual Gauges	57
GD1301-72B078	Jaguar	98
GD1301-73B078	Jaguar	98
GD1301-75C072	Dual Gauges	65
GD1301-75C072	MG	115
GD1301-76C078	Classic Black	6
GD1301-81C072	Classic Magnolia	25
GD1301-81C078	Dual Gauges	65
GD1301-81C078	MG	115
GD1301-82B078	Dual Gauges	58
GD1301-82B096	Dual Gauges	68
GD1301-82C120	Dual Gauges	59
GD1301-82C140	Dual Gauges	59
GD1301-83C078	Dual Gauges	69
GD1301-83C078	MG	114
GD1301-84C078	Dual Gauges	57
GD1301-85C078	Dual Gauges	65
GD1301-85C078	MG	115
GD1301-86B078	Dual Gauges	58
GD1301-86C078	Dual Gauges	58
GD1301-87C072	Dual Gauges	59
GD1301-87C078	Dual Gauges	58
GD1301-87C078	MG	116
GD1301-88C078	Classic Black	6
GD1301-88C078	Dual Gauges	53
GD1301-89B078	Classic Black	6
GD1301-89B078	Dual Gauges	52
GD1301-89C078	Classic Black	6
GD1301-89C078	Dual Gauges	51
GD1301-90B072	Dual Gauges	69
GD1301-90C072	Dual Gauges	69
GD1301-91C078	Dual Gauges	69
GD1301-93B078	Dual Gauges	69
GD1301-94C078	Dual Gauges	59
GD1301-96C078	Dual Gauges	65
GD1301-96C078	MG	115
GD1301-97C078	Dual Gauges	57
GD1301-99C072	Dual Gauges	60
GD1302-45C078	MG	116
GD1310-00B078	Classic Black	6

Part Number Index (continued)

GD1310-00B078	Dual Gauges	51
GD1310-00C039	Dual Gauges	52
GD1310-00C078	Classic Black	6
GD1310-00C078	Dual Gauges	50
GD1310-00C078	Mini	130
GD1310-00C120	Dual Gauges	70
GD1310-01C120	Dual Gauges	70
GD1310-04B078	Dual Gauges	55
GD1310-04B096	Dual Gauges	70
GD1310-04B108	Jaguar	98
GD1310-04B144	Dual Gauges	55
GD1310-04C022	Classic Black	6
GD1310-04C022	Dual Gauges	56
GD1310-04C072	Dual Gauges	68
GD1310-04C108	Jaguar	98
GD1310-04C144	Dual Gauges	68
GD1310-05C078	Dual Gauges	53
GD1310-11C078	Dual Gauges	50
GD1310-13B078	Classic Black	6
GD1310-13B078	Dual Gauges	52
GD1310-14C014	Dual Gauges	56
GD1310-16B080	Dual Gauges	66
GD1310-16B080	Land Rover	99
GD1310-16BB	Dual Gauges	68
GD1310-16BB	Land Rover	99
GD1310-17B078	Dual Gauges	54
GD1310-17B090	Dual Gauges	54
GD1310-19B048	Classic Black	7
GD1310-19B048	Dual Gauges	54
GD1310-19B078	Dual Gauges	68
GD1310-20B080	Dual Gauges	67
GD1310-20B080	Land Rover	99
GD1310-23C078	Classic Black	7
GD1310-23C078	Dual Gauges	56
GD1310-25C078	Classic Black	7
GD1310-25C078	Dual Gauges	53
GD1310-28C078	Dual Gauges	68
GD1310-28C078	MG	114
GD1500-103C078	Dual Gauges	68
GD1500-116B078	Dual Gauges	70
GD1500-116B086	Dual Gauges	70
GD1500-116B115	Dual Gauges	70
GD1500-118	Dual Gauges	70
GD1500-118-C078	Dual Gauges	54
GD1500-118-C096	Dual Gauges	54
GD1500-119	Dual Gauges	70
GD1500-119-C072	Dual Gauges	55
GD1500-37	Lotus	109
GD1500-37-EX	Dual Gauges	56
GD1500-37-EX	Lotus	111
GD1500-37C0105	Dual Gauges	70
GD1500-37C072	Dual Gauges	70
GD1500-37C078	Classic Black	7
GD1500-37C078	Dual Gauges	54
GD1500-37XC072	Dual Gauges	56
GD1500-37XC072	Lotus	111
GD1500-89C078	Dual Gauges	68
GD1501-01C078	Dual Gauges	61
GD1501-01C078	MG	114
GD1501-04C078	Dual Gauges	62
GD1501-04C078	MG	114
GD1501-14C078	Dual Gauges	63
GD1501-14C078	MG	114
GD1501-15C078	Dual Gauges	63
GD1501-15C078	MG	114
GD1502-06C072	Dual Gauges	62
GD1502-06C072	MG	114
GS202	Accessories	196

H

HF22000-00-084	Accessories	182

I

IAC1-1052-00B	International	77
IAC1-1052-00C	International	77
IAC1-1052-01B	International	77
IAC1-1052-01C	International	77
IAM1-0052-03B	International	77
IAM1-0052-03C	International	77
IAM1-0052-06B	International	77
IAM1-0052-06C	International	77
IES3-1B32-00B	International	79
IES3-1B32-00C	International	80
IES3-1B32-01B	International	79
IES3-1B32-01C	International	80
IES3-1B32-02B	International	79
IES3-1B32-02C	International	80
IES3-1B32-03B	International	79
IES3-1B32-03C	International	80
IES5-1B32-00B	International	79
IES5-1B32-00B	International	80
IES5-1B32-00C	International	80
IES5-1B32-01B	International	79
IES5-1B32-01B	International	80
IES5-1B32-01C	International	80
IES5-1B32-02B	International	79
IES5-1B32-02B	International	80
IES5-1B32-02C	International	81
IES5-1B32-03B	International	80
IES5-1B32-03B	International	81
IES5-1B32-03C	International	81
IET3-5B32-00B	International	81
IET3-5B32-00C	International	81
IET3-5B32-03B	International	81
IET3-5B32-03C	International	81
IET5-5B32-00B	International	81
IET5-5B32-00B	International	82
IET5-5B32-00C	International	82
IET5-5B32-02B	International	82
IOP1-1552-07B	International	78
IOP1-1552-10B	International	78
IOP1-1552-10C	International	78
IOP1-1552-15B	International	78
IOT1-1452-15B	International	78
IOT1-1452-15C	International	78
IOT1-1452-50B	International	78
IP3231-09	Land Rover	100
IP3247-01	Land Rover	100
ITT1-1452-15B	International	78
IVO1-1052-02B	International	78
IVO1-1052-02B	International	79
IVO1-1052-02C	International	79
IVO1-1052-03B	International	78
IVO1-1052-03C	International	79

L

LK-2	Classic Black	5
LK-2	Classic Magnolia	26
LK-2	GT40	74
LK-2	Telemetrix	154
LK-2	Telemetrix	155
LK-2	Accessories	182

P

PAC1-1051-10B	Lotus	108
PAC1-1051-22B	Lotus	108
PAC1-1054-00A	Prism	179
PCT1-1B51-00B	Lotus	109
PCT1-1B53-00B	Land Rover	104
PCT1-1B54-00A	Prism	179
PES5-1B51-00B	Lotus	110
PES5-1B51-01B	Lotus	110
PES5-1B51-02B	Lotus	111
PES5-1B53-00B	Land Rover	104
PES5-1B53-01B	Land Rover	105
PES5-1B54-02A	Prism	179
PET1-1B53-00B	Land Rover	104
PET1-1B53-01B	Land Rover	104
PET5-1B51-00B	Lotus	110
PFC1-1B51-00B	Lotus	109
PFC1-1B53-00B	Land Rover	104
PG1310-00BB	Classic Black	4
PG1310-00C	Classic Black	5
PG1310-00C	Mini	129
PG1310-00CB	Classic Black	4
PG1310-00CB	Mini	129
PG1310-01B	Classic Black	5
PG1310-01C	Classic Magnolia	26
PG1310-01C	Mini	129
PG1310-01CB	Classic Black	4
PG1310-02C	AC Cobra	38
PG1310-02CB	AC Cobra	37
PG1310-033BB	GT40	76
PG1310-03CB	AC Cobra	39
PG1310-04C	AC Cobra	39
PG1310-07C	AC Cobra	39
PG1310-07CB	AC Cobra	38
PG1310-09B	GT40	74
PG1310-09BB	GT40	74
PG1310-10B	Jaguar	89
PG1310-17C	Classic Black	4
PG1310-18C	Classic Magnolia	26
PG1310-19C	AC Cobra	39
PG1310-19CB	AC Cobra	38
PG1310-20CB	AC Cobra	39
PG1310-21C	Classic Black	5
PG1310-27CB	AC Cobra	39
PG1310-29CB	Classic Black	22
PG1310-31B	Triumph	158
PG1310-32C	Triumph	158
PG1310-34CB	Classic Black	4
PG1310-35CB	AC Cobra	39
PG1310-36BB	Classic Black	22
PG1310-38BB	Classic Black	22
PG1310-38CB	Classic Black	22
PG1310-39CB	Classic Black	22
PG1310-40CB	Classic Black	3
PG1310-42CB	Classic Black	22
PG1310-44CB	Classic Black	23
PG1310-45CB	Classic Black	4
PG1310-46CB	Classic Magnolia	26
PG1310-46CB	Mini	129
PG1310-48CB	AC Cobra	38
PG1310-49CB	AC Cobra	39
PG1310-50CB	AC Cobra	39
PG1310-51C	Classic Black	5
PG1310-52CB	AC Cobra	38
PG1310-53CB	AC Cobra	39
PG1310-60CB	Classic Black	3
PG1310-81CB	AC Cobra	38
PG1310-85CB	AC Cobra	38
PG1501-00	Jaguar	89
PG1502-39	Aston Martin	47
PG1504-02	Jaguar	98
PL2300-04	Jaguar	89
PL2300-04C	Jaguar	98
PL2300-05	Jaguar	98
PL2303-05	Sunbeam	178
PL2310-00	Mini	133
PL2310-00FVB	Land Rover	100
PL2310-00W	Mini	133
PL2310-05	Mini	129
PL2310-06	Classic Magnolia	26
PL2324-00	MG	113
PL2328-00C	Classic Black	5
PL2328-00C	Mini	129
PL2328-03C	Mini	132
PL2328-04C	Classic Magnolia	26
PL2328-04C	Mini	129
PL2328-06C	Classic Black	5
PL2328-06C	Mini	133
PL2328-07C	Classic Magnolia	26
PL2328-09C	Mini	133

Part Number Index (continued)

PL2329-00B	Jaguar	89
PL2329-00FVB	Jaguar	90
PL2561-00	Triumph	161
PL2561-01	Triumph	161
PMP1-1B51-00B	Lotus	108
POP1-1B51-00B	Lotus	109
POT1-1B54-00A	Prism	179
PTR1000-2U-10	Accessories	195
PTR1000-6-10	Classic Black	4
PTR1000-6-10	AC Cobra	37
PTR1000-6-10	Accessories	193
PTR1001-06	Accessories	193
PTR1001-08	Accessories	195
PTR1001-10EC	Accessories	193
PTR1002-10EC	Accessories	195
PTR1005-10	Accessories	195
PTR1005-M12-10	Accessories	193
PTR1006-10	Accessories	195
PTR1012-06	Accessories	195
PTR1015-06	Accessories	193
PTR1801-10	Accessories	194
PTR1810-1-10	Accessories	194
PTR1811-06	Accessories	194
PTR1811-10	Accessories	194
PTR1812-06	Accessories	194
PTR1812-10	Accessories	194
PTR1813-06	Accessories	194
PTR2011-015	Accessories	195
PTR3000-8N-10	Classic Magnolia	26
PTR3000-8N-10	Accessories	194
PTR3000-8N-14	Accessories	195
PTTR2300-03-8NKIT	Accessories	196
PTTR2300-10-4NKIT	Accessories	196
PTTR2300-10-8NKIT	Classic Black	4
PTTR2300-10-8NKIT	Accessories	196
PTTR2300-16-8NKIT	Accessories	196
PVO1-1B52-01C	AC Cobra	43

R

RC167	Jaguar	97
RES3-1B52-00C	Motorcycle	137
RES3-1B52-01C	Motorcycle	137
RES3-1B52-02C	Motorcycle	137
RES3-1B52-03C	Motorcycle	137
RES3-1B52-04C	Motorcycle	137
RES3-1B52-05C	Motorcycle	137
RES3-1B52-06C	Motorcycle	137
RES3-1B52-07C	Motorcycle	139
RES3-1B52-08C	Motorcycle	137
RES3-1B52-10C	Motorcycle	138
RES3-1B52-11C	Motorcycle	138
RES3-1B52-13C	Motorcycle	139
RES3-1B52-14C	Motorcycle	138
RES3-1B52-15B	Motorcycle	138
RES3-1B52-15C	Motorcycle	138
RES3-1B52-16C	Motorcycle	138
RES3-1B52-17C	Motorcycle	138
RES3-1B52-20C	Motorcycle	138
RES3-1B52-21C	Motorcycle	138
RES3-1B52-22C	Motorcycle	138
RES3-1B52-23C	Motorcycle	139
RES3-1B52-24C	Motorcycle	139
RES3-1B52-25C	Motorcycle	139
RES3-1B52-26C	Motorcycle	139
RES3-1B52-28C	Motorcycle	139
RES3-1B52-31C	Motorcycle	139
RES5-1B52-01C	Motorcycle	139
RES5-1B52-03C	Motorcycle	139
RET3-1A32-01	Motorsport	143
RET3-1A32-02	Motorsport	143
RET3-1A32-03	Motorsport	143
RET3-1A32-04	Motorsport	143
RET3-1A32-05	Motorsport	143
RET3-1A32-06	Motorsport	143
RET3-1A32-13	Motorsport	144
RET3-1A32-14	Motorsport	144
RET3-1A32-15	Motorsport	144
RET3-1A32-16	Motorsport	144
RET3-1A32-17	Motorsport	144
RET3-1A32-18	Motorsport	144
RET3-1A32-19	Motorsport	144
RET3-1A32-20	Motorsport	144
RET3-1A32-21	Motorsport	144
RET3-1A32-22	Motorsport	144
RET3-1A32-23	Motorsport	145
RET3-1A32-24	Motorsport	145
RET3-1A32-49	Motorsport	145
RET3-1A32-50	Motorsport	145
RET3-1A32-51	Motorsport	145
RET3-1A32-52	Motorsport	145
RET3-1A32-53	Motorsport	145
RET3-1A32-54	Motorsport	145
RET3-1B52-00C	Motorcycle	141
RET3-1B52-01C	Motorcycle	140
RET3-1B52-02C	Motorcycle	140
RET3-1B52-03C	Motorcycle	140
RET3-1B52-04C	Motorcycle	140
RET3-1B52-06C	Motorcycle	140
RET3-1B52-11C	Motorcycle	141
RET3-1B52-13C	Motorcycle	140
RET3-1B52-14B	Motorcycle	140
RET3-1B52-14C	Motorcycle	140
RET3-1B52-20C	Motorcycle	141
RET3-1B52-21C	Motorcycle	141
RET3-1B52-22C	Motorcycle	141
RET3-1B52-23C	Motorcycle	141
RET3-1B52-31C	Motorcycle	141
RET3-1B52-32C	Motorcycle	141
RET3-1B52-33C	Motorcycle	141
RET5-1A32-01	Motorsport	145
RET5-1A32-02	Motorsport	145
RET5-1A32-03	Motorsport	146
RET5-1A32-04	Motorsport	146
RET5-1A32-05	Motorsport	146
RET5-1A32-06	Motorsport	146
RET5-1A32-13	Motorsport	146
RET5-1A32-14	Motorsport	146
RET5-1A32-15	Motorsport	146
RET5-1A32-16	Motorsport	146
RET5-1A32-17	Motorsport	146
RET5-1A32-18	Motorsport	146
RET5-1A32-19	Motorsport	147
RET5-1A32-20	Motorsport	147
RET5-1A32-21	Motorsport	147
RET5-1A32-22	Motorsport	147
RET5-1A32-23	Motorsport	147
RET5-1A32-24	Motorsport	147
RET5-1A32-39	Motorsport	147
RET5-1A32-40	Motorsport	147
RET5-1A32-41	Motorsport	147
RET5-1A32-42	Motorsport	147
RET5-1A32-43	Motorsport	148
RET5-1A32-44	Motorsport	148
RET5-1B52-00C	Motorcycle	141
RET5-1B52-01B	Motorcycle	142
RET5-1B52-01C	Motorcycle	142
RET5-1B52-02C	Motorcycle	142
RET7-1B52-00C	Motorcycle	142
RMP3-3832-01	Motorsport	148
RN1319-00	Triumph	160
RN1319-02	Triumph	160
RN1319-04	Triumph	160
RN1326-00AS	Triumph	160
RN2306-00	Lotus	108
RN2306-00CB	Lotus	110
RN2312-01CB	MG	117
RN2352-01CB	Aston Martin	47
RV7403-00BB	Jaguar	93
RV7413-03	Jaguar	92
RV7413-16	Jaguar	92
RV7414-05	Jaguar	92
RV7414-06	Jaguar	92
RV7414-09	Jaguar	93
RV7414-10	Jaguar	93
RV7414-11	Jaguar	93
RVC1-1B32-00C	Classic Black	15
RVC1-1B32-01C	Classic Magnolia	30
RVC1-1B32-03C	Classic Black	16
RVC1-1B32-04C	Classic Magnolia	30
RVC1004-00CB	Classic Black	14
RVC1004-00CB	Mini	131
RVC1004-00CBEMPI	Classic Black	16
RVC1004-00CBSPEEDWELL	Classic Black	16
RVC1004-01CB	Mini	131
RVC1004-02CB	Classic Magnolia	28
RVC1004-02CB	Mini	131
RVC1004-06CB	Classic Black	14
RVC1004-07CB	Classic Magnolia	30
RVC1004-08CB	Mini	131
RVC1006-00BB	Mini	131
RVC1006-00CB	Classic Black	14
RVC1006-00CB	Mini	131
RVC1006-00CBEMPI	Classic Black	16
RVC1006-00CBPOS	Mini	131
RVC1006-01CB	Mini	132
RVC1006-02CB	Classic Magnolia	29
RVC1006-02CB	Mini	131
RVC1006-05CB	Mini	131
RVC1006-07CB	Classic Black	14
RVC1006-08CB	Classic Magnolia	29
RVC1410-00CB	MG	124
RVC1414-00CB	MG	124
RVC1414-01CB	MG	124
RVC1490-00CB	Classic Black	15
RVC1490-01CB	Classic Magnolia	29
RVC1490-06CB	Classic Black	15
RVC1490-07CB	Classic Magnolia	29
RVC1490-09BB	Lotus	110
RVC1690-00CB	Classic Black	15
RVC1690-01CB	Classic Magnolia	29
RVC1690-02CB	Classic Magnolia	29
RVC1690-03CB	Classic Black	15
RVC1810-00CB	MG	124
RVC1890-00BB	Classic Black	16
RVC1890-00CB	Classic Black	15
RVC1890-01CB	Classic Magnolia	29
RVC1890-02CB	Classic Black	16
RVC1890-03CB	Classic Magnolia	29
RVC1B90-10C	Classic Magnolia	30
RVC1B90-11C	Classic Magnolia	30
RVC1B90-14C	Classic Black	16
RVC1B90-15C	Classic Black	16
RVC2010-00CB	Jaguar	97
RVC2415-00CB	MG	126
RVC2490-00CB	Classic Black	15
RVC2490-01CB	Classic Magnolia	29
RVC2490-08CB	Classic Black	15
RVC2490-09CB	Classic Magnolia	29
RVC2490-19CB	Porsche	149
RVC2490-24CB	Classic Black	15
RVC2490-25CB	Classic Magnolia	30
RVC2490-27BB	Land Rover	104
RVC2690-00CB	Classic Black	15
RVC2690-01CB	Classic Magnolia	30
RVC2690-02CB	Classic Black	17
RVC2690-03CB	Classic Magnolia	30
RVC2811-00CB	Triumph	159
RVC2816-00CB	AC Cobra	44
RVC2816-01CB	AC Cobra	44
RVC2816-04BB	GT40	75

Part Number Index (continued)

RVC2816-05BB GT40 76
RVC2816-06BB GT40 76
RVC2816-08CB AC Cobra 44
RVC2816-11CB AC Cobra 44
RVC2816-13CB AC Cobra 44
RVC2890-00CB Classic Black 16
RVC2890-01CB Classic Magnolia 30
RVC2890-03CB Classic Black 16
RVC2890-04CB Classic Magnolia 30
RVI1432-00CB Lotus 110
RVI1433-00CB MG 124
RVI1439-00CB MG 124
RVI2401-00CA MG 124
RVI2401-00CB MG 124
RVI2401-00CBPOS MG 125
RVI2401-01CB MG 125
RVI2402-00BB Lotus 106
RVI2402-00CB Lotus 110
RVI2402-04CC Lotus 110
RVI2410-04CB Lotus 110
RVI2415-00BB MG 125
RVI2415-00CB MG 125
RVI2415-01CB MG 123
RVI2415-02CB MG 125
RVI2415-03CB MG 125
RVI2415-04CB MG 125
RVI2419-00CB Lotus 110
RVI2430-00BB MG 126
RVI2430-00CB MG 126
RVI2434-00CB Lotus 111
RVI2440-00CB MG 126
RVI2600-00A Aston Martin 47
RVI2619-00CB MG 126
RVI2630-00BB MG 126
RVI2630-00CB MG 126
RVI2812-03CB Sunbeam 178
RVI2819-00BB Triumph 159
RVI4600-00 Jaguar 93
RVI4600-00HRB Jaguar 97
RVI4600-00L Jaguar 93
RVI4610-00 Jaguar 93
RVI4612-00 Jaguar 93
RVI4612-02FV Jaguar 94
RVI4612-02HR Jaguar 94
RVI4612-02NEG Jaguar 94
RVI4612-03 Jaguar 98

S

SN3102-09 Land Rover 99
SN3102-10 Land Rover 99
SN3102-11 Land Rover 99
SN3102-12 Land Rover 100
SN3152-11 Land Rover 100
SN3152-12 Land Rover 100
SN3327-00 GT40 76
SN3327-02BB GT40 76
SN3327-03 GT40 76
SN3327-04BB GT40 76
SN3327-08 GT40 76
SN3391-01 Land Rover 105
SN3391-02 Land Rover 105
SN3391-03 Land Rover 105
SN3391-04 Land Rover 105
SN4417-18CC Mini 134
SN4417-19CC Mini 134
SN4417-20CC Mini 135
SN4417-62CC Mini 135
SN4421-00CC Mini 134
SN4421-00SA Mini 127
SN4421-01CC Mini 134
SN4421-01SA Mini 127
SN4421-03SA Mini 127
SN4421-32 Mini 127
SN4421-32CC Mini 135
SN4421-32CS Mini 127
SN4421-33 Mini 127
SN4421-33CC Mini 135
SN4421-34CC Mini 127
SN4421-35CC Mini 128
SN4421-60 Mini 127
SN4421-60CC Mini 134
SN4421-61 Mini 128
SN4421-61CC Mini 135
SN4421-62 Mini 128
SN4421-62CC Mini 134
SN4421-63 Mini 128
SN4421-63CC Mini 135
SN4421-70 Mini 128
SN4421-71 Mini 128
SN4421-72CC Mini 135
SN4421-73 Mini 128
SN4421-73CC Mini 135
SN4421-74 Mini 128
SN4421-75 Mini 128
SN4421-77 Mini 135
SN4421-79 Mini 135
SN5226-00 MG 118
SN5226-01 MG 118
SN5226-10 MG 118
SN5226-12CB Lotus 111
SN5226-13 Lotus 107
SN5226-13CB Lotus 111
SN5230-011CB MG 118
SN5230-012CB MG 123
SN5230-11CB MG 118
SN5230-11S MG 118
SN5230-12CB MG 118
SN5230-12S MG 118
SN5230-13 MG 119
SN5230-15 MG 119
SN5230-15C MG 119
SN5231-00 MG 119
SN5234-00 MG 119
SN5234-02 MG 119
SN5234-04C Classic Black 21
SN5234-04CB Classic Black 18
SN5234-05C Classic Black 21
SN5234-05CB Classic Black 18
SN5234-06C Classic Black 21
SN5234-06CB Classic Black 18
SN5234-07C Classic Black 21
SN5234-07CB Classic Black 18
SN5234-08C Classic Magnolia 31
SN5234-08CB Classic Magnolia 32
SN5234-09C Classic Magnolia 31
SN5234-09CB Classic Magnolia 32
SN5234-10C Classic Magnolia 31
SN5234-10CB Classic Magnolia 32
SN5234-11C Classic Magnolia 31
SN5234-11CB Classic Magnolia 32
SN5234-36C Classic Black 18
SN5234-36CB Classic Black 19
SN5234-37C Classic Black 19
SN5234-37CB Classic Black 19
SN5234-38C Classic Black 19
SN5234-38CB Classic Black 19
SN5234-39C Classic Black 19
SN5234-39CB Classic Black 19
SN5234-40C Classic Magnolia 31
SN5234-40CB Classic Magnolia 33
SN5234-41C Classic Magnolia 31
SN5234-41CB Classic Magnolia 33
SN5234-42C Classic Magnolia 31
SN5234-42CB Classic Magnolia 33
SN5234-43C Classic Magnolia 32
SN5234-43CB Classic Magnolia 33
SN5234-50CB MG 119
SN5321-14 Sunbeam 178
SN5346-02 AC Cobra 46
SN5346-02CB AC Cobra 44
SN5346-03CB AC Cobra 44
SN5346-04 AC Cobra 46
SN5346-04CB AC Cobra 44
SN5346-05CB AC Cobra 45
SN5346-06CB AC Cobra 45
SN5346-07CB AC Cobra 45
SN5346-08CB AC Cobra 45
SN5346-12 AC Cobra 46
SN5346-19 AC Cobra 46
SN5346-19CB AC Cobra 45
SN5346-20 AC Cobra 46
SN5346-20CB AC Cobra 45
SN5346-21CB AC Cobra 45
SN5346-22CB AC Cobra 45
SN5346-24CB AC Cobra 45
SN5346-25CB AC Cobra 45
SN5346-26CB AC Cobra 46
SN5346-34CB AC Cobra 46
SN5412-00 Jaguar 92
SN6104-06CB MG 117
SN6125-04 MG 120
SN6125-04A MG 120
SN6125-05 MG 120
SN6125-06 MG 120
SN6125-06A MG 120
SN6136-00A Lotus 106
SN6136-00AC Lotus 111
SN6136-00BB Lotus 111
SN6136-00CB Lotus 111
SN6136-01A Lotus 107
SN6136-04 Lotus 107
SN6138-00 Lotus 106
SN6142-01 MG 120
SN6142-07 MG 120
SN6142-09CB MG 120
SN6144-00 MG 121
SN6144-000CB MG 122
SN6144-003CB MG 123
SN6144-00CB MG 122
SN6144-01 MG 121
SN6144-01CB MG 123
SN6144-02 MG 121
SN6144-03CB MG 122
SN6144-10 MG 123
SN6144-11 MG 121
SN6144-20 MG 121
SN6144-23 MG 121
SN6144-24 MG 121
SN6144-28 MG 121
SN6144-36C MG 123
SN6144-36CB MG 122
SN6144-37C MG 123
SN6144-38CB MG 122
SN6144-39CB MG 117
SN6153-101 Lotus 107
SN6153-102 Lotus 107
SN6153-103 Lotus 107
SN6153-104 Lotus 108
SN6153-64 Aston Martin 47
SN6153-65 Aston Martin 47
SN6153-85 Aston Martin 47
SN6153-89 Aston Martin 47
SN6155-21 Austin Healey 49
SN6155-22 Austin Healey 49
SN6161-07 MG 117
SN6201-06 Triumph 159
SN6207-08 Lotus 107
SN6207-08CB Lotus 107
SN6207-09 Lotus 108
SN6207-10 Lotus 107

Part Number Index (continued)

SN6207-10CB Lotus 107
SN6207-11 Lotus 108
SN6207-11-A Lotus 108
SN6212-005BB Triumph 159
SN6212-005CB Triumph 159
SN6212-00S Triumph 159
SN6212-20CB Triumph 159
SN6215-02 Triumph 159
SN6322-00 Jaguar 91
SN6322-01 Jaguar 90
SN6322-02 Jaguar 90
SN6322-04 Jaguar 90
SN6322-09 Jaguar 91
SN6322-09A Jaguar 91
SN6322-10 Jaguar 90
SN6322-10A Jaguar 90
SN6322-15 Jaguar 90
SN6322-18 Jaguar 91
SN6322-29 Jaguar 91
SN6322-30 Jaguar 90
SN6322-47 Jaguar 90
SN6322-48 Jaguar 91
SN6322-49 Jaguar 91
SN6332-00 Jaguar 91
SN6332-02 Jaguar 91
SN6332-05A Jaguar 91
SN6332-06 Jaguar 92
SN6332-15 Jaguar 92
SNT5372-05 Lotus 108
SNT5372-06 Lotus 108
SNT5372-06C Classic Black 21
SNT5372-06CB Classic Black 19
SNT5372-07B Classic Black 19
SNT5372-07BB Classic Black 19
SNT5372-07C Classic Black 21
SNT5372-07CB Classic Black 18
SNT5372-09C Classic Black 21
SNT5372-09CB Classic Black 18
SNT5372-10C Classic Black 21
SNT5372-10CB Classic Black 18
SNT5372-16C Classic Magnolia 31
SNT5372-16CB Classic Magnolia 33
SNT5372-17C Classic Magnolia 31
SNT5372-17CB Classic Magnolia 33
SNT5372-18C Classic Magnolia 31
SNT5372-18CB Classic Magnolia 33
SNT5372-19C Classic Magnolia 32
SNT5372-19CB Classic Magnolia 33
SNT5372-46C Classic Black 22
SNT5372-47C Classic Black 22
SNT5372-48C Classic Black 22
SNT5372-49C Classic Black 22
SNT5372-50C Classic Magnolia 32
SNT5372-51C Classic Magnolia 32
SNT5372-52C Classic Magnolia 32
SNT5372-53C Classic Magnolia 32
SNT5372-60CB Classic Black 20
SNT5372-61CB Classic Black 20
SNT5372-62CB Classic Black 20
SNT5372-63CB Classic Black 20
SNT5372-64CB Classic Magnolia 33
SNT5372-65CB Classic Magnolia 33
SNT5372-66CB Classic Magnolia 34
SNT5372-67CB Classic Magnolia 34
SNT5372-71CB Porsche 149
SNT5372-77CB Porsche 149
SNT6209-07 Land Rover 100
SNT6209-10AS Land Rover 101
SNT6209-24 Land Rover 101
SNT6209-26 Land Rover 101
SNT6209-28 Land Rover 101
SNT6209-32 Land Rover 101
SNT6209-42 Land Rover 101
SNT6211-04S Triumph 160
SNT6211-12S Triumph 160
SNT6211-12SB Triumph 159
SNT6211-14SB Triumph 161
SRT3-1B32-01B Motorcycle 142
SRT3-1B32-05B Motorcycle 142
SRT3-1B32-08B Motorcycle 142
SRT3-1B32-09B Motorcycle 142

T

T3005-8N Classic Black 9
TA9010-000 Accessories 183
TA9030-000 Accessories 183
TA9030-100 Accessories 183
TA9040-000 Accessories 183
TA9050-100 Accessories 183
TA9110-000 Accessories 183
TAC1-1052-00 Telemetrix 154
TAC1-1052-01 Telemetrix 154
TACHOPODSPUN Accessories 202
TAM1-0052-03 Telemetrix 154
TAM1-0052-06 Telemetrix 154
TB1114-001W Accessories 185
TB1114-023 Accessories 185
TB1114-031 Accessories 185
TB1114-031W Accessories 192
TB1114-034 Accessories 192
TB1214-001W Accessories 185
TB1214-004 Accessories 186
TB1214-010W Accessories 186
TB2114-003 Accessories 186
TB5532-072 Accessories 186
TB5532-090 Accessories 192
TB5532-099 Accessories 186
TB5532-103 Accessories 186
TB5532-104 Accessories 186
TB5532-108 Accessories 186
TB5532-109 Accessories 187
TB5632-003 Accessories 187
TB9006-000 Accessories 187
TB9006KIT Accessories 183
TB9010-000W Accessories 187
TB9010KIT Accessories 184
TB9011KIT Accessories 184
TB9012KIT Accessories 184
TB9013KIT Accessories 184
TB9014KIT Accessories 184
TB9018KIT Accessories 184
TB9022-000 Accessories 187
TB9022-003 Accessories 192
TB9022-005 Accessories 187
TB9055-005 Accessories 187
TBA9010-000 Accessories 187
TBS1114-000R Accessories 192
TBS1114-010 Accessories 188
TBS1114-011 Accessories 188
TBS1114-014R Accessories 188
TBS1114-028 Accessories 188
TBS1214-004 Accessories 188
TBS1214-013 Accessories 188
TBS1214-018 Accessories 188
TBS1214-019 Accessories 188
TBS1514-001 Accessories 189
TBS1514-005 Accessories 189
TBS2114-002 Accessories 189
TBS5114-000 Accessories 189
TBS5114-001 Accessories 189
TBS5114-021W Accessories 189
TBS5114-025W Accessories 189
TBS5214-006W Accessories 189
TBS5214-010W Accessories 190
TBS5214-014W Accessories 190
TBS5232-003 Accessories 190
TBS5232-009 Accessories 190
TBS5232-010 Accessories 190
TBS5232-015 Accessories 190
TBS5232-017 Accessories 190
TBS5514-018 Accessories 190
TBS5514-021 Accessories 191
TBS5514-022 Accessories 191
TBS9000-000W Accessories 191
TBS9000-001W Accessories 191
TCT1-1452-25 Telemetrix 155
TCT1-3832-002 Telemetrix 155
TES1800-2628 Accessories 198
TES1800-3028 Accessories 198
TES3-1B32-00 Telemetrix 156
TES3-1B32-01 Telemetrix 156
TES3-1B32-02 Telemetrix 156
TES3-1B32-03 Telemetrix 156
TES3-5B32-01 Telemetrix 156
TES5-1B32-00 Telemetrix 156
TES5-1B32-01 Telemetrix 156
TES5-1B32-02 Telemetrix 156
TES5-1B32-03 Telemetrix 156
TES5-1B32-04 Telemetrix 156
TET3-5B32-00 Telemetrix 157
TET3-5B32-03 Telemetrix 157
TET3-5B32-04 Telemetrix 157
TET5-5B32-00 Telemetrix 157
TF1001-508A Accessories 193
TF1104-040 Accessories 191
TF1104-049 Accessories 191
TFP1-3832-02 Telemetrix 155
TFP1-3832-07 Telemetrix 155
TFS9915-000R Accessories 192
TFS9915-001 Accessories 193
TG1301-23B078 AC Cobra 40
TG1301-23C078 AC Cobra 40
TG1301-23C114 AC Cobra 40
TG1301-23C156 AC Cobra 40
TG1301-23C168 AC Cobra 41
TG1301-23CB AC Cobra 40
TG1301-24B078 AC Cobra 42
TG1301-24C078 AC Cobra 41
TG1301-24C120 AC Cobra 42
TG1301-24CB AC Cobra 42
TG1301-26CB AC Cobra 41
TG1301-27CB AC Cobra 42
TG1301-30B078 GT40 75
TG1301-30B120 GT40 75
TG1301-30BB GT40 75
TG1301-30CB GT40 75
TG1301-31B078 GT40 75
TG1301-31B120 GT40 75
TG1301-31BB GT40 75
TG1301-36B078 Jaguar 87
TG1301-44CB AC Cobra 41
TG1301-45C078 AC Cobra 40
TG1301-46C078 AC Cobra 41
TG1301-61CB Classic Black 9
TG1301-62CB Classic Black 7
TG1301-63CB AC Cobra 41
TG1301-65CB AC Cobra 42
TG1301-66CB AC Cobra 41
TG1301-67C078 AC Cobra 41
TG1301-68C078 AC Cobra 41
TG1301-74CB AC Cobra 41
TG1301-83C Lotus 112
TG1303-01BB Classic Black 11
TG1303-01CB Classic Black 11
TG1303-05CB Classic Black 11
TG1305-01CB Lotus 109
TG1305-02CB Mini 133
TG1305-03CB Classic Magnolia 28
TG1305-04BB Classic Black 11
TG1305-04CB Classic Black 10

Part Number Index (continued)

TG1310-00C078	Classic Black	8
TG1310-00C078	Mini	130
TG1310-00CB	Classic Black	7
TG1310-00CB	Mini	130
TG1310-01B078	Classic Black	9
TG1310-01C078	Classic Black	9
TG1310-01C120	Classic Black	9
TG1310-01CB	Classic Black	8
TG1310-02C078	Classic Magnolia	27
TG1310-02C078	Mini	130
TG1310-02CB	Classic Magnolia	27
TG1310-02CB	Mini	130
TG1310-03CB	Classic Magnolia	28
TG1310-07C078	Mini	130
TG1310-07C090	Classic Black	8
TG1310-08C120	Mini	132
TG1310-09C078	Classic Black	9
TG1310-10C078	Classic Magnolia	27
TG1310-11C078	Classic Black	8
TG1310-12C078	Classic Black	8
TG1310-19CB	Classic Black	8
TG1310-20CB	Classic Black	8
TG1310-22CB	Classic Magnolia	28
TG1310-23C078	Classic Black	9
TG1310-23CB	Classic Black	9
TG1311-00B096	Classic Black	9
TG1311-00BB	Classic Black	10
TG1311-00C078	Mini	128
TG1311-00CB	Classic Black	10
TG1311-01B078	Classic Black	10
TG1311-01C020	Classic Black	10
TG1311-01C078	Classic Black	9
TG1311-02C078	Classic Magnolia	27
TG1311-02CB	Classic Magnolia	27
TG1311-06C078	Classic Black	9
TG1311-12C078	Classic Black	10
TG1311-12CB	Classic Black	10
TG1311-14CB	Classic Black	8
TG1501-12	Lotus	112
TG1501-12C078	Lotus	111
TG1501-14C070	Lotus	112
TG1501-15C070	Lotus	112
TG1501-15C078	Lotus	112
TG1501-36B078	Jaguar	87
TG1503-52	Lotus	112
TGD1301-64078	Dual Gauges	69
TGD1301-64078	Telemetrix	154
TGD1301-65078	Dual Gauges	69
TGD1301-65078	Telemetrix	154
TL2303-04	Aston Martin	47
TL2561-01	Triumph	162
TL2561-03	Triumph	161
TL2561-11	Triumph	161
TMP1-1B32-00	Telemetrix	155
TMP1-1B32-01	Telemetrix	155
TMP1-3832-21	Telemetrix	155
TOP1-3832-07	Telemetrix	154
TOP1-3832-10	Telemetrix	154
TOT1-1452-30	Telemetrix	155
TOT1-3832-002	Telemetrix	155
TT3001-8N	Classic Black	7
TT3001-8N	Classic Magnolia	27
TT3001-8N	Accessories	198
TT3005-8N	AC Cobra	42
TT3005-8N	Telemetrix	155
TT3005-8N	Accessories	198
TT3803-00A	Accessories	198
TT3804-00A	Accessories	199
TT3808-00	Accessories	198
TT4803-00A	Accessories	198
TT4803-01	Accessories	199
TT4806-00	Accessories	199
TT6811-01	Classic Black	7
TT6811-01	Classic Black	10
TT6811-01	AC Cobra	40
TT6811-01	AC Cobra	42
TT6811-01	Accessories	199
TT6811-03	Accessories	199
TT6820-00	Accessories	199
TTT1-1452-15	Telemetrix	155

V

V99-ML-3-81	Accessories	201
VG1302-03CB	Classic Black	11
VG1302-04CB	Classic Black	11