TVR



CLOCK — TVR

Part No. EAC1-1052-10A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



CLOCK — TVR

Part No. EAC1-1052-11A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



CLOCK — TVR

Part No. EAC1-1052-12A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



CLOCK — TVR

Part No. EAC1-1052-13A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



CLOCK — TVR

Part No. EAC1-1052-55A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



CLOCK — TVR

Part No. EAC1-1052-56A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



CLOCK — TVR

Part No. EAC1-1052-57A

Type: 12 Volt Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Full Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-10A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-11A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-12A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-13A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-55A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-56A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-57A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



FUEL GAUGE — TVR

Part No. EFC1-1152-58A

Type: 12 Volt Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-10A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-11A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-12A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-13A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-55A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-56A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-57A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — TVR

Part No. EOP1-1352-58A

Type: 12 Volt Electric
Range: 0-90 PSI
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-10A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-11A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-12A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-13A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-55A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-56A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-57A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



WATER TEMPERATURE — TVR

Part No. ECT1-1152-58A

Type: 12 Volt Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-23A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-24A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-25A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-32A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-33A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-35A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — TVR

Part No. EOT1-1452-36A

Type: 12 Volt Electric
Range: 50-150°C
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-10A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-11A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-12A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-13A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-55A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-56A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-57A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



VOLTMETER — TVR

Part No. EVO1-1052-58A

Type: 12 Volt Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-55A

Type: 12 Volt Electric
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Black
Incandescent Lighting
Bulb: A2. Capillary length: 20 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-57A

Type: 12 Volt Electric
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Cirrus White
Incandescent Lighting
Bulb: A2. Capillary length: 20 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-58A

Type: 12 Volt Electric
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Aluminium
Dial: Mint Green
Incandescent Lighting
Bulb: A2. Capillary length: 20 inches

Fitting Instructions



OIL PRESSURE & WATER TEMP — TVR

Part No. ETP1-3932-56A

Type: 12 Volt Electric
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: chrome
Dial: Black
Incandescent Lighting
Bulb: A2. Capillary length: 20 inches

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-01A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-03A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-11A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-12A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-32A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-66A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. EET5-1B32-79A

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



TACHOMETER — TVR

Part No. FET3-1B32-00B

Type: 12 Volt Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-01A

Type: 12 Volt Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-02A

Type: 12 Volt Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-20A

Type: 12 Volt Electric
Range: 0-330 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-31A

Type: 12 Volt Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-32A

Type: 12 Volt Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-33A

Type: 12 Volt Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-61A

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-62A

Type: Stepping Motor Electric
Range: 0-300 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-111A

Type: 12 Volt Electric
Range: 0-330 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-113A

Type: 12 Volt Electric
Range: 0-330 kmh
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-136A

Type: 12 Volt Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Mint Green
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-138A

Type: 12 Volt Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Magnolia
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-139A

Type: 12 Volt Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-141A

Type: 12 Volt Electric
Range: 0-220 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Cirrus White
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. EES5-1B32-143A

Type: 12 Volt Electric
Range: 0-180 mph (dual scale)
Scale: Full
Dia: 100mm
Bezel: 1/2 Round Aluminium
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. FES3-1B52-35B

Type: 12 Volt Electric
Range: 0-240 kmh
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — TVR

Part No. FES3-1B52-36B

Type: 12 Volt Electric
Range: 0-160 mph
Scale: Full
Dia: 80mm
Bezel: Black 1/2 "V"
Dial: Black
Incandescent Lighting

Fitting Instructions

