Mini Range

Authentic Smiths Instruments as fitted to the original classic mini in the UK.

Choice of black and magnolia dials.

Speedometer ranges available in MPH or KPH.

Electronic Speedometers are now available.

Chrome round bezels. 1/2v bezels are available
Speedo includes a voltage regulator and a fuel gauge.



SPEEDOMETER — MINI

Part No. SN4421-01SA

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-00SA

Type: Mechanical
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-32

Type: Mechanical
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-33

Type: Mechanical
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-60

Type: Mechanical
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-03SA

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-32CS

Type: Stepping Motor Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-34CC

Type: Stepping Motor Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-35CC

Type: Mechanical
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-70

Type: Mechanical
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-71

Type: Mechanical
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-74

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-75

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: chrome
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-61

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-62

Type: Mechanical
Range: 0-130 mph/210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-63

Type: Mechanical
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-73

Type: Mechanical
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — MINI

Part No. TG1311-00C078

Type: Mechanical
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2

Fitting Instructions



OIL PRESSURE — MINI

Part No. BP2404-00C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. BP2404-01C

Type: Bimetal Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-00CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-46CB

Type: Stepping Motor Electric
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 Round
LED Lighting
Use Sender Part No.
PTR3000-8N-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. BP2404-01CA

Type: 12 Volt Electric
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Sender Part No.
PTR1810-1-10, PTR1811-06,
PTR1811-10, PTR1812-06,
PTR1812-10

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Fitting Kit Part No. LK-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — MINI

Part No. PG1310-01C

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use Fitting Kit Part No. LK-2
Use Sender Kit
PTTR2300-10-8NKIT

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2310-05

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-00C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-04C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Does not include LK-2 or
HF22000-00-084 oil line kit

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-11

Type: Bimetal Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-31

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT6811-01

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. BT2204-38

Type: Bimetal Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT4201-00A

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-00CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Use Sender Part No.
TT3001-8N

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-02CB

Type: Stepping Motor Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: chrome
Incandescent Lighting
Use Sender Part No.
TT3001-8N

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-00C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Inc3 /8BSP to 5/8UNF adaptor

Fitting Instructions



WATER TEMPERATURE — MINI

Part No. TG1310-02C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Comments:

Fitting Instructions




WATER TEMPERATURE — MINI

Part No. TG1310-07C078

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2

Fitting Instructions



OIL PRESSURE & WATER TEMP — MINI

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 PSI/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or
HF22000-00-084 oil line

Fitting Instructions



FUEL GAUGE — MINI

Part No. BF6108-00SPR

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use senderTFS9915-000R

Fitting Instructions



FUEL GAUGE — MINI

Part No. BF6108-04SPR

Type: Bimetal Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use senderTFS9915-000R

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-00CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suits 400-25 Tacho Pod

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-02CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-08CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-00CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
LED Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suits 400-25 Tacho Pod

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-02CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting
4, 6 or 8 Cyl. Adjustable redline pointer. Suitsin dash mounting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-05CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 Round
LED Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1004-01CB

Type: Stepping Motor Electric
Range: 0-10000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-00BB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-00CBPOS

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



TACHOMETER — MINI

Part No. RVC1006-01CB

Type: Stepping Motor Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

Mini Range John Cooper

Authentic Smiths Aftermarket Instruments as fitted to the original classic mini.



WATER TEMPERATURE — MINI

Part No. BT2240-18CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT3803/00A



Fitting Instructions

WATER TEMPERATURE — MINI

Part No. BT2240-19CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Use sender TT3803/00A



Fitting Instructions

WATER TEMPERATURE — MINI

Part No. BT2204-38CW

Type: Bimetal Electric
Range: C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use Sender TT4803/00A
& voltage regulator



Fitting Instructions

WATER TEMPERATURE — MINI

Part No. BT2240-00CW

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT6811-01




Fitting Instructions

WATER TEMPERATURE — MINI

Part No. TG1310-08C120

Type: Mechanical
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Capillary length: 120 inches
Bulb type: A2



Fitting Instructions

OIL PRESSURE — MINI

Part No. PL2328-03C

Type: Mechanical
Range: 0-7 bar
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

OIL PRESSURE — MINI

Part No. PL2328-09C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2310-00

Type: Mechanical
Range: 0-100 PSI/7kgcm2
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2310-00W

Type: Mechanical
Range: 0-100 PSI/7kgcm2
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Use oil line kit LK-2

Fitting Instructions



OIL PRESSURE — MINI

Part No. PL2328-06C

Type: Mechanical
Range: 0-100 PSI
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 Round
Incandescent Lighting
Does not include LK-2 or HF22000-00-084 oil line kit

Fitting Instructions



OIL PRESSURE & WATER TEMP — MINI

Part No. GD1301-15C078

Type: Mechanical
Range: 0-100 PSI/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Capillary length: 78 inches
Bulb type: A2
Does not include LK-2 or HF22000-00-084 oil line

Fitting Instructions




AMMETER — MINI

Part No. AM1640-29C

Type: 12 Volt Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



OIL TEMPERATURE — MINI

Part No. TG1305-02CB

Type: Stepping Motor Electric
Range: -10-60°C
Scale: Full
Dia: 52mm
Bezel: chrome
LED Lighting

Fitting Instructions



OIL TEMPERATURE — MINI

Part No. BT2240-05CA

Type: 12 Volt Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting
Use sender TT3803/00A

Fitting Instructions



CLOCK — MINI

Part No. CA1100-02C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions



CLOCK — MINI

Part No. CA1100-06C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting

Fitting Instructions




CLOCK — MINI

Part No. CA1100-23C

Type: 12 Volt Electric
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions



SPEEDOMETER — MINI

Part No. SN4421-01CC

Type: Stepping Motor Electric
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-00CC

Type: Stepping Motor Electric
Range: 0-100 mph/0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-60CC

Type: Stepping Motor Electric
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: chrome
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-62CC

Type: Stepping Motor Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: chrome
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-18CC

Type: 12 Volt Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-19CC

Type: 12 Volt Electric
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-20CC

Type: Stepping Motor Electric
Range: 0-210 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-32CC

Type: Stepping Motor Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-33CC

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-72CC

Type: Stepping Motor Electric
Range: 0-130 mph
Scale: Full
Dia: 133mm
Bezel: chrome
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4417-62CC

Type: Stepping Motor Electric
Range: 0-90 mph
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-61CC

Type: Stepping Motor Electric
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-63CC

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome Full "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-73CC

Type: Stepping Motor Electric
Range: 0-200 kmh
Scale: Full
Dia: 133mm
Bezel: chrome
LED Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-77

Type: Mechanical
Range: 0-150 kmh
Scale: Full
Dia: 133mm
Bezel: Chrome 1/2 "V"
Incandescent Lighting



Fitting Instructions

SPEEDOMETER — MINI

Part No. SN4421-79

Type: Mechanical
Range: 0-140 kmh
Scale: Full
Dia: 133mm
Bezel: chrome
Incandescent Lighting




Fitting Instructions

VOLTMETER — MINI

Part No. ABV2220-04C

Type: 12 Volt Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Incandescent Lighting
Obsolete - replaced by ABV2220-04CB

Fitting Instructions



VOLTMETER — MINI

Part No. ABV2220-04CB

Type: Stepping Motor Electric
Range: 11-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Chrome 1/2 "V"
LED Lighting
Replaces ABV2220-04C

Fitting Instructions



Representative Image