

THE BIG FOOT SYSTEM COLLECTION

FLOAT PANS SAVER

GENERAL DESCRIPTION

PATENT NUMBER : US 11 643 827 B2

Our latest innovation, the Big Foot System, is a game changer. It's perfect for leveling floors and making float pans last longer, this making the job easier than ever before.


The Big Foot System was created with the goal of pro- longing the lifespan of float pans while simultaneously enhancing the flatness of concrete finishing.

Our innovative patented design achieves this by effectively distributing the weight of the power trowel. This results in faster finishing times and increases the durability of the float pan.

Unlike a typical float pan that only has 40% of its surface in contact with the concrete, an impressive 80% of the Big Foot's surface engages with the concrete.

With the Big Foot System, you can expect concrete that is flatter, stronger and finished faster. It is specifically designed to fit under the largest machines, and it can be easily adapted to accommodate various sizes and arms.

IMPROVE YOUR FLOOR FLATNESS



MORE PAN CONTACT.

BETTER WEIGHT DISTRIBUTION.

BETTER RESULTS.

MATERIALS AND FEATURES

- Patented Innovation. Extend the lifespan of float pans.
- Made from high quality steel for better durability.
- Enhance the flatness of concrete slabs.
- Better weight distribution and better wear features:
 - 80% of the Big Foot's surface engages with the concrete
- Latch Pin accessories available. (Ref : Latch – Pas)
- Fits on 6 blade machines.
- Fits under the largest machines..



IPA AWARD WINNER 2026 |
WORLD OF CONCRETE
PLACING TOOLS & EQUIPMENT


THE BIG FOOTSYSTEM COLLECTION

FLOAT PANS SAVER

P2K PRODUCT NUMBER

MACHINE DIA.	MACHINE ARMS	PRODUCT PART NUMBER	WEIGHT EACH	P2K PAN MODEL COMPATIBLE	DESCRIPTION P2K PAN MODEL
46 "	5	PAS465-5	8.44	USFP465-5S-PAS	UNIVERSAL SUPER FLAT PAN WITH SAFETY BRACKET FOR BIG FOOT PAN SAVER
46 "	6	PAS465-6	7.26	USFP465-6S-PAS	UNIVERSAL SUPER FLAT PAN WITH SAFETY BRACKET FOR BIG FOOT PAN SAVER
59 "	6	PAS59-6	11.47	SFP59-6S-PAS	SUPER FLAT PAN WITH SAFETY BRACKET FOR BIG FOOT PAN SAVER
62 "	5	PAS62-5	15	SFP62-5S-PAS	SUPER FLAT PAN WITH SAFETY BRACKET FOR BIG FOOT PAN SAVER
62 "	6	PAS62-6	11.47	SFP62-6S-PAS	SUPER FLAT PAN WITH SAFETY BRACKET FOR BIG FOOT PAN SAVER

BENEFITS



On a typical float pan, only 40% of its surface touches the concrete. The trowel blade reference : F82394.

The Big Foot System allows for an impressive 80% of the surface to engage the concrete.


- **EXTEND FLOAT PANS LIFE**
- **REDUCE REPLACEMENT FREQUENCY**
- **MINIMIZED INJURY RISKS**
- **LOWER MAINTENANCE COSTS**
- **LESS DOWNTIME**

THE BIG FOOTSYSTEM COLLECTION

FLOAT PANS SAVER

PAS59-6

SFP59-6S-PAS



FLOAT PAN SAVER

LATEST PATENTED INNOVATION

PATENT NUMBER : US 11 643 827 B2

TESTIMONIALS

Customers who were getting 80ff & then went to the Big Foot system get an increase of 12ff points.

"Also, others were getting 60ff & went to 75 to 80 ff when using the Big Foot system. Results may vary but it is a huge step in the right direction."

ADVANCED CONCRETE TECHNOLOGIES (PA)

PRODUCT COVERAGE CAPACITY PER COMPANY

