k rloskar powergen

SENTINEL

2.8kW-5.5kVA GENSET



- Lowest Footprint
 - Fuel Saving
 - Aesthetical
- Easy Mobility on Wheels

BETTER POWER FOR A

limitless

TOMORROW

INDIA'S LARGEST FLEET OF GENSETS





A RICH HERITAGE OF OVER A CENTURY OF ENGINEERING EXCELLENCE.

Kirloskar power generating sets prioritize user experience, delivering exceptional features and benefits. Streamlined installation and enhanced dependability to expedited service, reduced maintenance costs, and optimized performance.

Kirloskar Powergen sets itself apart with groundbreaking engineering that establishes new industry benchmarks.

limitless POTENTIAL, SUSTAINABLE PRACTICES

Our state-of-the-art manufacturing facility embodies our commitment to sustainable practices.

We partner with nature to power the facility itself, transforming waste into valuable resources.

This focus on sustainability inspires both our workforce and surrounding communities.

It's here, where cutting-edge technology meets exceptional skills,

that we engineer solutions to empower limitless possibilities.


Discover our Plant with a QR Code Scan.



WHATIS

INVERTER TECHNOLOGY?

An inverter generator is a type of portable generator that produces AC (Alternating Current) power, like a conventional generator, but converts it into DC (Direct Current) and back into a cleaner and more stable AC power using clever electronic circuitry.



THE VERSATILE POWER GENERATOR SOLUTION

Combined possible load on 2.8 kW*	LED Lights	CFL Lighting	Tube Light	Celling fan	Refrigerator	Computers	washing machine	TV LED Type 32 inch	Air conditioning	Any other units
Estimated equipment's watts	10	30	45	60	300	300	350	32	**	
No. of units	8	8	6	6	1	2	1	2		

^{*} This is just for illustration & various combinations as per respective needs are possible.

^{**} However in Case of AC operation requirement, there would be change in other connected loads and as such you are requested to contact authorised Kirloskar green sales experts.



2.8 kW, 3.5 kVA & 5.5 kVA Petrol & Diesel Genset

INVERTER TECHNOLOGY

India's #1 Genset brand

- Over 1 million Gensets in service across the globe
- Specialised genset manufacturer for more than seven decades; offers a wide range of power solutions upto 1500 kVA

Widest well-trained service network

- Supported by over 5000 skilled engineers and over 450 well-equipped service outlets
- Centrally monitored service quality and response time
- Dial customer support and our authorized representative will be at your door step!

Widest product range

- Choice of power is now unlimited, choose from 2.8 till 5 kVA in petrol and 5.5 kVA diesel genset
- Choose genset from the widest range as per your ideal power needs

Kirloskar Solution

- Revolutionary sound absorption system makes the owner totally relaxed during power cut
- Complies with the latest noise regulation and emission norms

Complete solution with AMFi Panels

- · Switch on automatically
- High reliability
- Ready to start with built-in battery charger
- Easy to mount and install

Enjoy the benefits of mobility and portability

- Kirloskar rolls on wheels and is equipped with a wide length handle
- Carry power with you for a beach party or a jungle camp
- Great help for small establishments and mobile workshops too!



* AMF Panel is available only for diesel variants of KCC Portable Gensets

THE VERSATILE POWER GENERATOR SOLUTION

Why get satisfied with power back-up of 4 lights & 4 fans ? With Kirloskar Green Gensets ensure non stop comfort of wide range of appliances





WASHING

MACHINE









COLD DRINK REFRIGERATOR

DEEP FREEZER

2.8kW-5.5 kVA TECHNICAL SPECIFICATIONS

Particular			PET	ROL	DIESEL		
Rated Output at 230V	/ 50Hz		2.8 kW- Inverter	5 kW	3.5 kVA Diesel Inverter	5.5 kVA Diesel Inverter	
Max Rating***		kW/kVA	3 kVA	5 kW	3.5 kVA	5.5 kVA	
Genset model			KG4-PP-3AS	KG4-PP-5AS	KG4-P-3.5AS	KG4-P-5.5AS	
Voltage		V	230	230	230	230	
Sound Level		L _{wa} /dB(A)	≤ 86 L _{WA}		≤ 75 dB (A)		
	At 100% Load		1.62	2.83	1.11	1.69	
Fuel Consumption**	At 75% Load	Ltrs/Hr	1.3	2.37	0.93	1.36	
	At 50% Load		1	1.88	0.78	1.07	
Fuel Tank Capacity		Ltrs	12.5	12.5	12.5	12.5	
Overall Dimensions of Genset (L x W x H)^		mm	820 x 480 x 630	1040 x 550 x 685	950 X 595 X 855	950 X 595 X 855	
Weight of Genset with Canopy approx		Kg	83	150	170	170	
ENGINE							
Engine Model			CCP 196	CCP389	CC 418 G1	CC 418 G1	
Rated Output (Prime Continuous rating) as per ISO 3046		kW	3.67	6.5	5.5	5.5	
		HP	5	8.8	7.47	7.47	
Cubic Capacity		cc	196	389	418	418	
Lube Oil Change Period\$		Hrs	First 20 hr. the	en Every 100 hr.	100		
Lube Oil Sump Capacity		Ltrs	0.6	1.1	1.65	1.65	
Starting System			Electric / Recoil	Electric / Recoil	Electric	Electric	
Low Oil Level alert (Trip)			Yes	Yes	Low Lube Oil Level-No,	Low Lube Oil Press-Yes	
Overload Warning			Yes	-	Yes	Yes	
Battery Charging			Yes	Yes	Yes	Yes	
Eco Throtle			Electronic	Mechanical	Mechanical	Mechanical	
INVERTER							
Rated Output at 230V / 50Hz		kW	2.8	-	3.5	6	
Max Output		kW	3	-	4	6.5	
% THD (Voltage)			≤ 5%	≤ 5%	≤5%	≤5%	
Display Parameters			Digital Multi Fu'n Meter Voltage, Frequency, Hours		KG645-Controller (Voltage, Frequency, Hours)		
Fuel Gauge (Mech. Level Indicator)			Yes Yes		Yes	Yes	
AC Output connector			Yes	Yes	Yes	Yes	
AC Circuit Breaker			Yes	Yes	Yes	Yes	

Notes

- ^ Standard Tolerances Apply
- ** 5% Tolerance ; 5% Tolerance with ECO Mode for 2.8 kW Petrol
- *** Some Electrical Appliance motor take more power during startup than rated power \$ At NTP

Genset Model will be available in 4 wheel configuration

For regular Operation do not exceed rated power



2.8 kW -INVERTER TECHNOLOGY





Benefits of mobility and portability



Inverter technology



Low cost of operation



Compact size

5.5 kVA - PORTABLE DIESEL GENSET INVERTER TECHNOLOGY



Power on Wheels



Compact size



Low cost of operation



Widest well-trained service network







SHAPING THE FUTURE.

DELIVERING POWER TO OVER 50+ COUNTRIES.

INGENIOUS DESIGN. UNMATCHED PERFORMANCE.

KIRLOSKAR OIL ENGINES LIMITED A Kirloskar Group Company

Regd. Office: 13, Laxmanrao Kirloskar Road,
Khadki, Pune, Maharashtra 411 003
INDIA





Tel: +91 (20) 2581 0341



Fax: +91 (20) 2581 3208, 2581 0209



Helpline: +91 8806 33 44 33



koel.sales@kirloskar.com



BETTER POWER

TOMORROW

Stamp of Authorised Representative

Marks 'Kirloskar' along with the suffix, or prefix, 1' as shown and copyright "limitless" are owned Kirloskar Proprietary Limited, and Kirloskar Oil Engines L. td. is the Permitted User. This Catalog is copyrighted and may not be reproduced in any form not even parts of it, without previous written permission by copyright owners, Kirloskar Oil Engines L. td. Product improvement is a continuous process. Kindly contact Kirloskar Oil Engines L.td. for latest information. Impacts are for illustration ourcoses only.