

kirloskar
powergen

15 - 250 kVA

DEDICATED NATURAL GAS GENSET



**CPCB IV+
COMPLIANT**

**INDIA'S LARGEST
FLEET OF GENSETS**

Complying to India's
Latest Emission Norms

**BETTER POWER
FOR A**

limitless

T O M O R R O W

BETTER POWER
FOR A

limitless

T O M O R R O W

A RICH HERITAGE OF OVER A CENTURY OF ENGINEERING EXCELLENCE.


Kirloskar power generating sets prioritize user experience, delivering exceptional features and benefits. Streamlined installation and enhanced dependability to expedited service, reduced maintenance costs, and optimized performance.

Kirloskar Powergen sets itself apart with groundbreaking engineering that establishes new industry benchmarks.



limitless POTENTIAL, SUSTAINABLE PRACTICES

Our state-of-the-art manufacturing facility embodies our commitment to sustainable practices. We partner with nature to power the facility itself, transforming waste into valuable resources. This focus on sustainability inspires both our workforce and surrounding communities. It's here, where cutting-edge technology meets exceptional skills, that we engineer solutions to empower limitless possibilities.



Discover our Plant with a
QR Code Scan.

TECHNICAL SPECIFICATIONS

Prime Rating at rated rpm (as per ISO 8528)		kVA	15 (ESP)	30	58.5	125	250
		kW	12	24	46.8	100	200
Genset Model		–	KG4-15AS NG1	KG4-30WS NG1	KG4-58.5WS NG1	KG4-125WS NG1	KG4-250WS NG1
Frequency		Hz	50				
Power factor		lagging	0.8				
Voltage		V	230 (1Ø) & 415 (3Ø)		415 (3Ø)		
Steady-state Governing class (As per ISO 8528-5)		–	G3				
Noise level @ 75% rated load		dBA	< 75 @ 1 metre				
Fuel consumption*	At 100% 75% 50%	SCM / Hr	4 3.5 3.1	9.1 7.1 5.5	15.5 12.5 9.9	29.3 23.2 17.8	58.8 47.2 35.7
Inlet Gas pressure requirement		Min (Bar)	1	1	0.5	0.5	1
		Max (Bar)	4	4	4	4	4
Weight of genset with canopy (approx.)^	Dry	Kg	850	1100	2500	3600	5700
Overall dimensions of genset#	L x W x H	mm	1740 x 1050 x 1410	2550 x 1122 x 1410	3325 x 1225 x 1800	3750 x 1500 x 1980	5100 x 2000 x 2410
Electrical battery starting voltage		Volts-DC	12	12	12	24	24

ENGINE

Engine Model	–	HA294 NG1	3R1040 NG1	6R1080 NG1	SL90TA NG1	DV8TA NG1
Rated output [§]	kW	15.1	30.1	54.4	114.7	228
	HP	20.5	42	74	156	310
No. of cylinder	Number	2	3	6	6	8
Cubic capacity	Ltrs.	1.89	3.1	6.49	8.86	15.92
Bore x Stroke	mm	100 x 120	105X20	105 x 125	118 x 135	130 x 150
Rated speed	rpm	1500				
Aspiration	NA/TC/TA	NA	NA	NA	TA	TA
Lube Oil change period	hrs.	500				
Lube oil sump capacity	Ltrs.	5	9	17	27	46
Coolant capacity	Ltrs.	NA	14	25	30	30

ALTERNATOR

Insulation Class	–	Class H				
Alternator efficiency (at 100% load) 0.8 pf	%	86	82.2	91	92.5	92.5
Max voltage dip at full load 0.8 pf lag	–	< 20 %				
Max time to build up rated voltage at rated RPM	–	< 5 sec provided engine reach the rated speed				

- The maximum power of engines is declared at NTP conditions and an appropriate deration factor will be applicable with respect to Natural Gas genset site altitude and ambient air conditions.
- The effect of the fuel quality should also take into account on performance. i.e. Methane %: Min 88% & Calorific Value of Fuel: Min 8500 Kcal/m³
- * A tolerance of +/- 5% will be applicable as per IS 8528 Standard. ● # Dimensions are approximate and vary with options. ● ^ Genset weight tolerance 50 Kg
- SB- Standby SCM- Standard Cubic Meter Minimum 70 methane number required Above specifications are subject to change without prior notice due to continuous technical development.



- Ready to use Genset – Plug & Play
- Compliant to latest CPCB norms
- Clean & Safe fuel
- Lower Operating cost
- No storage of fuel
- No handling / transportation of fuel. Online & Metered.
- Constant fuel quality & No adulteration.
- Electronic ECU & Carburation system
- Remote monitoring system
- 1 year / 3000 hours warranty on complete Genset

Genset kVA 15-250 kVA Features



Prime rating and Stand-by rating

'Prime power' is designed for Unlimited hours, as compared to 'Emergency stand-by' designed for 200 hours in a year. Prime rated Gensets also permit 10% temporary overloading. Users need to carefully select the Genset rating to meet their requirement. Kirloskar offers Prime power as a standard offer. Contact Kirloskar for stand-by ratings.



Genset Monitoring at Your Finger Tips

Kirloskar gensets are enabled with Kirloskar remote monitoring system which shares Real Time Genset information and location services. It can be accessed via mobile device or desktop. Kirloskar remote monitoring system also highlights any parameter which needs special attention. These critical indication alerts are sent to user mobile via text message. It also alerts nearest services dealer in case of any emergency break-down.

KRM Desktop Display



Ask your Dealer for KRM login details & password



On Board Diagnostics

Superior uptime. Genset comes with advanced diagnostic capabilities, this coupled with Kirloskar remote monitoring system provides real time monitoring of performance, emission and service critical parameters this helps for early diagnosis to fix the issues before system breakdown



Peace-of-mind Ownership

Kirloskar Gensets have always been preferred for their robust design and reliability over long usage life. Kirloskar range carries the confidence of well-established and proven engine platforms. For compliance to revised CPCB norms, Kirloskar has carefully selected those technologies which not only retain, but enhance Gensets durability and on-site serviceability.

Thus, Kirloskar Gensets offer you many years of trouble-free performance; backed by the assurance of prompt support. Peace-of-mind driven by product reliability and low cost of ownership.



Alternator Features

Kirloskar Alternator is compact in design, rugged and best in class efficiency. Advanced Digital AVR improves the Voltage regulation and Response time.



Compact footprint

Kirloskar CPCB compliant Gensets are having compact footprint which results in space saving. CPCB compliant technology is upgraded by maintaining the compact footprint of Genset.

THE VERSATILE POWER GENERATOR SOLUTION



FOOD INDUSTRY



HEALTHCARE



HOSPITALITY



MANUFACTURING



REAL ESTATE

Glimpses **CPCB IV+** Natural Gas Genset (15-250 kVA)

Engine

- Fully Electronic controlled Engine
- Higher Cubic capacity results higher block loading
- Electronic carburation system for correct AFR
- Efficient HT Coil & Spark plugs for precise ignition
- Best in class fuel efficiency

Exhaust System


- In built catalytic convertor as standard scope
- Residential silencer with Protection cover
- Latest CPCB compliant exhaust System

Controller

- Microprocessor based KG 645 controller
- Graphical LCD display
- Best in class Monitoring & diagnostic capability
- Integrable with AMF & Communication compatible

Gas Train

- CPCB approved Gas train inside acoustic enclosure
- Consist of Gas filter, Solenoid & PRVs.
- Designed & developed to suit for genset application



EFFICIENCY. INTEGRATED

A KIRLOSKAR PROMISE

Efficient Products

- India's first IoT enabled digital genset
- Designed for convenient user experience
- Best-in-class fuel efficiency delivered
- Compact design & long life product
- Optimized consumption of lubricant oil
- Optimized total cost of ownership (TCO)
- All products tested before delivery

EFFICIENT

PRODUCTS



EFFICIENT

SOLUTIONS



Efficient Solutions

- Load sizing for every single genset order
- One stop power back-up solutions
- Serves complete application gamut
- Highly trained & experienced team
- Non-conventional solutions (bio-diesel)
- Specific solution for harsh environments
- Exhaust mgmt., foundation, cabling etc.

Efficient Service

- India's widest service dealer network
- Kirloskar connect-self-service application
- eFSR-Electronic field service report
- Over 6000 trained service engineers
- Over 600,000 machines under care
- 98%+ parts available at each outlet
- Flexible & economical AMC-Bandhan

EFFICIENT

SERVICE



EFFICIENT

NETWORK



Efficient Network

- Consistent, reliable & long-established
- 250+ expert touch points across India
- 500+ solution oriented professionals
- Uniform customer experience across
- Central system for enquiry to PRF
- Fair trade practices & Price transparency

Efficient Deliveries

- Cost-effective deliveries guaranteed
- Assured 7-day delivery of gensets
- Supports project management system
- Reduced working capital for customer
- Award-winning replenishment model
- Assurance of FRESH products always

EFFICIENT

DELIVERIES



EFFICIENT

24X7 CARE



Efficient 24x7 Care

- 24x7 operational customer care centre
- Team of over 70 trained & focused exec.
- Tracking every service request till closure
- Centrally maintained CRM for all requests
- Satisfaction call after every SR closure
- Central sales lead tracking system
- Continuous NPS and CDI measurement

We offer products for every segment & take part in the India's growth story.



Infrastructure



Industry



IT/ITES



Hospitality



Health



Realty



Government



Logistics

kirloskar
Oil Engines



www.kirloskaroilengines.com

Kirloskar Oil Engines Limited

A Kirloskar Group Company

Laxmanrao Kirloskar Road, Khadki,
Pune 411 003 INDIA.



88 06 33 44 33

koel.sales@kirloskar.com

Stamp of
Authorised
Representative