



# SPRAYING EQUIPMENT

Accompanying the farmer since 1904



Available at selected points of sale

# **Spraying equipment**

(1 year warranty against manufacturing defects):

## Spray Mec:

¡Our clients favorite!

Capacity of 18 liters, ambidextrous, easy to operate, external double piston plunger, independent compression chamber, stainless steel ball valves, net weight of 5.2 Kg, filters at 3 points of the system, and nozzles and accessories from the **Teejet** brand.



The most important spraying tool for the farmer in Costa Rica

## Bio Spray:

For manual spraying in gardening, fumigating in confined spaces, or specific spot spraying.
Capacity of 2 liters, with a large diameter pumping element to quickly reach working pressure, knob for easy pumping, comfortable handle, and adjustable Nylon nozzle.



#### Cidue:

High precision dosable granulator for specific applications.

9 K tank, compressor-type drive unit, padded backrest, and Viton check valves. With 8 inserts of 9 mL, minimum dosing range of 3 mL and maximum of 72 mL, mechanical agitator, and color-coded calibrated inserts.



## **Alfa Spray:**

For manual spraying in gardening and spraying in confined or specific spaces. Capacity of 8 liters, with reinforced support base, aluminum lance, plastic key, flexible PVC hose, adjustable conical jet nozzle, large pumping plunger, and safety valve for pressure relief.



#### **CPC-25:**

Professional intensive use motor pump with low maintenance cost. 25-liter tank, Japanese Mitsubishi 2-stroke engine with 1.4 HP, electronic ignition, diaphragm carburetor, 25.6 cc displacement, low fuel consumption, self-priming pump, with a minimum pressure of 100 psi and a maximum of 500 psi.



## **Unispray Standard:**

For less intensive spraying use. Capacity of 16 liters, ambidextrous, easy to operate, internal pressure plunger, lightweight equipment, aluminum lance, plasticized key, internal agitator for the product, fewer parts, and lower maintenance cost. Option to incorporate a pressure gauge in the shut-off valve.



## **Unispray Profesional:**

Efficiency and quality.
Capacity of 16 liters, ambidextrous, easy to operate, lightweight equipment, plasticized key, aluminum lance, internal pressure plunger, internal agitator for the product, fewer parts, and lower maintenance cost. Option to incorporate a pressure gauge in the shut-off valve.



# **Stationary spraying equipment**

(1 year warranty against manufacturing defects):

#### Alfa 3.5 HP:

Compact and efficient.

Annovi Reverberi AR-202 diaphragm pump with a maximum flow rate of 22 liters per minute and working pressure of up to 300 psi. Briggs & Stratton 4-stroke gasoline engine with 3.5 HP. With pressure regulator key for two 100-meter outlets, high-pressure suction and return hoses, and agrochemical-resistant metal platform, ideal for transport or fixed installation.



#### Gamma 9 HP:

For demanding and high performance work.
Annovi Reverberi AR-503 diaphragm pump with a flow rate of 55 liters per minute and a maximum pressure of 600 psi. KTC 9 HP gasoline engine. With RM 40 pressure regulator key for three 200-meter hose outlets, glycerin-filled pressure gauge with by-pass system, suction and return hoses, and reinforced metal platform with resistant paint.



#### Omega 13 HP:

For intensive spraying.
Annovi Reverberi AR-813 diaphragm pump with a flow rate of 81 liters per minute and a pressure of 600 psi. Briggs & Stratton 13 HP gasoline engine. With RM 40 pressure regulator key for three 200-meter hose outlets, glycerinfilled pressure gauge with by-pass system, double return hose, and electro-catalytic paint metal platform resistant to agrochemicals.



## Contact us:



# **Abonos Superior:**



(+506) 4036-7800



(+506) 6467-8627



www.abonossuperior.com



informacion@abonossuperior.com



## Carpi:



www.carpi-italy.com



info@carpi-italy.com

## **Distributed by Abonos Superior**

Address: Costa Rica, La Lima in Cartago, 100 meters West and 50 South from the Pequeño Mundo store, next to Zona Franca La Lima