



V60<sup>®</sup>

PRODUCT CATALOG

# V60<sup>®</sup>

OUR V60<sup>®</sup> COLLECTION IS A MODULAR FURNITURE SYSTEM OF EXCEPTIONAL DESIGN AND ENGINEERING BASED ON PARTITION PANELS THAT ACCENTUATE OFFICE WORKSPACES COMBINING FUNCTIONALITY WITH PRIVACY.







INFINITE POSSIBILITIES

## CONTENTS

- 03 EXECUTIVE PRIVATE OFFICES
- 07 MODULAR L-SHAPED WORKSTATIONS
- 11 MODULAR Y-SHAPED WORKSTATIONS
- 13 MODULAR ISLAND WORKSTATIONS
- 15 CALL CENTER
- 19 RECEPTION
- 21 PANEL CONFIGURATIONS
- 25 V60 IN DETAIL
- 26 WORK SURFACES
- 27 PARTITIONS AND ACCESSORIES
- 29 FURNISH YOUR OFFICE WITH V60

V60® PARTITION SYSTEMS OFFER EXECUTIVE, SEMI EXECUTIVE OR MANAGEMENT WORKSPACES THAT PROVIDE PRIVACY. WITH THESE SYSTEMS, PEDESTALS AND ACCESSORIES FROM OTHER PRODUCT LINES CAN BE ADAPTED TO YOUR NEEDS AND LIKING.

V60® PRODUCTS COME WITH SMART CABLE MANAGEMENT SYSTEMS SO THAT WORKSPACES ARE KEPT NEAT AND CLEAN.



EXECUTIVE PRIVATE  
OFFICE DESKS



HARMONIOUS BALANCE IN EVERY ROOM



COMFORTABLE





PRIVACY





V60® L-SHAPED SYSTEMS ARE WORKSTATIONS THAT ALLOW FOR ENDLESS CONFIGURATION POSSIBILITIES TO FIT THE NEEDS OF EACH PARTICULAR SPACE. BUILD FROM A 4-PERSON CROSS-PARTITION WORKSTATION UP TO ONE FOR AS MANY USERS YOU WANT.

IT IS THE BEST WAY TO CREATE EFFICIENT WORK AREAS IN A MINIMUM OF SPACE.



MODULAR L-SHAPED  
WORKSTATIONS

REFER TO TABLE OF  
DIMENSIONS  
MATERIALS  
& COLORS



DEFINING SPACES THROUGH DESIGN



# SPACES THAT








# BLENDIN



THE Y-SHAPED WORKSTATION IS DESIGNED TO FIT IN ALL TYPES OF OFFICE SPACES. IT IS IDEAL FOR PRIVATE, SEMI PRIVATE OR OPEN OFFICES.

V60® IS A COMBINATION OF PRACTICALITY AND COMFORT THAT ALLOW FOR INDIVIDUAL OR TEAM WORK SETUPS.



## MODULAR Y-SHAPED WORKSTATIONS



OPTIMIZING SPACES




ISLAND SYSTEMS ARE MOST SUITABLE FOR LARGE WORK TEAMS, OPTIMIZING SPACE. THEY ARE DESIGNED FOR USERS TO WORK FREELY WITHOUT GIVING UP PERSONAL SPACE AND ARE FLEXIBLE ENOUGH TO ALLOW FOR GROUP COLLABORATION TASKS.

INTERIOR CABLE CONCEALMENT BETWEEN WORK AREAS GUARANTEES NEAT AND CLEAN SPACES.



MODULAR ISLAND  
WORKSTATIONS



REFER TO TABLE D.F  
DIMENSIONS  
MATERIALS  
& COLORS

UNLIMITED SPACE



V60® INDIVIDUAL WORKSTATIONS ARE PERFECT FOR CUSTOMER SERVICE UNITS OR TELEMARKETING CUBICLES. PARTITION PANELS PROVIDE PRIVACY AND GUARANTEE CONCENTRATION.

OUR ACOUSTIPANEL SYSTEM FOR CALL CENTERS IS DESIGNED WITH ACOUSTICS, PRIVACY AND COMFORT IN MIND.



CALL CENTER  
INDIVIDUAL WORKSTATIONS

REFER TO TABLE OF  
DIMENSIONS  
MATERIALS  
& COLORS



# FUNDAMENTAL BALANCE



A WARM



WELCOME



# FIRST IMPRESSIONS MATTER







V60® ALSO OFFERS RECEPTION DESK SYSTEMS IN A VARIETY OF CONFIGURATIONS THAT EASILY ADAPT TO ALL KINDS OF OFFICE AREAS AND SPACES.

REFER TO TABLE OF  
DIMENSIONS  
MATERIALS  
& COLORS

V60 RECEPTION  
DESKS




## PARTITION PANELS WITH BASE COVER AND INTEGRATED DUCT. AVAILABLE CONFIGURATIONS:

### SCREEN MATERIALS:


- MELAMINE
- FABRIC
- POLYCARBONATE
- METAL
- GLASS - CLEAR OR FROSTED
- ACOUSTIPANEL

\*ASK YOUR VERSA CONSULTANT ABOUT THE IDEAL CONFIGURATION FOR YOUR SPACE.




MAXIMUM WIDTH FOR 190 CM AND 210 CM TALL PANELS IS 100 CM.

## INTERNAL WIRING



THROUGH THE CEILING



- 100% ALUMINUM STRUCTURE
- RECONFIGURABLE
- LOW-MAINTENANCE (EASY TO CLEAN)
- 100% MODULAR

## V60 PANEL SYSTEMS


PREFABRICATED COMPONENTS FOR VOICE, DATA AND POWER INSTALLATIONS.

# YOU MAY SELECT OFFICE PARTITIONS BASED ON THE FOLLOWING GROUPS:

	MATERIAL OPTIONS FOR BOTTOM PANEL	MATERIAL OPTIONS FOR UPPER PANEL(S)
<b>GROUP 1</b>	<p><b>A) FABRIC</b> OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.</p> <p><b>B) MELAMINE</b> IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES</p>	<p><b>A) FABRIC.</b> OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.</p> <p><b>B) MELAMINE.</b> IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES.</p> <p><b>C) NATURAL POLYCARBONATE WINDOW</b> (4MM THICKNESS)</p> <p><b>D) CLEAR GLASS WINDOW</b> (4MM THICKNESS)</p>
<b>GROUP 2</b>	<p><b>A) FABRIC</b> OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.</p> <p><b>B) MELAMINE</b> IN WHITE, LIGHT GRAY OR BLACK.</p> <p><b>C) PERFORATED METAL</b> (22-GAUGE) GRAY, BLACK OR WHITE.</p>	<p><b>A) FABRIC.</b> OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.</p> <p><b>B) MELAMINE.</b> IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES.</p> <p><b>C) NATURAL POLYCARBONATE WINDOW</b> (4MM THICKNESS)</p> <p><b>D) CLEAR GLASS WINDOW</b> (4MM THICKNESS)</p>
<b>GROUP 3</b>	<p><b>A) FABRIC</b> OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.</p> <p><b>B) MELAMINE</b> IN WHITE, LIGHT GRAY OR BLACK.</p> <p><b>C) PERFORATED METAL</b> (22-GAUGE) GRAY, BLACK OR WHITE.</p>	<p><b>A) FABRIC.</b> OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.</p> <p><b>B) MELAMINE.</b> IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES.</p> <p><b>C) NATURAL POLYCARBONATE WINDOW</b> (4MM THICKNESS)</p> <p><b>D) CLEAR GLASS WINDOW</b> (4MM THICKNESS)</p> <p><b>E) FROSTED GLASS WINDOW</b> (4MM THICKNESS)</p> <p><b>F) PERFORATED METAL</b> (22-GAUGE) GRAY, BLACK OR WHITE.</p> <p><b>G) ACOUSTIC PANEL</b> (COLORS: NIGHT BLUE, SILVER GRAY, SOFT ORANGE, GOLD YELLOW AND LEMON GREEN)</p>

## OFFICE PARTITIONS WITH 40, 60 OR 70 CM WIDTHS.

- 1 VERTICAL CABLE DUCT IN LOWER PANEL FOR CONNECTION OF BASE TRIM WITH INTERMEDIATE CABLE DUCT.
- 1 PRE-PERFORATION ON EACH SIDE OF PANEL AT BASE TRIM AND INTERMEDIATE CABLE DUCT.
- 1 HORIZONTAL OVAL PERFORATION AT THE CENTER OF BOTTOM PROFILE FOR CABLE ENTRY FROM THE FLOOR.
- 2 VERTICAL OVAL PERFORATIONS ON EACH SIDE OF PANEL AT TRIM AND CABLE DUCT LEVEL.
- 2 PLASTIC CABLE ORGANIZERS ON BASE TRIM AND 2 ON INTERMEDIATE CABLE DUCT.



PANEL DECORATIVE PLASTICS ARE AVAILABLE IN GRAY OR BLACK.


PANEL LEVELER GLIDES AND POSTS AVAILABLE ONLY IN BLACK.

PANEL ALUMINUM FRAMES WITH CLEAR ANODIZED FINISH.

FOR SPECIAL COLOR REQUESTS OF METAL, PAINTED GLASS WINDOW, FABRIC OR HPDL PANELS PLEASE ASK FOR QUOTE AND PRODUCT STOCK.

## OFFICE PARTITIONS WITH 80, 90 OR 100 CM WIDTHS.

- 1 VERTICAL CABLE DUCT IN LOWER PANEL FOR CONNECTION OF BASE TRIM WITH INTERMEDIATE CABLE DUCT.
- 2 PRE-PERFORATIONS ON EACH SIDE OF PANEL AT BASE TRIM AND INTERMEDIATE CABLE DUCT.
- 2 HORIZONTAL OVAL PERFORATIONS AT THE CENTER OF BOTTOM PROFILE FOR CABLE ENTRY FROM THE FLOOR.
- 2 VERTICAL OVAL PERFORATIONS ON EACH SIDE OF PANEL, AT TRIM AND CABLE DUCT LEVEL.
- 2 PLASTIC CABLE ORGANIZERS ON BASE TRIM AND 2 ON INTERMEDIATE CABLE DUCT.



PLASTIC ORGANIZER




# DESIGN TO






BEST SHARED





## V60 IN DETAIL.



**01** PANELS IN DIFFERENT MATERIALS **02** LARGE CAPACITY FOR CABLE/WIRE CONCEALMENT WITH FLIP-TOP LID ON BOTH SIDES **03** ANODIZED ALUMINUM FRAMES **04** ALUMINUM HANGING SHELF **05** PANEL WITH BASE COVER AND INTEGRATED CABLE DUCT **06** DOOR FOR PRIVATE OFFICES **07** ACCESSORY HOLDING METAL RAIL **08** PLASTIC ACCESSORIES **09** HANGING METAL CABINET (OVERHEAD BIN) **10** POWER & DATA BOX **11** MONITOR ARM FOR WALL AND/OR SURFACE MOUNT **12** ORIGINAL VERSA CONCEPTO PLASTIC DESK GROMMET

**MODULAR OFFICE PARTITION SYSTEM OFFERS PANELS BASED ON PREDETERMINED / STANDARDIZED WIDTH AND HEIGHT DIMENSIONS THAT CAN SUPPORT WORK SURFACES USING HARDWARE FITTINGS.**

OFFICE PARTITION CONFIGURATIONS CAN BE FORMED USING PANELS OF DIFFERENT MATERIALS: FABRIC, POLYCARBONATE, CLEAR OR FROSTED GLASS, METAL, MELAMINE OR ACOUSTIPANEL. **ALLOWS FOR CABLING THROUGH A BASE TRIM AND AN INTERMEDIATE CABLE DUCT.**

LARGE SIZE HARDWARE FITTINGS ARE MADE OF 14-GAUGE SHEET METAL IN GRAY POWDER-COATING FINISH.

**SMALL SIZE HARDWARE FITTINGS ARE MADE OF 16-GAUGE SHEET METAL IN GRAY POWDER-COATING FINISH.**

90° POST MADE OF ALUMINUM EXTRUSION PROFILE WITH A 60X60MM 16-GAUGE ANODIZED FINISH. FOR 1-WAY TO 4-WAY CONNECTIONS.

120° POST MADE OF ALUMINUM EXTRUSION PROFILE WITH A 40X40MM 16-GAUGE ANODIZED FINISH. FOR 1-WAY TO 3-WAY CONNECTIONS.

# SURFACES.



## TRANSACTION SURFACE

28MM PVC WITH 2MM EDGE

V6-100	40X30	V6-150	100X30
V6-110	60X30	V6-160	120X30
V6-120	70X30	V6-170	150X30
V6-130	80X30	V6-180	180X30
V6-140	90X30	V6-190	200X30



## WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

V6-200	40X60	V6-260	120X60
V6-210	60X60	V6-270	150X60
V6-220	70X60	V6-280	180X60
V6-230	80X60	V6-290	200X60
V6-240	90X60	V6-300	150X80
V6-250	100X60	V6-310	180X80
		V6-320	200X80



## WORK SURFACE FOR 120° PANEL

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

V6-420	80/80X60
V6-410	90/90X60
V6-400	120/120X60



## CONNECTING SURFACE

28MM PVC WITH 2MM EDGE

V6-500	66X66
--------	-------



## SIDE SURFACE

28MM PVC WITH 2MM EDGE

V6-510	126X35/50
--------	-----------



## SEMI-CIRCLE SURFACE

28MM PVC WITH 2MM EDGE

V6-512	126X60
--------	--------



## DROP-SHAPE CONNECTING SURFACE

28MM PVC WITH 2MM EDGE

V6-520	85/85X60
--------	----------



## MODULAR SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

RIGHT	LEFT	
V6-600D	V6-600I	120X60/70
V6-610D	V6-610I	150X60/70



## CORNER SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

V6-620	90/90X60
V6-630	80/80X60



## ERGONOMIC L-SHAPED WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

RIGHT	LEFT	
V6-640D	V6-640I	120/90X60
V6-650D	V6-650I	150/90X60
V6-660D	V6-660I	160/90X60
V6-670D	V6-670I	180/90X60
V6-680D	V6-680I	200/90X60



## ERGONOMIC L-SHAPED WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

V6-690	120/120X60
--------	------------



## DERECHO IZQUIERDO


V6-700D	V6-700I	150/120X60
V6-705D	V6-705I	160/120X60
V6-710D	V6-710I	180/120X60
V6-720D	V6-720I	200/120X60



## ERGONOMIC L-SHAPED DESK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

DERECHO	IZQUIERDO	
V6-730D	V6-730I	150/120X60
V6-740D	V6-740I	180/120X60
V6-750D	V6-750I	200/120X60



## DROP-SHAPE WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

V6-800	120X70
V6-820	150X70
V6-840	180X70
V6-860	200X80

WIDTH X DEPTH - MEASUREMENTS IN CM



V60 PANELS. WIDTH X HEIGHT · MEASUREMENTS IN CM

GROUP 1	GROUP 2	GROUP 3	
V6-114X	V6-114Y	V6-114Z	40X110 PANEL
V6-116X	V6-116Y	V6-116Z	60X110 PANEL
V6-117X	V6-117Y	V6-117Z	70X110 PANEL
V6-118X	V6-118Y	V6-118Z	80X110 PANEL
V6-119X	V6-119Y	V6-119Z	90X110 PANEL
V6-1110X	V6-1110Y	V6-1110Z	100X110 PANEL
V6-1112X	V6-1112Y	V6-1112Z	120X110 PANEL
V6-134X	V6-134Y	V6-134Z	40X130 PANEL
V6-136X	V6-136Y	V6-136Z	60X130 PANEL
V6-137X	V6-137Y	V6-137Z	70X130 PANEL
V6-138X	V6-138Y	V6-138Z	80X130 PANEL
V6-139X	V6-139Y	V6-139Z	90X130 PANEL
V6-1310X	V6-1310Y	V6-1310Z	100X130 PANEL
V6-1312X	V6-1312Y	V6-1312Z	120X130 PANEL
V6-154X	V6-154Y	V6-154Z	40X150 PANEL
V6-156X	V6-156Y	V6-156Z	60X150 PANEL
V6-157X	V6-157Y	V6-157Z	70X150 PANEL
V6-158X	V6-158Y	V6-158Z	80X150 PANEL
V6-159X	V6-159Y	V6-159Z	90X150 PANEL
V6-1510X	V6-1510Y	V6-1510Z	100X150 PANEL
V6-1512X	V6-1512Y	V6-1512Z	120X150 PANEL
V6-174X	V6-174Y	V6-174Z	40X170 PANEL
V6-176X	V6-176Y	V6-176Z	60X170 PANEL
V6-177X	V6-177Y	V6-177Z	70X170 PANEL
V6-178X	V6-178Y	V6-178Z	80X170 PANEL
V6-179X	V6-179Y	V6-179Z	90X170 PANEL
V6-1710X	V6-1710Y	V6-1710Z	100X170 PANEL
V6-1712X	V6-1712Y	V6-1712Z	120X170 PANEL
V6-194X	V6-194Y	V6-194Z	40X190 PANEL
V6-196X	V6-196Y	V6-196Z	60X190 PANEL
V6-197X	V6-197Y	V6-197Z	70X190 PANEL
V6-198X	V6-198Y	V6-198Z	80X190 PANEL
V6-199X	V6-199Y	V6-199Z	90X190 PANEL
V6-1910X	V6-1910Y	V6-1910Z	100X190 PANEL
V6-214X	V6-214Y	V6-214Z	40X210 PANEL
V6-216X	V6-216Y	V6-216Z	60X210 PANEL
V6-217X	V6-217Y	V6-217Z	70X210 PANEL
V6-218X	V6-218Y	V6-218Z	80X210 PANEL
V6-219X	V6-219Y	V6-219Z	90X210 PANEL
V6-2110X	V6-2110Y	V6-2110Z	100X210 PANEL

ACCESSORIES. WIDTH X DEPTH X HEIGHT · MEASUREMENTS IN CM



**TRANSPARENT GLASS DOOR**  
HINGE SYSTEM WITH LOCK AND HANDLES.

V6-PTA	90X6X210
--------	----------



**HANGING METAL CABINET (OVERHEAD BIN)**  
MELAMINE SIDES AND FLIP-TOP DOOR WITH PNEUMATIC PISTON.

V6-GMLM60	60X36X38
V6-GMLM70	70X36X38
V6-GMLM80	80X36X38
V6-GMLM90	90X36X38
V6-GMLM100	100X36X38
V6-GMLM120	120X36X38



**HANGING CABINET (OVERHEAD BIN)**  
MELAMINE SIDES, UPRIGHT SLIDING DOOR WITH RAILS.


V6-GCMR60	60X33X40
V6-GCMR70	70X33X40
V6-GCMR80	80X33X40
V6-GCMR90	90X33X40
V6-GCMR100	100X33X40
V6-GCMR120	120X33X40



**OPEN CABINET**  
MELAMINE ON PANEL / METAL DETAILS.

V6-RM090	90X30X28
V6-RM100	100X30X28
V6-RM120	120X30X28

FOR V60 PANELS MINORS OF 130 CM.  
FOR FIXATION REQUIRES HARDWARE V6-HE500 (NOT INCLUDED)



**ALUMINUM HANGING SHELF**

V6-RA0400	40X30
V6-RA0600	60X30
V6-RA0700	70X30
V6-RA0800	80X30
V6-RA0900	90X30
V6-RA1000	100X30
V6-RA1200	120X30



**AIRE LEG**  
PATIN DESCENTRADO

AIR-PL600	68X72
-----------	-------

**AIRE LEG**  
PATIN CENTRADO

AIR-PL450	45X72
-----------	-------

**MELAMINE LEG**

V6-P680	45X72
---------	-------



**ACCESS LEG**  
DOUBLE

AX-912
--------



**ACCESS LEG**  
SINGLE, STRAIGHT

AX-911
--------



**ACCESS LEG**  
SINGLE, CURVED

AX-910
--------



**"AXIO" L-SHAPED METAL LEG.**  
TRIANGULAR STEEL PROFILE.  
WITH PREPARATION FOR V60 PANEL.

V6-P690D	V6-P690I
----------	----------

RIGHT

LEFT

**PEDESTAL FILE CABINET**  
FRONTS IN 16MM MELAMINE

CS-1111	37.2X49.5X71	GRAY
CS-1211	37.2X49.5X71	BLACK
CS-1215	37.2X49.5X71	WHITE

**PEDESTAL FILE CABINET**  
FRONTS IN 16MM HPDL

CS-1112	37.2X49.5X71	GRAY
CS-1212	37.2X49.5X71	BLACK
CS-1216	37.2X49.5X71	WHITE

**PEDESTAL FILE CABINET**  
METAL FRONTS

CS-1110	37.2X50X71	GRAY
CS-1210	37.2X50X71	BLACK
CS-1115	37.2X50X71	WHITE



# HARDWARE FITTINGS.



## 90° POST — W/EXTENSION TO RECESSED LIGHTING FIXTURE

PLASTIC ON ALL 4 SIDES

V6-EXTQ80	80 CM HEIGHT
V6-EXTQ120	120 CM HEIGHT
V6-EXTQ150	150 CM HEIGHT
V6-EXTQ200	200 CM HEIGHT



## 120° POST — W/EXTENSION TO RECESSED CEILING LIGHT / RECESSED LIGHTING FIXTURE

PLASTIC ON 3 SIDES

V6-EXTT80	80 CM HEIGHT
V6-EXTT120	120 CM HEIGHT
V6-EXTT150	150 CM HEIGHT
V6-EXTT200	200 CM HEIGHT



## PROFILE FOR TOP OF FRAME

FOR CLOSED OFFICE SPACES (RAIL AND SIDE COVERS INCLUDED)

V6-RT001	LINEAR METER
----------	--------------



## HARDWARE FITTING FOR TOP OF POST

WITH CONNECTORS TO TOP PROFILE

V6-HSP001	1 CONNECTOR
V6-HSP002	2 CONNECTOR
V6-HSP003	3 CONNECTOR
V6-HSP004	4 CONNECTOR



## HARDWARE FITTING FOR TOP OF SIDE POST

FOR PANEL AND ATTACHMENT TO TOP PROFILE

V6-HSP005
-----------



## HARDWARE FITTING FOR PANEL TO WALL ATTACHMENT

V6-K11	110 HEIGHT
V6-K13	130 HEIGHT
V6-K15	150 HEIGHT
V6-K17	170 HEIGHT
V6-K19	190 HEIGHT
V6-K21	210 HEIGHT



## 90° POST FOR 1- TO 4-WAY CONNECTIONS

V6-Q11	110 HEIGHT
V6-Q13	130 HEIGHT
V6-Q15	150 HEIGHT
V6-Q17	170 HEIGHT
V6-Q19	190 HEIGHT
V6-Q21	210 HEIGHT



## 120° POST FOR 3-WAY CONNECTIONS

V6-T11	110 HEIGHT
V6-T13	130 HEIGHT
V6-T15	150 HEIGHT
V6-T17	170 HEIGHT
V6-T19	190 HEIGHT
V6-T21	210 HEIGHT



## 120° POST FOR 2-WAY CONNECTIONS

V6-S11	110 HEIGHT
V6-S13	130 HEIGHT
V6-S15	150 HEIGHT
V6-S17	170 HEIGHT
V6-S19	190 HEIGHT
V6-S21	210 HEIGHT



## OBJECT HOLDING RAIL

V6-PO0400	40 CM WIDTH
V6-PO0600	60 CM WIDTH
V6-PO0700	70 CM WIDTH
V6-PO0800	80 CM WIDTH
V6-PO0900	90 CM WIDTH
V6-PO1000	100 CM WIDTH
V6-PO1200	120 CM WIDTH



## SINGLE BRACKET - LARGE

RIGHT	LEFT
V6-HE100D	V6-HE100I



## DOUBLE BRACKET - LARGE

RIGHT	LEFT
V6-HE200D	V6-HE200I



## SMALL BRACKET

RIGHT	LEFT
V6-HE300D	V6-HE300I



## RECEIVER HARDWARE FITTING

RIGHT	LEFT
V6-HE500D	V6-HE500I




## CABLE ORGANIZER

V6-HE600
----------




## PANEL CONNECTOR

V6-HE700
----------



## PLATE V60



## PLATE V60







THIS IS HOW YOU  
CAN FURNISH YOUR  
V60 OFFICE.



A DIFFERENT  
STYLE  
FOR EVERY  
SETTING ®

[www.versa4.com](http://www.versa4.com)



In all Concepto VERSA® products we have developed a unique blend of essential QUALITY AND DESIGN in contemporary proposals for distinct settings that invite you to discover unparalleled comfort, and combine innovative styles to create excellence.

VERSA Concepto® implements continuous improvement programs in all processes and products and reserves the right to modify measurements, design, construction details or color combinations, as well as to discontinue products without notice. We are not responsible for errors in texts, codes, photographs or color tone variations that appear in catalog and may differ from reality. We reserve the right to make changes and/or modifications to the information contained in this catalog without notice. The images shown are the closest possible to reality however, actual size may vary since in photographs proportions may seem different.

All of our products come with a **5 year warranty** against manufacturing defects and meet international quality standards such as:  
·NOM-050-SCFI-2004 de México  
·ANSI-BIFMA de U.S.A.

VERSA Concepto®, Concepto VERSA®, its brand names, logos and slogans are registered trademarks and members of BIFMA International. Partial or total unauthorized use and/or copy is forbidden.



Versa Concepto® meets ISO 9001-2008 quality requirements.

