

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 105 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700055669-SR-1

Page 1 of 1

Report Date: 12/13/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: J. WINERITER
Collected by:

Submitter's Reference Number: LRB 2

Grab/Collection Date: 11/10/2017
Date received: 11/10/2017 11:15

Location/Project/Facility Name: LABORATORY REAGENT BLANK
Sampling Location Details: PREPARED ON: 11/10/2017 - EXTRACTED WITH: EHS1700055660 - 55667

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700055669-01

Sample Type: Method Blank

Lab Tracking Id: LRB 2

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/15/2017 Analysis Date: 11/16/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0854341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700061361-SR-1**

Page 1 of 1

Report Date: **12/28/2017**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: LOAC QAQC
Collected by:

Submitter's Reference Number: LRB

Grab/Collection Date: 12/20/2017
Date received: 12/20/2017 11:15

Location/Project/Facility Name: LABORATORY REAGENT BLANK
Sampling Location Details: PREPARED ON: 12/20/17 EXTRACTED WITH: EHS1700061351 - 61360



Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700061361-01

Sample Type: Method Blank

Lab Tracking Id: LRB

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/21/2017 Analysis Date: 12/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program



The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 107 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700062338-SR-1

Page 1 of 1

Report Date: 01/24/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 390-847-171220

Grab/Collection Date: 12/20/2017 09:55
Date received: 12/28/2017 11:45

Location/Project/Facility Name: 390-847-171220

Sampling Location Details: [REDACTED] TAP

EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700062338-01

Sample Type: Raw Water

Received Temperature (°C): 2.3

Lab Tracking Id: 390847171220

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/29/2017 Analysis Date: 12/29/2017

Perfluorobutanesulfonic acid (PFBS): 4.68 ng/L

Perfluorohexanesulfonic acid (PFHxS): 3.61 ng/L

Perfluoroheptanoic acid (PFHpA): 3.31 ng/L

Perfluorooctanoic acid (PFOA): 18.1 ng/L

Perfluorooctanesulfonic acid (PFOS): 3.18 ng/L

Perfluorononanoic acid (PFNA): <2.00 ng/L

Σ 21.28

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 108 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700062340-SR-1

Page 1 of 1

Report Date: 01/24/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 390-847-171220 Dup

Grab/Collection Date: 12/20/2017 09:55
Date received: 12/28/2017 11:45

Location/Project/Facility Name: 390-847-171220

Sampling Location Details: [REDACTED] TAP

EAST GATE ROAD

WAINSCOTT NY 11975

Chlorinated: No

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns -518-473-0323

Sample Id: EHS1700062340-01

Sample Type: Raw Water

Received Temperature (°C): 2.8

Lab Tracking Id: 390847171220DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/29/2017 Analysis Date: 12/29/2017

Perfluorobutanesulfonic acid (PFBS): 4.33 ng/L

Perfluorohexanesulfonic acid (PFHxS): 3.57 ng/L

Perfluoroheptanoic acid (PFHpA): 3.35 ng/L

Perfluorooctanoic acid (PFOA): 18.0 ng/L

Perfluorooctanesulfonic acid (PFOS): 2.48 ng/L

Perfluorononanoic acid (PFNA): <2.00 ng/L

Σ 20.48

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 109 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700062341-SR-1

Page 1 of 1

Report Date: 01/24/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 391-847-121220

Grab/Collection Date: 12/20/2017 10:25
Date received: 12/28/2017 11:45

Location/Project/Facility Name: 391-847-171220
Sampling Location Details: [REDACTED] OUTSIDE TAP
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700062341-01

Sample Type: Raw Water

Received Temperature (°C): 3.1

Lab Tracking Id: 391847171220

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/29/2017 Analysis Date: 12/29/2017

Perfluorobutanesulfonic acid (PFBS): 4.55 ng/L

Perfluorohexanesulfonic acid (PFHxS): 3.18 ng/L

Perfluoroheptanoic acid (PFHpA): 3.39 ng/L

Perfluorooctanoic acid (PFOA): 17.8 ng/L

Perfluorooctanesulfonic acid (PFOS): 2.46 ng/L

Perfluorononanoic acid (PFNA): <2.00 ng/L

Σ 20.26

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL LABORATORY REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 110 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053457-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 264-929-171025

Grab/Collection Date: 10/25/2017 12:10
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 264929171025
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053457-01

Sample Type: Raw Water

Received Temperature (°C): 6.7

Lab Tracking Id: 264929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/31/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	25.8 ng/L
Perfluorohexanesulfonic acid (PFHxS):	5.57 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	2.73 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 111 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053456-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Submitter's Reference Number: 263-929-171025

Public Water Systems (BWSF)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Grab/Collection Date: 10/25/2017 11:15
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 263929171025

Sampling Location Details: [REDACTED]
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053456-01

Sample Type: Raw Water

Received Temperature (°C): 5.8

Lab Tracking Id: 263929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/31/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	3.00 ng/L
Perfluorohexanesulfonic acid (PFHxS):	64.3 ng/L
Perfluoroheptanoic acid (PFHpA):	4.00 ng/L
Perfluorooctanoic acid (PFOA):	6.88 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: EAST GATE ROAD, WAINSCOTT
Sample Location: KITCHEN TAP
Treatment: PH CONTROL

Request No.: [REDACTED]
Sample Date: 09/07/2017
Sanitarian: ABAZIS
Field No.: 191-929-17-09-07

Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result				MCL			
===== Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services =====							
Total Aldicarb (calc)	<	0.0	ug/L	Carbaryl	<	0.5	50.00 ug/L
Aldicarb	<	0.5	3.00 ug/L	1-Naphthol	<	0.5	50.00 ug/L
Aldicarb-Sulfoxide	<	0.5	4.00 ug/L	Methomyl	<	0.5	50.00 ug/L
Aldicarb-Sulfone	<	0.5	2.00 ug/L	Propoxur (Baygon)	<	0.5	50.00 ug/L
Carbofuran	<	0.5	40.00 ug/L	Methiocarb	<	0.5	50.00 ug/L
3-Hydroxycarbofuran	<	0.5	50.00 ug/L	Methiocarb sulfone	<	0.5	50.00 ug/L
Oxamyl	<	0.5	50.00 ug/L				
===== Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services =====							
TColi	<	ABSENT	ABSENT	EColi	<	ABSENT	ABSENT
===== Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services =====							
alpha-BHC	<	0.2	5.00 ug/L	4,4-DDD	<	0.2	5.00 ug/L
beta-BHC	<	0.2	5.00 ug/L	4,4-DDT	<	0.2	5.00 ug/L
gamma-BHC (Lindane)	<	0.02	0.20 ug/L	Endrin	<	0.01	2.00 ug/L
delta-BHC	<	0.2	5.00 ug/L	Chlordane	<	0.2	2.00 ug/L
Heptachlor	<	0.04	0.40 ug/L	Alachlor	<	0.2	2.00 ug/L
Heptachlor epoxide	<	0.02	0.20 ug/L	Methoxychlor	<	0.1	40.00 ug/L
Aldrin	<	0.2	5.00 ug/L	Endosulfan II	<	0.2	5.00 ug/L
Dieldrin	<	0.2	50.00 ug/L	Endosulfan Sulfate	<	0.2	50.00 ug/L
Endosulfan I	<	0.2	5.00 ug/L	1,2-dibromoethane	<	0.01	0.05 ug/L
Dacthal	<	0.2	50.00 ug/L	1,2-dibromo-3-chloropropane	<	0.02	0.20 ug/L
4,4-DDE	<	0.2	50.00 ug/L				
===== Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services =====							
Monomethyltetrachloroterephthalate	<	5	50.00 ug/L	Tetrachloroterephthalic acid	<	5	50.00 ug/L
===== Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services =====							
Didealkylatrazine (G-28273)	<	0.8	50.00 ug/L	Metolachlor	<	0.2	50.00 ug/L
Deisopropylatrazine (G-28279)	<	0.2	50.00 ug/L	Tebuthiuron	<	0.3	50.00 ug/L
Desethylatrazine (G-30033)	<	0.4	50.00 ug/L	Caffeine	<	0.2	50.00 ug/L
Imidacloprid	<	0.2	50.00 ug/L	Dinoseb	<	0.3	7.00 ug/L
Imidacloprid Urea	<	0.2	50.00 ug/L	Bisphenol A	<	0.2	50.00 ug/L
Alachlor OA (Oxanilic Acid)	<	0.4	50.00 ug/L	Diuron	<	0.2	50.00 ug/L
Alachlor ESA (Sulfonic Acid)	<	0.2	50.00 ug/L	Phenytol (Dilantin)	<	0.2	50.00 ug/L
Metolachlor metabolite (CGA-37735)	<	0.2	50.00 ug/L	4-Hydroxyphenytol	<	0.5	50.00 ug/L
Metolachlor OA (CGA-51202)	<	0.3	50.00 ug/L	Diethyltoluamide (DEET)	<	0.2	50.00 ug/L
Metolachlor ESA (CGA-354743)	<	0.3	50.00 ug/L	Acetaminophen	<	0.2	50.00 ug/L
Metolachlor metabolite (CGA-41638)	<	0.3	50.00 ug/L	Bisphenol B	<	0.2	50.00 ug/L
Metolachlor metabolite (CGA-40172)	<	0.3	50.00 ug/L	Estrone	<	0.2	50.00 ug/L
Metolachlor metabolite (CGA-67125)	<	0.3	50.00 ug/L	17 alpha Ethynylestradiol	<	0.5	50.00 ug/L
2-Hydroxyatrazine (G-34048)	<	0.3	50.00 ug/L	Diethylstilbestrol	<	0.5	50.00 ug/L
Malaonoxon	<	0.2	50.00 ug/L	17 beta Estradiol	=	0.5	50.00 ug/L
Trichlorfon	<	0.3	50.00 ug/L	4-Androstene-3,17-dione	<	0.2	50.00 ug/L
Siduron	<	0.3	50.00 ug/L	Picaridin	<	0.2	50.00 ug/L
Dichlorvos	<	0.6	50.00 ug/L	Propachlor ESA	<	0.2	50.00 ug/L
Propamocarb hydrochloride	<	0.3	50.00 ug/L	Propachlor OA	<	0.3	5.00 ug/L
2,6-Dichlorobenzamide	<	0.5	50.00 ug/L	Testosterone	<	0.3	50.00 ug/L
Ibuprofen	<	0.2	50.00 ug/L	Equilin	<	0.7	50.00 ug/L
Gemfibrozil	<	0.4	50.00 ug/L	Estriol	<	0.7	50.00 ug/L
Metalaxyl	<	0.2	50.00 ug/L				
===== Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services =====							
Lithium	<	1	ug/L	Cadmium (Cd)	<	1	5.00 ug/L
Beryllium (Be)	<	0.2	4.00 ug/L	Tin	<	0.5	ug/L
Aluminum (Al)	<	5	ug/L	Antimony (Sb)	<	0.2	6.00 ug/L
Titanium (Ti)	<	1	ug/L	Tellurium	<	0.5	ug/L
Vanadium (V)	<	1	ug/L	Barium (Ba)	=	26	2000.00 ug/L
Chromium (Cr)	<	1	100.00 ug/L	Mercury (Hg)	<	0.3	2.00 ug/L
Manganese (Mn)	=	0.035	0.30 mg/L	Thallium (Tl)	<	0.2	2.00 ug/L
Cobalt (Co)	<	1	ug/L	Lead (Pb)	<	1	15.00 ug/L
Nickel (Ni)	=	0.2	100.00 ug/L	Thorium (Th)	<	2	ug/L
Copper (Cu)	=	103	1300.00 ug/L	Uranium	<	0.5	30.00 ug/L
Zinc (Zn)	=	6	5000.00 ug/L	Calcium	=	25.0	mg/L
Germanium	<	2.5	ug/L	Iron (Fe)	<	0.1	0.30 mg/L
Arsenic (As)	<	1	10.00 ug/L	Potassium + Manganese (Combined, Calc)	=	0.035	0.50 mg/L
Selenium (Se)	<	1	50.00 ug/L	Potassium	=	0.61	mg/L
Strontium	=	73.7	ug/L	Magnesium	=	2.1	mg/L
Molybdenum (Mo)	<	1	ug/L	Sodium (Na)	=	12.4	mg/L
Silver (Ag)	<	2.5	100.00 ug/L				
===== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====							
PFBS (Perfluorobutanesulfonic Acid)	=	5.93	50000 ng/L	PFOA (Perfluorooctanoic Acid)	<	2	50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)	=	21.1	50000 ng/L	PFOS (Perfluorooctanesulfonic Acid)	=	3.56	50000 ng/L
PFHpA (Perfluoroheptanoic Acid)	<	2	50000 ng/L	PFNA (Perfluorononanoic Acid)	<	2	50000 ng/L

Requestor Name: [REDACTED]
 Location: EAST GATE ROAD, WAINSCOTT
 Sample Location: KITCHEN TAP
 Treatment: PH CONTROL

Request No.: [REDACTED]
 Sample Date: 09/07/2017
 Sanitarian: ABAZIS
 Field No.: 191-929-17-09-07
 Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab.....	= 7.7	N/A	Bromide.....	< 0.05	mg/L
Specific Conductivity-Lab.....	= 209.	umho/cm	Orthophosphate.....	< 0.1	mg/L
Chloride (Cl).....	= 14.	250.00 mg/L	Fluoride.....	< 0.1	2.20 mg/L
Sulfate (SO4).....	= 7.	250.00 mg/L	T. Alkalinity.....	= 71.	mg/L
Nitrite (NO2-N).....	< 0.05	1.00 mg/L	Chlorate.....	< 0.05	mg/L
Nitrate.....	= 0.32	10.00 mg/L			
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene.....	< 0.2	50.00 ug/L	EPTC.....	< 0.2	50.00 ug/L
2-Methylnaphthalene.....	< 0.2	50.00 ug/L	Ethofumesate.....	< 0.2	50.00 ug/L
Acenaphthene.....	< 0.2	50.00 ug/L	Ethyl Parathion.....	< 0.2	50.00 ug/L
Acenaphthylene.....	< 0.2	50.00 ug/L	Fluoranthene.....	< 0.2	50.00 ug/L
Acetochlor.....	< 0.2	50.00 ug/L	Fluorene.....	< 0.2	50.00 ug/L
Alachlor.....	< 0.2	2.00 ug/L	Hexachlorobenzene.....	< 0.1	1.00 ug/L
Allethrin.....	< 0.2	50.00 ug/L	Hexachlorocyclopentadiene.....	< 0.1	5.00 ug/L
Anthracene.....	< 0.5	50.00 ug/L	Hexachloroethane.....	< 1.0	5.00 ug/L
Atrazine.....	< 0.1	3.00 ug/L	Hexazinone.....	< 1.0	50.00 ug/L
Azoxystrobin.....	< 0.2	50.00 ug/L	Indeno (1,2,3-cd) Pyrene.....	< 0.2	50.00 ug/L
Benfluralin.....	< 0.5	50.00 ug/L	Iodofenphos.....	< 0.2	50.00 ug/L
Benzo (A) Anthracene.....	< 0.5	50.00 ug/L	Iprodione.....	< 0.5	50.00 ug/L
Benzo (B) Fluoranthene.....	< 0.2	50.00 ug/L	Isofenphos.....	< 0.5	50.00 ug/L
Benzo (GHI) Perylene.....	< 0.2	50.00 ug/L	Kelthane.....	< 0.5	50.00 ug/L
Benzo (K) Fluoranthene.....	< 0.2	50.00 ug/L	Malathion.....	< 0.5	50.00 ug/L
Benzo (A) Pyrene.....	< 0.02	0.20 ug/L	Metaxyl.....	< 0.2	50.00 ug/L
Benzophenone.....	< 0.2	50.00 ug/L	Methoprene.....	< 0.2	50.00 ug/L
Benzyl butyl phthalate.....	< 0.2	50.00 ug/L	Methoxychlor.....	< 0.1	50.00 ug/L
Bis (2-ethylhexyl) adipate.....	< 0.5	50.00 ug/L	Methyl Parathion.....	< 0.2	50.00 ug/L
Bis (2-ethylhexyl) phthalate.....	< 3.0	6.00 ug/L	Metolachlor.....	< 0.2	50.00 ug/L
Bisphenol A.....	< 0.5	50.00 ug/L	Naled (Dibrom).....	< 0.2	50.00 ug/L
Bloc.....	< 0.2	50.00 ug/L	Napropamide.....	< 0.2	50.00 ug/L
Bromacil.....	< 0.5	50.00 ug/L	Pendimethalin.....	< 0.2	5.00 ug/L
Butachlor.....	< 0.2	50.00 ug/L	Pentachlorobenzene.....	< 0.2	50.00 ug/L
Carbamazepine.....	< 0.5	50.00 ug/L	Pentachloronitrobenzene.....	< 0.2	50.00 ug/L
Carbazole.....	< 0.2	50.00 ug/L	Permethrin.....	< 0.2	50.00 ug/L
Carisoprodol.....	< 0.5	50.00 ug/L	Phenanthrene.....	< 0.2	50.00 ug/L
Chlordane.....	< 0.2	2.00 ug/L	Piperonyl butoxide.....	< 0.5	50.00 ug/L
Chlorofenvinphos.....	< 0.2	50.00 ug/L	Prometon.....	< 0.5	50.00 ug/L
Chloroxylenol.....	< 0.2	50.00 ug/L	Prometryne.....	< 0.2	50.00 ug/L
Chlorpyrifos.....	< 0.2	50.00 ug/L	Propachlor.....	< 0.2	50.00 ug/L
Chrysene.....	< 0.2	50.00 ug/L	Propiconazole (Tilt).....	< 0.2	50.00 ug/L
Cyfluthrin.....	< 0.2	50.00 ug/L	Pyrene.....	< 0.5	50.00 ug/L
Cypermethrin.....	< 0.5	50.00 ug/L	Resmethrin.....	< 0.2	50.00 ug/L
Dacthal.....	< 0.2	50.00 ug/L	Ronstar.....	< 0.2	50.00 ug/L
Deltamethrin.....	< 0.5	50.00 ug/L	Simazine.....	< 0.07	4.00 ug/L
Dibenzo (A, H) Anthracene.....	< 0.2	50.00 ug/L	Sumithrin.....	< 0.2	50.00 ug/L
Dibutyl Phthalate.....	< 1.0	50.00 ug/L	Tebuthiuron.....	< 0.5	50.00 ug/L
Dichlobenil.....	< 0.2	50.00 ug/L	Terbacil.....	< 0.5	50.00 ug/L
Dichlorvos.....	< 0.5	50.00 ug/L	Triadimefon.....	< 0.5	50.00 ug/L
Dieldrin.....	< 0.2	50.00 ug/L	Triclosan.....	< 0.5	50.00 ug/L
Diethyl phthalate.....	< 1.0	50.00 ug/L	Trifluralin.....	< 0.5	50.00 ug/L
Diethyltoluamide (DEET).....	< 0.2	50.00 ug/L	Vinclozolin.....	< 0.5	50.00 ug/L
Dimethyl phthalate.....	< 0.2	50.00 ug/L	Total Triazines + Metabolites (Calc).....	< 0.	4.00 ug/L
Diocetyl Phthalate.....	< 0.2	50.00 ug/L	Etofenprox.....	< 0.2	50.00 ug/L
Disulfoton sulfone.....	< 0.2	50.00 ug/L	Etofenprox alpha-CO.....	< 0.2	50.00 ug/L
Endosulfan Sulfate.....	< 0.2	50.00 ug/L	Prallethrin.....	< 0.2	50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
 Location: [REDACTED] EAST GATE ROAD, WAINSCOTT
 Sample Location: TANK
 Treatment: NONE

Request No.: [REDACTED]
 Sample Date: 09/07/2017 Survey #: SV0317
 Sanitarian: ABAZIS
 Field No.: 001-929-17-09-07

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

===== Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services =====					
	Result	MCL		Result	MCL
1,4-Dioxane.....	< 0.1	50.00	ug/L		
===== Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services =====					
Lithium.....	< 1.		ug/L	Cadmium (Cd).....	< 1. 5.00 ug/L
Beryllium (Be).....	< 0.2	4.00	ug/L	Tin.....	< 0.5 ug/L
Aluminum (Al).....	< 5.		ug/L	Antimony (Sb).....	< 0.2 6.00 ug/L
Titanium (Ti).....	< 1.		ug/L	Tellurium.....	< 0.5 ug/L
Vanadium (V).....	< 1.		ug/L	Barium (Ba).....	= 26. 2000.00 ug/L
Chromium (Cr).....	< 1.	100.00	ug/L	Mercury (Hg).....	< 0.3 2.00 ug/L
Manganese (Mn).....	= 0.030	0.30	mg/L	Thallium (Tl).....	< 0.2 2.00 ug/L
Cobalt (Co).....	< 1.		ug/L	Lead (Pb).....	= 3. 15.00 ug/L
Nickel (Ni).....	< 0.2	100.00	ug/L	Thorium (Th).....	< 2. ug/L
Copper (Cu).....	= 98.	1300.00	ug/L	Uranium.....	< 0.5 30.00 ug/L
Zinc (Zn).....	= 21.	5000.00	ug/L	Calcium.....	= 1.2 mg/L
Germanium.....	< 2.5		ug/L	Iron (Fe).....	= 0.11 0.30 mg/L
Arsenic (As).....	< 1.	10.00	ug/L	Iron + Manganese (Combined, Calc).....	= 0.14 0.50 mg/L
Selenium (Se).....	< 1.	50.00	ug/L	Potassium.....	= 0.66 mg/L
Strontium.....	= 18.1		ug/L	Magnesium.....	= 1.7 mg/L
Molybdenum (Mo).....	< 1.		ug/L	Sodium (Na).....	= 12.5 mg/L
Silver (Ag).....	< 2.5	100.00	ug/L		
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab.....	= 6.2		N/A	Bromide.....	< 0.05 mg/L
Specific Conductivity-Lab.....	= 99.		umho/cm	Orthophosphate.....	< 0.1 mg/L
Chloride (Cl).....	= 14.	250.00	mg/L	Fluoride.....	< 0.1 2.20 mg/L
Sulfate (SO4).....	= 7.	250.00	mg/L	T. Alkalinity.....	= 10. mg/L
Nitrite (NO2-N).....	< 0.05	1.00	mg/L	Hexavalent Chromium.....	< 0.03 ug/L
Nitrate.....	= 0.32	10.00	mg/L	Chlorate.....	< 0.05 mg/L

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 116 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700057070-SR-1

Page 1 of 1

Report Date: 01/10/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 354-847-171120

Grab/Collection Date: 11/20/2017 12:50
Date received: 11/22/2017 11:00

Location/Project/Facility Name: 354-847-171120
Sampling Location Details: REST ROOM TAP
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700057070-01

Sample Type: Raw Water

Received Temperature (°C): 2.3

Lab Tracking Id: 354847171120

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/27/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS): 2.61 ng/L
Perfluorohexanesulfonic acid (PFHxS): 17.4 ng/L
Perfluoroheptanoic acid (PFHpA): <2.00 ng/L
Perfluorooctanoic acid (PFOA): <2.00 ng/L
Perfluorooctanesulfonic acid (PFOS): <1.91 ng/L
Perfluorononanoic acid (PFNA): <2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 117 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054753-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWS)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 281-929-171102

Grab/Collection Date: 11/02/2017 11:00
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 281929171102
Sampling Location Details: [REDACTED] - BATHROOM TAP
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054753-01

Sample Type: Raw Water

Received Temperature (°C): 7.4

Lab Tracking Id: 281929171102

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/9/2017 Analysis Date: 11/10/2017

Perfluorobutanesulfonic acid (PFBS):	2.75 ng/L
Perfluorohexanesulfonic acid (PFHxS):	17.2 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 118 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054754-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 281-929-171102, Dup

Grab/Collection Date: 11/02/2017 11:00
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 281929171102
Sampling Location Details: [REDACTED] - BATHROOM TAP
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054754-01

Sample Type: Raw Water

Received Temperature (°C): 7.4

Lab Tracking Id: 281929171102DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/9/2017 Analysis Date: 11/10/2017

Perfluorobutanesulfonic acid (PFBS): 2.23 ng/L

Perfluorohexanesulfonic acid (PFHxS): 17.1 ng/L

Perfluoroheptanoic acid (PFHpA): <2.00 ng/L

Perfluorooctanoic acid (PFOA): <2.00 ng/L

Perfluorooctanesulfonic acid (PFOS): <1.91 ng/L

Perfluorononanoic acid (PFNA): <2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 119 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700052299-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 249-929-171018

Grab/Collection Date: 10/18/2017 11:10
Date received: 10/20/2017 10:50

Additional Info: [REDACTED]

Location/Project/Facility Name: 249-929-171018
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700052299-01

Sample Type: Raw Water

Received Temperature (°C): 3.8

Lab Tracking Id: 249929171018

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/23/2017 Analysis Date: 10/25/2017

Perfluorobutanesulfonic acid (PFBS):	3.83 ng/L
Perfluorohexanesulfonic acid (PFHxS):	11.9 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 120 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054750-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 274-929-171031

Grab/Collection Date: 10/31/2017 10:40
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 274929171031
Sampling Location Details: [REDACTED] - RESTROOM TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054750-01

Sample Type: Raw Water

Received Temperature (°C): 6.1

Lab Tracking Id: 274929171031

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/8/2017 Analysis Date: 11/8/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 121 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053455-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 002-929-171025

Grab/Collection Date: 10/25/2017 11:40

Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 002929171025
Sampling Location Details: [REDACTED] - KITCHEN TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053455-01

Sample Type: Finished Water

Received Temperature (°C): 7.2

Lab Tracking Id: 002929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/31/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 122 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5688 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053452-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 260-929-171025 Dup

Grab/Collection Date: 10/25/2017 09:45
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 260929171025
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11795
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample id: EHS1700053452-01

Sample Type: Raw Water

Received Temperature (°C): 4.7

Lab Tracking Id: 260929171025DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/30/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 123 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053451-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 260-929-171025

Grab/Collection Date: 10/25/2017 09:45
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 260929171025
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053451-01

Sample Type: Raw Water

Received Temperature (°C): 4.4

Lab Tracking Id: 260929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/30/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 124 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056549-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

Public Water Systems (BWSP)

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 347-847-171116

Grab/Collection Date: 11/16/2017 11:15
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 347847171116

Sampling Location Details: [REDACTED] OUTSIDE TAP

EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056549-01

Sample Type: Raw Water

Received Temperature (°C): 5.3

Lab Tracking Id: 347847171116

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/22/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	3.71 ng/L
Perfluorooctanesulfonic acid (PFOS):	5.88 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SK - Exhibit 3-3(b)
(page 125 of 208)

New York State Department of Health
Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700056548-SR-1**

Page 1 of 1

Report Date: **01/08/2018**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 346-847-171116

Grab/Collection Date: 11/16/2017 11:00
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 346847171116

Sampling Location Details: [REDACTED] KITCHEN TAP

EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

[REDACTED]

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056548-01

Sample Type: Raw Water

Received Temperature (°C): **5.0**

Lab Tracking Id: 346847171116

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/22/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	3.40 ng/L
Perfluorooctanesulfonic acid (PFOS):	6.35 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

[REDACTED]

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 126 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053984-SR-1

Page 1 of 1

Report Date: 11/28/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 267-929-171026

Grab/Collection Date: 10/26/2017 10:30
Date received: 10/31/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 267929171026
Sampling Location Details: [REDACTED] - OUTDOOR SPIGOT
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053984-01

Sample Type: Raw Water

Received Temperature (°C): 4.4

Lab Tracking Id: 267929171026

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/6/2017 Analysis Date: 11/6/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	4.15 ng/L
Perfluorooctanoic acid (PFOA):	12.2 ng/L
Perfluorooctanesulfonic acid (PFOS):	3.87 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 127 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053454-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by h1najc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 262-929-171025

Grab/Collection Date: 10/25/2017 10:15
Date received: 10/27/2017 14:30

Additional Info [REDACTED]

Location/Project/Facility Name: 262929171025
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053454-01

Sample Type: Raw Water

Received Temperature (°C): 5.9

Lab Tracking Id: 262929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/31/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.29 ng/L
Perfluoroheptanoic acid (PFHpA):	2.07 ng/L
Perfluorooctanoic acid (PFOA):	4.74 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 128 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053453-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 261-929-171025

Grab/Collection Date: 10/25/2017 10:00
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 261929171025
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053453-01

Sample Type: Raw Water

Received Temperature (°C): 7.6

Lab Tracking Id: 261929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/31/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	1.81 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.61 ng/L
Perfluoroheptanoic acid (PFHpA):	2.85 ng/L
Perfluorooctanoic acid (PFOA):	6.44 ng/L
Perfluorooctanesulfonic acid (PFOS):	2.38 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 129 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700046470-SR-1

Page 1 of 1

Report Date: 10/20/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/20/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 191-929-170907 Dup

Grab/Collection Date: 09/07/2017 09:45
Date received: 09/13/2017 13:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 191-929-170907
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700046470-01

Sample Type: Raw Water

Received Temperature (°C): 8.7

Lab Tracking Id: 191929170907DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/14/2017 Analysis Date: 9/14/2017

Perfluorobutanesulfonic acid (PFBS):	5.71 ng/L
Perfluorohexanesulfonic acid (PFHxS):	22.2 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	3.88 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 130 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700046469-SR-1**

Page 1 of 1

Report Date: 10/20/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/20/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABZIS
Collected by:

Submitter's Reference Number: 191-929-170907

Grab/Collection Date: 09/07/2017 09:45
Date received: 09/13/2017 13:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 191-929-170907
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] EAST GATE ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYSELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700046469-01

Sample Type: Raw Water

Received Temperature (°C): 9.4

Lab Tracking Id: 191929170907

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/14/2017 Analysis Date: 9/14/2017

Perfluorobutanesulfonic acid (PFBS):	5.93 ng/L
Perfluorohexanesulfonic acid (PFHxS):	21.1 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	3.56 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 131 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053458-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 265-929-171025

Grab/Collection Date: 10/25/2017 12:30
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 265929171025
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053458-01

Sample Type: Raw Water

Received Temperature (°C): 6.2

Lab Tracking Id: 265929171025

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/31/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	2.31 ng/L
Perfluorohexanesulfonic acid (PFHxS):	22.3 ng/L
Perfluoroheptanoic acid (PFHpA):	2.44 ng/L
Perfluorooctanoic acid (PFOA):	3.95 ng/L
Perfluorooctanesulfonic acid (PFOS):	2.69 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 132 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054745-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-GEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 270-929-171030

Grab/Collection Date: 10/30/2017 10:15
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 270929171030
Sampling Location Details: [REDACTED] - BATHROOM TAP, RIGHT
[REDACTED] ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054745-01

Sample Type: Raw Water

Received Temperature (°C): - 5.7

Lab Tracking Id: 270929171030

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/8/2017 Analysis Date: 11/8/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 133 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700059302-SR-1

Page 1 of 1

Report Date: 01/24/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 370-847-171204 Dup

Grab/Collection Date: 12/04/2017 09:15
Date received: 12/08/2017 12:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 370847171204

Sampling Location Details: [REDACTED] BATHROOM TAP

WESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700059302-01

Sample Type: Raw Water

Received Temperature (°C): -0.2

Lab Tracking Id: 370847171204DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/11/2017 Analysis Date: 12/12/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.12 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	4.38 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL LABORATORY REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SK - Exhibit 3-3(b)
(page 134 of 208)

New York State Department of Health
Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700059301-SR-1**

Page 1 of 1

Report Date: **01/24/2018**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 370-847-171204

Grab/Collection Date: 12/04/2017 09:15
Date received: 12/08/2017 12:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 370847171204

Sampling Location Details: [REDACTED] BATHROOM TAP

ESTERBROOK ROAD

WAINSCOTT NY 11975

Chlorinated: No

[REDACTED]

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700059301-01

Sample Type: Raw Water

Received Temperature (°C): -0.9

Lab Tracking Id: 370847171204

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/11/2017 Analysis Date: 12/12/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.18 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	4.32 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

[REDACTED]

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 135 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053441-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 253-929-171023

Grab/Collection Date: 10/23/2017 10:15
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 252929171023
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053441-01

Sample Type: Raw Water

Received Temperature (°C): 8.7

Lab Tracking Id: 253929171023

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/30/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 136 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5666 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053442-SR-1

Page 1 of 1

Report Date: 11/09/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 253-929-171023 Dup

Grab/Collection Date: 10/23/2017 10:15
Date received: 10/27/2017 14:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 253929171023
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700053442-01

Sample Type: Raw Water

Received Temperature (°C): 5.6

Lab Tracking Id: 253929171023DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/30/2017 Analysis Date: 10/31/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 137 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053976-SR-1

Page 1 of 1

Report Date: 11/28/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 301-850-171026

Grab/Collection Date: 10/26/2017 09:45
Date received: 10/31/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 301850171026

Sampling Location Details: KITCHEN TAP

WESTERBROOK RD
WAINSCOTT NY 11975

Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053976-01

Sample Type: Finished Water

Received Temperature (°C): 0.9

Lab Tracking Id: 301850171026

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/3/2017 Analysis Date: 11/6/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 138 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053977-SR-1

Page 1 of 1

Report Date: 11/28/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 301-850-171026 Dup

Grab/Collection Date: 10/26/2017 09:45
Date received: 10/31/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 301850171026
Sampling Location Details: KITCHEN TAP
ESTERBROOK RD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053977-01

Sample Type: Finished Water

Received Temperature (°C): 2.1

Lab Tracking Id: 301850171026DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/3/2017 Analysis Date: 11/6/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 139 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056531-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Submitter's Reference Number: 003-913-171115

Grab/Collection Date: 11/15/2017 10:10
Date received: 11/17/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 003913171115
Sampling Location Details: REVERSE OSMOSIS TAP
ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

ENVIRONMENTAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056531-01

Sample Type: Finished Water

Received Temperature (°C): 2.3

Lab Tracking Id: 003913171115

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 140 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056530-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Submitter's Reference Number: 002-913-171115

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Grab/Collection Date: 11/15/2017 10:00
Date received: 11/17/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 002913171115
Sampling Location Details: BATHROOM TAP
ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056530-01

Sample Type: Finished Water

Received Temperature (°C): 3.4

Lab Tracking Id: 002913171115

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL LABORATORY REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SK - Exhibit 3-3(b)
(page 141 of 208)

New York State Department of Health
Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700056529-SR-1**

Page 1 of 1

Report Date: **01/08/2018**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Submitter's Reference Number: 001-913-171115 Dup

Grab/Collection Date: 11/15/2017 09:45
Date received: 11/17/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 001913171115
Sampling Location Details: BASEMENT SPIGOT
[REDACTED] ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

[REDACTED]

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056529-01

Sample Type: Raw Water

Received Temperature (°C): 2.6

Lab Tracking Id: 001913171115DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

[REDACTED]

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SK - Exhibit 3-3(b)
(page 142 of 208)

New York State Department of Health
Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700056528-SR-1**

Page 1 of 1

Report Date: **01/08/2018**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Submitter's Reference Number: 001-913-171115

Grab/Collection Date: 11/15/2017 09:45
Date received: 11/17/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 001913171115
Sampling Location Details: [REDACTED] SPIGOT
[REDACTED] ESTERBROOK ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056528-01

Sample Type: Raw Water

Received Temperature (°C): 1.1

Lab Tracking Id: 001913171115

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 143 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Stingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053475-SR-1

Page 1 of 1

Report Date: 11/21/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 302-850-171023

Grab/Collection Date: 10/23/2017 09:40
Date received: 10/27/2017 12:00

Location/Project/Facility Name: 302-850-171023

Sampling Location Details: KITCHEN TAP

EXETER LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053475-01

Sample Type: Finished Water

Received Temperature (°C): 6.1

Lab Tracking Id: 302850171023

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/1/2017 Analysis Date: 11/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	2.72 ng/L
Perfluorooctanoic acid (PFOA):	9.87 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 144 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5868 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053476-SR-1

Page 1 of 1

Report Date: 11/21/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 302-850-171023 Dup

Grab/Collection Date: 10/23/2017 09:40
Date received: 10/27/2017 12:00

Location/Project/Facility Name: 302-850-171023 DUP
Sampling Location Details: KITCHEN TAP [REDACTED]
[REDACTED] EXETER LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053476-01

Sample Type: Finished Water

Received Temperature (°C): 3.8

Lab Tracking Id: 302850171023DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/1/2017 Analysis Date: 11/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	2.72 ng/L	
Perfluorooctanoic acid (PFOA):	9.96 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 145 of 208)

Biggs Laboratory
PO Box 508
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5666 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053474-SR-1

Page 1 of 1

Report Date: 11/21/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by: KAROL M. SARIAN

Submitter's Reference Number: 301-850-171023

Grab/Collection Date: 10/23/2017 09:10
Date received: 10/27/2017 12:00

Location/Project/Facility Name: 301-850-171023

Sampling Location Details: BATHROOM TAP

EXETER LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053474-01

Sample Type: Finished Water

Received Temperature (°C): 7.8

Lab Tracking Id: 301850171023

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/1/2017 Analysis Date: 11/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	2.05 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 146 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054790-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Submitter's Reference Number: 004-913-171101

Grab/Collection Date: 11/01/2017 10:10
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 004913171101
Sampling Location Details: KITCHEN TAP
EXETER LANE
WAINSCOTT NY 11937
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054790-01

Sample Type: Finished Water

Received Temperature (°C): 10.8

Lab Tracking Id: 004913171101

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/10/2017 Analysis Date: 11/10/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NOTES:

- [1] Sample temperature upon receipt did not meet method specifications of 10 °C.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 147 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700060594-SR-1

Page 1 of 1

Report Date: 01/24/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

Public Water Systems (BWSP)

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 303-847-171213

Grab/Collection Date: 12/13/2017 11:15
Date received: 12/15/2017 14:15

Location/Project/Facility Name: 303847171213

Sampling Location Details: [REDACTED] BATHROOM [REDACTED]
EXETER LANE
WAINSCOTT NY 11975
Chlorinated: No

[REDACTED]

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700060594-01

Sample Type: Raw Water

Received Temperature (°C): 4.6

Lab Tracking Id: 303847171213

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 12/19/2017 Analysis Date: 12/20/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

[REDACTED]

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 148 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054783-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Submitter's Reference Number: 003-913-171031

Grab/Collection Date: 10/31/2017 10:50
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 003913171031
Sampling Location Details: KITCHEN TAP
FAIRFIELD LANE
WAINSCOTT NY 11937
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054783-01

Sample Type: Finished Water

Received Temperature (°C): 7.1

Lab Tracking Id: 003913171031

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/10/2017 Analysis Date: 11/10/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 149 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700054782-SR-1

Page 1 of 1

Report Date: 12/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

Public Water Systems (BWSP)

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JESSE TRAVIS
Collected by: JESSE TRAVIS

Submitter's Reference Number: 003-913-171031

Grab/Collection Date: 10/31/2017 10:40
Date received: 11/03/2017 12:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 002913171031
Sampling Location Details: [REDACTED] SPIGOT
FAIRFIELD LANE
WAINSCOTT NY 11937
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700054782-01

Sample Type: Raw Water

Received Temperature (°C): 8.7

Lab Tracking Id: 002913171031

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/9/2017 Analysis Date: 11/10/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 150 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053477-SR-1

Page 1 of 1

Report Date: 11/21/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 304-850-171023

Grab/Collection Date: 10/23/2017 10:20
Date received: 10/27/2017 12:00

Location/Project/Facility Name: 304-850-171023

Sampling Location Details: KITCHEN TAP [REDACTED]
FAIRFIELD LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053477-01

Sample Type: Finished Water

Received Temperature (°C): 5.0

Lab Tracking Id: 304850171023

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/1/2017 Analysis Date: 11/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5666 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700042963-SR-1**

Page 1 of 1

Report Date: **09/22/2017**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/05/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 002-929-170816

Grab/Collection Date: 08/16/2017 11:40

Date received: 08/22/2017 14:40

Additional Info: [REDACTED]

Location/Project/Facility Name: 002-929-170816

Sampling Location Details: [REDACTED] BATHROOM TAP

[REDACTED] FERNWOOD ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700042963-01

Sample Type: Raw Water

Received Temperature (°C): 4.9

Lab Tracking Id: 002929170816

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 8/23/2017 Analysis Date: 8/24/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.68 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	7.11 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 152 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053478-SR-1

Page 1 of 1

Report Date: 11/21/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLÖYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 305-850-171023

Grab/Collection Date: 10/23/2017 10:45
Date received: 10/27/2017 12:00

Location/Project/Facility Name: 305-850-171023
Sampling Location Details: KITCHEN TAP
FERNWOOD ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053478-01

Sample Type: Finished Water

Received Temperature (°C): 6.6

Lab Tracking Id: 305850171023

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/1/2017 Analysis Date: 11/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
 Location: [REDACTED] FERNWOOD ROAD, WAINSCOTT
 Sample Location: RESTROOM TAP
 Treatment: NONE

Request No.: [REDACTED]
 Sample Date: 08/02/2017
 Sanitarian: ABAZIS
 Field No.: 141-929-17-08-02
 Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
alpha-BHC	< 0.2	5.00	4,4-DDD	< 0.2	5.00	ug/L	
beta-BHC	< 0.2	5.00	4,4-DDT	< 0.2	5.00	ug/L	
gamma-BHC (Lindane)	< 0.02	0.20	Endrin	< 0.01	2.00	ug/L	
delta-BHC	< 0.2	5.00	Chlordane	< 0.2	2.00	ug/L	
Heptachlor	< 0.04	0.40	Alachlor	< 0.2	2.00	ug/L	
Heptachlor epoxide	< 0.02	0.20	Methoxychlor	< 0.1	40.00	ug/L	
Aldrin	< 0.2	5.00	Endosulfan II	< 0.2	5.00	ug/L	
Dieldrin	< 0.2	50.00	Endosulfan Sulfate	< 0.2	50.00	ug/L	
Endosulfan I	< 0.2	5.00	1,2-dibromoethane	< 0.01	0.05	ug/L	
Dacthal	< 0.2	50.00	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L	
4,4-DDE	< 0.2	50.00					

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Monomethyltetrachloroterephthalate	< 5	50.00	Tetrachloroterephthalic acid	< 5	50.00	ug/L	

Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services				Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
1,4-Dioxane	< 0.2	50.00					

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Didealkylatrazine (G-28273)	< 0.8	50.00	Metolachlor	< 0.2	50.00	ug/L	
Deisopropylatrazine (G-28279)	< 0.2	50.00	Tebuthiuron	< 0.3	50.00	ug/L	
Desethylatrazine (G-30033)	< 0.4	50.00	Caffeine	< 0.2	50.00	ug/L	
Imidacloprid	< 0.2	50.00	Dinoseb	< 0.3	7.00	ug/L	
Imidacloprid Urea	< 0.2	50.00	Bisphenol A	< 0.2	50.00	ug/L	
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	Diuron	< 0.2	50.00	ug/L	
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	Phenytoln (Dilantin)	< 0.2	50.00	ug/L	
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	4-Hydroxyphenytoin	< 0.5	50.00	ug/L	
Metolachlor OA (CGA-51202)	< 0.3	50.00	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L	
Metolachlor ESA (CGA-354743)	< 0.3	50.00	Acetaminophen	< 0.2	50.00	ug/L	
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	Bisphenol B	< 0.2	50.00	ug/L	
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	Estrone	< 0.2	50.00	ug/L	
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L	
2-Hydroxyatrazine (G-34048)	< 0.3	50.00	Diethylstilbestrol	< 0.5	50.00	ug/L	
Malaonon	< 0.2	50.00	17 beta Estradiol	< 0.5	50.00	ug/L	
Trichlorfon	< 0.3	50.00	4-Androstene-3,17-dione	< 0.2	50.00	ug/L	
Siduron	< 0.3	50.00	Picaridin	< 0.2	50.00	ug/L	
Dichlorvos	< 0.6	50.00	Propachlor ESA	< 0.2	50.00	ug/L	
Propamocarb hydrochloride	< 0.3	50.00	Propachlor OA	< 0.3	5.00	ug/L	
2,6-Dichlorobenzamide	< 0.5	50.00	Testosterone	< 0.3	50.00	ug/L	
Ibuprofen	< 0.2	50.00	Equilin	< 0.7	50.00	ug/L	
Gemfibrozil	< 0.4	50.00	Estriol	< 0.7	50.00	ug/L	
Metalaxyl	< 0.2	50.00					

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Lithium	< 1	ug/L	Cadmium (Cd)	< 1	5.00	ug/L	
Beryllium (Be)	< 0.2	4.00	Tin	< 0.5	ug/L		
Aluminum (Al)	< 5	ug/L	Antimony (Sb)	< 0.2	6.00	ug/L	
Titanium (Ti)	< 1	ug/L	Tellurium	< 0.5	ug/L		
Vanadium (V)	< 1	ug/L	Barium (Ba)	= 18	2000.00	ug/L	
Chromium (Cr)	< 1	100.00	Mercury (Hg)	< 0.3	2.00	ug/L	
Manganese (Mn)	< 0.001	0.30	Thallium (Tl)	< 0.2	2.00	ug/L	
Cobalt (Co)	< 1	ug/L	Lead (Pb)	= 2	15.00	ug/L	
Nickel (Ni)	< 0.2	100.00	Thorium (Th)	< 2	ug/L		
Copper (Cu)	= 7	1300.00	Uranium	< 0.5	30.00	ug/L	
Zinc (Zn)	= 19	5000.00	Calcium	= 24	8.00	mg/L	
Germanium	< 2.5	ug/L	Iron (Fe)	< 0.1	0.30	mg/L	
Arsenic (As)	< 1	10.00	Iron + Manganese (Combined, Calc)	< 0	0.50	mg/L	
Selenium (Se)	< 1	50.00	Potassium	= 1.0	mg/L		
Strontium	= 91.6	ug/L	Magnesium	= 2.8	mg/L		
Molybdenum (Mo)	< 1	ug/L	Sodium (Na)	= 11.3	mg/L		
Silver (Ag)	< 2.5	100.00					

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: [REDACTED] FERNWOOD ROAD, WAINSCOTT
Sample Location: RESTROOM TAP
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 08/02/2017
Sanitarian: ABAZIS
Field No.: 141-929-17-08-02
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab.....	= 7.7	N/A	Bromide.....	< 0.05	mg/L
Specific Conductivity-Lab.....	= 227.	umho/Ω cm	Orthophosphate.....	< 0.1	mg/L
Chloride (Cl).....	= 18.	250.00 mg/L	Fluoride.....	= 0.104	2.20 mg/L
Sulfate (SO4).....	= 7.	250.00 mg/L	T. Alkalinity.....	= 68.	mg/L
Nitrite (NO2-N).....	< 0.05	1.00 mg/L	Hexavalent Chromium.....	= 0.20	ug/L
Nitrate.....	= 1.5	10.00 mg/L	Chlorate.....	< 0.05	mg/L

	Result	MCL		Result	MCL
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene.....	< 0.2	50.00 ug/L	EPTC.....	< 0.2	50.00 ug/L
2-Methylnaphthalene.....	< 0.2	50.00 ug/L	Ethofumesate.....	< 0.2	50.00 ug/L
Acenaphthene.....	< 0.2	50.00 ug/L	Ethyl Parathion.....	< 0.2	50.00 ug/L
Acenaphthylene.....	< 0.2	50.00 ug/L	Fluoranthene.....	< 0.2	50.00 ug/L
Acetochlor.....	< 0.2	50.00 ug/L	Fluorene.....	< 0.2	50.00 ug/L
Alachlor.....	< 0.2	2.00 ug/L	Hexachlorobenzene.....	< 0.1	1.00 ug/L
Allethrin.....	< 0.2	50.00 ug/L	Hexachlorocyclopentadiene.....	< 0.1	5.00 ug/L
Anthracene.....	< 0.5	50.00 ug/L	Hexachloroethane.....	< 1.0	5.00 ug/L
Atrazine.....	< 0.1	3.00 ug/L	Hexazinone.....	< 1.0	50.00 ug/L
Azoxystrobin.....	< 0.2	50.00 ug/L	Indeno (1,2,3-cd) Pyrene.....	< 0.2	50.00 ug/L
Benfluralin.....	< 0.5	50.00 ug/L	Iodofenphos.....	< 0.2	50.00 ug/L
Benzo (A) Anthracene.....	< 0.5	50.00 ug/L	Iprodione.....	< 0.5	50.00 ug/L
Benzo (B) Fluoranthene.....	< 0.2	50.00 ug/L	Isofenphos.....	< 0.5	50.00 ug/L
Benzo (GHI) Perylene.....	< 0.2	50.00 ug/L	Kelthane.....	< 0.5	50.00 ug/L
Benzo (K) Fluoranthene.....	< 0.2	50.00 ug/L	Malathion.....	< 0.5	50.00 ug/L
Benzo (A) Pyrene.....	< 0.02	0.20 ug/L	Metalaxyl.....	< 0.2	50.00 ug/L
Benzophenone.....	< 0.2	50.00 ug/L	Methoprene.....	< 0.2	50.00 ug/L
Benzyl butyl phthalate.....	< 0.2	50.00 ug/L	Methoxychlor.....	< 0.1	50.00 ug/L
Bis (2-ethylhexyl) adipate.....	< 0.5	50.00 ug/L	Methyl Parathion.....	< 0.2	50.00 ug/L
Bis (2-ethylhexyl) phthalate.....	< 3.0	6.00 ug/L	Metolachlor.....	< 0.2	50.00 ug/L
Bisphenol A.....	< 0.5	50.00 ug/L	Naled (Dibrom).....	< 0.2	50.00 ug/L
Bloc.....	< 0.2	50.00 ug/L	Napropamide.....	< 0.2	50.00 ug/L
Bromacil.....	< 0.5	50.00 ug/L	Pendimethalin.....	< 0.2	5.00 ug/L
Butachlor.....	< 0.2	50.00 ug/L	Pentachlorobenzene.....	< 0.2	50.00 ug/L
Carbamazepine.....	< 0.5	50.00 ug/L	Pentachloronitrobenzene.....	< 0.2	50.00 ug/L
Carbazole.....	< 0.2	50.00 ug/L	Permethrin.....	< 0.2	50.00 ug/L
Carisoprodol.....	< 0.5	50.00 ug/L	Phenanthrene.....	< 0.2	50.00 ug/L
Chlordane.....	< 0.2	2.00 ug/L	Piperonyl butoxide.....	< 0.5	50.00 ug/L
Chlorofenvinphos.....	< 0.2	50.00 ug/L	Prometon.....	< 0.5	50.00 ug/L
Chloroxlenol.....	< 0.2	50.00 ug/L	Prometryne.....	< 0.2	50.00 ug/L
Chlorpyrifos.....	< 0.2	50.00 ug/L	Propachlor.....	< 0.2	50.00 ug/L
Chrysene.....	< 0.2	50.00 ug/L	Propiconazole (Tilt).....	< 0.2	50.00 ug/L
Cyfluthrin.....	< 0.2	50.00 ug/L	Pyrene.....	< 0.5	50.00 ug/L
Cypermethrin.....	< 0.5	50.00 ug/L	Resmethrin.....	< 0.2	50.00 ug/L
Dacthal.....	< 0.2	50.00 ug/L	Ronstar.....	< 0.2	50.00 ug/L
Deltamethrin.....	< 0.5	50.00 ug/L	Simazine.....	< 0.07	4.00 ug/L
Dibenzo (A, H) Anthracene.....	< 0.2	50.00 ug/L	Sumithrin.....	< 0.2	50.00 ug/L
Dibutyl Phthalate.....	< 1.0	50.00 ug/L	Tebuthiuron.....	< 0.5	50.00 ug/L
Dichlobenil.....	< 0.2	50.00 ug/L	Terbacil.....	< 0.5	50.00 ug/L
Dichlorvos.....	< 0.5	50.00 ug/L	Triadimefon.....	< 0.5	50.00 ug/L
Dieldrin.....	< 0.2	50.00 ug/L	Triclosan.....	< 0.5	50.00 ug/L
Diethyl phthalate.....	< 1.0	50.00 ug/L	Trifluralin.....	< 0.5	50.00 ug/L
Diethyltoluamide (DEET).....	< 0.2	50.00 ug/L	Vinclozolin.....	< 0.5	50.00 ug/L
Dimethyl phthalate.....	< 0.2	50.00 ug/L	Total Triazines + Metabolites (Calc).....	< 0.	4.00 ug/L
Diocetyl Phthalate.....	< 0.2	50.00 ug/L	Etofenprox.....	< 0.2	50.00 ug/L
Disulfoton sulfone.....	< 0.2	50.00 ug/L	Etofenprox alpha-CO.....	< 0.2	50.00 ug/L
Endosulfan Sulfate.....	< 0.2	50.00 ug/L	Prallethrin.....	< 0.2	50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: [REDACTED] FERNWOOD ROAD, WAINSCOTT
Sample Location: RESTROOM TAP
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 08/02/2017 Survey #: SV0317
Sanitarian: ABAZIS
Field No.: 141-929-17-08-02

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane.....	< 0.5	5.00 ug/L	Chlorobenzene.....	< 0.5	5.00 ug/L
Dichlorodifluoromethane.....	< 0.5	5.00 ug/L	Ethylbenzene.....	< 0.5	5.00 ug/L
Chloroethane.....	< 0.5	5.00 ug/L	o-Xylene.....	< 0.5	5.00 ug/L
Bromomethane.....	< 0.5	5.00 ug/L	m & p-Xylene.....	< 0.5	5.00 ug/L
Chloromethane.....	< 0.5	5.00 ug/L	Total Xylenes.....	< 0.5	5.00 ug/L
Trichlorofluoromethane.....	< 0.5	5.00 ug/L	2-Chlorotoluene.....	< 0.5	5.00 ug/L
Vinyl Chloride.....	< 0.5	2.00 ug/L	4-Chlorotoluene.....	< 0.5	5.00 ug/L
Methylene Chloride.....	< 0.5	5.00 ug/L	Diethyl Ether.....	< 0.5	50.00 ug/L
1,1 Dichloroethane.....	< 0.5	5.00 ug/L	Acrylonitrile.....	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene.....	< 0.5	5.00 ug/L	Ethyl Methacrylate.....	< 0.5	50.00 ug/L
Chloroform.....	= 3.1	80.00 ug/L	1,3,5 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,2 Dichloroethane.....	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,1,1 Trichloroethane.....	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o).....	< 0.5	5.00 ug/L
Carbon Tetrachloride.....	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m).....	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane.....	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p).....	< 0.5	5.00 ug/L
1,2 Dichloropropane.....	< 0.5	5.00 ug/L	p-Diethylbenzene.....	< 0.5	5.00 ug/L
Trichloroethene.....	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene.....	< 0.5	5.00 ug/L
Chlorodibromomethane.....	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene.....	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane.....	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene.....	< 0.5	5.00 ug/L
Bromoform.....	< 0.5	80.00 ug/L	Ethenylbenzene (Styrene).....	< 0.5	5.00 ug/L
Tetrachloroethene.....	< 0.5	5.00 ug/L	Isopropylbenzene.....	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene.....	< 0.5	5.00 ug/L	n-Propylbenzene.....	< 0.5	5.00 ug/L
Freon 113.....	< 0.5	5.00 ug/L	tert-Butylbenzene.....	< 0.5	5.00 ug/L
Dibromomethane.....	< 0.5	5.00 ug/L	sec-Butylbenzene.....	< 0.5	5.00 ug/L
1,1 Dichloropropene.....	< 0.5	5.00 ug/L	p-Isopropyltoluene.....	< 0.5	5.00 ug/L
Methyl Isothiocyanate.....	< 2.	50.00 ug/L	n-Butylbenzene.....	< 0.5	5.00 ug/L
Carbon Disulfide.....	< 0.5	ug/L	Hexachlorobutadiene.....	< 0.5	5.00 ug/L
Methyl Methacrylate.....	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE).....	< 0.5	10.00 ug/L
1,1 Dichloroethene.....	< 0.5	5.00 ug/L	Naphthalene.....	< 0.5	50.00 ug/L
Bromodichloromethane.....	< 0.5	80.00 ug/L	1,4-Dichlorobutane.....	< 0.5	5.00 ug/L
2,3 Dichloropropene.....	< 0.5	5.00 ug/L	Methyl Sulfide.....	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Dimethyldisulfide.....	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Bromobenzene.....	< 0.5	5.00 ug/L
1,1,2 Trichloroethane.....	< 0.5	5.00 ug/L	2-Butanone (MEK).....	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane.....	< 0.5	5.00 ug/L	Tetrahydrofuran.....	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane.....	< 0.5	5.00 ug/L	Allyl chloride.....	< 0.5	5.00 ug/L
1,2,3 Trichloropropane.....	< 0.5	5.00 ug/L	Methacrylonitrile.....	< 0.5	5.00 ug/L
2,2 Dichloropropane.....	< 0.5	5.00 ug/L	d-Limonene.....	< 0.5	50.00 ug/L
1,3 Dichloropropane.....	< 0.5	5.00 ug/L	Propanal.....	< 15.	50.00 ug/L
Bromochloromethane.....	< 0.5	5.00 ug/L	Isobutane.....	< 2.	50.00 ug/L
Benzene.....	< 0.5	5.00 ug/L	n-Butane.....	< 2.	50.00 ug/L
Toluene.....	< 0.5	5.00 ug/L			

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 156 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700057073-SR-1

Page 1 of 1

Report Date: 01/10/2018

Report retrieved via NYSDOH Health Commerce System by hinaic01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI
Collected by:

Submitter's Reference Number: 360-847-171121 Dup

Grab/Collection Date: 11/21/2017 10:45
Date received: 11/22/2017 11:00

Location/Project/Facility Name: 360-847-171121 DUP
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] FERNWOOD ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700057073-01

Sample Type: Raw Water

Received Temperature (°C): 4.1

Lab Tracking Id: 360847171121DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/27/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 157 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700057072-SR-1

Page 1 of 1

Report Date: 01/10/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI
Collected by:

Submitter's Reference Number: 360-847-171121

Grab/Collection Date: 11/21/2017 10:45
Date received: 11/22/2017 11:00

Location/Project/Facility Name: 360-847-171121
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] FERNWOOD ROAD
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700057072-01

Sample Type: Raw Water

Received Temperature (°C): 1.7

Lab Tracking Id: 360847171121

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/27/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL LABORATORY REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 158 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056522-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

Public Water Systems (BWSP)

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

County: SUFFOLK
Submitted by: KAROL M. SARIAN

Submitter's Reference Number: 302-850-171114

Grab/Collection Date: 11/14/2017 09:40
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 302850171114
Sampling Location Details: [REDACTED] OUTSIDE TAP
GEORGICA DRIVE
WAINSCOTT NY 11975
Chlorinated: No

[REDACTED]

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056522-01

Sample Type: Raw Water

Received Temperature (°C): 6.0

Lab Tracking Id: 302850171114

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/20/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	2.46 ng/L	
Perfluorooctanoic acid (PFOA):	4.02 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

[REDACTED]

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 159 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700055665-SR-1

Page 1 of 1

Report Date: 12/13/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 302-850-171108

Grab/Collection Date: 11/08/2017 09:55
Date received: 11/10/2017 11:15

Additional Info: SAMPLE WAS DISCOLORED

Location/Project/Facility Name: 302850171108
Sampling Location Details: BATHROOM TAP
GEORGICA WOODS LN
WAINSCOTT NY 11975
Chlorinated: No



Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700055665-01

Sample Type: Raw Water

Received Temperature (°C): 4.7

Lab Tracking Id: 302850171108

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/15/2017 Analysis Date: 11/16/2017

Perfluorobutanesulfonic acid (PFBS):	1.96 ng/L
Perfluorohexanesulfonic acid (PFHxS):	6.52 ng/L
Perfluoroheptanoic acid (PFHpA):	3.54 ng/L
Perfluorooctanoic acid (PFOA):	14.6 ng/L
Perfluorooctanesulfonic acid (PFOS):	32.4 ng/L
Perfluorononanoic acid (PFNA):	2.02 ng/L

Σ 47.0

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NOTES:

[1] Sample eluted with red orange precipitate, and remained in final extract.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program



The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 160 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700048547-SR-1**

Page 1 of 1

Report Date: **10/06/2017**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/18/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 208-929-170918

Grab/Collection Date: 09/18/2017 11:05
Date received: 09/27/2017 11:25

Additional Info: [REDACTED]

Location/Project/Facility Name: 208929170918
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700048547-01

Sample Type: Raw Water

Received Temperature (°C): 3.9

Lab Tracking Id: 208929170918

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/2/2017 Analysis Date: 10/2/2017

Perfluorobutanesulfonic acid (PFBS):	2.64 ng/L
Perfluorohexanesulfonic acid (PFHxS):	7.66 ng/L
Perfluoroheptanoic acid (PFHpA):	4.68 ng/L
Perfluorooctanoic acid (PFOA):	16.2 ng/L
Perfluorooctanesulfonic acid (PFOS):	31.9 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

Σ 78.1

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT- BACK
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017 Survey #: SV0317
Sanitarian: ABAZIS
Field No.: 208-929-17-09-18

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0		ug/L	Carbaryl	< 0.5	50.00	ug/L
Aldicarb	< 0.5	3.00	ug/L	1-Naphthol	< 0.5	50.00	ug/L
Aldicarb-Sulfoxide	< 0.5	4.00	ug/L	Methomyl	< 0.5	50.00	ug/L
Aldicarb-Sulfone	< 0.5	2.00	ug/L	Propoxur (Baygon)	< 0.5	50.00	ug/L
Carbofuran	< 0.5	40.00	ug/L	Methiocarb	< 0.5	50.00	ug/L
3-Hydroxycarbofuran	< 0.5	50.00	ug/L	Methiocarb sulfone	< 0.5	50.00	ug/L
Oxamyl	< 0.5	50.00	ug/L				

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services				Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
TColi	< ABSENT	ABSENT		EColi	< ABSENT	ABSENT	

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endrin	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromoethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Monomethyltetrachloroterephthalate	< 5	50.00	ug/L	Tetrachloroterephthalic acid	< 5	50.00	ug/L

Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services			
	Result	MCL	
1,4-Dioxane	< 0.1	50.00	ug/L

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Deisopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytol (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytoin	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaonox	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picaridin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzenamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Lithium	< 1		ug/L	Cadmium (Cd)	< 1	5.00	ug/L
Beryllium (Be)	< 0.2	4.00	ug/L	Tin	< 0.5		ug/L
Aluminum (Al)	< 5		ug/L	Antimony (Sb)	< 0.2	6.00	ug/L
Titanium (Ti)	< 1		ug/L	Tellurium	< 0.5		ug/L
Vanadium (V)	< 1		ug/L	Barium (Ba)	= 7	2000.00	ug/L
Chromium (Cr)	< 1	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	= 0.007	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1		ug/L	Lead (Pb)	= 5	15.00	ug/L
Nickel (Ni)	= 0.2	100.00	ug/L	Thorium (Th)	< 2		ug/L
Copper (Cu)	= 189	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 33	5000.00	ug/L	Calcium	= 7.7		mg/L
Germanium	< 2.5		ug/L	Iron (Fe)	= 0.43	0.30	mg/L
Arsenic (As)	< 1	10.00	ug/L	Iron + Manganese (Combined, Calc)	= 0.437	0.50	mg/L
Selenium (Se)	< 1	50.00	ug/L	Potassium	= 0.78		mg/L
Strontium	= 50.9		ug/L	Magnesium	= 5.6		mg/L
Molybdenum (Mo)	< 1		ug/L	Sodium (Na)	= 10.6		mg/L
Silver (Ag)	< 2.5	100.00	ug/L				

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requester Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT- BACK
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 208-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
==== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====					
PFBS (Perfluorobutanesulfonic Acid)	2.64	50000	ng/L	PFOA (Perfluorooctanoic Acid)	16.2 50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)	7.66	50000	ng/L	PFOS (Perfluorooctanesulfonic Acid)	31.9 50000 ng/L
PFHpA (Perfluoroheptanoic Acid)	4.68	50000	ng/L	PFNA (Perfluorononanoic Acid)	< 2. 50000 ng/L

	Result	MCL		Result	MCL
==== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab	6.2	N/A		Bromide	0.324 mg/L
Specific Conductivity-Lab	179.	umho/cm	cm	Orthophosphate	< 0.1 mg/L
Chloride (Cl)	37.	250.00	mg/L	Fluoride	< 0.1 2.20 mg/L
Sulfate (SO4)	4.	250.00	mg/L	T. Alkalinity	7. mg/L
Nitrite (NO2-N)	< 0.05	1.00	mg/L	Hexavalent Chromium	= 0.19 ug/L
Nitrate	= 2.2	10.00	mg/L	Chlorate	< 0.05 mg/L

	Result	MCL		Result	MCL
==== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene	< 0.2	50.00	ug/L	EPTC	< 0.2 50.00 ug/L
2-Methylnaphthalene	< 0.2	50.00	ug/L	Ethofumesate	< 0.2 50.00 ug/L
Acenaphthene	< 0.2	50.00	ug/L	Ethyl Parathion	< 0.2 50.00 ug/L
Acenaphthylene	< 0.2	50.00	ug/L	Fluoranthene	< 0.2 50.00 ug/L
Acetochlor	< 0.2	50.00	ug/L	Fluorene	< 0.2 50.00 ug/L
Alachlor	< 0.2	2.00	ug/L	Hexachlorobenzene	< 0.1 1.00 ug/L
Allethrin	< 0.2	50.00	ug/L	Hexachlorocyclopentadiene	< 0.1 5.00 ug/L
Anthracene	< 0.5	50.00	ug/L	Hexachloroethane	< 1.0 5.00 ug/L
Atrazine	< 0.1	3.00	ug/L	Hexazinone	< 1.0 50.00 ug/L
Azoxystrobin	< 0.2	50.00	ug/L	Indeno(1,2,3-cd)Pyrene	< 0.2 50.00 ug/L
Benfluralin	< 0.5	50.00	ug/L	Iodofenphos	< 0.2 50.00 ug/L
Benzo(A)Anthracene	< 0.5	50.00	ug/L	Iprodione	< 0.5 50.00 ug/L
Benzo(B)Fluoranthene	< 0.2	50.00	ug/L	Isofenphos	< 0.5 50.00 ug/L
Benzo(GHI)Perylene	< 0.2	50.00	ug/L	Kelthane	< 0.5 50.00 ug/L
Benzo(K)Fluoranthene	< 0.2	50.00	ug/L	Malathion	< 0.5 50.00 ug/L
Benzo(A)Pyrene	< 0.02	0.20	ug/L	Metalaxyl	< 0.2 50.00 ug/L
Benzophenone	< 0.2	50.00	ug/L	Methoprene	< 0.2 50.00 ug/L
Benzyl butyl phthalate	< 0.2	50.00	ug/L	Methoxychlor	< 0.1 50.00 ug/L
Bis(2-ethylhexyl)adipate	< 0.5	50.00	ug/L	Methyl Parathion	< 0.2 50.00 ug/L
Bis(2-ethylhexyl)phthalate	< 3.0	6.00	ug/L	Metolachlor	< 0.2 50.00 ug/L
Bisphenol A	< 0.5	50.00	ug/L	Naled (Dibrom)	< 0.2 50.00 ug/L
Bloc	< 0.2	50.00	ug/L	Napropamide	< 0.2 50.00 ug/L
Bromacil	< 0.5	50.00	ug/L	Pendimethalin	< 0.2 5.00 ug/L
Butachlor	< 0.2	50.00	ug/L	Pentachlorobenzene	< 0.2 50.00 ug/L
Carbamazepine	< 0.5	50.00	ug/L	Pentachloronitrobenzene	< 0.2 50.00 ug/L
Carbazole	< 0.2	50.00	ug/L	Permethrin	< 0.2 50.00 ug/L
Carisoprodol	< 0.5	50.00	ug/L	Phenanthrene	< 0.2 50.00 ug/L
Chlordane	< 0.2	2.00	ug/L	Piperonyl butoxide	< 0.5 50.00 ug/L
Chlorofenvinphos	< 0.2	50.00	ug/L	Prometon	< 0.5 50.00 ug/L
Chloroxylenol	< 0.2	50.00	ug/L	Prometryne	< 0.2 50.00 ug/L
Chlorpyrifos	< 0.2	50.00	ug/L	Propachlor	< 0.2 50.00 ug/L
Chrysene	< 0.2	50.00	ug/L	Propiconazole (Tilt)	< 0.2 50.00 ug/L
Cyfluthrin	< 0.2	50.00	ug/L	Pyrene	< 0.5 50.00 ug/L
Cypermethrin	< 0.5	50.00	ug/L	Resmethrin	< 0.2 50.00 ug/L
Dacthal	< 0.2	50.00	ug/L	Ronstar	< 0.2 50.00 ug/L
Deltamethrin	< 0.5	50.00	ug/L	Simazine	< 0.07 4.00 ug/L
Dibenzo(A,H)Anthracene	< 0.2	50.00	ug/L	Sumithrin	< 0.2 50.00 ug/L
Dibutyl Phthalate	< 1.0	50.00	ug/L	Tebuthiuron	< 0.5 50.00 ug/L
Dichlobenil	< 0.2	50.00	ug/L	Terbacil	< 0.5 50.00 ug/L
Dichlorvos	< 0.5	50.00	ug/L	Triadimefon	< 0.5 50.00 ug/L
Dieldrin	< 0.2	50.00	ug/L	Triclosan	< 0.5 50.00 ug/L
Diethyl phthalate	< 1.0	50.00	ug/L	Trifluralin	< 0.5 50.00 ug/L
Diethyltoluamide (DEET)	< 0.2	50.00	ug/L	Vinclozolin	< 0.5 50.00 ug/L
Dimethyl phthalate	< 0.2	50.00	ug/L	Total Triazines + Metabolites (Calc)	< 0. 4.00 ug/L
Diethyl Phthalate	< 0.2	50.00	ug/L	Etofenprox	< 0.2 50.00 ug/L
Disulfoton sulfone	< 0.2	50.00	ug/L	Etofenprox alpha-CO	< 0.2 50.00 ug/L
Endosulfan Sulfate	< 0.2	50.00	ug/L	Prallethrin	< 0.2 50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT- BACK
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 208-929-17-09-18

Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane.....	< 0.5	5.00 ug/L	Chlorobenzene.....	< 0.5	5.00 ug/L
Dichlorodifluoromethane.....	< 0.5	5.00 ug/L	Ethylbenzene.....	< 0.5	5.00 ug/L
Chloroethane.....	< 0.5	5.00 ug/L	o-Xylene.....	< 0.5	5.00 ug/L
Bromomethane.....	< 0.5	5.00 ug/L	m & p-Xylene.....	< 0.5	5.00 ug/L
Chloromethane.....	< 0.5	5.00 ug/L	Total Xylenes.....	< 0.5	5.00 ug/L
Trichlorofluoromethane.....	< 0.5	5.00 ug/L	2-Chlorotoluene.....	< 0.5	5.00 ug/L
Vinyl Chloride.....	< 0.5	2.00 ug/L	4-Chlorotoluene.....	< 0.5	5.00 ug/L
Methylene Chloride.....	< 0.5	5.00 ug/L	Diethyl Ether.....	< 0.5	50.00 ug/L
1,1 Dichloroethane.....	< 0.5	5.00 ug/L	Acrylonitrile.....	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene.....	< 0.5	5.00 ug/L	Ethyl Methacrylate.....	< 0.5	50.00 ug/L
Chloroform.....	= 2.1	80.00 ug/L	1,3,5 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,2 Dichloroethane.....	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,1,1 Trichloroethane.....	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o).....	< 0.5	5.00 ug/L
Carbon Tetrachloride.....	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m).....	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane.....	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p).....	< 0.5	5.00 ug/L
1,2 Dichloropropane.....	< 0.5	5.00 ug/L	p-Diethylbenzene.....	< 0.5	5.00 ug/L
Trichloroethene.....	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene.....	< 0.5	5.00 ug/L
Chlorodibromomethane.....	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene.....	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane.....	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene.....	< 0.5	5.00 ug/L
Bromoform.....	< 0.5	80.00 ug/L	Ethylbenzene (Styrene).....	< 0.5	5.00 ug/L
Tetrachloroethene.....	< 0.5	5.00 ug/L	Isopropylbenzene.....	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene.....	< 0.5	5.00 ug/L	n-Propylbenzene.....	< 0.5	5.00 ug/L
Freon 113.....	< 0.5	5.00 ug/L	tert-Butylbenzene.....	< 0.5	5.00 ug/L
Dibromomethane.....	< 0.5	5.00 ug/L	sec-Butylbenzene.....	< 0.5	5.00 ug/L
1,1 Dichloropropene.....	< 0.5	5.00 ug/L	p-Isopropyltoluene.....	< 0.5	5.00 ug/L
Methyl Isothiocyanate.....	2.	50.00 ug/L	n-Butylbenzene.....	< 0.5	5.00 ug/L
Carbon Disulfide.....	< 0.5	ug/L	Hexachlorobutadiene.....	< 0.5	5.00 ug/L
Methyl Methacrylate.....	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE).....	< 0.5	10.00 ug/L
1,1 Dichloroethene.....	< 0.5	5.00 ug/L	Naphthalene.....	< 0.5	50.00 ug/L
Bromodichloromethane.....	< 0.5	80.00 ug/L	1,4-Dichlorobutane.....	< 0.5	5.00 ug/L
2,3 Dichloropropene.....	< 0.5	5.00 ug/L	Methyl Sulfide.....	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Dimethyldisulfide.....	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Bromobenzene.....	< 0.5	5.00 ug/L
1,1,2 Trichloroethane.....	< 0.5	5.00 ug/L	2-Butanone (MEK).....	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane.....	< 0.5	5.00 ug/L	Tetrahydrofuran.....	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane.....	< 0.5	5.00 ug/L	Allyl chloride.....	< 0.5	5.00 ug/L
1,2,3 Trichloropropane.....	< 0.5	5.00 ug/L	Methacrylonitrile.....	< 0.5	5.00 ug/L
2,2 Dichloropropane.....	< 0.5	5.00 ug/L	d-Limonene.....	< 0.5	50.00 ug/L
1,3 Dichloropropane.....	< 0.5	5.00 ug/L	Propanal.....	< 15.	50.00 ug/L
Bromochloromethane.....	< 0.5	5.00 ug/L	Isobutane.....	< 2.	50.00 ug/L
Benzene.....	< 0.5	5.00 ug/L	n-Butane.....	< 2.	50.00 ug/L
Toluene.....	< 0.5	5.00 ug/L			

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
 Location: [REDACTED] GEORGICA WOODS LANE, WAINSCOTT
 Sample Location: OUTDOOR SPIGOT
 Treatment: NONE

Request No.: [REDACTED]
 Sample Date: 10/26/2017
 Sanitarian: ABAZIS
 Field No.: 002-929-17-10-26
 Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

===== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====			
	Result	MCL	
PFBS (Perfluorobutanesulfonic Acid).... =	2.18	50000 ng/L	PFOA (Perfluorooctanoic Acid)..... = 15.6 50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)... =	6.22	50000 ng/L	PFOS (Perfluorooctanesulfonic Acid).... = 30.1 50000 ng/L
PFHpA (Perfluoroheptanoic Acid)..... =	4.36	50000 ng/L	PFNA (Perfluorononanoic Acid)..... < 2. 50000 ng/L

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 165 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5868 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700053985-SR-1

Page 1 of 1

Report Date: 11/28/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 002-929-171026

Grab/Collection Date: 10/26/2017 10:50
Date received: 10/31/2017 14:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 002929171026
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700053985-01

Sample Type: Raw Water

Received Temperature (°C): 5.3

Lab Tracking Id: 002929171026

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/6/2017 Analysis Date: 11/6/2017

Perfluorobutanesulfonic acid (PFBS):	2.18 ng/L
Perfluorohexanesulfonic acid (PFHxS):	6.22 ng/L
Perfluoroheptanoic acid (PFHpA):	4.36 ng/L
Perfluorooctanoic acid (PFOA):	15.6 ng/L
Perfluorooctanesulfonic acid (PFOS):	30.1 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

Σ 45.7

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 166 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700055662-SR-1

Page 1 of 1

Report Date: 12/13/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 301-850-171108

Grab/Collection Date: 11/08/2017 09:30
Date received: 11/10/2017 11:15

Location/Project/Facility Name: 301850171108
Sampling Location Details: [REDACTED] - KITCHEN TAP
[REDACTED] GEORGICA WOODS LN
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700055662-01

Sample Type: Raw Water

Received Temperature (°C): 3.8

Lab Tracking Id: 301850171108

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/15/2017 Analysis Date: 11/16/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	2.20 ng/L
Perfluorooctanesulfonic acid (PFOS):	16.6 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL LABORATORY REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 167 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056535-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 336-847-171113 Dup

Grab/Collection Date: 11/13/2017 10:10
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 336847171113
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

INTERNAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056535-01

Sample Type: Raw Water

Received Temperature (°C): 7.8

Lab Tracking Id: 336847171113DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	2.92 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	3.05 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 168 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056534-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 336-847-171113

Grab/Collection Date: 11/13/2017 10:10
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 336847171113

Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056534-01

Sample Type: Raw Water

Received Temperature (°C): 6.3

Lab Tracking Id: 336847171113

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	1.93 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	3.12 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	3.07 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 169 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700055663-SR-1

Page 1 of 1

Report Date: 12/13/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
Submitted by: KAROL M. SARIAN
Collected by:

Submitter's Reference Number: 301-850-171108 Dup

Grab/Collection Date: 11/08/2017 09:30
Date received: 11/10/2017 11:15

Location/Project/Facility Name: 301850171108
Sampling Location Details: [REDACTED] KITCHEN TAP
GEORGICA WOODS LN
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700055663-01

Sample Type: Raw Water

Received Temperature (°C): 3.3

Lab Tracking Id: 301850171108DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/15/2017 Analysis Date: 11/16/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	2.11 ng/L
Perfluorooctanesulfonic acid (PFOS):	15.9 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 170 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700048545-SR-1**

Page 1 of 1

Report Date: **10/06/2017**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/18/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 206-929-170918 Dup

Grab/Collection Date: 09/18/2017 10:10
Date received: 09/27/2017 11:25

Additional Info: [REDACTED]

Location/Project/Facility Name: 206929170918
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700048545-01

Sample Type: Raw Water

Received Temperature (°C): 3.7

Lab Tracking Id: 206929170918DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/2/2017 Analysis Date: 10/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.56 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/11/2017
Sanitarian: ABAZIS
Field No.: 195-929-17-09-11
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services			
TColi	<	ABSENT	ABSENT
EColi	<	ABSENT	ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endrin	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromoethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services							
Monomethyltetrachloroterephthalate	< 5.	50.00	ug/L	Tetrachloroterephthalic acid	< 5.	50.00	ug/L

Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services			
1,4-Dioxane	< 0.1	50.00	ug/L

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Deisopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytol (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytol	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaonox	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picaridin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
Lithium	< 1.		ug/L	Cadmium (Cd)	< 1.	5.00	ug/L
Beryllium (Be)	< 0.2	4.00	ug/L	Tin	< 0.5		ug/L
Aluminum (Al)	= 6.		ug/L	Antimony (Sb)	< 0.2	6.00	ug/L
Titanium (Ti)	< 1.		ug/L	Tellurium	< 0.5		ug/L
Vanadium (V)	< 1.		ug/L	Barium (Ba)	= 12.	2000.00	ug/L
Chromium (Cr)	< 1.	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	= 0.003	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1.		ug/L	Lead (Pb)	= 1.	15.00	ug/L
Nickel (Ni)	= 0.6	100.00	ug/L	Thorium (Th)	< 2.		ug/L
Copper (Cu)	= 258.	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 26.	5000.00	ug/L	Calcium	= 3.0		mg/L
Germanium	< 2.5		ug/L	Iron (Fe)	< 0.1	0.30	mg/L
Arsenic (As)	< 1.	10.00	ug/L	Iron + Manganese (Combined, Calc)	= 0.003	0.50	mg/L
Selenium (Se)	< 1.	50.00	ug/L	Potassium	= 0.6		mg/L
Strontium	= 18.4		ug/L	Magnesium	= 2.4		mg/L
Molybdenum (Mo)	< 1.		ug/L	Sodium (Na)	= 6.4		mg/L
Silver (Ag)	< 2.5	100.00	ug/L				

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/11/2017
Sanitarian: ABAZIS
Field No.: 195-929-17-09-11
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result	MCL	Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE			
----- Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health -----			
PFBS (Perfluorobutanesulfonic Acid)....	< 1.77 50000 ng/L	PFPA (Perfluorooctanoic Acid).....	< 2. 50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)...	< 1.89 50000 ng/L	PFOS (Perfluorooctanesulfonic Acid)....	= 2.52 50000 ng/L
PFHpA (Perfluoroheptanoic Acid).....	< 2. 50000 ng/L	PFNA (Perfluorononanoic Acid).....	< 2. 50000 ng/L

Result	MCL	Result	MCL
----- Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services -----			
pH-Lab.....	= 6.1 N/A	Bromide.....	< 0.05 mg/L
Specific Conductivity-Lab.....	= 79. umho/cm	Orthophosphate.....	< 0.1 mg/L
Chloride (Cl).....	= 10. 250.00 mg/L	Fluoride.....	< 0.1 2.20 mg/L
Sulfate (SO4).....	= 9. 250.00 mg/L	T. Alkalinity.....	= 5. mg/L
Nitrite (NO2-N).....	< 0.05 1.00 mg/L	Hexavalent Chromium.....	= 0.04 ug/L
Nitrate.....	= 0.64 10.00 mg/L	Chlorate.....	< 0.05 mg/L

Result	MCL	Result	MCL
----- Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services -----			
1-Methylnaphthalene.....	< 0.2 50.00 ug/L	EPTC.....	< 0.2 50.00 ug/L
2-Methylnaphthalene.....	< 0.2 50.00 ug/L	Ethofumesate.....	< 0.2 50.00 ug/L
Acenaphthene.....	< 0.2 50.00 ug/L	Ethyl Parathion.....	< 0.2 50.00 ug/L
Acenaphthylene.....	< 0.2 50.00 ug/L	Fluoranthene.....	< 0.2 50.00 ug/L
Acetochlor.....	< 0.2 50.00 ug/L	Fluorene.....	< 0.2 50.00 ug/L
Alachlor.....	< 0.2 2.00 ug/L	Hexachlorobenzene.....	< 0.1 1.00 ug/L
Allethrin.....	< 0.2 50.00 ug/L	Hexachlorocyclopentadiene.....	< 0.1 5.00 ug/L
Anthracene.....	< 0.5 50.00 ug/L	Hexachloroethane.....	< 1.0 5.00 ug/L
Atrazine.....	< 0.1 3.00 ug/L	Hexazinone.....	< 1.0 50.00 ug/L
Azoxystrobin.....	< 0.2 50.00 ug/L	Indeno(1,2,3-cd)Pyrene.....	< 0.2 50.00 ug/L
Benfluralin.....	< 0.5 50.00 ug/L	Iodofenphos.....	< 0.2 50.00 ug/L
Benzo(A)Anthracene.....	< 0.5 50.00 ug/L	Iprodione.....	< 0.5 50.00 ug/L
Benzo(B)Fluoranthene.....	< 0.2 50.00 ug/L	Isofenphos.....	< 0.5 50.00 ug/L
Benzo(GHI)Perylene.....	< 0.2 50.00 ug/L	Kelthane.....	< 0.5 50.00 ug/L
Benzo(K)Fluoranthene.....	< 0.2 50.00 ug/L	Malathion.....	< 0.5 50.00 ug/L
Benzo(A)Pyrene.....	< 0.02 0.20 ug/L	Metaxyl.....	< 0.2 50.00 ug/L
Benzophenone.....	< 0.2 50.00 ug/L	Methoprene.....	< 0.2 50.00 ug/L
Benzyl butyl phthalate.....	< 0.2 50.00 ug/L	Methoxychlor.....	< 0.1 50.00 ug/L
Bis(2-ethylhexyl)adipate.....	< 0.5 50.00 ug/L	Methyl Parathion.....	< 0.2 50.00 ug/L
Bis(2-ethylhexyl)phthalate.....	< 3.0 6.00 ug/L	Metolachlor.....	< 0.2 50.00 ug/L
Bisphenol A.....	< 0.5 50.00 ug/L	Naled (Dibrom).....	< 0.2 50.00 ug/L
Bioc.....	< 0.2 50.00 ug/L	Napropamide.....	< 0.2 50.00 ug/L
Bromacil.....	< 0.5 50.00 ug/L	Pendimethalin.....	< 0.2 5.00 ug/L
Butachlor.....	< 0.2 50.00 ug/L	Pentachlorobenzene.....	< 0.2 50.00 ug/L
Carbamazepine.....	< 0.5 50.00 ug/L	Pentachloronitrobenzene.....	< 0.2 50.00 ug/L
Carbazole.....	< 0.2 50.00 ug/L	Permethrin.....	< 0.2 50.00 ug/L
Carisoprodol.....	< 0.5 50.00 ug/L	Phenanthrene.....	< 0.2 50.00 ug/L
Chlordane.....	< 0.2 2.00 ug/L	Piperonyl butoxide.....	< 0.5 50.00 ug/L
Chlorofenvinphos.....	< 0.2 50.00 ug/L	Prometon.....	< 0.5 50.00 ug/L
Chloroxylenol.....	< 0.2 50.00 ug/L	Prometryne.....	< 0.2 50.00 ug/L
Chlorpyrifos.....	< 0.2 50.00 ug/L	Propachlor.....	< 0.2 50.00 ug/L
Chrysene.....	< 0.2 50.00 ug/L	Propiconazole (Tilt).....	< 0.2 50.00 ug/L
Cyfluthrin.....	< 0.2 50.00 ug/L	Pyrene.....	< 0.5 50.00 ug/L
Cypermethrin.....	< 0.5 50.00 ug/L	Resmethrin.....	< 0.2 50.00 ug/L
Dacthal.....	< 0.2 50.00 ug/L	Ronstar.....	< 0.2 50.00 ug/L
Deltamethrin.....	< 0.5 50.00 ug/L	Simazine.....	< 0.07 4.00 ug/L
Dibenzo(A,H)Anthracene.....	< 0.2 50.00 ug/L	Sumithrin.....	< 0.2 50.00 ug/L
Dibutyl Phthalate.....	< 1.0 50.00 ug/L	Tebuthiuron.....	< 0.5 50.00 ug/L
Dichlobenil.....	< 0.2 50.00 ug/L	Terbacil.....	< 0.5 50.00 ug/L
Dichlorvos.....	< 0.5 50.00 ug/L	Triadimefon.....	< 0.5 50.00 ug/L
Dieldrin.....	< 0.2 50.00 ug/L	Triclosan.....	< 0.5 50.00 ug/L
Diethyl phthalate.....	< 1.0 50.00 ug/L	Trifluralin.....	< 0.5 50.00 ug/L
Diethyltoluamide (DEET).....	< 0.2 50.00 ug/L	Vinclozolin.....	< 0.5 50.00 ug/L
Dimethyl phthalate.....	< 0.2 50.00 ug/L	Total Triazines + Metabolites (Calc).....	< 0. 4.00 ug/L
Diethyl Phthalate.....	< 0.2 50.00 ug/L	Etofenprox.....	< 0.2 50.00 ug/L
Disulfoton sulfone.....	< 0.2 50.00 ug/L	Etofenprox alpha-CO.....	< 0.2 50.00 ug/L
Endosulfan Sulfate.....	< 0.2 50.00 ug/L	Prallethrin.....	< 0.2 50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/11/2017
Sanitarian: ABAZIS
Field No.: 195-929-17-09-11
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

RESULTS CONTINUED FROM PRECEDING PAGE		Result		MCL		Result		MCL	
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====									
Chlorodifluoromethane	<	0.5	5.00	ug/L	Chlorobenzene	<	0.5	5.00	ug/L
Dichlorodifluoromethane	<	0.5	5.00	ug/L	Ethylbenzene	<	0.5	5.00	ug/L
Chloroethane	<	0.5	5.00	ug/L	o-Xylene	<	0.5	5.00	ug/L
Bromomethane	<	0.5	5.00	ug/L	m & p-Xylene	<	0.5	5.00	ug/L
Chloromethane	<	0.5	5.00	ug/L	Total Xylenes	<	0.5	5.00	ug/L
Trichlorofluoromethane	<	0.5	5.00	ug/L	2-Chlorotoluene	<	0.5	5.00	ug/L
Vinyl Chloride	<	0.5	2.00	ug/L	4-Chlorotoluene	<	0.5	5.00	ug/L
Methylene Chloride	<	2.0	5.00	ug/L	Diethyl Ether	<	0.5	50.00	ug/L
1,1 Dichloroethane	<	0.5	5.00	ug/L	Acrylonitrile	<	0.5	5.00	ug/L
trans 1,2 Dichloroethene	<	0.5	5.00	ug/L	Ethyl Methacrylate	<	0.5	50.00	ug/L
Chloroform	=	1.5	80.00	ug/L	1,3,5 Trimethylbenzene	<	0.5	5.00	ug/L
1,2 Dichloroethane	<	0.5	5.00	ug/L	1,2,4 Trimethylbenzene	<	0.5	5.00	ug/L
1,1,1 Trichloroethane	<	0.5	5.00	ug/L	1,2 Dichlorobenzene (o)	<	0.5	5.00	ug/L
Carbon Tetrachloride	<	0.5	5.00	ug/L	1,3-Dichlorobenzene (m)	<	0.5	5.00	ug/L
1-Bromo-2-Chloroethane	<	0.5	5.00	ug/L	1,4-Dichlorobenzene (p)	<	0.5	5.00	ug/L
1,2 Dichloropropane	<	0.5	5.00	ug/L	p-Diethylbenzene	<	0.5	5.00	ug/L
Trichloroethene	<	0.5	5.00	ug/L	1,2,4,5 Tetramethylbenzene	<	0.5	5.00	ug/L
Chlorodibromomethane	<	0.5	80.00	ug/L	1,2,4 Trichlorobenzene	<	0.5	5.00	ug/L
2-Bromo-1-Chloropropane	<	0.5	5.00	ug/L	1,2,3 Trichlorobenzene	<	0.5	5.00	ug/L
Bromoform	<	0.5	80.00	ug/L	Ethenylbenzene (Styrene)	<	0.5	5.00	ug/L
Tetrachloroethene	<	0.5	5.00	ug/L	Isopropylbenzene	<	0.5	5.00	ug/L
cis-1,2-Dichloroethene	<	0.5	5.00	ug/L	n-Propylbenzene	<	0.5	5.00	ug/L
Freon 113	<	0.5	5.00	ug/L	tert-Butylbenzene	<	0.5	5.00	ug/L
Dibromomethane	<	0.5	5.00	ug/L	sec-Butylbenzene	<	0.5	5.00	ug/L
1,1 Dichloropropene	<	0.5	5.00	ug/L	p-Isopropyltoluene	<	0.5	5.00	ug/L
Methyl Isothiocyanate	<	2.	50.00	ug/L	n-Butylbenzene	<	0.5	5.00	ug/L
Carbon Disulfide	<	0.5		ug/L	Hexachlorobutadiene	<	0.5	5.00	ug/L
Methyl Methacrylate	<	0.5	50.00	ug/L	Methyl-Tert-Butyl-Ether (MTBE)	<	0.5	10.00	ug/L
1,1 Dichloroethene	<	0.5	5.00	ug/L	Naphthalene	<	0.5	50.00	ug/L
Bromodichloromethane	<	0.5	80.00	ug/L	1,4-Dichlorobutane	<	0.5	5.00	ug/L
2,3 Dichloropropene	<	0.5	5.00	ug/L	Methyl Sulfide	<	0.5	50.00	ug/L
cis-1,3-Dichloropropene	<	0.5	5.00	ug/L	Dimethyldisulfide	<	0.5	50.00	ug/L
trans-1,3-Dichloropropene	<	0.5	5.00	ug/L	Bromobenzene	<	0.5	5.00	ug/L
1,1,2 Trichloroethane	<	0.5	5.00	ug/L	2-Butanone (MEK)	<	20.	50.00	ug/L
1,1,1,2 Tetrachloroethane	<	0.5	5.00	ug/L	Tetrahydrofuran	<	20.	50.00	ug/L
1,1,2,2-Tetrachloroethane	<	0.5	5.00	ug/L	Allyl chloride	<	0.5	5.00	ug/L
1,2,3 Trichloropropane	<	0.5	5.00	ug/L	Methacrylonitrile	<	0.5	5.00	ug/L
2,2 Dichloropropane	<	0.5	5.00	ug/L	d-Limonene	<	0.5	50.00	ug/L
1,3 Dichloropropane	<	0.5	5.00	ug/L	Propanal	<	15.	50.00	ug/L
Bromochloromethane	<	0.5	5.00	ug/L	Isobutane	<	2.	50.00	ug/L
Benzene	<	0.5	5.00	ug/L	n-Butane	<	2.	50.00	ug/L
Toluene	<	0.5	5.00	ug/L					

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT- BACK
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 206-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services					
TColi	< ABSENT	ABSENT	E.Coli	< ABSENT	ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endrin	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromoethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services							
Monomethyltetrachloroterephthalate	< 5	50.00	ug/L	Tetrachloroterephthalic acid	< 5	50.00	ug/L

Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services							
1,4-Dioxane	< 0.1	50.00	ug/L				

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Deisopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytion (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytoin	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaoxon	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picardidin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Lithium	< 1	ug/L	Cadmium (Cd)	< 1	5.00	ug/L	
Beryllium (Be)	< 0.2	4.00	ug/L	Tin	< 0.5	ug/L	
Aluminum (Al)	< 5	ug/L	Antimony (Sb)	< 0.2	6.00	ug/L	
Titanium (Ti)	< 1	ug/L	Tellurium	< 0.5	ug/L		
Vanadium (V)	< 1	ug/L	Barium (Ba)	= 7	2000.00	ug/L	
Chromium (Cr)	< 1	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	= 0.006	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1	ug/L	Lead (Pb)	< 1	15.00	ug/L	
Nickel (Ni)	< 0.2	100.00	ug/L	Thorium (Th)	< 2	ug/L	
Copper (Cu)	= 197	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 19	5000.00	ug/L	Calcium	= 1.7	mg/L	
Germanium	< 2.5	ug/L	Iron (Fe)	= 0.1	0.30	mg/L	
Arsenic (As)	< 1	10.00	ug/L	Iron + Manganese (Combined, Calc)	= 0.006	0.50	mg/L
Selenium (Se)	< 1	50.00	ug/L	Potassium	= 0.66	mg/L	
Strontium	= 12.8	ug/L	Magnesium	= 1.5	mg/L		
Molybdenum (Mo)	< 1	ug/L	Sodium (Na)	= 8.4	mg/L		
Silver (Ag)	< 2.5	100.00	ug/L				

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT- BACK
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 206-929-17-09-18

Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO₃. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====					
PFBS (Perfluorobutanesulfonic Acid)...	< 1.77	50000	ng/L	PFNA (Perfluorononanoic Acid).....	< 2. 50000
PFHxS (Perfluorohexanesulfonic Acid)...	= 2.5	50000	ng/L	PFOS (Perfluorooctanesulfonic Acid)....	< 1.91 50000
PFHpA (Perfluoroheptanoic Acid).....	< 2.	50000	ng/L		
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab.....	= 6.2		N/A	Bromide.....	< 0.05 mg/L
Specific Conductivity-Lab.....	= 79.		umho/cm	Orthophosphate.....	< 0.1 mg/L
Chloride (Cl).....	= 12.	250.00	mg/L	Fluoride.....	< 0.1 2.20
Sulfate (SO ₄).....	= 7.	250.00	mg/L	T. Alkalinity.....	= 5. mg/L
Nitrite (NO ₂ -N).....	< 0.05	1.00	mg/L	Hexavalent Chromium.....	= 0.17 ug/L
Nitrate.....	= 0.58	10.00	mg/L	Chlorate.....	< 0.05 mg/L
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene.....	< 0.2	50.00	ug/L	EPTC.....	< 0.2 50.00
2-Methylnaphthalene.....	< 0.2	50.00	ug/L	Ethofumesate.....	< 0.2 50.00
Acenaphthene.....	< 0.2	50.00	ug/L	Ethyl Parathion.....	< 0.2 50.00
Acenaphthylene.....	< 0.2	50.00	ug/L	Fluoranthene.....	< 0.2 50.00
Acetochlor.....	< 0.2	50.00	ug/L	Fluorene.....	< 0.2 50.00
Alachlor.....	< 0.2	2.00	ug/L	Hexachlorobenzene.....	< 0.1 1.00
Allethrin.....	< 0.2	50.00	ug/L	Hexachlorocyclopentadiene.....	< 0.1 5.00
Anthracene.....	< 0.5	50.00	ug/L	Hexachloroethane.....	< 1.0 5.00
Atrazine.....	< 0.1	3.00	ug/L	Hexazinone.....	< 1.0 50.00
Azoxystrobin.....	< 0.2	50.00	ug/L	Indeno(1,2,3-cd)Pyrene.....	< 0.2 50.00
Benfluralin.....	< 0.5	50.00	ug/L	Iodofenphos.....	< 0.2 50.00
Benzo(A)Anthracene.....	< 0.5	50.00	ug/L	Iprodione.....	< 0.5 50.00
Benzo(B)Fluoranthene.....	< 0.2	50.00	ug/L	Isofenphos.....	< 0.5 50.00
Benzo(GHI)Perylene.....	< 0.2	50.00	ug/L	Kelthane.....	< 0.5 50.00
Benzo(K)Fluoranthene.....	< 0.2	50.00	ug/L	Malathion.....	< 0.5 50.00
Benzo(A)Pyrene.....	< 0.02	0.20	ug/L	Metaxyl.....	< 0.2 50.00
Benzophenone.....	< 0.2	50.00	ug/L	Methoprene.....	< 0.2 50.00
Benzyl butyl phthalate.....	< 0.2	50.00	ug/L	Methoxychlor.....	< 0.1 50.00
Bis(2-ethylhexyl)adipate.....	< 0.5	50.00	ug/L	Methyl Parathion.....	< 0.2 50.00
Bis(2-ethylhexyl)phthalate.....	< 3.0	6.00	ug/L	Metolachlor.....	< 0.2 50.00
Bisphenol A.....	< 0.5	50.00	ug/L	Naled (Dibrom).....	< 0.2 50.00
Bloc.....	< 0.2	50.00	ug/L	Napropamide.....	< 0.2 50.00
Bromacil.....	< 0.5	50.00	ug/L	Pendimethalin.....	< 0.2 5.00
Butachlor.....	< 0.2	50.00	ug/L	Pentachlorobenzene.....	< 0.2 50.00
Carbamazepine.....	< 0.5	50.00	ug/L	Pentachloronitrobenzene.....	< 0.2 50.00
Carbazole.....	< 0.2	50.00	ug/L	Permethrin.....	< 0.2 50.00
Carisoprodol.....	< 0.5	50.00	ug/L	Phenanthrene.....	< 0.2 50.00
Chlordane.....	< 0.2	2.00	ug/L	Piperonyl butoxide.....	< 0.5 50.00
Chlorofenvinphos.....	< 0.2	50.00	ug/L	Prometon.....	< 0.5 50.00
Chloroxlyenol.....	< 0.2	50.00	ug/L	Prometryne.....	< 0.2 50.00
Chlorpyrifos.....	< 0.2	50.00	ug/L	Propachlor.....	< 0.2 50.00
Chrysene.....	< 0.2	50.00	ug/L	Propiconazole (Tilt).....	< 0.2 50.00
Cyfluthrin.....	< 0.2	50.00	ug/L	Pyrene.....	< 0.5 50.00
Cypermethrin.....	< 0.5	50.00	ug/L	Resmethrin.....	< 0.2 50.00
Dacthal.....	< 0.2	50.00	ug/L	Ronstar.....	< 0.2 50.00
Deltamethrin.....	< 0.5	50.00	ug/L	Simazine.....	< 0.07 4.00
Dibenzo(A,H)Anthracene.....	< 0.2	50.00	ug/L	Sumithrin.....	< 0.2 50.00
Dibutyl Phthalate.....	< 1.0	50.00	ug/L	Tebuthiuron.....	< 0.5 50.00
Dichlobenil.....	< 0.2	50.00	ug/L	Terbacil.....	< 0.5 50.00
Dichlorvos.....	< 0.5	50.00	ug/L	Triadimefon.....	< 0.5 50.00
Dieldrin.....	< 0.2	50.00	ug/L	Triclosan.....	< 0.5 50.00
Diethyl phthalate.....	< 1.0	50.00	ug/L	TriFluralin.....	< 0.5 50.00
Diethyltoluamide (DEET).....	< 0.2	50.00	ug/L	Vinclozolin.....	< 0.5 50.00
Dimethyl phthalate.....	< 0.2	50.00	ug/L	Total Triazines + Metabolites (Calc)...	< 0. 4.00
Diocetyl Phthalate.....	< 0.2	50.00	ug/L	Etofenprox.....	< 0.2 50.00
Disulfoton sulfone.....	< 0.2	50.00	ug/L	Etofenprox alpha-CO.....	< 0.2 50.00
Endosulfan Sulfate.....	< 0.2	50.00	ug/L	Prallethrin.....	< 0.2 50.00

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT- BACK
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 206-929-17-09-18

Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
==== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane.....	< 0.5	5.00 ug/L	Chlorobenzene.....	< 0.5	5.00 ug/L
Dichlorodifluoromethane.....	< 0.5	5.00 ug/L	Ethylbenzene.....	< 0.5	5.00 ug/L
Chloroethane.....	< 0.5	5.00 ug/L	o-Xylene.....	< 0.5	5.00 ug/L
Bromomethane.....	< 0.5	5.00 ug/L	m & p-Xylene.....	< 0.5	5.00 ug/L
Chloromethane.....	< 0.5	5.00 ug/L	Total Xylenes.....	< 0.5	5.00 ug/L
Trichlorofluoromethane.....	< 0.5	5.00 ug/L	2-Chlorotoluene.....	< 0.5	5.00 ug/L
Vinyl Chloride.....	< 0.5	2.00 ug/L	4-Chlorotoluene.....	< 0.5	5.00 ug/L
Methylene Chloride.....	< 0.5	5.00 ug/L	Diethyl Ether.....	< 0.5	50.00 ug/L
1,1 Dichloroethane.....	< 0.5	5.00 ug/L	Acrylonitrile.....	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene.....	< 0.5	5.00 ug/L	Ethyl Methacrylate.....	< 0.5	50.00 ug/L
Chloroform.....	= 1.9	80.00 ug/L	1,3,5 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,2 Dichloroethane.....	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,1,1 Trichloroethane.....	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o).....	< 0.5	5.00 ug/L
Carbon Tetrachloride.....	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m).....	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane.....	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p).....	< 0.5	5.00 ug/L
1,2 Dichloropropane.....	< 0.5	5.00 ug/L	p-Diethylbenzene.....	< 0.5	5.00 ug/L
Trichloroethene.....	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene.....	< 0.5	5.00 ug/L
Chlorodibromomethane.....	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene.....	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane.....	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene.....	< 0.5	5.00 ug/L
Bromoform.....	< 0.5	80.00 ug/L	Ethenylbenzene (Styrene).....	< 0.5	5.00 ug/L
Tetrachloroethene.....	< 0.5	5.00 ug/L	Isopropylbenzene.....	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene.....	< 0.5	5.00 ug/L	n-Propylbenzene.....	< 0.5	5.00 ug/L
Freon 113.....	< 0.5	5.00 ug/L	tert-Butylbenzene.....	< 0.5	5.00 ug/L
Dibromomethane.....	< 0.5	5.00 ug/L	sec-Butylbenzene.....	< 0.5	5.00 ug/L
1,1 Dichloropropene.....	< 0.5	5.00 ug/L	p-Isopropyltoluene.....	< 0.5	5.00 ug/L
Methyl Isothiocyanate.....	< 2.	50.00 ug/L	n-Butylbenzene.....	< 0.5	5.00 ug/L
Carbon Disulfide.....	< 0.5	ug/L	Hexachlorobutadiene.....	< 0.5	5.00 ug/L
Methyl Methacrylate.....	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE).....	< 0.5	10.00 ug/L
1,1 Dichloroethene.....	< 0.5	5.00 ug/L	Naphthalene.....	< 0.5	50.00 ug/L
Bromodichloromethane.....	< 0.5	80.00 ug/L	1,4-Dichlorobutane.....	< 0.5	5.00 ug/L
2,3 Dichloropropene.....	< 0.5	5.00 ug/L	Methyl Sulfide.....	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Dimethyldisulfide.....	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Bromobenzene.....	< 0.5	5.00 ug/L
1,1,2 Trichloroethane.....	< 0.5	5.00 ug/L	2-Butanone (MEK).....	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane.....	< 0.5	5.00 ug/L	Tetrahydrofuran.....	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane.....	< 0.5	5.00 ug/L	Allyl chloride.....	< 0.5	5.00 ug/L
1,2,3 Trichloropropane.....	< 0.5	5.00 ug/L	Methacrylonitrile.....	< 0.5	5.00 ug/L
2,2 Dichloropropane.....	< 0.5	5.00 ug/L	d-Limonene.....	< 0.5	50.00 ug/L
1,3 Dichloropropane.....	< 0.5	5.00 ug/L	Propanal.....	< 15.	50.00 ug/L
Bromochloromethane.....	< 0.5	5.00 ug/L	Isobutane.....	< 2.	50.00 ug/L
Benzene.....	< 0.5	5.00 ug/L	n-Butane.....	< 2.	50.00 ug/L
Toluene.....	< 0.5	5.00 ug/L			

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 177 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 Slate Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700048544-SR-1

Report Date: 10/06/2017

Page 1 of 1

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/18/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 206-929-170918

Grab/Collection Date: 09/18/2017 10:10
Date received: 09/27/2017 11:25

Additional Info: [REDACTED]

Location/Project/Facility Name: 206 929170918
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700048544-01

Sample Type: Raw Water

Received Temperature (°C): 3.1

Lab Tracking Id: 206929170918

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/2/2017 Analysis Date: 10/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	2.50 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 178 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700046474-SR-1**

Page 1 of 1

Report Date: **10/20/2017**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/20/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 195-929-170911 Dup

Grab/Collection Date: 09/11/2017 11:00
Date received: 09/13/2017 13:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 195-929-170911
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700046474-01

Sample Type: Raw Water

Received Temperature (°C): 9.1

Lab Tracking Id: 195929170911DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/14/2017 Analysis Date: 9/14/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	2.68 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 179 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700046473-SR-1

Page 1 of 1

Report Date: 10/20/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/20/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 195-929-170911

Grab/Collection Date: 09/11/2017 11:00
Date received: 09/13/2017 13:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 195-929-170911
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700046473-01

Sample Type: Raw Water

Received Temperature (°C): 9.4

Lab Tracking Id: 195929170911

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/14/2017 Analysis Date: 9/14/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	2.52 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 180 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700045277-SR-1

Page 1 of 1

Report Date: 09/28/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 09/28/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 186-929-170830

Grab/Collection Date: 08/30/2017 11:40
Date received: 09/07/2017 11:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 186929170830
Sampling Location Details: [REDACTED] RESTROOM TAP
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700045277-01

Sample Type: Raw Water

Received Temperature (°C): 4.4

Lab Tracking Id: 186929170830

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/8/2017 Analysis Date: 9/8/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	3.96 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	3.53 ng/L
Perfluorooctanesulfonic acid (PFOS):	2.35 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 181 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700045278-SR-1

Page 1 of 1

Report Date: 09/28/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 09/28/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 187-929-170830

Grab/Collection Date: 08/30/2017 12:10
Date received: 09/07/2017 11:00

Additional Info: [REDACTED]

Location/Project/Facility Name: 187929170830
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700045278-01

Sample Type: Raw Water

Received Temperature (°C): 4.8

Lab Tracking Id: 187929170830

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/8/2017 Analysis Date: 9/8/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	2.91 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: BATHROOM TAP, LEFT
Treatment: ION EXCHANGE

Request No.: [REDACTED]
Sample Date: 08/30/2017
Sanitarian: ABAZIS
Field No.: 187-929-17-08-30
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL	
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl
Aldicarb	< 0.5	3.00 ug/L	1-Naphthol
Aldicarb-Sulfoxide	< 0.5	4.00 ug/L	Methomyl
Aldicarb-Sulfone	< 0.5	2.00 ug/L	Propoxur (Baygon)
Carbofuran	< 0.5	40.00 ug/L	Methiocarb
3-Hydroxycarbofuran	< 0.5	50.00 ug/L	Methiocarb sulfone
Oxamyl	< 0.5	50.00 ug/L	

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services			
	Result	MCL	
TColi	< ABSENT	ABSENT	EColi
			< ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL	
alpha-BHC	< 0.2	5.00 ug/L	4,4-DDD
beta-BHC	< 0.2	5.00 ug/L	4,4-DDT
gamma-BHC (Lindane)	< 0.02	0.20 ug/L	Endrin
delta-BHC	< 0.2	5.00 ug/L	Chlordane
Heptachlor	< 0.04	0.40 ug/L	Alachlor
Heptachlor epoxide	< 0.02	0.20 ug/L	Methoxychlor
Aldrin	< 0.2	5.00 ug/L	Endosulfan II
Dieldrin	< 0.2	50.00 ug/L	Endosulfan Sulfate
Endosulfan I	< 0.2	5.00 ug/L	1,2-dibromoethane
Dacthal	< 0.2	50.00 ug/L	1,2-dibromo-3-chloropropane
4,4-DDE	< 0.2	50.00 ug/L	

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL	
Monomethyltetrachloroterephthalate	< 5	50.00 ug/L	Tetrachloroterephthalic acid
			< 5

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
	Result	MCL	
Didealkylatrazine (G-28273)	< 0.8	50.00 ug/L	Metolachlor
Deisopropylatrazine (G-28279)	< 0.2	50.00 ug/L	Tebuthiuron
Desethylatrazine (G-30033)	< 0.4	50.00 ug/L	Caffeine
Imidacloprid	< 0.2	50.00 ug/L	Dinoseb
Imidacloprid Urea	< 0.2	50.00 ug/L	Bisphenol A
Alachlor OA (Oxanilic Acid)	< 0.4	50.00 ug/L	Diuron
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00 ug/L	Phenytoln (Dilantin)
Metolachlor metabolite (CGA-37735)	< 0.2	50.00 ug/L	4-Hydroxyphenytoln
Metolachlor OA (CGA-51202)	< 0.3	50.00 ug/L	Diethyltoluamide (DEET)
Metolachlor ESA (CGA-354743)	< 0.3	50.00 ug/L	Acetaminophen
Metolachlor metabolite (CGA-41638)	< 0.3	50.00 ug/L	Bisphenol B
Metolachlor metabolite (CGA-40172)	< 0.3	50.00 ug/L	Estrone
Metolachlor metabolite (CGA-67125)	< 0.3	50.00 ug/L	17 alpha Ethynylestradiol
2-Hydroxyatrazine (G-34048)	< 0.3	50.00 ug/L	Diethylstilbestrol
Malaoxon	< 0.2	50.00 ug/L	17 beta Estradiol
Trichlorfon	< 0.3	50.00 ug/L	4-Androstene-3,17-dione
Siduron	< 0.3	50.00 ug/L	Picaridan
Dichlorvos	< 0.6	50.00 ug/L	Propachlor ESA
Propamocarb hydrochloride	< 0.3	50.00 ug/L	Propachlor OA
2,6-Dichlorobenzamide	< 0.5	50.00 ug/L	Testosterone
Ibuprofen	< 0.2	50.00 ug/L	Equilin
Gemfibrozil	< 0.4	50.00 ug/L	Estriol
Metalaxyl	< 0.2	50.00 ug/L	

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
	Result	MCL	
Lithium	< 1	ug/L	Cadmium (Cd)
Beryllium (Be)	< 0.2	4.00 ug/L	Tin
Aluminum (Al)	< 5	ug/L	Antimony (Sb)
Titanium (Ti)	< 1	ug/L	Tellurium
Vanadium (V)	< 1	ug/L	Barium (Ba)
Chromium (Cr)	< 1	100.00 ug/L	Mercury (Hg)
Manganese (Mn)	< 0.001	0.30 mg/L	Thallium (Tl)
Cobalt (Co)	< 1	ug/L	Lead (Pb)
Nickel (Ni)	< 0.2	100.00 ug/L	Thorium (Th)
Copper (Cu)	= 104	1300.00 ug/L	Uranium
Zinc (Zn)	= 6	5000.00 ug/L	Calcium
Germanium	< 2.5	ug/L	Iron (Fe)
Arsenic (As)	< 1	10.00 ug/L	Iron + Manganese (Combined, Calc)
Selenium (Se)	< 1	50.00 ug/L	Potassium
Strontium	< 1	ug/L	Magnesium
Molybdenum (Mo)	< 1	ug/L	Sodium (Na)
Silver (Ag)	< 2.5	100.00 ug/L	

Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health			
	Result	MCL	
PFBS (Perfluorobutanesulfonic Acid)	< 1.77	50000 ng/L	PFOA (Perfluorooctanoic Acid)
PFHxS (Perfluorohexanesulfonic Acid)	= 2.91	50000 ng/L	PFOS (Perfluorooctanesulfonic Acid)
PFHpA (Perfluoroheptanoic Acid)	< 2	50000 ng/L	PFNA (Perfluorononanoic Acid)
			< 2

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: BATHROOM TAP, LEFT
Treatment: ION EXCHANGE

Request No.: [REDACTED]
Sample Date: 08/30/2017
Sanitarian: ABAZIS
Field No.: 187-929-17-08-30
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab.....	= 6.4	N/A	Bromide.....	< 0.05	mg/L
Specific Conductivity-Lab.....	= 81.	umho/d cm	Orthophosphate.....	< 0.1	mg/L
Chloride (Cl).....	= 14.	250.00 mg/L	Fluoride.....	< 0.1	2.20 mg/L
Sulfate (SO4).....	= 4.	250.00 mg/L	T. Alkalinity.....	= 6.	mg/L
Nitrite (NO2-N).....	< 0.05	1.00 mg/L	Chlorate.....	< 0.05	mg/L
Nitrate.....	= 0.78	10.00 mg/L			

	Result	MCL		Result	MCL
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene.....	< 0.2	50.00 ug/L	EPTC.....	< 0.2	50.00 ug/L
2-Methylnaphthalene.....	< 0.2	50.00 ug/L	Ethofumesate.....	< 0.2	50.00 ug/L
Acenaphthene.....	< 0.2	50.00 ug/L	Ethyl Parathion.....	< 0.2	50.00 ug/L
Acenaphthylene.....	< 0.2	50.00 ug/L	Fluoranthene.....	< 0.2	50.00 ug/L
Acetochlor.....	< 0.2	50.00 ug/L	Fluorene.....	< 0.2	50.00 ug/L
Alachlor.....	< 0.2	2.00 ug/L	Hexachlorobenzene.....	< 0.1	1.00 ug/L
Allethrin.....	< 0.2	50.00 ug/L	Hexachlorocyclopentadiene.....	< 0.1	5.00 ug/L
Anthracene.....	< 0.5	50.00 ug/L	Hexachloroethane.....	< 1.0	5.00 ug/L
Atrazine.....	< 0.1	3.00 ug/L	Hexazinone.....	< 1.0	50.00 ug/L
Azoxystrobin.....	< 0.2	50.00 ug/L	Indeno (1, 2, 3-cd) Pyrene.....	< 0.2	50.00 ug/L
Benfluralin.....	< 0.5	50.00 ug/L	Iodofenphos.....	< 0.2	50.00 ug/L
Benzo (A) Anthracene.....	< 0.5	50.00 ug/L	Iprodione.....	< 0.5	50.00 ug/L
Benzo (B) Fluoranthene.....	< 0.2	50.00 ug/L	Isofenphos.....	< 0.5	50.00 ug/L
Benzo (GHI) Perylene.....	< 0.2	50.00 ug/L	Kelthane.....	< 0.5	50.00 ug/L
Benzo (K) Fluoranthene.....	< 0.2	50.00 ug/L	Malathion.....	< 0.5	50.00 ug/L
Benzo (A) Pyrene.....	< 0.02	0.20 ug/L	Metalaxyl.....	< 0.2	50.00 ug/L
Benzophenone.....	< 0.2	50.00 ug/L	Methoprene.....	< 0.2	50.00 ug/L
Benzyl butyl phthalate.....	< 0.2	50.00 ug/L	Methoxychlor.....	< 0.1	50.00 ug/L
Bis (2-ethylhexyl) adipate.....	< 0.5	50.00 ug/L	Methyl Parathion.....	< 0.2	50.00 ug/L
Bis (2-ethylhexyl) phthalate.....	< 3.0	6.00 ug/L	Metolachlor.....	< 0.2	50.00 ug/L
Bisphenol A.....	< 0.5	50.00 ug/L	Naled (Dibrom).....	< 0.2	50.00 ug/L
Bloc.....	< 0.2	50.00 ug/L	Napropamide.....	< 0.2	50.00 ug/L
Bromacil.....	< 0.5	50.00 ug/L	Pendimethalin.....	< 0.2	5.00 ug/L
Butachlor.....	< 0.2	50.00 ug/L	Pentachlorobenzene.....	< 0.2	50.00 ug/L
Carbamazepine.....	< 0.5	50.00 ug/L	Pentachloronitrobenzene.....	< 0.2	50.00 ug/L
Carbazole.....	< 0.2	50.00 ug/L	Permethrin.....	< 0.2	50.00 ug/L
Carisoprodol.....	< 0.5	50.00 ug/L	Phenanthrene.....	< 0.2	50.00 ug/L
Chlordane.....	< 0.2	2.00 ug/L	Piperonyl butoxide.....	< 0.5	50.00 ug/L
Chlorofenvinphos.....	< 0.2	50.00 ug/L	Prometon.....	< 0.5	50.00 ug/L
Chloroxlenol.....	< 0.2	50.00 ug/L	Prometryne.....	< 0.2	50.00 ug/L
Chlorpyrifos.....	< 0.2	50.00 ug/L	Propachlor.....	< 0.2	50.00 ug/L
Chrysene.....	< 0.2	50.00 ug/L	Propiconazole (Tilt).....	< 0.2	50.00 ug/L
Cyfluthrin.....	< 0.2	50.00 ug/L	Pyrene.....	< 0.5	50.00 ug/L
Cypermethrin.....	< 0.5	50.00 ug/L	Resmethrin.....	< 0.2	50.00 ug/L
Dacthal.....	< 0.2	50.00 ug/L	Ronstar.....	< 0.2	50.00 ug/L
Deltamethrin.....	< 0.5	50.00 ug/L	Simazine.....	< 0.07	4.00 ug/L
Dibenzo (A, H) Anthracene.....	< 0.2	50.00 ug/L	Sumathrin.....	< 0.2	50.00 ug/L
Dibutyl Phthalate.....	< 1.0	50.00 ug/L	Tebuthiuron.....	< 0.5	50.00 ug/L
Dichlobenil.....	< 0.2	50.00 ug/L	Terbacil.....	< 0.5	50.00 ug/L
Dichlorvos.....	< 0.5	50.00 ug/L	Triadimefon.....	< 0.5	50.00 ug/L
Dieldrin.....	< 0.2	50.00 ug/L	Triclosan.....	< 0.5	50.00 ug/L
Diethyl phthalate.....	< 1.0	50.00 ug/L	Trifluralin.....	< 0.5	50.00 ug/L
Diethyltoluamide (DEET).....	< 0.2	50.00 ug/L	Vinclozolin.....	< 0.5	50.00 ug/L
Dimethyl phthalate.....	< 0.2	50.00 ug/L	Total Triazines + Metabolites (Calc).....	< 0.	4.00 ug/L
Diocetyl Phthalate.....	< 0.2	50.00 ug/L	Etofenprox.....	< 0.2	50.00 ug/L
Disulfoton sulfone.....	< 0.2	50.00 ug/L	Etofenprox alpha-CO.....	< 0.2	50.00 ug/L
Endosulfan Sulfate.....	< 0.2	50.00 ug/L	Prallethrin.....	< 0.2	50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: BATHROOM TAP, LEFT
Treatment: ION EXCHANGE

Request No.: [REDACTED]
Sample Date: 08/30/2017
Sanitarian: ABAZIS
Field No.: 187-929-17-08-30
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

RESULTS CONTINUED FROM PRECEDING PAGE		Result	MCL	Result	MCL
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane	<	0.5	5.00 ug/L	Chlorobenzene	< 0.5 5.00 ug/L
Dichlorodifluoromethane	<	0.5	5.00 ug/L	Ethylbenzene	< 0.5 5.00 ug/L
Chloroethane	<	0.5	5.00 ug/L	o-Xylene	< 0.5 5.00 ug/L
Bromomethane	<	0.5	5.00 ug/L	m & p-Xylene	< 0.5 5.00 ug/L
Chloromethane	<	0.5	5.00 ug/L	Total Xylenes	< 0.5 5.00 ug/L
Trichlorofluoromethane	<	0.5	5.00 ug/L	2-Chlorotoluene	< 0.5 5.00 ug/L
Vinyl Chloride	<	0.5	2.00 ug/L	4-Chlorotoluene	< 0.5 5.00 ug/L
Methylene Chloride	<	0.5	5.00 ug/L	Diethyl Ether	< 0.5 50.00 ug/L
1,1 Dichloroethane	<	0.5	5.00 ug/L	Acrylonitrile	< 0.5 5.00 ug/L
trans 1,2 Dichloroethene	<	0.5	5.00 ug/L	Ethyl Methacrylate	< 0.5 50.00 ug/L
Chloroform	=	2.1	80.00 ug/L	1,3,5 Trimethylbenzene	< 0.5 5.00 ug/L
1,2 Dichloroethane	<	0.5	5.00 ug/L	1,2,4 Trimethylbenzene	< 0.5 5.00 ug/L
1,1,1 Trichloroethane	<	0.5	5.00 ug/L	1,2 Dichlorobenzene (o)	< 0.5 5.00 ug/L
Carbon Tetrachloride	<	0.5	5.00 ug/L	1,3-Dichlorobenzene (m)	< 0.5 5.00 ug/L
1-Bromo-2-Chloroethane	<	0.5	5.00 ug/L	1,4-Dichlorobenzene (p)	< 0.5 5.00 ug/L
1,2 Dichloropropane	<	0.5	5.00 ug/L	p-Diethylbenzene	< 0.5 5.00 ug/L
Trichloroethene	<	0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene	< 0.5 5.00 ug/L
Chlorodibromomethane	<	0.5	80.00 ug/L	1,2,4 Trichlorobenzene	< 0.5 5.00 ug/L
2-Bromo-1-Chloropropane	<	0.5	5.00 ug/L	1,2,3 Trichlorobenzene	< 0.5 5.00 ug/L
Bromoform	<	0.5	80.00 ug/L	Ethenylbenzene (Styrene)	< 0.5 5.00 ug/L
Tetrachloroethene	<	0.5	5.00 ug/L	Isopropylbenzene	< 0.5 5.00 ug/L
cis-1,2-Dichloroethene	<	0.5	5.00 ug/L	n-Propylbenzene	< 0.5 5.00 ug/L
Freon 113	<	0.5	5.00 ug/L	tert-Butylbenzene	< 0.5 5.00 ug/L
Dibromomethane	<	0.5	5.00 ug/L	sec-Butylbenzene	< 0.5 5.00 ug/L
1,1 Dichloropropene	<	0.5	5.00 ug/L	p-Isopropyltoluene	< 0.5 5.00 ug/L
Methyl Isothiocyanate	<	2.	50.00 ug/L	n-Butylbenzene	< 0.5 5.00 ug/L
Carbon Disulfide	<	0.5	ug/L	Hexachlorobutadiene	< 0.5 5.00 ug/L
Methyl Methacrylate	<	0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE)	< 0.5 10.00 ug/L
1,1 Dichloroethene	<	0.5	5.00 ug/L	Naphthalene	< 0.5 50.00 ug/L
Bromodichloromethane	<	0.5	80.00 ug/L	1,4-Dichlorobutane	< 0.5 5.00 ug/L
2,3 Dichloropropene	<	0.5	5.00 ug/L	Methyl Sulfide	< 0.5 50.00 ug/L
cis-1,3-Dichloropropene	<	0.5	5.00 ug/L	Dimethyldisulfide	< 0.5 50.00 ug/L
trans-1,3-Dichloropropene	<	0.5	5.00 ug/L	Bromobenzene	< 0.5 5.00 ug/L
1,1,2 Trichloroethane	<	0.5	5.00 ug/L	2-Butanone (MEK)	< 20. 50.00 ug/L
1,1,1,2 Tetrachloroethane	<	0.5	5.00 ug/L	Tetrahydrofuran	< 20. 50.00 ug/L
1,1,2,2-Tetrachloroethane	<	0.5	5.00 ug/L	Allyl chloride	< 0.5 5.00 ug/L
1,2,3 Trichloropropane	<	0.5	5.00 ug/L	Methacrylonitrile	< 0.5 5.00 ug/L
2,2 Dichloropropane	<	0.5	5.00 ug/L	d-Limonene	< 0.5 50.00 ug/L
1,3 Dichloropropane	<	0.5	5.00 ug/L	Propanal	< 15. 50.00 ug/L
Bromochloromethane	<	0.5	5.00 ug/L	Isobutane	< 2. 50.00 ug/L
Benzene	<	0.5	5.00 ug/L	n-Butane	< 2. 50.00 ug/L
Toluene	<	0.5	5.00 ug/L		

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 185 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700048546-SR-1

Page 1 of 1

Report Date: 10/06/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/18/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 207-929-170918

Grab/Collection Date: 09/18/2017 10:40
Date received: 09/27/2017 11:25

Additional Info: [REDACTED]

Location/Project/Facility Name: 207929170918
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700048546-01

Sample Type: Raw Water

Received Temperature (°C): 3.9

Lab Tracking Id: 207929170918

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 10/2/2017 Analysis Date: 10/2/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health **SK - Exhibit 3-3(b)**
Wadsworth Center (page 186 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700046475-SR-1**

Page 1 of 1

Report Date: 10/20/2017

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/20/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 196-929-170911

Grab/Collection Date: 09/11/2017 11:20
Date received: 09/13/2017 13:30

Additional Info: [REDACTED]

Location/Project/Facility Name: 196-929-170911
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700046475-01

Sample Type: Raw Water

Received Temperature (°C): 11.7
Received State: Cooling

Lab Tracking Id: 196929170911

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 9/14/2017 Analysis Date: 9/14/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP

NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NOTES:

[1] Sample temperature upon receipt did not meet method specifications of 10 °C.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 207-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services			
TColi	<	ABSENT	ABSENT
EColi	<	ABSENT	ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endrin	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromoethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services							
Monomethyltetrachloroterephthalate	< 5.	50.00	ug/L	Tetrachloroterephthalic acid	< 5.	50.00	ug/L

Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services			
1,4-Dioxane	< 0.1	50.00	ug/L

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Deisopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytol (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytoin	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaxon	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picaridin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
Lithium	< 1.	ug/L		Cadmium (Cd)	< 1.	5.00	ug/L
Beryllium (Be)	< 0.2	4.00	ug/L	Tin	< 0.5	ug/L	
Aluminum (Al)	= 6.	ug/L		Antimony (Sb)	< 0.2	6.00	ug/L
Titanium (Ti)	< 1.	ug/L		Tellurium	< 0.5	ug/L	
Vanadium (V)	< 1.	ug/L		Barium (Ba)	= 12.	2000.00	ug/L
Chromium (Cr)	< 1.	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	= 0.002	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1.	ug/L		Lead (Pb)	< 1.	15.00	ug/L
Nickel (Ni)	< 0.2	100.00	ug/L	Thorium (Th)	< 2.	ug/L	
Copper (Cu)	= 185.	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 6.	5000.00	ug/L	Calcium	= 1.5	mg/L	
Germanium	< 2.5	ug/L		Iron (Fe)	< 0.1	0.30	mg/L
Arsenic (As)	< 1.	10.00	ug/L	Iron + Manganese (Combined, Calc)	= 0.002	0.50	mg/L
Selenium (Se)	< 1.	50.00	ug/L	Potassium	= 0.55	mg/L	
Strontium	= 14.7	ug/L		Magnesium	= 1.7	mg/L	
Molybdenum (Mo)	< 1.	ug/L		Sodium (Na)	= 6.7	mg/L	
Silver (Ag)	< 2.5	100.00	ug/L				

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 207-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result	MCL	Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE			
==== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====			
PFBS (Perfluorobutanesulfonic Acid)...	< 1.77 50000 ng/L	PFOA (Perfluorooctanoic Acid).....	< 2. 50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)...	< 1.89 50000 ng/L	PFOS (Perfluorooctanesulfonic Acid)....	< 1.91 50000 ng/L
PFHpA (Perfluoroheptanoic Acid).....	< 2. 50000 ng/L	PFNA (Perfluorononanoic Acid).....	< 2. 50000 ng/L

==== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====			
pH-Lab.....	= 6.1	N/A	
Specific Conductivity-Lab.....	= 72.	umho/d	cm
Chloride (Cl).....	= 11.	250.00	mg/L
Sulfate (SO4).....	= 7.	250.00	mg/L
Nitrite (NO2-N).....	< 0.05	1.00	mg/L
Nitrate.....	< 0.1	10.00	mg/L
Bromide.....	< 0.05		mg/L
Orthophosphate.....	< 0.1		mg/L
Fluoride.....	< 0.1	2.20	mg/L
T. Alkalinity.....	= 5.		mg/L
Hexavalent Chromium.....	= 0.06		ug/L
Chlorate.....	< 0.05		mg/L

==== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====			
1-Methylnaphthalene.....	< 0.2	50.00	ug/L
2-Methylnaphthalene.....	< 0.2	50.00	ug/L
Acenaphthene.....	< 0.2	50.00	ug/L
Acenaphthylene.....	< 0.2	50.00	ug/L
Acetochlor.....	< 0.2	50.00	ug/L
Alachlor.....	< 0.2	2.00	ug/L
Allethrin.....	< 0.2	50.00	ug/L
Anthracene.....	< 0.5	50.00	ug/L
Atrazine.....	< 0.1	3.00	ug/L
Azoxystrobin.....	< 0.2	50.00	ug/L
Benfluralin.....	< 0.5	50.00	ug/L
Benzo(A)Anthracene.....	< 0.5	50.00	ug/L
Benzo(B)Fluoranthene.....	< 0.2	50.00	ug/L
Benzo(GH)Perylene.....	< 0.2	50.00	ug/L
Benzo(K)Fluoranthene.....	< 0.2	50.00	ug/L
Benzo(A)Pyrene.....	< 0.02	0.20	ug/L
Benzophenone.....	< 0.2	50.00	ug/L
Benzyl butyl phthalate.....	< 0.2	50.00	ug/L
Bis(2-ethylhexyl)adipate.....	< 0.5	50.00	ug/L
Bis(2-ethylhexyl)phthalate.....	< 3.0	6.00	ug/L
Bisphenol A.....	< 0.5	50.00	ug/L
Bloc.....	< 0.2	50.00	ug/L
Bromacil.....	< 0.5	50.00	ug/L
Butachlor.....	< 0.2	50.00	ug/L
Carbamazepine.....	< 0.5	50.00	ug/L
Carbazole.....	< 0.2	50.00	ug/L
Carisoprodol.....	< 0.5	50.00	ug/L
Chlordane.....	< 0.2	2.00	ug/L
Chlorofenvinphos.....	< 0.2	50.00	ug/L
Chloroxyleneol.....	< 0.2	50.00	ug/L
Chlorpyrifos.....	< 0.2	50.00	ug/L
Chrysene.....	< 0.2	50.00	ug/L
Cyfluthrin.....	< 0.2	50.00	ug/L
Cypermethrin.....	< 0.5	50.00	ug/L
Dacthal.....	< 0.2	50.00	ug/L
Deltamethrin.....	< 0.5	50.00	ug/L
Dibenzo(A,H)Anthracene.....	< 0.2	50.00	ug/L
Dibutyl Phthalate.....	< 1.0	50.00	ug/L
Dichlobenil.....	< 0.2	50.00	ug/L
Dichlorvos.....	< 0.5	50.00	ug/L
Dieldrin.....	< 0.2	50.00	ug/L
Diethyl phthalate.....	< 1.0	50.00	ug/L
Diethyltoluamide (DEET).....	< 0.2	50.00	ug/L
Dimethyl phthalate.....	< 0.2	50.00	ug/L
Diocetyl Phthalate.....	< 0.2	50.00	ug/L
Disulfoton sulfone.....	< 0.2	50.00	ug/L
Endosulfan Sulfate.....	< 0.2	50.00	ug/L
EPTC.....	< 0.2	50.00	ug/L
Ethofumesate.....	< 0.2	50.00	ug/L
Ethyl Parathion.....	< 0.2	50.00	ug/L
Fluoranthene.....	< 0.2	50.00	ug/L
Fluorene.....	< 0.2	50.00	ug/L
Hexachlorobenzene.....	< 0.1	1.00	ug/L
Hexachlorocyclopentadiene.....	< 0.1	5.00	ug/L
Hexachloroethane.....	< 1.0	5.00	ug/L
Hexazlnone.....	< 1.0	50.00	ug/L
Indeno(1,2,3-cd)Pyrene.....	< 0.2	50.00	ug/L
Iodofenphos.....	< 0.2	50.00	ug/L
Iprodione.....	< 0.5	50.00	ug/L
Isofenphos.....	< 0.5	50.00	ug/L
Kelthane.....	< 0.5	50.00	ug/L
Malathion.....	< 0.5	50.00	ug/L
Metalaxyl.....	< 0.2	50.00	ug/L
Methoprene.....	< 0.2	50.00	ug/L
Methoxychlor.....	< 0.1	50.00	ug/L
Methyl Parathion.....	< 0.2	50.00	ug/L
Metolachlor.....	< 0.2	50.00	ug/L
Naled (Dibrom).....	< 0.2	50.00	ug/L
Napropamide.....	< 0.2	50.00	ug/L
Pendimethalin.....	< 0.2	5.00	ug/L
Pentachlorobenzene.....	< 0.2	50.00	ug/L
Pentachloronitrobenzene.....	< 0.2	50.00	ug/L
Permethrin.....	< 0.2	50.00	ug/L
Phenanthrene.....	< 0.2	50.00	ug/L
Piperonyl butoxide.....	< 0.5	50.00	ug/L
Prometon.....	< 0.5	50.00	ug/L
Prometryne.....	< 0.2	50.00	ug/L
Propachlor.....	< 0.2	50.00	ug/L
Propiconazole (Tilt).....	< 0.2	50.00	ug/L
Pyrene.....	< 0.5	50.00	ug/L
Resmethrin.....	< 0.2	50.00	ug/L
Ronstar.....	< 0.2	50.00	ug/L
Simazine.....	< 0.07	4.00	ug/L
Sumithrin.....	< 0.2	50.00	ug/L
Tebuthiuron.....	< 0.5	50.00	ug/L
Terbacil.....	< 0.5	50.00	ug/L
Triadimefon.....	< 0.5	50.00	ug/L
Triclosan.....	< 0.5	50.00	ug/L
Trifluralin.....	< 0.5	50.00	ug/L
Vinclozolin.....	< 0.5	50.00	ug/L
Total Triazines + Metabolites (Calc)...	< 0.	4.00	ug/L
Etofenprox.....	< 0.2	50.00	ug/L
Etofenprox alpha-CO.....	< 0.2	50.00	ug/L
Prallethrin.....	< 0.2	50.00	ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 207-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result MCL Result MCL

RESULTS CONTINUED FROM PRECEDING PAGE

==== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====

Chemical	Result	MCL	Chemical	Result	MCL
Chlorodifluoromethane	< 0.5	5.00 ug/L	Chlorobenzene	< 0.5	5.00 ug/L
Dichlorodifluoromethane	< 0.5	5.00 ug/L	Ethylbenzene	< 0.5	5.00 ug/L
Chloroethane	< 0.5	5.00 ug/L	o-Xylene	< 0.5	5.00 ug/L
Bromomethane	< 0.5	5.00 ug/L	m & p-Xylene	< 0.5	5.00 ug/L
Chloromethane	< 0.5	5.00 ug/L	Total Xylenes	< 0.5	5.00 ug/L
Trichlorofluoromethane	< 0.5	5.00 ug/L	2-Chlorotoluene	< 0.5	5.00 ug/L
Vinyl Chloride	< 0.5	2.00 ug/L	4-Chlorotoluene	< 0.5	5.00 ug/L
Methylene Chloride	< 0.5	5.00 ug/L	Diethyl Ether	< 0.5	50.00 ug/L
1,1 Dichloroethane	< 0.5	5.00 ug/L	Acrylonitrile	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene	< 0.5	5.00 ug/L	Ethyl Methacrylate	< 0.5	50.00 ug/L
Chloroform	= 2.0	80.00 ug/L	1,3,5 Trimethylbenzene	< 0.5	5.00 ug/L
1,2 Dichloroethane	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene	< 0.5	5.00 ug/L
1,1,1 Trichloroethane	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o)	< 0.5	5.00 ug/L
Carbon Tetrachloride	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m)	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p)	< 0.5	5.00 ug/L
1,2 Dichloropropane	< 0.5	5.00 ug/L	p-Diethylbenzene	< 0.5	5.00 ug/L
Trichloroethene	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene	< 0.5	5.00 ug/L
Chlorodibromomethane	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene	< 0.5	5.00 ug/L
Bromoform	< 0.5	80.00 ug/L	Ethenylbenzene (Styrene)	< 0.5	5.00 ug/L
Tetrachloroethene	< 0.5	5.00 ug/L	Isopropylbenzene	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene	< 0.5	5.00 ug/L	n-Propylbenzene	< 0.5	5.00 ug/L
Freon 113	< 0.5	5.00 ug/L	tert-Butylbenzene	< 0.5	5.00 ug/L
Dibromomethane	< 0.5	5.00 ug/L	sec-Butylbenzene	< 0.5	5.00 ug/L
1,1 Dichloropropene	< 0.5	5.00 ug/L	p-Isopropyltoluene	< 0.5	5.00 ug/L
Methyl Isothiocyanate	< 2.	50.00 ug/L	n-Butylbenzene	< 0.5	5.00 ug/L
Carbon Disulfide	< 0.5	ug/L	Hexachlorobutadiene	< 0.5	5.00 ug/L
Methyl Methacrylate	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE)	< 0.5	10.00 ug/L
1,1 Dichloroethene	< 0.5	5.00 ug/L	Naphthalene	< 0.5	50.00 ug/L
Bromodichloromethane	< 0.5	80.00 ug/L	1,4-Dichlorobutane	< 0.5	5.00 ug/L
2,3 Dichloropropene	< 0.5	5.00 ug/L	Methyl Sulfide	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene	< 0.5	5.00 ug/L	Dimethyldisulfide	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene	< 0.5	5.00 ug/L	Bromobenzene	< 0.5	5.00 ug/L
1,1,2 Trichloroethane	< 0.5	5.00 ug/L	2-Butanone (MEK)	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane	< 0.5	5.00 ug/L	Tetrahydrofuran	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane	< 0.5	5.00 ug/L	Allyl chloride	< 0.5	5.00 ug/L
1,2,3 Trichloropropane	< 0.5	5.00 ug/L	Methacrylonitrile	< 0.5	5.00 ug/L
2,2 Dichloropropane	< 0.5	5.00 ug/L	d-Limonene	< 0.5	50.00 ug/L
1,3 Dichloropropane	< 0.5	5.00 ug/L	Propanal	< 15.	50.00 ug/L
Bromochloromethane	< 0.5	5.00 ug/L	Isobutane	< 2.	50.00 ug/L
Benzene	< 0.5	5.00 ug/L	n-Butane	< 2.	50.00 ug/L
Toluene	< 0.5	5.00 ug/L			

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 207-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

===== Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services =====				===== Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services =====			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

===== Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services =====					
	Result	MCL		Result	MCL
TColl	< ABSENT	ABSENT	EColi	< ABSENT	ABSENT

===== Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services =====							
	Result	MCL		Result	MCL		
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endrin	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

===== Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services =====							
	Result	MCL		Result	MCL		
Monomethyltetrachloroterephthalate	< 5	50.00	ug/L	Tetrachloroterephthalic acid	< 5	50.00	ug/L

===== Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services =====							
	Result	MCL		Result	MCL		
1,4-Dioxane	< 0.1	50.00	ug/L				

===== Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services =====							
	Result	MCL		Result	MCL		
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Desopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytol (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytol	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaonox	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picaridin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

===== Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services =====							
	Result	MCL		Result	MCL		
Lithium	< 1	ug/L		Cadmium (Cd)	< 1	5.00	ug/L
Beryllium (Be)	< 0.2	4.00	ug/L	Tin	< 0.5	ug/L	
Aluminum (Al)	= 6	ug/L		Antimony (Sb)	< 0.2	6.00	ug/L
Titanium (Ti)	< 1	ug/L		Tellurium	< 0.5	ug/L	
Vanadium (V)	< 1	ug/L		Barium (Ba)	= 12	2000.00	ug/L
Chromium (Cr)	< 1	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	= 0.002	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1	ug/L		Lead (Pb)	< 1	15.00	ug/L
Nickel (Ni)	< 0.2	100.00	ug/L	Thorium (Th)	< 2	ug/L	
Copper (Cu)	= 185	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 6	5000.00	ug/L	Calcium	= 1.5	mg/L	
Germanium	< 2.5	ug/L		Iron (Fe)	< 0.1	0.30	mg/L
Arsenic (As)	< 1	10.00	ug/L	Iron + Manganese (Combined, Calc)	= 0.002	0.50	mg/L
Selenium (Se)	< 1	50.00	ug/L	Potassium	= 0.55	mg/L	
Strontium	= 14.7	ug/L		Magnesium	= 1.7	mg/L	
Molybdenum (Mo)	< 1	ug/L		Sodium (Na)	= 6.7	mg/L	
Silver (Ag)	< 2.5	100.00	ug/L				

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
 Location: GEORGICA WOODS LANE, WAINSCOTT
 Sample Location: OUTDOOR SPIGOT
 Treatment: NONE

Request No.: [REDACTED]
 Sample Date: 09/18/2017
 Sanitarian: ABAZIS
 Field No.: 207-929-17-09-18
 Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
===== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====					
PFBS (Perfluorobutanesulfonic Acid)	< 1.77	50000 ng/L	PFOA (Perfluorooctanoic Acid)	< 2.	50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)	< 1.89	50000 ng/L	PFOS (Perfluorooctanesulfonic Acid)	< 1.91	50000 ng/L
PFHpA (Perfluoroheptanoic Acid)	< 2.	50000 ng/L	PFNA (Perfluorononanoic Acid)	< 2.	50000 ng/L
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab	= 6.1	N/A	Bromide	< 0.05	mg/L
Specific Conductivity-Lab	= 72.	umho/d cm	Orthophosphate	< 0.1	mg/L
Chloride (Cl)	= 11.	250.00 mg/L	Fluoride	< 0.1	2.20 mg/L
Sulfate (SO4)	= 7.	250.00 mg/L	T. Alkalinity	= 5.	mg/L
Nitrite (NO2-N)	< 0.05	1.00 mg/L	Hexavalent Chromium	= 0.06	ug/L
Nitrate	< 0.1	10.00 mg/L	Chlorate	< 0.05	mg/L
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene	< 0.2	50.00 ug/L	EPTC	< 0.2	50.00 ug/L
2-Methylnaphthalene	< 0.2	50.00 ug/L	Ethofumesate	< 0.2	50.00 ug/L
Acenaphthene	< 0.2	50.00 ug/L	Ethyl Parathion	< 0.2	50.00 ug/L
Acenaphthylene	< 0.2	50.00 ug/L	Fluoranthene	< 0.2	50.00 ug/L
Acetochlor	< 0.2	50.00 ug/L	Fluorene	< 0.2	50.00 ug/L
Alachlor	< 0.2	2.00 ug/L	Hexachlorobenzene	< 0.1	1.00 ug/L
Allethrin	< 0.2	50.00 ug/L	Hexachlorocyclopentadiene	< 0.1	5.00 ug/L
Anthracene	< 0.5	50.00 ug/L	Hexachloroethane	< 1.0	5.00 ug/L
Atrazine	< 0.1	3.00 ug/L	Hexazinone	< 1.0	50.00 ug/L
Azoxystrobin	< 0.2	50.00 ug/L	Indeno(1,2,3-cd) Pyrene	< 0.2	50.00 ug/L
Benfluralin	< 0.5	50.00 ug/L	Iodofenphos	< 0.2	50.00 ug/L
Benzo(A)Anthracene	< 0.5	50.00 ug/L	Iprodione	< 0.5	50.00 ug/L
Benzo(B)Fluoranthene	< 0.2	50.00 ug/L	Isofenphos	< 0.5	50.00 ug/L
Benzo(GHI)Perylene	< 0.2	50.00 ug/L	Kelthane	< 0.5	50.00 ug/L
Benzo(K)Fluoranthene	< 0.2	50.00 ug/L	Malathion	< 0.5	50.00 ug/L
Benzo(A)Pyrene	< 0.02	0.20 ug/L	Metaxyl	< 0.2	50.00 ug/L
Benzophenone	< 0.2	50.00 ug/L	Methoprene	< 0.2	50.00 ug/L
Benzyl butyl phthalate	< 0.2	50.00 ug/L	Methoxychlor	< 0.1	50.00 ug/L
Bis(2-ethylhexyl)adipate	< 0.5	50.00 ug/L	Methyl Parathion	< 0.2	50.00 ug/L
Bis(2-ethylhexyl)phthalate	< 3.0	6.00 ug/L	Metolachlor	< 0.2	50.00 ug/L
Bisphenol A	< 0.5	50.00 ug/L	Naled (Dibrom)	< 0.2	50.00 ug/L
Bloc	< 0.2	50.00 ug/L	Napropamide	< 0.2	50.00 ug/L
Bromacil	< 0.5	50.00 ug/L	Pendimethalin	< 0.2	5.00 ug/L
Butachlor	< 0.2	50.00 ug/L	Pentachlorobenzene	< 0.2	50.00 ug/L
Carbamazepine	< 0.5	50.00 ug/L	Pentachloronitrobenzene	< 0.2	50.00 ug/L
Carbazole	< 0.2	50.00 ug/L	Permethrin	< 0.2	50.00 ug/L
Carisoprodol	< 0.5	50.00 ug/L	Phenanthrene	< 0.2	50.00 ug/L
Chlordane	< 0.2	2.00 ug/L	Piperonyl butoxide	< 0.5	50.00 ug/L
Chlorofenvinphos	< 0.2	50.00 ug/L	Prometon	< 0.5	50.00 ug/L
Chloroxylenol	< 0.2	50.00 ug/L	Prometryne	< 0.2	50.00 ug/L
Chlorpyrifos	< 0.2	50.00 ug/L	Propachlor	< 0.2	50.00 ug/L
Chrysene	< 0.2	50.00 ug/L	Propiconazole (Tilt)	< 0.2	50.00 ug/L
Cyfluthrin	< 0.2	50.00 ug/L	Pyrene	< 0.5	50.00 ug/L
Cypermethrin	< 0.5	50.00 ug/L	Resmethrin	< 0.2	50.00 ug/L
Dacthal	< 0.2	50.00 ug/L	Ronstar	< 0.2	50.00 ug/L
Deltamethrin	< 0.5	50.00 ug/L	Simazine	< 0.07	4.00 ug/L
Dibenzo(A,H)Anthracene	< 0.2	50.00 ug/L	Sumithrin	< 0.2	50.00 ug/L
Dibutyl Phthalate	< 1.0	50.00 ug/L	Tebuthiuron	< 0.5	50.00 ug/L
Dichlobenil	< 0.2	50.00 ug/L	Terbacil	< 0.5	50.00 ug/L
Dichlorvos	< 0.5	50.00 ug/L	Triadimefon	< 0.5	50.00 ug/L
Dieldrin	< 0.2	50.00 ug/L	Triclosan	< 0.5	50.00 ug/L
Diethyl phthalate	< 1.0	50.00 ug/L	Trifluralin	< 0.5	50.00 ug/L
Diethyltoluamide (DEET)	< 0.2	50.00 ug/L	Vinclozolin	< 0.5	50.00 ug/L
Dimethyl phthalate	< 0.2	50.00 ug/L	Total Triazines + Metabolites (Calc)	< 0.	4.00 ug/L
Diocetyl Phthalate	< 0.2	50.00 ug/L	Etofenprox	< 0.2	50.00 ug/L
Disulfoton sulfone	< 0.2	50.00 ug/L	Etofenprox alpha-CO	< 0.2	50.00 ug/L
Endosulfan Sulfate	< 0.2	50.00 ug/L	Prallethrin	< 0.2	50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: GEORGICA WOODS LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 09/18/2017
Sanitarian: ABAZIS
Field No.: 207-929-17-09-18
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane	< 0.5	5.00 ug/L	Chlorobenzene	< 0.5	5.00 ug/L
Dichlorodifluoromethane	< 0.5	5.00 ug/L	Ethylbenzene	< 0.5	5.00 ug/L
Chloroethane	< 0.5	5.00 ug/L	o-Xylene	< 0.5	5.00 ug/L
Bromomethane	< 0.5	5.00 ug/L	m & p-Xylene	< 0.5	5.00 ug/L
Chloromethane	< 0.5	5.00 ug/L	Total Xylenes	< 0.5	5.00 ug/L
Trichlorofluoromethane	< 0.5	5.00 ug/L	2-Chlorotoluene	< 0.5	5.00 ug/L
Vinyl Chloride	< 0.5	2.00 ug/L	4-Chlorotoluene	< 0.5	5.00 ug/L
Methylene Chloride	< 0.5	5.00 ug/L	Diethyl Ether	< 0.5	50.00 ug/L
1,1 Dichloroethane	< 0.5	5.00 ug/L	Acrylonitrile	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene	< 0.5	5.00 ug/L	Ethyl Methacrylate	< 0.5	50.00 ug/L
Chloroform	= 2.0	80.00 ug/L	1,3,5 Trimethylbenzene	< 0.5	5.00 ug/L
1,2 Dichloroethane	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene	< 0.5	5.00 ug/L
1,1,1 Trichloroethane	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o)	< 0.5	5.00 ug/L
Carbon Tetrachloride	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m)	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p)	< 0.5	5.00 ug/L
1,2 Dichloropropane	< 0.5	5.00 ug/L	p-Diethylbenzene	< 0.5	5.00 ug/L
Trichloroethene	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene	< 0.5	5.00 ug/L
Chlorodibromomethane	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene	< 0.5	5.00 ug/L
Bromoform	< 0.5	80.00 ug/L	Ethylbenzene (Styrene)	< 0.5	5.00 ug/L
Tetrachloroethene	< 0.5	5.00 ug/L	Isopropylbenzene	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene	< 0.5	5.00 ug/L	n-Propylbenzene	< 0.5	5.00 ug/L
Freon 113	< 0.5	5.00 ug/L	tert-Butylbenzene	< 0.5	5.00 ug/L
Dibromomethane	< 0.5	5.00 ug/L	sec-Butylbenzene	< 0.5	5.00 ug/L
1,1 Dichloropropene	< 0.5	5.00 ug/L	p-Isopropyltoluene	< 0.5	5.00 ug/L
Methyl Isothiocyanate	< 2.	50.00 ug/L	n-Butylbenzene	< 0.5	5.00 ug/L
Carbon Disulfide	< 0.5	ug/L	Hexachlorobutadiene	< 0.5	5.00 ug/L
Methyl Methacrylate	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE)	< 0.5	10.00 ug/L
1,1 Dichloroethene	< 0.5	5.00 ug/L	Naphthalene	< 0.5	50.00 ug/L
Bromodichloromethane	< 0.5	80.00 ug/L	1,4-Dichlorobutane	< 0.5	5.00 ug/L
2,3 Dichloropropene	< 0.5	5.00 ug/L	Methyl Sulfide	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene	< 0.5	5.00 ug/L	Dimethyldisulfide	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene	< 0.5	5.00 ug/L	Bromobenzene	< 0.5	5.00 ug/L
1,1,2 Trichloroethane	< 0.5	5.00 ug/L	2-Butanone (MEK)	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane	< 0.5	5.00 ug/L	Tetrahydrofuran	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane	< 0.5	5.00 ug/L	Allyl chloride	< 0.5	5.00 ug/L
1,2,3 Trichloropropane	< 0.5	5.00 ug/L	Methacrylonitrile	< 0.5	5.00 ug/L
2,2 Dichloropropane	< 0.5	5.00 ug/L	d-Limonene	< 0.5	50.00 ug/L
1,3 Dichloropropane	< 0.5	5.00 ug/L	Propanal	< 15.	50.00 ug/L
Bromochloromethane	< 0.5	5.00 ug/L	Isobutane	< 2.	50.00 ug/L
Benzene	< 0.5	5.00 ug/L	n-Butane	< 2.	50.00 ug/L
Toluene	< 0.5	5.00 ug/L			

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 193 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700057068-SR-1

Page 1 of 1

Report Date: 01/10/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

Public Water Systems (BWSP)

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 351-847-171120 Dup

Grab/Collection Date: 11/20/2017 10:15
Date received: 11/22/2017 11:00

Location/Project/Facility Name: 351-847-171120 DUP
Sampling Location Details: REST ROOM TAP
GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700057068-01

Sample Type: Finished Water

Received Temperature (°C): 3.9

Lab Tracking Id: 351847171120DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/27/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NYSELAP
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L	NYSELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

LABORATORY STATEMENT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 194 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700057067-SR-1

Page 1 of 1

Report Date: 01/10/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSF)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 351-847-171120

Grab/Collection Date: 11/20/2017 10:15
Date received: 11/22/2017 11:00

Location/Project/Facility Name: 351-847-171120
Sampling Location Details: REST ROOM TAP
GEORGICA WOODS LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700057067-01

Sample Type: Finished Water

Received Temperature (°C): 3.3

Lab Tracking Id: 351847171120

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/27/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL LABORATORY REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700042955-SR-1**

Page 1 of 1

Report Date: **09/22/2017**

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 10/05/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 158-929-170814 Dup

Grab/Collection Date: 08/14/2017 11:40
Date received: 08/22/2017 14:40

Additional Info: [REDACTED]

Location/Project/Facility Name: 158-929-170814 DUP
Sampling Location Details: [REDACTED] OUTDOOR SPIGOT
[REDACTED] HEDGES LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700042955-01

Sample Type: Raw Water

Received Temperature (°C): **4.9**

Lab Tracking Id: 158929170814DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 8/23/2017 Analysis Date: 8/24/2017

Perfluorobutanesulfonic acid (PFBS):	1.93 ng/L
Perfluorohexanesulfonic acid (PFHxS):	4.87 ng/L
Perfluoroheptanoic acid (PFHpA):	13.7 ng/L
Perfluorooctanoic acid (PFOA):	10.9 ng/L
Perfluorooctanesulfonic acid (PFOS):	6.18 ng/L
Perfluorononanoic acid (PFNA):	637 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

Requestor Name: [REDACTED]
Location: HEDGES LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 08/14/2017 Survey #: SV0317
Sanitarian: ABAZIS
Field No.: 158-929-17-08-14

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result	MCL	Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE			
===== Results for Sample Group: PERFLUORINATED COMPOUNDS analyzed by New York State Department of Health =====			
PFBS (Perfluorobutanesulfonic Acid)....	1.89 50000 ng/L	PFQA (Perfluorooctanoic Acid).....	11.5 50000 ng/L
PFHxS (Perfluorohexanesulfonic Acid)....	4.92 50000 ng/L	PFOS (Perfluorooctanesulfonic Acid)....	5.3 50000 ng/L
PFHpA (Perfluoroheptanoic Acid).....	13.9 50000 ng/L	PFNA (Perfluorononanoic Acid).....	672. 50000 ng/L

===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====			
pH-Lab.....	7.0	N/A	
Specific Conductivity-Lab.....	146.	umho/cm	
Chloride (Cl).....	7.	250.00 mg/L	
Sulfate (SO4).....	7.	250.00 mg/L	
Nitrite (NO2-N).....	< 0.05	1.00 mg/L	
Nitrate.....	= 0.24	10.00 mg/L	
Bromide.....		= 0.055 mg/L	
Orthophosphate.....		< 0.1 mg/L	
Fluoride.....		< 0.1 2.20 mg/L	
T. Alkalinity.....		= 54. mg/L	
Hexavalent Chromium.....		< 0.03 ug/L	
Chlorate.....		< 0.05 mg/L	

===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene.....	< 0.2	50.00 ug/L	EPTC.....	< 0.2	50.00 ug/L
2-Methylnaphthalene.....	< 0.2	50.00 ug/L	Ethofumesate.....	< 0.2	50.00 ug/L
Acenaphthene.....	< 0.2	50.00 ug/L	Ethyl Parathion.....	< 0.2	50.00 ug/L
Acenaphthylene.....	< 0.2	50.00 ug/L	Fluoranthene.....	< 0.2	50.00 ug/L
Acetochlor.....	< 0.2	50.00 ug/L	Fluorene.....	< 0.2	50.00 ug/L
Alachlor.....	< 0.2	2.00 ug/L	Hexachlorobenzene.....	< 0.1	1.00 ug/L
Allethrin.....	< 0.2	50.00 ug/L	Hexachlorocyclopentadiene.....	< 0.1	5.00 ug/L
Anthracene.....	< 0.5	50.00 ug/L	Hexachloroethane.....	< 1.0	5.00 ug/L
Atrazine.....	< 0.1	3.00 ug/L	Hexazinone.....	< 1.0	50.00 ug/L
Azoxystrobin.....	< 0.2	50.00 ug/L	Indeno(1,2,3-cd)Pyrene.....	< 0.2	50.00 ug/L
Benfluralin.....	< 0.5	50.00 ug/L	Iodofenphos.....	< 0.2	50.00 ug/L
Benzo(A)Anthracene.....	< 0.5	50.00 ug/L	Iprodione.....	< 0.5	50.00 ug/L
Benzo(B)Fluoranthene.....	< 0.2	50.00 ug/L	Isofenphos.....	< 0.5	50.00 ug/L
Benzo(GHI)Perylene.....	< 0.2	50.00 ug/L	Kelthane.....	< 0.5	50.00 ug/L
Benzo(K)Fluoranthene.....	< 0.2	50.00 ug/L	Malathion.....	< 0.5	50.00 ug/L
Benzo(A)Pyrene.....	< 0.02	0.20 ug/L	Metolaxyl.....	< 0.2	50.00 ug/L
Benzophenone.....	< 0.2	50.00 ug/L	Methoprene.....	< 0.2	50.00 ug/L
Benzyl butyl phthalate.....	< 0.2	50.00 ug/L	Methoxychlor.....	< 0.1	50.00 ug/L
Bis(2-ethylhexyl)adipate.....	< 0.5	50.00 ug/L	Methyl Parathion.....	< 0.2	50.00 ug/L
Bis(2-ethylhexyl)phthalate.....	< 3.0	6.00 ug/L	Metolachlor.....	< 0.2	50.00 ug/L
Bisphenol A.....	< 0.5	50.00 ug/L	Naled (Dibrom).....	< 0.2	50.00 ug/L
Bloc.....	< 0.2	50.00 ug/L	Napropamide.....	< 0.2	50.00 ug/L
Bromacil.....	< 0.5	50.00 ug/L	Pendimethalin.....	< 0.2	5.00 ug/L
Butachlor.....	< 0.2	50.00 ug/L	Pentachlorobenzene.....	< 0.2	50.00 ug/L
Carbamazepine.....	< 0.5	50.00 ug/L	Pentachloronitrobenzene.....	< 0.2	50.00 ug/L
Carbazole.....	< 0.2	50.00 ug/L	Permethrin.....	< 0.2	50.00 ug/L
Carisoprodol.....	< 0.5	50.00 ug/L	Phenanthrene.....	< 0.2	50.00 ug/L
Chlordane.....	< 0.2	2.00 ug/L	Piperonyl butoxide.....	< 0.5	50.00 ug/L
Chlorofenvinphos.....	< 0.2	50.00 ug/L	Prometon.....	< 0.5	50.00 ug/L
Chloroxylenol.....	< 0.2	50.00 ug/L	Prometryne.....	< 0.2	50.00 ug/L
Chlorpyrifos.....	< 0.2	50.00 ug/L	Propachlor.....	< 0.2	50.00 ug/L
Chrysene.....	< 0.2	50.00 ug/L	Propiconazole (Tilt).....	< 0.2	50.00 ug/L
Cyfluthrin.....	< 0.2	50.00 ug/L	Pyrene.....	< 0.5	50.00 ug/L
Cypermethrin.....	< 0.5	50.00 ug/L	Resmethrin.....	< 0.2	50.00 ug/L
Dacthal.....	< 0.2	50.00 ug/L	Ronstar.....	< 0.2	50.00 ug/L
Deltamethrin.....	< 0.5	50.00 ug/L	Simazine.....	< 0.07	4.00 ug/L
Dibenzo(A,H)Anthracene.....	< 0.2	50.00 ug/L	Sumithrin.....	< 0.2	50.00 ug/L
Dibutyl Phthalate.....	< 1.0	50.00 ug/L	Tebuthiuron.....	< 0.5	50.00 ug/L
Dichlobenil.....	< 0.2	50.00 ug/L	Terbacil.....	< 0.5	50.00 ug/L
Dichlorvos.....	< 0.5	50.00 ug/L	Triadimefon.....	< 0.5	50.00 ug/L
Dieldrin.....	< 0.2	50.00 ug/L	Triclosan.....	< 0.5	50.00 ug/L
Diethyl phthalate.....	< 1.0	50.00 ug/L	Trifluralin.....	< 0.5	50.00 ug/L
Diethyltoluamide (DEET).....	< 0.2	50.00 ug/L	Vinclozolin.....	< 0.5	50.00 ug/L
Dimethyl phthalate.....	< 0.2	50.00 ug/L	Total Triazines + Metabolites (Calc).....	< 0.	4.00 ug/L
Dioctyl Phthalate.....	< 0.2	50.00 ug/L	Etofenprox.....	< 0.2	50.00 ug/L
Disulfoton sulfone.....	< 0.2	50.00 ug/L	Etofenprox alpha-CO.....	< 0.2	50.00 ug/L
Endosulfan Sulfate.....	< 0.2	50.00 ug/L	Erallethrin.....	< 0.2	50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: HEDGES LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 06/14/2017 Survey #: SV0317
Sanitarian: ABAZIS
Field No.: 158-929-17-08-14

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services							
TColi	<	ABSENT	ABSENT	EColi	<	ABSENT	ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services									
alpha-BHC	<	0.2	5.00	ug/L	4,4-DDD	<	0.2	5.00	ug/L
beta-BHC	<	0.2	5.00	ug/L	4,4-DDT	<	0.2	5.00	ug/L
gamma-BHC (Lindane)	<	0.02	0.20	ug/L	Endrin	<	0.01	2.00	ug/L
delta-BHC	<	0.2	5.00	ug/L	Chlordane	<	0.2	2.00	ug/L
Heptachlor	<	0.04	0.40	ug/L	Alachlor	<	0.2	2.00	ug/L
Heptachlor epoxide	<	0.02	0.20	ug/L	Methoxychlor	<	0.1	40.00	ug/L
Aldrin	<	0.2	5.00	ug/L	Endosulfan II	<	0.2	5.00	ug/L
Dieldrin	<	0.2	50.00	ug/L	Endosulfan Sulfate	<	0.2	50.00	ug/L
Endosulfan I	<	0.2	5.00	ug/L	1,2-dibromoethane	<	0.01	0.05	ug/L
Dacthal	<	0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	<	0.02	0.20	ug/L
4,4-DDE	<	0.2	50.00	ug/L					

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services									
Monomethyltetrachloroterephthalate	<	5	50.00	ug/L	Tetrachloroterephthalic acid	<	5	50.00	ug/L

Results for Sample Group: DIOXANE analyzed by Suffolk County Department of Health Services				
1,4-Dioxane	<	0.2	50.00	ug/L

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services									
Diethylatrazine (G-28273)	<	0.8	50.00	ug/L	Metolachlor	<	0.2	50.00	ug/L
Deisopropylatrazine (G-28279)	<	0.2	50.00	ug/L	Tebuthiuron	<	0.3	50.00	ug/L
Desethylatrazine (G-30033)	<	0.4	50.00	ug/L	Caffeine	<	0.2	50.00	ug/L
Imidacloprid	<	0.2	50.00	ug/L	Dinoseb	<	0.3	7.00	ug/L
Imidacloprid Urea	<	0.2	50.00	ug/L	Bisphenol A	<	0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	<	0.4	50.00	ug/L	Diuron	<	0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	<	0.2	50.00	ug/L	Phenytol (Dilantin)	<	0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	<	0.2	50.00	ug/L	4-Hydroxyphenytol	<	0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	<	0.3	50.00	ug/L	Diethyltoluamide (DEET)	<	0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	<	0.3	50.00	ug/L	Acetaminophen	<	0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	<	0.3	50.00	ug/L	Bisphenol B	<	0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	<	0.3	50.00	ug/L	Estrone	<	0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	<	0.3	50.00	ug/L	17 alpha Ethynylestradiol	<	0.5	50.00	ug/L
2-Hydroxyatrazine (G-34046)	<	0.3	50.00	ug/L	Diethylstilbestrol	<	0.5	50.00	ug/L
Malaonox	<	0.2	50.00	ug/L	17 beta Estradiol	<	0.5	50.00	ug/L
Trichlorfon	<	0.3	50.00	ug/L	4-Androstene-3,17-dione	<	0.2	50.00	ug/L
Siduron	<	0.3	50.00	ug/L	Picardidin	<	0.2	50.00	ug/L
Dichlorvos	<	0.6	50.00	ug/L	Propachlor ESA	<	0.2	50.00	ug/L
Propanocarb hydrochloride	<	0.3	50.00	ug/L	Propachlor OA	<	0.3	5.00	ug/L
2,6-Dichlorobenzamide	<	0.5	50.00	ug/L	Testosterone	<	0.3	50.00	ug/L
Ibuprofen	<	0.2	50.00	ug/L	Equilin	<	0.7	50.00	ug/L
Gemfibrozil	<	0.4	50.00	ug/L	Estriol	<	0.7	50.00	ug/L
Metalaxyl	<	0.2	50.00	ug/L					

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services									
Lithium	<	1	ug/L	Cadmium (Cd)	<	1	5.00	ug/L	
Beryllium (Be)	<	0.2	4.00	ug/L	Tin	<	0.5	ug/L	
Aluminum (Al)	<	5	ug/L	Antimony (Sb)	<	0.2	6.00	ug/L	
Titanium (Ti)	<	1	ug/L	Tellurium	<	0.5	ug/L		
Vanadium (V)	<	1	ug/L	Barium (Ba)	<	1	2000.00	ug/L	
Chromium (Cr)	<	1	100.00	ug/L	Mercury (Hg)	<	0.3	2.00	ug/L
Manganese (Mn)	=	0.001	0.30	mg/L	Thallium (Tl)	<	0.2	2.00	ug/L
Cobalt (Co)	<	1	ug/L	Lead (Pb)	<	1	15.00	ug/L	
Nickel (Ni)	<	0.2	100.00	ug/L	Thorium (Th)	<	2	ug/L	
Copper (Cu)	=	5	1300.00	ug/L	Uranium	<	0.5	30.00	ug/L
Zinc (Zn)	<	5	5000.00	ug/L	Calcium	<	0.1	mg/L	
Germanium	<	2.5	ug/L	Iron (Fe)	<	0.1	0.30	mg/L	
Arsenic (As)	<	1	10.00	ug/L	Iron + Manganese (Combined, Calc)	=	0.001	0.50	mg/L
Selenium (Se)	<	1	50.00	ug/L	Potassium	<	0.5	mg/L	
Strontium	<	1	ug/L	Magnesium	<	0.1	mg/L		
Molybdenum (Mo)	<	1	ug/L	Sodium (Na)	=	30.2	mg/L		
Silver (Ag)	<	2.5	100.00	ug/L					

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: [REDACTED] HEDGES LANE, WAINSCOTT
Sample Location: OUTDOOR SPIGOT
Treatment: NONE

Request No.: [REDACTED]
Sample Date: 08/14/2017 Survey #: SV0317
Sanitarian: ABAZIS
Field No.: 158-929-17-08-14

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane	< 0.5	5.00 ug/L	Chlorobenzene	< 0.5	5.00 ug/L
Dichlorodifluoromethane	< 0.5	5.00 ug/L	Ethylbenzene	< 0.5	5.00 ug/L
Chloroethane	< 0.5	5.00 ug/L	o-Xylene	< 0.5	5.00 ug/L
Bromomethane	< 0.5	5.00 ug/L	m & p-Xylene	< 0.5	5.00 ug/L
Chloromethane	< 0.5	5.00 ug/L	Total Xylenes	< 0.5	5.00 ug/L
Trichlorofluoromethane	< 0.5	5.00 ug/L	2-Chlorotoluene	< 0.5	5.00 ug/L
Vinyl Chloride	< 0.5	2.00 ug/L	4-Chlorotoluene	< 0.5	5.00 ug/L
Methylene Chloride	< 2.0	5.00 ug/L	Diethyl Ether	< 0.5	50.00 ug/L
1,1 Dichloroethane	< 0.5	5.00 ug/L	Acrylonitrile	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene	< 0.5	5.00 ug/L	Ethyl Methacrylate	< 0.5	50.00 ug/L
Chloroform	< 0.5	80.00 ug/L	1,3,5 Trimethylbenzene	< 0.5	5.00 ug/L
1,2 Dichloroethane	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene	< 0.5	5.00 ug/L
1,1,1 Trichloroethane	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o)	< 0.5	5.00 ug/L
Carbon Tetrachloride	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m)	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p)	< 0.5	5.00 ug/L
1,2 Dichloropropane	< 0.5	5.00 ug/L	p-Diethylbenzene	< 0.5	5.00 ug/L
Trichloroethene	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene	< 0.5	5.00 ug/L
Chlorodibromomethane	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene	< 0.5	5.00 ug/L
Bromoform	< 0.5	80.00 ug/L	Ethylbenzene (Styrene)	< 0.5	5.00 ug/L
Tetrachloroethene	< 0.5	5.00 ug/L	Isopropylbenzene	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene	< 0.5	5.00 ug/L	n-Propylbenzene	< 0.5	5.00 ug/L
Freon 113	< 0.5	5.00 ug/L	tert-Butylbenzene	< 0.5	5.00 ug/L
Dibromomethane	< 0.5	5.00 ug/L	sec-Butylbenzene	< 0.5	5.00 ug/L
1,1 Dichloropropene	< 0.5	5.00 ug/L	p-Isopropyltoluene	< 0.5	5.00 ug/L
Methyl Isothiocyanate	< 2.	50.00 ug/L	n-Butylbenzene	< 0.5	5.00 ug/L
Carbon Disulfide	< 0.5	ug/L	Hexachlorobutadiene	< 0.5	5.00 ug/L
Methyl Methacrylate	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE)	< 0.5	10.00 ug/L
1,1 Dichloroethene	< 0.5	5.00 ug/L	Naphthalene	< 0.5	50.00 ug/L
Bromodichloromethane	< 0.5	80.00 ug/L	1,4-Dichlorobutane	< 0.5	5.00 ug/L
2,3 Dichloropropene	< 0.5	5.00 ug/L	Methyl Sulfide	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene	< 0.5	5.00 ug/L	Dimethyldisulfide	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene	< 0.5	5.00 ug/L	Bromobenzene	< 0.5	5.00 ug/L
1,1,2 Trichloroethane	< 0.5	5.00 ug/L	2-Butanone (MEK)	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane	< 0.5	5.00 ug/L	Tetrahydrofuran	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane	< 0.5	5.00 ug/L	Allyl chloride	< 0.5	5.00 ug/L
1,2,3 Trichloropropane	< 0.5	5.00 ug/L	Methacrylonitrile	< 0.5	5.00 ug/L
2,2 Dichloropropane	< 0.5	5.00 ug/L	d-Limonene	< 0.5	50.00 ug/L
1,3 Dichloropropane	< 0.5	5.00 ug/L	Propanal	< 15.	50.00 ug/L
Bromochloromethane	< 0.5	5.00 ug/L	Isobutane	< 2.	50.00 ug/L
Benzene	< 0.5	5.00 ug/L	n-Butane	< 2.	50.00 ug/L
Toluene	< 0.5	5.00 ug/L			

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 199 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5688 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056545-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinajc01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WISLON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 344-847-171116

Grab/Collection Date: 11/16/2017 09:45
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 344847171116
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] HEDGES LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056545-01

Sample Type: Raw Water

Received Temperature (°C): 3.9

Lab Tracking Id: 344847171116

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/22/2017 Analysis Date: 11/27/2017

Perfluorobutanesulfonic acid (PFBS):	1.90 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	3.20 ng/L
Perfluorooctanoic acid (PFOA):	3.75 ng/L
Perfluorooctanesulfonic acid (PFOS):	2.65 ng/L
Perfluorononanoic acid (PFNA):	22.2 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

FINAL REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 508
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5658 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1700042957-SR-1**

Page 1 of 1

Report Date: **09/22/2017**

Report retrieved via NYSDOH Health Commerce System by hinalc01 on 10/05/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Submitter's Reference Number: 003-929-170814

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by: KATE ABAZIS

Grab/Collection Date: 08/14/2017 12:25
Date received: 08/22/2017 14:40

Additional Info: [REDACTED]

Location/Project/Facility Name: 003-929-170814
Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] HEDGES LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700042957-01

Sample Type: Raw Water

Received Temperature (°C): 4.4

Lab Tracking Id: 003929170814

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 8/23/2017 Analysis Date: 8/24/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

SK - Exhibit 3-3(b)
(page 201 of 208)

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: EHS1700056536-SR-1

Page 1 of 1

Report Date: 01/08/2018

Report retrieved via NYSDOH Health Commerce System by hinaic01 on 02/01/2018

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: JOHN A. KRAKOWSKI

Submitter's Reference Number: 337-847-171113

Grab/Collection Date: 11/13/2017 10:45
Date received: 11/17/2017 14:00

Location/Project/Facility Name: 337847171113

Sampling Location Details: [REDACTED] KITCHEN TAP
[REDACTED] HEDGES LANE
WAINSCOTT NY 11975
Chlorinated: No

[REDACTED]

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1700056536-01

Sample Type: Raw Water

Received Temperature (°C): 4.4

Lab Tracking Id: 337847171113

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/21/2017 Analysis Date: 11/21/2017

Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L
Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L
Perfluorooctanoic acid (PFOA):	<2.00 ng/L
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L
Perfluorononanoic acid (PFNA):	<2.00 ng/L

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

[REDACTED]

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

Requestor Name: [REDACTED]
Location: HEDGES LANE, WAINSCOTT
Sample Location: BATHROOM TAP
Treatment: ION EXCHANGE

Request No.: [REDACTED]
Sample Date: 08/02/2017
Sanitarian: ABAZIC
Field No.: 140-929-17-08-02
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services			
TColi	<	ABSENT	ABSENT
EColi	<	ABSENT	ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endrin	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromoethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services							
Monomethyltetrachloroterephthalate	< 5.	50.00	ug/L	Tetrachloroterephthalic acid	< 5.	50.00	ug/L

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Deisopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytol (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytol	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaoxon	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picaridin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
Lithium	< 1.	ug/L		Cadmium (Cd)	< 1.	5.00	ug/L
Beryllium (Be)	< 0.2	1.00	ug/L	Tin	< 0.5	ug/L	
Aluminum (Al)	< 5.	ug/L		Antimony (Sb)	< 0.2	6.00	ug/L
Titanium (Ti)	< 1.	ug/L		Tellurium	< 0.5	ug/L	
Vanadium (V)	< 1.	ug/L		Barium (Ba)	< 1.	2000.00	ug/L
Chromium (Cr)	< 1.	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	< 0.001	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1.	ug/L		Lead (Pb)	< 1.	15.00	ug/L
Nickel (Ni)	< 0.2	100.00	ug/L	Thorium (Th)	< 2.	ug/L	
Copper (Cu)	= 52.	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 78.	5000.00	ug/L	Calcium	= 0.18	mg/L	
Germanium	< 2.5	ug/L		Iron (Fe)	< 0.1	0.30	mg/L
Arsenic (As)	< 1.	10.00	ug/L	Iron + Manganese (Combined, Calc)	< 0.0	0.50	mg/L
Selenium (Se)	< 1.	50.00	ug/L	Potassium	< 0.5	mg/L	
Strontium	< 1.	ug/L		Magnesium	< 0.1	mg/L	
Molybdenum (Mo)	< 1.	ug/L		Sodium (Na)	= 40.9	mg/L	
Silver (Ag)	< 2.5	100.00	ug/L				

Requestor Name: [REDACTED]
Location: [REDACTED] HEDGES LANE, WAINSCOTT
Sample Location: BATHROOM TAP
Treatment: ION EXCHANGE

Request No.: [REDACTED]
Sample Date: 08/02/2017
Sanitarian: ABAZIS
Field No.: 140-929-17-08-02

Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====					
pH-Lab.....	=	7.6	N/A	Bromide.....	< 0.05 mg/L
Specific Conductivity-Lab.....	=	191.	umho/0 cm	Orthophosphate.....	< 0.1 mg/L
Chloride (Cl).....	=	17.	250.00 mg/L	Fluoride.....	< 0.1 2.20 mg/L
Sulfate (SO4).....	=	6.	250.00 mg/L	T. Alkalinity.....	= 61. mg/L
Nitrite (NO2-N).....	<	0.05	1.00 mg/L	Chlorate.....	< 0.05 mg/L
Nitrate.....	=	0.3	10.00 mg/L		
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====					
1-Methylnaphthalene.....	<	0.2	50.00 ug/L	EPTC.....	< 0.2 50.00 ug/L
2-Methylnaphthalene.....	<	0.2	50.00 ug/L	Ethofumesate.....	< 0.2 50.00 ug/L
Acenaphthene.....	<	0.2	50.00 ug/L	Ethyl Parathion.....	< 0.2 50.00 ug/L
Acenaphthylene.....	<	0.2	50.00 ug/L	Fluoranthene.....	< 0.2 50.00 ug/L
Acetochlor.....	<	0.2	50.00 ug/L	Fluorene.....	< 0.2 50.00 ug/L
Alachlor.....	<	0.2	2.00 ug/L	Hexachlorobenzene.....	< 0.1 1.00 ug/L
Allethrin.....	<	0.2	50.00 ug/L	Hexachlorocyclopentadiene.....	< 0.1 5.00 ug/L
Anthracene.....	<	0.5	50.00 ug/L	Hexachloroethane.....	< 1.0 5.00 ug/L
Atrazine.....	<	0.1	3.00 ug/L	Hexazinone.....	< 1.0 50.00 ug/L
Azoxystrobin.....	<	0.2	50.00 ug/L	Indeno(1,2,3-cd)Pyrene.....	< 0.2 50.00 ug/L
Benfluralin.....	<	0.5	50.00 ug/L	Iodofenphos.....	< 0.2 50.00 ug/L
Benzo(A)Anthracene.....	<	0.5	50.00 ug/L	Iprodione.....	< 0.5 50.00 ug/L
Benzo(B)Fluoranthene.....	<	0.2	50.00 ug/L	Isofenphos.....	< 0.5 50.00 ug/L
Benzo(GHI)Perylene.....	<	0.2	50.00 ug/L	Kelthane.....	< 0.5 50.00 ug/L
Benzo(K)Fluoranthene.....	<	0.2	50.00 ug/L	Malathion.....	< 0.5 50.00 ug/L
Benzo(A)Pyrene.....	<	0.02	0.20 ug/L	Metalaxyl.....	< 0.2 50.00 ug/L
Benzophenone.....	<	0.2	50.00 ug/L	Methoprene.....	< 0.2 50.00 ug/L
Benzyl butyl phthalate.....	<	0.2	50.00 ug/L	Methoxychlor.....	< 0.1 50.00 ug/L
Bis(2-ethylhexyl)adipate.....	<	0.5	50.00 ug/L	Methyl Parathion.....	< 0.2 50.00 ug/L
Bis(2-ethylhexyl)phthalate.....	<	3.0	6.00 ug/L	Metolachlor.....	< 0.2 50.00 ug/L
Bisphenol A.....	<	0.5	50.00 ug/L	Naled (Dibrom).....	< 0.2 50.00 ug/L
Bloc.....	<	0.2	50.00 ug/L	Napropamide.....	< 0.2 50.00 ug/L
Bromacil.....	<	0.5	50.00 ug/L	Pendimethalin.....	< 0.2 5.00 ug/L
Butachlor.....	<	0.2	50.00 ug/L	Pentachlorobenzene.....	< 0.2 50.00 ug/L
Carbamazepine.....	<	0.5	50.00 ug/L	Pentachloronitrobenzene.....	< 0.2 50.00 ug/L
Carbazole.....	<	0.2	50.00 ug/L	Permethrin.....	< 0.2 50.00 ug/L
Carisoprodol.....	<	0.5	50.00 ug/L	Phenanthrene.....	< 0.2 50.00 ug/L
Chlordane.....	<	0.2	2.00 ug/L	Piperonyl butoxide.....	< 0.5 50.00 ug/L
Chlorofenvinphos.....	<	0.2	50.00 ug/L	Prometon.....	< 0.5 50.00 ug/L
Chloroxlenol.....	<	0.2	50.00 ug/L	Prometryne.....	< 0.2 50.00 ug/L
Chlorpyrifos.....	<	0.2	50.00 ug/L	Propachlor.....	< 0.2 50.00 ug/L
Chrysene.....	<	0.2	50.00 ug/L	Propiconazole (Tilt).....	< 0.2 50.00 ug/L
Cyfluthrin.....	<	0.2	50.00 ug/L	Pyrene.....	< 0.5 50.00 ug/L
Cypermethrin.....	<	0.5	50.00 ug/L	Resmethrin.....	< 0.2 50.00 ug/L
Dacthal.....	<	0.2	50.00 ug/L	Ronstar.....	< 0.2 50.00 ug/L
Deltamethrin.....	<	0.5	50.00 ug/L	Simazine.....	< 0.07 4.00 ug/L
Dibenzo(A,H)Anthracene.....	<	0.2	50.00 ug/L	Sumithrin.....	< 0.2 50.00 ug/L
Dibutyl Phthalate.....	<	1.0	50.00 ug/L	Tebuthiuron.....	< 0.5 50.00 ug/L
Dichlobenil.....	<	0.2	50.00 ug/L	Terbacil.....	< 0.5 50.00 ug/L
Dichlorvos.....	<	0.5	50.00 ug/L	Triadimefon.....	< 0.5 50.00 ug/L
Dieidrin.....	<	0.2	50.00 ug/L	Triclosan.....	< 0.5 50.00 ug/L
Diethyl phthalate.....	<	1.0	50.00 ug/L	Trifluralin.....	< 0.5 50.00 ug/L
Diethyltoluamide (DEET).....	<	0.2	50.00 ug/L	Vinclozolin.....	< 0.5 50.00 ug/L
Dimethyl phthalate.....	<	0.2	50.00 ug/L	Total Triazines + Metabolites (Calc).....	< 0. 4.00 ug/L
Diocetyl Phthalate.....	<	0.2	50.00 ug/L	Etofenprox.....	< 0.2 50.00 ug/L
Disulfoton sulfone.....	<	0.2	50.00 ug/L	Etofenprox alpha-CO.....	< 0.2 50.00 ug/L
Endosulfan Sulfate.....	<	0.2	50.00 ug/L	Prallethrin.....	< 0.2 50.00 ug/L

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: [REDACTED] HEDGES LANE, WAINSCOTT
Sample Location: BATHROOM TAP
Treatment: ION EXCHANGE

Request No.: [REDACTED]
Sample Date: 08/02/2017
Sanitarian: ABAZIS
Field No.: 140-929-17-08-02
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

	Result	MCL		Result	MCL
RESULTS CONTINUED FROM PRECEDING PAGE					
===== Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services =====					
Chlorodifluoromethane.....	< 0.5	5.00 ug/L	Chlorobenzene.....	< 0.5	5.00 ug/L
Dichlorodifluoromethane.....	< 0.5	5.00 ug/L	Ethylbenzene.....	< 0.5	5.00 ug/L
Chloroethane.....	< 0.5	5.00 ug/L	o-Xylene.....	< 0.5	5.00 ug/L
Bromomethane.....	< 0.5	5.00 ug/L	m & p-Xylene.....	< 0.5	5.00 ug/L
Chloromethane.....	< 0.5	5.00 ug/L	Total Xylenes.....	< 0.5	5.00 ug/L
Trichlorofluoromethane.....	< 0.5	5.00 ug/L	2-Chlorotoluene.....	< 0.5	5.00 ug/L
Vinyl Chloride.....	< 0.5	2.00 ug/L	4-Chlorotoluene.....	< 0.5	5.00 ug/L
Methylene Chloride.....	< 0.5	5.00 ug/L	Diethyl Ether.....	< 0.5	50.00 ug/L
1,1 Dichloroethane.....	< 0.5	5.00 ug/L	Acrylonitrile.....	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene.....	< 0.5	5.00 ug/L	Ethyl Methacrylate.....	< 0.5	50.00 ug/L
Chloroform.....	< 0.5	80.00 ug/L	1,3,5 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,2 Dichloroethane.....	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,1,1 Trichloroethane.....	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o).....	< 0.5	5.00 ug/L
Carbon Tetrachloride.....	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m).....	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane.....	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p).....	< 0.5	5.00 ug/L
1,2 Dichloropropane.....	< 0.5	5.00 ug/L	p-Diethylbenzene.....	< 0.5	5.00 ug/L
Trichloroethene.....	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene.....	< 0.5	5.00 ug/L
Chlorodibromomethane.....	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene.....	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane.....	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene.....	< 0.5	5.00 ug/L
Bromoform.....	< 0.5	80.00 ug/L	Ethylbenzene (Styrene).....	< 0.5	5.00 ug/L
Tetrachloroethene.....	< 0.5	5.00 ug/L	Isopropylbenzene.....	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene.....	< 0.5	5.00 ug/L	n-Propylbenzene.....	< 0.5	5.00 ug/L
Freon 113.....	< 0.5	5.00 ug/L	tert-Butylbenzene.....	< 0.5	5.00 ug/L
Dibromomethane.....	< 0.5	5.00 ug/L	sec-Butylbenzene.....	< 0.5	5.00 ug/L
1,1 Dichloropropene.....	< 0.5	5.00 ug/L	p-Isopropyltoluene.....	< 0.5	5.00 ug/L
Methyl Isothiocyanate.....	< 2.	50.00 ug/L	n-Butylbenzene.....	< 0.5	5.00 ug/L
Carbon Disulfide.....	< 0.5	ug/L	Hexachlorobutadiene.....	< 0.5	5.00 ug/L
Methyl Methacrylate.....	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE).....	< 0.5	10.00 ug/L
1,1 Dichloroethene.....	< 0.5	5.00 ug/L	Naphthalene.....	< 0.5	50.00 ug/L
Bromodichloromethane.....	< 0.5	80.00 ug/L	1,4-Dichlorobutane.....	< 0.5	5.00 ug/L
2,3 Dichloropropene.....	< 0.5	5.00 ug/L	Methyl Sulfide.....	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Dimethyldisulfide.....	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Bromobenzene.....	< 0.5	5.00 ug/L
1,1,2 Trichloroethane.....	< 0.5	5.00 ug/L	2-Butanone (MEK).....	< 20.	50.00 ug/L
1,1,1,2 Tetrachloroethane.....	< 0.5	5.00 ug/L	Tetrahydrofuran.....	< 20.	50.00 ug/L
1,1,2,2-Tetrachloroethane.....	< 0.5	5.00 ug/L	Allyl chloride.....	< 0.5	5.00 ug/L
1,2,3 Trichloropropane.....	< 0.5	5.00 ug/L	Methacrylonitrile.....	< 0.5	5.00 ug/L
2,2 Dichloropropane.....	< 0.5	5.00 ug/L	d-Limonene.....	< 0.5	50.00 ug/L
1,3 Dichloropropane.....	< 0.5	5.00 ug/L	Propanal.....	< 15.	50.00 ug/L
Bromo-chloromethane.....	< 0.5	5.00 ug/L	Isobutane.....	< 2.	50.00 ug/L
Benzene.....	< 0.5	5.00 ug/L	n-Butane.....	< 2.	50.00 ug/L
Toluene.....	< 0.5	5.00 ug/L			

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: HEDGES LANE, WAINSCOTT
Sample Location: KITCHEN TAP
Treatment: ACID NEUTRALIZER

Request No.: [REDACTED]
Sample Date: 08/02/2017 Survey #: SV0317
Sanitarian: ABAZIS
Field No.: 139-929-17-08-02

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: ALDICARB PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Total Aldicarb (calc)	< 0.0	ug/L	Carbaryl	< 0.5	50.00	ug/L	
Aldicarb	< 0.5	3.00	1-Naphthol	< 0.5	50.00	ug/L	
Aldicarb-Sulfoxide	< 0.5	4.00	Methomyl	< 0.5	50.00	ug/L	
Aldicarb-Sulfone	< 0.5	2.00	Propoxur (Baygon)	< 0.5	50.00	ug/L	
Carbofuran	< 0.5	40.00	Methiocarb	< 0.5	50.00	ug/L	
3-Hydroxycarbofuran	< 0.5	50.00	Methiocarb sulfone	< 0.5	50.00	ug/L	
Oxamyl	< 0.5	50.00					

Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services				Results for Sample Group: BACTERIOLOGICAL analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
TColi	<	ABSENT	ABSENT	EColi	<	ABSENT	ABSENT

Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: CHLORINATED PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
alpha-BHC	< 0.2	5.00	ug/L	4,4-DDD	< 0.2	5.00	ug/L
beta-BHC	< 0.2	5.00	ug/L	4,4-DDT	< 0.2	5.00	ug/L
gamma-BHC (Lindane)	< 0.02	0.20	ug/L	Endran	< 0.01	2.00	ug/L
delta-BHC	< 0.2	5.00	ug/L	Chlordane	< 0.2	2.00	ug/L
Heptachlor	< 0.04	0.40	ug/L	Alachlor	< 0.2	2.00	ug/L
Heptachlor epoxide	< 0.02	0.20	ug/L	Methoxychlor	< 0.1	40.00	ug/L
Aldrin	< 0.2	5.00	ug/L	Endosulfan II	< 0.2	5.00	ug/L
Dieldrin	< 0.2	50.00	ug/L	Endosulfan Sulfate	< 0.2	50.00	ug/L
Endosulfan I	< 0.2	5.00	ug/L	1,2-dibromoethane	< 0.01	0.05	ug/L
Dacthal	< 0.2	50.00	ug/L	1,2-dibromo-3-chloropropane	< 0.02	0.20	ug/L
4,4-DDE	< 0.2	50.00	ug/L				

Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services				Results for Sample Group: DACTHAL PESTICIDES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Monomethyltetrachloroterephthalate	< 5	50.00	ug/L	Tetrachloroterephthalic acid	< 5	50.00	ug/L

Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services				Results for Sample Group: HERBICIDE METABOLITES analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Didealkylatrazine (G-28273)	< 0.8	50.00	ug/L	Metolachlor	< 0.2	50.00	ug/L
Desisopropylatrazine (G-28279)	< 0.2	50.00	ug/L	Tebuthiuron	< 0.3	50.00	ug/L
Desethylatrazine (G-30033)	< 0.4	50.00	ug/L	Caffeine	< 0.2	50.00	ug/L
Imidacloprid	< 0.2	50.00	ug/L	Dinoseb	< 0.3	7.00	ug/L
Imidacloprid Urea	< 0.2	50.00	ug/L	Bisphenol A	< 0.2	50.00	ug/L
Alachlor OA (Oxanilic Acid)	< 0.4	50.00	ug/L	Diuron	< 0.2	50.00	ug/L
Alachlor ESA (Sulfonic Acid)	< 0.2	50.00	ug/L	Phenytoin (Dilantin)	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-37735)	< 0.2	50.00	ug/L	4-Hydroxyphenytoin	< 0.5	50.00	ug/L
Metolachlor OA (CGA-51202)	< 0.3	50.00	ug/L	Diethyltoluamide (DEET)	< 0.2	50.00	ug/L
Metolachlor ESA (CGA-354743)	< 0.3	50.00	ug/L	Acetaminophen	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-41638)	< 0.3	50.00	ug/L	Bisphenol B	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-40172)	< 0.3	50.00	ug/L	Estrone	< 0.2	50.00	ug/L
Metolachlor metabolite (CGA-67125)	< 0.3	50.00	ug/L	17 alpha Ethynylestradiol	< 0.5	50.00	ug/L
2-HydroxyAtrazine (G-34048)	< 0.3	50.00	ug/L	Diethylstilbestrol	< 0.5	50.00	ug/L
Malaoxon	< 0.2	50.00	ug/L	17 beta Estradiol	< 0.5	50.00	ug/L
Trichlorfon	< 0.3	50.00	ug/L	4-Androstene-3,17-dione	< 0.2	50.00	ug/L
Siduron	< 0.3	50.00	ug/L	Picaridin	< 0.2	50.00	ug/L
Dichlorvos	< 0.6	50.00	ug/L	Propachlor ESA	< 0.2	50.00	ug/L
Propamocarb hydrochloride	< 0.3	50.00	ug/L	Propachlor OA	< 0.3	5.00	ug/L
2,6-Dichlorobenzamide	< 0.5	50.00	ug/L	Testosterone	< 0.3	50.00	ug/L
Ibuprofen	< 0.2	50.00	ug/L	Equilin	< 0.7	50.00	ug/L
Gemfibrozil	< 0.4	50.00	ug/L	Estriol	< 0.7	50.00	ug/L
Metalaxyl	< 0.2	50.00	ug/L				

Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services				Results for Sample Group: METALS analyzed by Suffolk County Department of Health Services			
	Result	MCL		Result	MCL		
Lithium	< 1	ug/L		Cadmium (Cd)	< 1	5.00	ug/L
Beryllium (Be)	< 0.2	4.00	ug/L	Tin	< 0.5	ug/L	
Aluminum (Al)	< 5	ug/L		Antimony (Sb)	< 0.2	6.00	ug/L
Titanium (Ti)	< 1	ug/L		Tellurium	< 0.5	ug/L	
Vanadium (V)	< 1	ug/L		Barium (Ba)	= 20	2000.00	ug/L
Chromium (Cr)	< 1	100.00	ug/L	Mercury (Hg)	< 0.3	2.00	ug/L
Manganese (Mn)	= 0.005	0.30	mg/L	Thallium (Tl)	< 0.2	2.00	ug/L
Cobalt (Co)	< 1	ug/L		Lead (Pb)	= 2	15.00	ug/L
Nickel (Ni)	= 0.6	100.00	ug/L	Thorium (Th)	< 2	ug/L	
Copper (Cu)	= 124	1300.00	ug/L	Uranium	< 0.5	30.00	ug/L
Zinc (Zn)	= 22	5000.00	ug/L	Calcium	= 8.2	mg/L	
Germanium	< 2.5	ug/L		Iron (Fe)	< 0.1	0.30	mg/L
Arsenic (As)	< 1	10.00	ug/L	Iron + Manganese (Combined, Calc)	= 0.005	0.50	mg/L
Selenium (Se)	< 1	50.00	ug/L	Potassium	= 0.76	mg/L	
Strontium	= 32.3	ug/L		Magnesium	= 1.3	mg/L	
Molybdenum (Mo)	< 1	ug/L		Sodium (Na)	= 4.8	mg/L	
Silver (Ag)	< 2.5	100.00	ug/L				

Requestor Name: [REDACTED]
Location: HEDGES LANE, WAINSCOTT
Sample Location: KITCHEN TAP
Treatment: ACID NEUTRALIZER

Request No.: [REDACTED]
Sample Date: 08/02/2017
Sanitarian: ABAZIS
Field No.: 139-929-17-08-02
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result	MCL	Result	MCL
===== Results for Sample Group: STANDARD INORGANICS analyzed by Suffolk County Department of Health Services =====			
pH-Lab.....	6.8	N/A	
Specific Conductivity-Lab.....	86	umho/cm	
Chloride (Cl).....	6	250.00 mg/L	
Sulfate (SO4).....	6	250.00 mg/L	
Nitrite (NO2-N).....	< 0.05	1.00 mg/L	
Nitrate.....	0.69	10.00 mg/L	
Bromide.....	< 0.05		mg/L
Orthophosphate.....	< 0.1		mg/L
Fluoride.....	< 0.1	2.20	mg/L
T. Alkalinity.....	= 22		mg/L
Chlorate.....	< 0.05		mg/L
===== Results for Sample Group: SEMI-VOLATILE ORGANICS METHOD 525 analyzed by Suffolk County Department of Health Services =====			
1-Methylnaphthalene.....	< 0.2	50.00 ug/L	
2-Methylnaphthalene.....	< 0.2	50.00 ug/L	
Acenaphthene.....	< 0.2	50.00 ug/L	
Acenaphthylene.....	< 0.2	50.00 ug/L	
Acetochlor.....	< 0.2	50.00 ug/L	
Alachlor.....	< 0.2	2.00 ug/L	
Allethrin.....	< 0.2	50.00 ug/L	
Anthracene.....	< 0.5	50.00 ug/L	
Atrazine.....	< 0.1	3.00 ug/L	
Azoxystrobin.....	< 0.2	50.00 ug/L	
Benfluralin.....	< 0.5	50.00 ug/L	
Benzo (A) Anthracene.....	< 0.5	50.00 ug/L	
Benzo (B) Fluoranthene.....	< 0.2	50.00 ug/L	
Benzo (GHI) Perylene.....	< 0.2	50.00 ug/L	
Benzo (K) Fluoranthene.....	< 0.2	50.00 ug/L	
Benzo (A) Pyrene.....	< 0.02	0.20 ug/L	
Benzophenone.....	< 0.2	50.00 ug/L	
Benzyl butyl phthalate.....	< 0.2	50.00 ug/L	
Bis (2-ethylhexyl) adipate.....	< 0.5	50.00 ug/L	
Bis (2-ethylhexyl) phthalate.....	< 3.0	6.00 ug/L	
Bisphenol A.....	< 0.5	50.00 ug/L	
Bloc.....	< 0.2	50.00 ug/L	
Bromacil.....	< 0.5	50.00 ug/L	
Butachlor.....	< 0.2	50.00 ug/L	
Carbamazepine.....	< 0.5	50.00 ug/L	
Carbazole.....	< 0.2	50.00 ug/L	
Carisoprodol.....	< 0.5	50.00 ug/L	
Chlordane.....	< 0.2	2.00 ug/L	
Chlorofenvinphos.....	< 0.2	50.00 ug/L	
Chloroxlyenol.....	< 0.2	50.00 ug/L	
Chlorpyrifos.....	< 0.2	50.00 ug/L	
Chrysene.....	< 0.2	50.00 ug/L	
Cyfluthrin.....	< 0.2	50.00 ug/L	
Cypermethrin.....	< 0.5	50.00 ug/L	
Dacthal.....	< 0.2	50.00 ug/L	
Deltamethrin.....	< 0.5	50.00 ug/L	
Dibenz (A, H) Anthracene.....	< 0.2	50.00 ug/L	
Dibutyl Phthalate.....	< 1.0	50.00 ug/L	
Dichlobenil.....	< 0.2	50.00 ug/L	
Dichlorvos.....	< 0.5	50.00 ug/L	
Dieldrin.....	< 0.2	50.00 ug/L	
Diethyl phthalate.....	< 1.0	50.00 ug/L	
Diethyltoluamide (DEET).....	< 0.2	50.00 ug/L	
Dimethyl phthalate.....	< 0.2	50.00 ug/L	
Dioctyl Phthalate.....	< 0.2	50.00 ug/L	
Disulfoton sulfone.....	< 0.2	50.00 ug/L	
Endosulfan Sulfate.....	< 0.2	50.00 ug/L	
EPTC.....	< 0.2	50.00 ug/L	
Ethofumesate.....	< 0.2	50.00 ug/L	
Ethyl Parathion.....	< 0.2	50.00 ug/L	
Fluoranthene.....	< 0.2	50.00 ug/L	
Fluorene.....	< 0.2	50.00 ug/L	
Hexachlorobenzene.....	< 0.1	1.00 ug/L	
Hexachlorocyclopentadiene.....	< 0.1	5.00 ug/L	
Hexachloroethane.....	< 1.0	5.00 ug/L	
Hexazinone.....	< 1.0	50.00 ug/L	
Indeno (1, 2, 3-cd) Pyrene.....	< 0.2	50.00 ug/L	
Iodofenphos.....	< 0.2	50.00 ug/L	
Iprodione.....	< 0.5	50.00 ug/L	
Isofenphos.....	< 0.5	50.00 ug/L	
Kelthane.....	< 0.5	50.00 ug/L	
Malathion.....	< 0.5	50.00 ug/L	
Metaxyl.....	< 0.2	50.00 ug/L	
Methoprene.....	< 0.2	50.00 ug/L	
Methoxychlor.....	< 0.1	50.00 ug/L	
Methyl Parathion.....	< 0.2	50.00 ug/L	
Metolachlor.....	< 0.2	50.00 ug/L	
Naled (Dibrom).....	< 0.2	50.00 ug/L	
Napropamide.....	< 0.2	50.00 ug/L	
Pendimethalin.....	< 0.2	5.00 ug/L	
Pentachlorobenzene.....	< 0.2	50.00 ug/L	
Pentachloronitrobenzene.....	< 0.2	50.00 ug/L	
Permethrin.....	< 0.2	50.00 ug/L	
Phenanthrene.....	< 0.2	50.00 ug/L	
Piperonyl butoxide.....	< 0.5	50.00 ug/L	
Prometon.....	< 0.5	50.00 ug/L	
Prometryne.....	< 0.2	50.00 ug/L	
Propachlor.....	< 0.2	50.00 ug/L	
Propiconazole (Tilt).....	< 0.2	50.00 ug/L	
Pyrene.....	< 0.5	50.00 ug/L	
Resmethrin.....	< 0.2	50.00 ug/L	
Ronstar.....	< 0.2	50.00 ug/L	
Simazine.....	< 0.07	4.00 ug/L	
Sumithrin.....	< 0.2	50.00 ug/L	
Tebuthiuron.....	< 0.5	50.00 ug/L	
Terbacil.....	< 0.5	50.00 ug/L	
Triadimefon.....	< 0.5	50.00 ug/L	
Triclosan.....	< 0.5	50.00 ug/L	
Trifluralin.....	< 0.5	50.00 ug/L	
Vincllozolin.....	< 0.5	50.00 ug/L	
Total Triazines + Metabolites (Calc).....	< 0	4.00 ug/L	
Etofenprox.....	< 0.2	50.00 ug/L	
Etofenprox alpha-CO.....	< 0.2	50.00 ug/L	
Prallethrin.....	< 0.2	50.00 ug/L	

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES - WATER ANALYSIS

Requestor Name: [REDACTED]
Location: HEDGES LANE, WAINSCOTT
Sample Location: KITCHEN TAP
Treatment: ACID NEUTRALIZER

Request No.: [REDACTED]
Sample Date: 08/02/2017
Sanitarian: ABAZIS
Field No.: 139-929-17-08-02
Survey #: SV0317

Notes: '<' symbol means "less than" indicating no detection. mg/L = milligrams per liter; ug/L = micrograms per liter. Alkalinity is reported as mg/L as CaCO3. '*' symbol means level found exceeds the maximum contaminant level (MCL), or action level for lead and copper. Moderately restricted sodium diet should not exceed 270 mg/L. Severely restricted should not exceed 20 mg/L. The MCL for nickel is a proposed limit. Any MCL's not shown below have not been established.

Result	MCL	Result	MCL		
RESULTS CONTINUED FROM PRECEDING PAGE					
----- Results for Sample Group: VOLATILE ORGANICS analyzed by Suffolk County Department of Health Services -----					
Chlorodifluoromethane.....	< 0.5	5.00 ug/L	Chlorobenzene.....	< 0.5	5.00 ug/L
Dichlorodifluoromethane.....	< 0.5	5.00 ug/L	Ethylbenzene.....	< 0.5	5.00 ug/L
Chloroethane.....	< 0.5	5.00 ug/L	o-Xylene.....	< 0.5	5.00 ug/L
Bromomethane.....	< 0.5	5.00 ug/L	m & p-Xylene.....	< 0.5	5.00 ug/L
Chloromethane.....	< 0.5	5.00 ug/L	Total Xylenes.....	< 0.5	5.00 ug/L
Trichlorofluoromethane.....	< 0.5	5.00 ug/L	2-Chlorotoluene.....	< 0.5	5.00 ug/L
Vinyl Chloride.....	< 0.5	2.00 ug/L	4-Chlorotoluene.....	< 0.5	5.00 ug/L
Methylene Chloride.....	< 0.5	5.00 ug/L	Diethyl Ether.....	< 0.5	50.00 ug/L
1,1 Dichloroethane.....	< 0.5	5.00 ug/L	Acrylonitrile.....	< 0.5	5.00 ug/L
trans 1,2 Dichloroethene.....	< 0.5	5.00 ug/L	Ethyl Methacrylate.....	< 0.5	50.00 ug/L
Chloroform.....	< 0.5	80.00 ug/L	1,3,5 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,2 Dichloroethane.....	< 0.5	5.00 ug/L	1,2,4 Trimethylbenzene.....	< 0.5	5.00 ug/L
1,1,1 Trichloroethane.....	< 0.5	5.00 ug/L	1,2 Dichlorobenzene (o).....	< 0.5	5.00 ug/L
Carbon Tetrachloride.....	< 0.5	5.00 ug/L	1,3-Dichlorobenzene (m).....	< 0.5	5.00 ug/L
1-Bromo-2-Chloroethane.....	< 0.5	5.00 ug/L	1,4-Dichlorobenzene (p).....	< 0.5	5.00 ug/L
1,2 Dichloropropane.....	< 0.5	5.00 ug/L	p-Diethylbenzene.....	< 0.5	5.00 ug/L
Trichloroethene.....	< 0.5	5.00 ug/L	1,2,4,5 Tetramethylbenzene.....	< 0.5	5.00 ug/L
Chlorodibromomethane.....	< 0.5	80.00 ug/L	1,2,4 Trichlorobenzene.....	< 0.5	5.00 ug/L
2-Bromo-1-Chloropropane.....	< 0.5	5.00 ug/L	1,2,3 Trichlorobenzene.....	< 0.5	5.00 ug/L
Bromoform.....	< 0.5	80.00 ug/L	Ethylbenzene (Styrene).....	< 0.5	5.00 ug/L
Tetrachloroethene.....	< 0.5	5.00 ug/L	Isopropylbenzene.....	< 0.5	5.00 ug/L
cis-1,2-Dichloroethene.....	< 0.5	5.00 ug/L	n-Propylbenzene.....	< 0.5	5.00 ug/L
Freon 113.....	< 0.5	5.00 ug/L	tert-Butylbenzene.....	< 0.5	5.00 ug/L
Dibromomethane.....	< 0.5	5.00 ug/L	sec-Butylbenzene.....	< 0.5	5.00 ug/L
1,1 Dichloropropene.....	< 0.5	5.00 ug/L	p-Isopropyltoluene.....	< 0.5	5.00 ug/L
Methyl Isothiocyanate.....	< 2.0	50.00 ug/L	n-Butylbenzene.....	< 0.5	5.00 ug/L
Carbon Disulfide.....	< 0.5	ug/L	Hexachlorobutadiene.....	< 0.5	5.00 ug/L
Methyl Methacrylate.....	< 0.5	50.00 ug/L	Methyl-Tert-Butyl-Ether (MTBE).....	< 0.5	10.00 ug/L
1,1 Dichloroethene.....	< 0.5	5.00 ug/L	Naphthalene.....	< 0.5	50.00 ug/L
Bromodichloromethane.....	< 0.5	80.00 ug/L	1,4-Dichlorobutane.....	< 0.5	5.00 ug/L
2,3 Dichloropropene.....	< 0.5	5.00 ug/L	Methyl Sulfide.....	< 0.5	50.00 ug/L
cis-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Dimethyldisulfide.....	< 0.5	50.00 ug/L
trans-1,3-Dichloropropene.....	< 0.5	5.00 ug/L	Bromobenzene.....	< 0.5	5.00 ug/L
1,1,2 Trichloroethane.....	< 0.5	5.00 ug/L	2-Butanone (MEK).....	< 20.0	50.00 ug/L
1,1,1,2 Tetrachloroethane.....	< 0.5	5.00 ug/L	Tetrahydrofuran.....	< 20.0	50.00 ug/L
1,1,2,2-Tetrachloroethane.....	< 0.5	5.00 ug/L	Allyl chloride.....	< 0.5	5.00 ug/L
1,2,3 Trichloropropane.....	< 0.5	5.00 ug/L	Methacrylonitrile.....	< 0.5	5.00 ug/L
2,2 Dichloropropane.....	< 0.5	5.00 ug/L	d-Limonene.....	< 0.5	50.00 ug/L
1,3 Dichloropropane.....	< 0.5	5.00 ug/L	Propanal.....	< 15.0	50.00 ug/L
Bromochloromethane.....	< 0.5	5.00 ug/L	Isobutane.....	< 2.0	50.00 ug/L
Benzene.....	< 0.5	5.00 ug/L	n-Butane.....	< 2.0	50.00 ug/L
Toluene.....	< 0.5	5.00 ug/L			

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 3300654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 3302005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 3302005936

Report No: EHS1700044010-SR-1

Page 1 of 1

Report Date: 09/28/2017

Report retrieved via NYSDOH Health Commerce System by hinaic01 on 09/28/2017

REQUESTED BY: DIRECTOR-CEHBWSP

ATTN: LLOYD WILSON
DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: SUFFOLK
City (or) Town: EAST HAMPTON
Submitted by: KATE ABAZIS
Collected by:

Submitter's Reference Number: 172-929-170823 Dup

Grab/Collection Date: 08/23/2017 10:10
Date received: 08/29/2017 10:25

Additional Info: [REDACTED]

Location/Project/Facility Name: 172-929-170823
Sampling Location Details: [REDACTED] BATHROOM TAP
[REDACTED] HEDGES LANE
WAINSCOTT NY 11975
Chlorinated: No

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. K. Kannan
Contact: Dr. David Spink 518-486-2530

Sample Id: EHS1700044010-01

Sample Type: Raw Water

Received Temperature (°C): 6.8

Lab Tracking Id: 172929170823DUP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 8/30/2017 Analysis Date: 8/31/2017

Perfluorobutanesulfonic acid (PFBS):	3.63 ng/L
Perfluorohexanesulfonic acid (PFHxS):	12.9 ng/L
Perfluoroheptanoic acid (PFHpA):	12.3 ng/L
Perfluorooctanoic acid (PFOA):	17.6 ng/L
Perfluorooctanesulfonic acid (PFOS):	38.7 ng/L
Perfluorononanoic acid (PFNA):	13.0 ng/L

9.9
Σ 56.3

NYSELAP
NYSELAP

The purpose of our sampling is to analyze for PFOA and/or PFOS, as per ISO 25101:2009 (E) method. This test includes four additional Perfluorinated Chemicals (PFCs): perfluorobutanesulfonic acid (PFBS), perfluorohexanesulfonic acid (PFHxS), perfluoroheptanoic acid (PFHpA), perfluorononanoic acid (PFNA) that have been validated by the laboratory. These other PFCs may have been detected at very low concentrations-EPA has not established health advisories for these chemicals. All six PFCs are effectively removed from drinking water by granular activated carbon filtration systems.

NYSELAP: Accredited by the New York State Environmental Laboratory Approval Program

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.