



How To Install Vigil Client



Version 1.0


Date Created:

25 Feb 2025


1. Begin by downloading the Vigil Client software from the [3xLogic Download Center](#). Scroll down to Vigil Products and click the download button located next to “Vigil Client Install”

VIGIL Products		
Version & Release Date	Name	Download Links
V.13.00.0000 1/27/2025	VIGIL Client Update	Download 484 MB
V.13.00.0000 1/27/2025	VIGIL Client Install	Download 582 MB
V.13.00.0000 1/27/2025	VIGIL Server and Client Update Note: Please contact tech support for VIGIL Server updates pre-v11.00.0000. DO NOT UPDATE PRE-v11.00.0000 with this file.	Download 1.3 GB
V.13.00.0000 1/27/2025	VIGIL Client MSI	Download 418 MB
V.13.00.0000 1/27/2025	VIGIL DV Player	Download 34 MB
V1.5.3 08/17/2020	VIGIL Client Lite for Mac	Download 20.9 MB


2. Once the file has finished downloading, navigate to your downloads folder by opening the File Explorer.




3. Then click the “downloads” folder on the left side of the window that opens.




4. Double-Click on the Vigil Client file to run the installer. You'll see a window with a progress bar pop up briefly after double-clicking.




5. The installer will open, and you'll see this window appear, close any applications or processes that might conflict with installation.




6. You will then be prompted to choose an installation location. Leave it as default and click next, unless you'd like the program installed somewhere otherwise, but it is recommended to consult your IT Department before doing so.



7. Finally, you can begin installing the software, the process will begin after you click next.



8. You will see this progress page come up, make sure to refrain from turning off or restarting your computer while it completes the installation. Allow it to run until it has finished.



9. The installation will be complete when you see this page appear. Simply click finish and the program will open shortly after. You can now begin to set up the program to view your cameras.

