

Job #	Invoice#:	
Payment Type:	Amt \$	Received By: AL/ GL
Noted Sample Deficiencies:		Date Received: Sample Type: DW



1 Pleasant Ave, Quispamsis, NB E2E 1A7  
T: 506.849.3300 Toll Free: 1.877.677.3300  
aztechlab@nb.aibn.com

**PLEASE COMPLETE THE FOLLOWING**

Analysis Required (please check). Payment is due upon submission. Prices Do Not Include pick up by Aztech Lab. All Prices include 15% HST.

- Potability (Coliform/ E.Coli)                       Retest of Potability (must be taken within 2 month of original sample date)  
 Potability + 20 Mineral Pkg                       Individual Mineral please specify mineral required \_\_\_\_\_

Payment Option: Make cheque payable to Aztech Lab

Visa / MC : \_\_\_\_\_ EXP: \_\_\_\_\_ CVV: \_\_\_\_\_ OR send etransfer to: office@aztechlab.ca

**Etransfer: be sure to reference the property location in the message to ensure payment is applied to this invoice.**

Client Name:	Sampling Date:	Tel:
Property Location:	<b>Send Results To:</b>	
City/Town:	EMAIL ADDRESS:	
Sample Taken By:	Please remind me to test: <input type="checkbox"/> 6 Months <input type="checkbox"/> 12 Months	
Sample Submitted By:		

**INSTRUCTIONS:** Fill out form completely. Remove the screen from the kitchen faucet and sanitize the spout with Javex, alcohol or bacterial cleaner. Run the cold water approx. 10 minutes and fill the sterile bottle to 90% capacity. Return the sample to Aztech within 24 hours. Keep the sample refrigerated. DO NOT FREEZE. Chlorinated samples must be collected in bottles precharged with preservative. Client is responsible for sample integrity prior to submission. Samples that are collected, handled in a manner that is unfit for reliable results may not be tested. Turnaround Time: Potability testing results are typically ready at the end of the next business day. Aztech subcontracts chemistry testing. Aztech performs in house potability testing but may subcontract when necessary.