

Ice cream machine



HIC004



HIC003

Color: Production Time: **15 Days**



Fast cooling and low noise

Using brand compressor, fast cooling, silent fan design, refuse to produce noise.



1-Year Warranty

We stand behind the quality of our products. In the rare event of any issues within a year, we'll promptly send replacements, free of charge.



Best stainless steel material, strong and durable

It has the advantages of good corrosion resistance, beautiful appearance and easy cleaning, which makes the store more beautiful, attractive to guests.



Pre-cooling and Puffing

(Optional, but extra fee. Pre-cooling-155 USD, Puffing/Air Pump-35 USD)

Enhances machine efficiency, keeping ice cream fresh and tasty by injecting air into ice cream. Allows cleaning every 4-5 days instead of daily.



Price Negotiable.

For changing Voltage or Frequency, need **80 USD** extra

PLUG CATEGORY



American



South Africa



VDE / Europe



BS/Britain



Argentina



Switzerland



Korea



Australia



Brazil

**Custom
LOGO**

Refrigerant: R22

Compressor:

Qing'an/HIGHLY/GMCC/Embraco

Model	Material	Hopper	Refrigerating	OutPut	Power	Voltage & Hz	Size	Outer box size	Price (Base on 220V 50Hz)
<u>Vertical</u> HIC004	ABS+ Stainless Steel	6L*2	1.8L*2	25-30 L/Hour	2200W	110~220V, 50~60Hz	650*490*1300mm	630*580*1420mm, G.W.107 kg	609 USD
<u>Table</u> HIC003	ABS+ Stainless Steel	6L*2	1.8L*2	25-30 L/Hour	2200W	110~220V, 50~60Hz	680*520*850mm	760*580*1010mm, G.W.106 kg	609 USD

Ice cream machine



HIC001A



HIC001B

Color: ● ●

Production Time: 15 Days



Fast cooling and low noise

Using brand compressor, fast cooling, silent fan design, refuse to produce noise.



1-Year Warranty

We stand behind the quality of our products. In the rare event of any issues within a year, we'll promptly send replacements, free of charge.



Best stainless steel material, strong and durable

It has the advantages of good corrosion resistance, beautiful appearance and easy cleaning, which makes the store more beautiful, attractive to guests.



Pre-cooling and Puffing

(Optional, but extra fee. Pre-cooling-155 USD, Puffing/Air Pump-35 USD)

Enhances machine efficiency, keeping ice cream fresh and tasty by injecting air into ice cream. Allows cleaning every 4-5 days instead of daily.



Price Negotiable.

For changing Voltage or Frequency, need 80 USD extra

PLUG CATEGORY



American



South Africa



VDE / Europe



BS/Britain



Argentina



Switzerland



Korea



Australia



Brazil

Custom
LOGO

Refrigerant: R22

Compressor:

Qing'an/HIGHLY/GMCC/Embraco

Model	Material	Hopper	Refrigerating	OutPut	Power	Voltage & Hz	Size	Outer box size	Price (Base on 220V 50Hz)
Vertical HIC001	ABS+ Stainless Steel	4.3L*2	1.8L*2	18 L/Hour	1500W	110~220V, 50~60Hz	504*705*1380mm	504*805*1500mm	645 USD
Table HIC001	ABS+ Stainless Steel	4.3L*2	1.8L*2	18 L/Hour	1500W	110~220V, 50~60Hz	544*710*850mm	544*800*960mm	645 USD

Ice cream machine



HIC077



HIC077T



Fast cooling and low noise

Using brand compressor, fast cooling, silent fan design, refuse to produce noise.



1-Year Warranty

We stand behind the quality of our products. In the rare event of any issues within a year, we'll promptly send replacements, free of charge.



Best stainless steel material, strong and durable

It has the advantages of good corrosion resistance, beautiful appearance and easy cleaning, which makes the store more beautiful, attractive to guests.



Pre-cooling and Puffing

(Standard, no other fee)

Enhances machine efficiency, keeping ice cream fresh and tasty by injecting air into ice cream. Allows cleaning every 4-5 days instead of daily.



Price Negotiable.

Color: ●

Production Time: **15 Days**

**PLUG
CATEGORY**



American



South Africa



VDE / Europe



BS/Britain



Argentina



Switzerland



Korea



Australia



Brazil

**Custom
LOGO**

Dual System Machine

Refrigerant: R410a

Compressor:

Qing'an/HIGHLY/GMCC/Embraco

Model	Material	Hopper	Refrigerating	OutPut	Power	Voltage & Hz	Size	Outer box size	Price (Base on 220V 50Hz)
<u>Vertical</u> HIC077	ABS+ Stainless Steel	7L*4	1.8L*2	60 L/Hour	3800W	110~220V, 50~60Hz	820*680*1330mm	910*840*1490mm, G.W.240 kg	2320 USD
<u>Table</u> HIC077T	ABS+ Stainless Steel	7L*4	1.8L*2	60 L/Hour	3500W	110~220V, 50~60Hz	820*680*780mm	910*840*940mm, G.W.200 kg	2145 USD

Ice cream machine



Fast cooling and low noise

Using brand compressor, fast cooling, silent fan design, refuse to produce noise.



1-Year Warranty

We stand behind the quality of our products. In the rare event of any issues within a year, we'll promptly send replacements, free of charge.



Best stainless steel material, strong and durable

It has the advantages of good corrosion resistance, beautiful appearance and easy cleaning, which makes the store more beautiful, attractive to guests.



Pre-cooling and Puffing

(Optional, but extra fee. Pre-cooling-155 USD, Puffing/Air Pump-35 USD)

Enhances machine efficiency, keeping ice cream fresh and tasty by injecting air into ice cream. Allows cleaning every 4-5 days instead of daily.



Price Negotiable.

For changing Voltage or Frequency, need 80 USD extra

Color:  

Production Time: 15 Days

PLUG CATEGORY



American



South Africa



VDE / Europe



BS/Britain



Argentina



Switzerland



Korea



Australia



Brazil

Custom
LOGO

Refrigerant: R22

Compressor:

GMCC/Embraco (+170 USD)

Model	Material	Hopper	Refrigerating	OutPut	Power	Voltage & Hz	Size	Outer box size	Price (Base on 220V 50Hz)
HIC005A	ABS+ Stainless Steel	4.3L*2	1.7L*2	28-36 L/Hour	3000W 3600W	110~220V, 50~60Hz	750*520*1270mm	580*830*1510mm, G.W.150 kg	950 USD
HIC005B	ABS+ Stainless Steel	4.3L*2	1.7L*2	50-60 L/Hour	4000W 4600W	110~220V, 50~60Hz	720*610*1370mm	580*830*1510mm, G.W.150 kg	1240 USD

Ice cream machine



Fast cooling and low noise

Using brand compressor, fast cooling, silent fan design, refuse to produce noise.



1-Year Warranty

We stand behind the quality of our products. In the rare event of any issues within a year, we'll promptly send replacements, free of charge.



Best stainless steel material, strong and durable

It has the advantages of good corrosion resistance, beautiful appearance and easy cleaning, which makes the store more beautiful, attractive to guests.



Pre-cooling and Puffing

(Optional, but extra fee. Pre-cooling-155 USD, Puffing/Air Pump-35 USD)

Enhances machine efficiency, keeping ice cream fresh and tasty by injecting air into ice cream. Allows cleaning every 4-5 days instead of daily.



Price Negotiable.

For changing Voltage or Frequency, need 80 USD extra

Color: Production Time: 15 Days

PLUG CATEGORY



American



South Africa



VDE / Europe



BS/Britain



Argentina



Switzerland



Korea



Australia



Brazil

Custom
LOGO

Refrigerant: R404a

Compressor:

Qing'an/HIGHLY/GMCC/Embraco

Model	Material	Hopper	Refrigerating	OutPut	Power	Voltage & Hz	Size	Outer box size	Price (Base on 220V 50Hz)
HIC002	ABS+ Stainless Steel	4.3L	1.7L	18-25 L/Hour	1500W	110~220V, 50~60Hz	650*240*750mm	710*300*800mm, G.W.63.5 kg	592 USD

Ice cream machine



Hard Ice Cream Machine

Optional:

15L/Hour, 20L/Hour,
25L/Hour, 40L/Hour
50L/Hour



Fast cooling and low noise

Using brand compressor, fast cooling, silent fan design, refuse to produce noise.



1-Year Warranty

We stand behind the quality of our products. In the rare event of any issues within a year, we'll promptly send replacements, free of charge.



Best stainless steel material, strong and durable

It has the advantages of good corrosion resistance, beautiful appearance and easy cleaning, which makes the store more beautiful, attractive to guests.



Full touch HD panel

Touch screen control panel, easy operation, the real-time status of the machine that can be seen at a glance.



Price Negotiable.

For changing Voltage or Frequency, need 80 USD extra

Color:

Production Time: 15 Days

PLUG CATEGORY



American



South Africa



VDE / Europe



BS/Britain



Argentina



Switzerland



Korea



Australia



Brazil

Custom
LOGO

Refrigerant: R404a

Compressor:

Panasonic/Embraco

Model	Material	Hopper	Refrigerating	OutPut	Power	Voltage & Hz	Size	Outer box size	Price (Base on 220V 50Hz)
HIC009	ABS+ Stainless Steel	12.5L	/	40 L/Hour	2800W	110~220V, 50~60Hz	820*535*1355mm	900*650*1430mm, G.W.160 kg	1460 USD