



# H-Series DMR Radios



HP782



HP702



HP682



HP602



HM652



HM782



HM682



HR1062



HR652

## Hytera US H-Series MSRP Price Book

January 2026

### Hytera US Inc.

8 Whatney, Suite 200, Irvine, CA 92618

(954) 846-1011

1363 Shotgun Road, Sunrise, FL 33326

(954) 846-1011

Learn more about Hytera products at:

[www.hytera.us](http://www.hytera.us)

Or email Hytera for more information:

[info@hytera.us](mailto:info@hytera.us)

© Copyright Hytera US Inc. 2026



# H-Series DMR Radios



## Table of Contents

<a href="#">HP602 Two-Way Radio</a>	<a href="#">3</a>
<a href="#">HP682 Two-Way Radio</a>	<a href="#">4</a>
<a href="#">HP6 Accessories</a>	<a href="#">5</a>
<a href="#">HP702 Two-Way Radio</a>	<a href="#">9</a>
<a href="#">HP782 Two-Way Radio</a>	<a href="#">10</a>
<a href="#">HP7 Accessories</a>	<a href="#">11</a>
<a href="#">HP702 UL913 Intrinsically Safe Radio</a>	<a href="#">15</a>
<a href="#">HP782 UL913 Intrinsically Safe Radio</a>	<a href="#">16</a>
<a href="#">HP7 UL913 Accessories</a>	<a href="#">17</a>
<a href="#">HM652 Mobile Radio</a>	<a href="#">20</a>
<a href="#">HM682 Mobile Radio</a>	<a href="#">21</a>
<a href="#">HM6 Accessories</a>	<a href="#">22</a>
<a href="#">HM782 Mobile Radio</a>	<a href="#">24</a>
<a href="#">HM7 Accessories</a>	<a href="#">25</a>
<a href="#">HR652 Compact Repeater</a>	<a href="#">28</a>
<a href="#">HR652 Accessories</a>	<a href="#">29</a>
<a href="#">HR1062 Repeater</a>	<a href="#">31</a>
<a href="#">HR1062 Accessories</a>	<a href="#">32</a>
<a href="#">SmartOne</a>	<a href="#">34</a>

## Hytera Warranty Information

Hytera products are manufactured to the highest quality standards, and this quality is backed by a comprehensive product warranty.

- Hytera DMR radios and repeaters are covered by a 3 Year Standard Warranty against defects in material and workmanship under normal use and service.
- All Hytera radio accessories are covered by a 1 Year Warranty.
- Hytera offers a 2 Year Extended Warranty for additional protection (for radios and repeaters only, not accessories).

# HP602 Professional DMR Handheld Radio



## Radio Features

- Size 4 3/4" x 2 5/32" x 1 3/16" without antenna
- Weight 9.35oz (265g)
- UHF 400-527MHz, VHF 136-174MHz
- 1,024 channels, 64 zones
- .91" OLED" Display
- Displays Channel Alias (Max 14 Characters)
- AI-Based Noise Cancellation
- 2,000mAh Lithium Polymer Battery
- Battery Life 16 Hours, 20 Hours GPS disabled (5/5/90)
- IP67 and MIL-STD-810 C/D/E/F/G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Bluetooth (specify model)
- GPS Positioning (specify model)
- DMRA Data Service
- One Touch Call/Text
- VOX
- Mixed mode scanning (Analog and Digital channel)
- Dual Mode (Analog and Digital)
- Radio Enable/Disable and Remote Monitor
- Analog and Digital Emergency calling
- Lone Worker and Man Down
- Priority Interrupt (license required)
- Multi-Site Roaming
- Pseudo Trunk (DMO and RMO)
- Supports XPT digital trunking
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Handheld Radio	HP602	1 pc
Standard VHF/UHF Antenna	<a href="#">See Page 8</a>	1 pc
Li-Polymer Battery, 2000mAh	BP2002	1 pc
Switching Power Adapter	PS1014	1 pc
MCU Single Unit Charger	CH10L30	1 pc
Nylon Strap	RO03	1 pc
Belt Clip	BC48	1 pc

## HP602 Model Numbers

Model	Band Split	Description	MSRP
HP602-Um	400-527MHz	Power 1-4 Watts, DMR Tier II and Analog conventional mode, Standard UHF 16cm Whip Antenna 400-470MHz	\$525.00
HP602-V1	136-174MHz	Power 1-5 Watts, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 147-160MHz	\$525.00
HP602-G-BT-Um	400-527MHz	Power 1-4 Watts, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard UHF 16cm Whip Antenna 400-470MHz	\$614.30
HP602-G-BT-V1	136-174MHz	Power 1-5 Watts, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 147-160MHz	\$614.30

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00052	Priority Interrupt	\$59.60

## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80

# HP682 Professional DMR Handheld Radio



## Radio Features

- Size 4 3/4" x 2 5/32" x 1 7/32" without antenna
- Weight 9.88oz (280g)
- UHF 400-527MHz, VHF 136-174MHz
- 1,024 channels, 64 zones
- .LCD 1.8" Display, 160x128
- AI-Based Noise Cancellation
- 2,000mAh Lithium Polymer Battery
- Battery Life 16 Hours, 20 Hours GPS disabled (5/5/90)
- IP67 and MIL-STD-810 C/D/E/F/G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Bluetooth (specify model)
- GPS Positioning (specify model)
- DMRA Data Service
- One Touch Call/Text
- VOX
- Mixed mode scanning (Analog and Digital channel)
- Radio Enable/Disable and Remote Monitor
- Dual Mode (Analog and Digital)
- Analog and Digital Emergency calling
- Lone Worker and Man Down
- Priority Interrupt (license required)
- Multi-Site Roaming
- Pseudo Trunk (DMO and RMO)
- Supports XPT digital trunking
- Supports DTMF telephone call
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Handheld Radio	HP682	1 pc
Standard VHF/UHF Antenna	<a href="#">See Page 8</a>	1 pc
Li-Polymer Battery, 2000mAh	BP2002	1 pc
Switching Power Adapter	PS1014	1 pc
MCU Single Unit Charger	CH10L30	1 pc
Nylon Strap	RO03	1 pc
Belt Clip	BC48	1 pc

## HP682 Model Numbers

Model	Band Split	Description	MSRP
HP682-Um	400-527MHz	Power 1-4 Watts, DMR Tier II and Analog conventional mode, Standard UHF 16cm Whip Antenna 400-470MHz	\$682.50
HP682-V1	136-174MHz	Power 1-5 Watts, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 147-160MHz	\$682.50
HP682-G-BT-Um	400-527MHz	Power 1-4 Watts, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard UHF 16cm Whip Antenna 400-470MHz	\$771.80
HP682-G-BT-V1	136-174MHz	Power 1-5 Watts, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 147-160MHz	\$771.80

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00052	Priority Interrupt	\$59.60




## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80



# HP6 Accessories









## Carrying Accessories

Item #	Image	Description	MSRP
BC48		Belt Clip for HP6	\$3.80
RO03		Nylon Strap	\$3.90
NCN011		Nylon Carrying Case, black	\$27.10











## Battery

Item #	Image	Description	MSRP
BP2002		Li-Ion polymer battery for HP6, 2000mAh, 7.7V (IP67)	\$112.70
BP3002		Li-Ion polymer battery for HP6, 3000mAh (IP68)	\$183.50

## Charger Accessories

Item #	Image	Description	MSRP
CH10L30		Single-unit Charger for Li-ion polymer battery, 1000mA (Requires PS1014)	\$42.10
PS1014		US-standard Switching Power Adapter 100-240VAC, 12VDC/1A	\$20.40
CHV09		Vehicle adapter for charger (DC-DC) Input 11-25VDC, Output 12VDC 1A	\$73.60
MCL39		6-Radio Multi Unit Charger	\$710.30
MCA26		Smart Battery Analyser for Li-ion/Li-polymer batteries	\$1320.00
BRK20		Wall mount bracket for MCL39 multi-unit charger (Special Order)	\$99.20

## Audio Accessories

Item #	Image	Description	MSRP
EHW08		Bluetooth Earpiece with boom microphone, PTT function	\$150.20
SM27W2		Bluetooth Wireless Remote Speaker Microphone with Emergency button, (IP67)	\$165.30
ESW01		Wireless Earpiece with charging adapter ESW01 Hytera Logo	\$166.70
POA121		Bluetooth PTT ring	\$127.60
ACN-02P		Microphone Cable with PTT used with receive-only earpiece (for HP6, HP7 & HP7 UL913)	\$49.50
ES-01		Receive-Only Earbud used with ACN-02P	\$12.00
EA-01		Earbud with Transparent Acoustic Tube (Receive-Only) used with ACN-02P	\$42.00
EH-01		Receive-Only C-style Earpiece used with ACN-02P	\$16.50
EH-02		Receive-Only Swivel Earpiece used with ACN-02P	\$18.10
EAS03		Receive-Only Transparent Acoustic Tube Earpiece for use with SM26N2-P (Special Order)	\$31.60

# HP6 Accessories



## Audio Accessories

Item #	Image	Description	MSRP
EAN21-P		Heavy duty noise-cancelling headset with PTT microphone (for HP6, HP7 & HP7 UL913) <b>(Special Order)</b>	\$120.20
EAN24-P		2-wire Surveillance Earpiece with Transparent Acoustic Tube, directly attached (HP6 & HP7)	\$115.70
EWN08-P		Digital Wireless Covert Earpiece (Flatpack Sensor) (For HP6 & HP7) <b>(Special Order)</b>	\$2,134.00
EHN26-P		C-style Earpiece with in-line PTT & MIC, directly attached to radio (for HP6, HP7 & HP7 UL913)	\$31.50
SM26N1-P		Remote Speaker Microphone with emergency button (IP67) (for HP6, HP7 & HP7 UL913)	\$120.20
SM26N2-P		Remote Speaker Microphone with emergency button and 2.5mm audio jack connect external earpiece(IP54)(for HP6, HP7 & HP7 UL913)	\$120.20
ECN48-P		Heavy-Duty Headset with Neckband and Noise-Cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00
ECN49-P		Heavy-Duty Headset with Headband and Noise-cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00
ECN50-P		Helmet Heavy-Duty Headset with Noise-Cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00

## Maintenance Kit

Item #	Image	Description	MSRP
PC152		Programming Cable (USB Port) HP6/HP7 13PIN-USB1.2m	\$48.10

# HP6 Accessories

## Antenna

Item #	Image	Description	MSRP
AN0153H08		VHF Stubby Antenna, SMA, 12cm,147-160MHz, GPS 1575MHz	\$27.10
AN0167H07		VHF Stubby Antenna, SMA, 12cm,160-174MHz	\$27.10
AN0160H16		VHF Stubby Antenna, SMA, 12cm,145-175MHz	\$27.10
AN0153H07		<b>Standard VHF Antenna</b> VHF Stout Long Antenna, SMA, 17cm, 147-160MHz, GPS 1575MHz	\$27.10
AN0167H06		VHF Stout Long Antenna, SMA, 17cm, 160-174MHz	\$27.10
AN0155H08		VHF Stout Long Antenna, SMA, 20 cm, 136-174MHz, GPS 1575MHz	\$34.70
AN0485H05		UHF Stubby Antenna, SMA, 9cm, 450-520MHz	\$13.60
AN0435W09		<b>Standard UHF Antenna</b> UHF Whip Antenna, SMA, 16cm, 400-470MH	\$13.60
AN0445W05		UHF Whip Antenna, SMA, 16cm, 410-480MHz	\$13.60
AN0495W04		UHF Whip Antenna, SMA, 16cm, 470-520MHz	\$13.60

# HP702 Professional DMR Handheld Radio



## Radio Features

- Size 5 3/16" x 2 5/32" x 1 5/32" without antenna
- Weight 10.23oz (290g)
- UHF 350-470MHz, VHF 136-174MHz
- 1,024 channels, 64 zones
- .91" OLED" Display
- Displays Channel Alias (Max 14 Characters)
- AI-Based Noise Cancellation
- 2,400mAh Lithium Polymer Battery
- Battery Life 24 Hours, 26 Hours GPS disabled (5/5/90)
- IP68 and MIL-STD-810 C/D/E/F/G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Bluetooth (specify model)
- GPS Positioning (specify model)
- MicroSD Card (license required)
- One Touch Call/Text
- VOX
- Mixed mode scanning (Analog and Digital channel)
- Dual Mode (Analog and Digital)
- Radio Enable/Disable and Remote Monitor
- Dedicated Emergency Button
- Analog and Digital Emergency calling
- Lone Worker and Man Down
- Priority Interrupt
- Multi-Site Roaming
- Pseudo Trunk (DMO and RMO)
- Supports XPT digital trunking
- Supports DTMF telephone call
- Supports DMR Tier III Trunking (license required)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Handheld Radio	HP702	1 pc
Standard VHF/UHF Antenna	<a href="#">See Page 14</a>	1 pc
Li-Polymer Battery, 2400mAh	BP2403	1 pc
Switching Power Adapter	PS1014	1 pc
MCU Single Unit Charger	CH10L30	1 pc
Nylon Strap	RO03	1 pc
Belt Clip	BC39	1 pc

## HP702 Model Numbers

Model	Band Split	Description	MSRP
HP702-Uv	350-470MHz	Power 1-4 Watts, DMR Tier II and Analog conventional mode, Standard UHF 9cm Stubby Antenna 400-470MHz	\$754.20
HP702-V1	136-174MHz	Power 1-5 Watts, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 146-164MHz	\$754.20
HP702-G-BT-Uv	350-470MHz	Power 1-4 Watts, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard UHF 9cm Stubby Antenna 400-470MHz	\$850.50
HP702-G-BT-V1	136-174MHz	Power 1-5 Watts, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 146-164MHz	\$850.50

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00029	DMR Tier III Trunking upgrade	\$208.40
SW00073	License for Audio Recording Function via TF/MicroSD card	\$119.10

## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80

# HP782 Professional DMR Handheld Radio



## Radio Features

- Size 5 3/16" x 2 5/32" x 1 5/32" without antenna
- Weight 10.93oz (310g)
- UHF 350-470MHz, VHF 136-174MHz
- 1,024 channels, 64 zones
- LCD 2.4" Display, 320x240
- Full Keypad and Navigation Buttons
- AI-Based Noise Cancellation
- 2,400mAh Lithium Polymer Battery
- Battery Life 20 Hours, 24 Hours GPS disabled (5/5/90)
- IP68 and MIL-STD-810 C/D/E/F/G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Bluetooth (specify model)
- GPS Positioning (specify model)
- MicroSD Card (license required)
- One Touch Call/Text
- Vox
- Mixed mode scanning (Analog and Digital channel)
- Dual Mode (Analog and Digital)
- Radio Enable/Disable and Remote Monitor
- Dedicated Emergency Button
- Analog and Digital Emergency calling
- Lone Worker and Man Down
- Priority Interrupt
- Multi-Site Roaming
- Pseudo Trunk (DMO and RMO)
- Supports XPT digital trunking
- Supports DTMF telephone call
- Supports DMR Tier III Trunking (license required)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Handheld Radio	HP782	1 pc
Standard VHF/UHF Antenna	<a href="#">See Page 14</a>	1 pc
Li-Polymer Battery, 2400mAh	BP2403	1 pc
Switching Power Adapter	PS1014	1 pc
MCU Single Unit Charger	CH10L30	1 pc
Nylon Strap	RO03	1 pc
Belt Clip	BC39	1 pc

## HP782 Model Numbers

Model	Band Split	Description	MSRP
HP782-Uv	350-470MHz	Power 1-4 Watts, DMR Tier II and Analog conventional mode, Standard UHF 9cm Stubby Antenna 400-470MHz	\$924.30
HP782-V1	136-174MHz	Power 1-5 Watts, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 146-164MHz	\$924.30
HP782-G-BT-Uv	350-470MHz	Power 1-4 Watts, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard UHF 9cm Stubby Antenna 400-470MHz	\$1020.60
HP782-G-BT-V1	136-174MHz	Power 1-5 Watts, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 146-164MHz	\$1020.60

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00029	DMR Tier III Trunking upgrade	\$208.40
SW00073	License for Audio Recording Function via TF/MicroSD card	\$119.10




## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80



# HP7 Accessories



## Carrying Accessories

Item #	Image	Description	MSRP	Dealer
BC39		Belt Clip for HP7	\$10.60	\$6.40
RO03		Nylon Strap	\$3.90	\$2.40
LCY025		Leather Carrying Case, black, with display window	\$60.10	\$36.10











## Battery

Item #	Image	Description	MSRP	Dealer
BP2403		Lithium Polymer Battery for HP7, 2400mAh (IP68)	\$120.20	\$72.10
BP3003		Lithium Polymer Battery for HP7, 3000mAh, (IP68)	\$204.80	\$122.90

## Charger Accessories

Item #	Image	Description	MSRP	Dealer
CH10L30		Single-unit Charger for Li-ion polymer battery, 1000mA (Requires PS1014)	\$42.10	\$25.20
PS1014		US-standard Switching Power Adapter 100-240VAC, 12VDC/1A	\$20.40	\$12.30
CHV09		Vehicle adapter for charger (DC-DC) Input 11-25VDC, Output 12VDC 1A	\$73.60	\$44.20
MCL39		6-Radio Multi Unit Charger	\$710.30	\$426.30
MCA26		Smart Battery Analyser for Li-ion/Li-polymer batteries	\$1320.00	\$792.00
BRK20		Wall mount bracket for MCL39 multi-unit charger (Special Order)	\$99.20	\$59.60

## Audio Accessories

Item #	Image	Description	MSRP
EHW08		Bluetooth Earpiece with boom microphone, PTT function	\$150.20
SM27W2		Bluetooth Wireless Remote Speaker Microphone with Emergency button, (IP67)	\$165.30
ESW01		Wireless Earpiece with charging adapter ESW01 Hytera Logo	\$166.70
POA121		Bluetooth PTT ring	\$127.60
ACN-02P		Microphone Cable with PTT used with receive-only earpiece (for HP6, HP7 & HP7 UL913)	\$49.50
ES-01		Receive-Only Earbud used with ACN-02P	\$12.00
EA-01		Earbud with Transparent Acoustic Tube (Receive-Only) used with ACN-02P	\$42.00
EH-01		Receive-Only C-style Earpiece used with ACN-02P	\$16.50
EH-02		Receive-Only Swivel Earpiece used with ACN-02P	\$18.10
EAS03		Receive-Only Transparent Acoustic Tube Earpiece for use with SM26N2-P (Special Order)	\$31.60

# HP7 Accessories






## Audio Accessories

Item #	Image	Description	MSRP
EAN21-P		Heavy duty noise-cancelling headset with PTT microphone (for HP6, HP7 & HP7 UL913) <b>(Special Order)</b>	\$120.20
EAN24-P		2-wire Surveillance Earpiece with Transparent Acoustic Tube, directly attached (HP6 & HP7)	\$115.70
EWN08-P		Digital Wireless Covert Earpiece (Flatpack Sensor) (For HP6 & HP7) <b>(Special Order)</b>	\$2,134.00
EHN26-P		C-style Earpiece with in-line PTT & MIC, directly attached to radio (for HP6, HP7 & HP7 UL913)	\$31.50
SM26N1-P		Remote Speaker Microphone with emergency button (IP67) (for HP6, HP7 & HP7 UL913)	\$120.20
SM26N2-P		Remote Speaker Microphone with emergency button and 2.5mm audio jack connect external earpiece(IP54)(for HP6, HP7 & HP7 UL913)	\$120.20
ECN48-P		Heavy-Duty Headset with Neckband and Noise-Cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00
ECN49-P		Heavy-Duty Headset with Headband and Noise-cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00
ECN50-P		Helmet Heavy-Duty Headset with Noise-Cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00

## Maintenance Kit

Item #	Image	Description	MSRP
PC152		Programming Cable (USB Port) HP6/HP7 13PIN-USB1.2m	\$48.10

## Antenna

Item #	Image	Description	MSRP
AN0155H13		VHF Long Whip Antenna, SMA-male, 20cm, 136-174MHz, GPS 1575MHz	\$36.10
AN0155H15		<b>Standard VHF Antenna</b> VHF Stout Long Antenna, SMA-male, 17cm, 146-164MHz, GPS 1575MHz	\$30.10
AN0158H06		VHF Stubby Antenna, SMA-male, 9cm, 153-164MHz, GPS 1575MHz	\$30.10
AN0148H07		VHF Stubby Antenna, SMA-male, 9cm, 144-154MHz, GPS 1575MHz	\$30.10
AN0168H05		VHF Stubby Antenna, SMA-male, 9cm, 163-174MHz, GPS 1575MHz	\$30.10
AN0435H25		<b>Standard UHF Antenna</b> UHF Stubby Antenna, SMA-male, 9cm, 400-470MHz, GPS 1575MHz	\$30.10
AN0485H19		UHF Stubby Antenna, SMA-male, 9cm, 450-527MHz, GPS 1575MHz	\$30.10

# HP702 UL913 Intrinsically Safe Radio



## Radio Features

- UL913 Certified:
  - Class I, II, III, Division 1, Groups C-G,T4, -30° to 60°C
  - Class I, Division 2, Groups A-D,T4, -30° to 60°C
- Size 5 3/16" x 2 5/32" x 1 7/16" without antenna
- Weight 13oz (369g)
- UHF 350-470MHz, VHF 136-174MHz
- 1,024 channels, 64 zones
- .91" OLED" Display
- AI-Based Noise Cancellation
- 2850mAh Li-Ion Polymer UL 913 certified
- Battery Life 25 Hours, 29 Hours GPS disabled (5/5/90)
- IP68 and MIL-STD-810 C/D/E/F/G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Bluetooth
- GPS Positioning
- MicroSD Card (license required)
- One Touch Call/Text
- VOX
- Mixed mode scanning (Analog and Digital channel)
- Dual Mode (Analog and Digital)
- Radio Enable/Disable and Remote Monitor
- Dedicated Emergency Button
- Analog and Digital Emergency calling
- Lone Worker and Man Down
- Priority Interrupt
- Multi-Site Roaming
- Pseudo Trunk (DMO and RMO)
- Supports XPT digital trunking
- Supports DTMF telephone call
- Supports DMR Tier III Trunking (license required)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Handheld Radio	HP702 UL913	1 pc
Standard VHF/UHF Antenna	<a href="#">See Page 19</a>	1 pc
Li-Polymer Battery, 2850mAh	BL2801-Ex	1 pc
Switching Power Adapter	PS1014	1 pc
MCU Single Unit Charger	CH10L30	1 pc
Nylon Strap	RO03	1 pc
Belt Clip	BC39	1 pc

## HP702 UL913 Model Numbers

Model	Band Split	Description	MSRP
HP702-G-BT-UL913-Uv	350-470MHz	Power 1-4 Watts, UL913, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard UHF 9cm Stubby Antenna 400-470MHz	\$1,222.50
HP702-G-BT-UL913-V1	136-174MHz	Power 1-5 Watts, UL913, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 146-164MHz	\$1,222.50

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00029	DMR Tier III Trunking upgrade	\$208.40
SW00073	License for Audio Recording Function via TF/MicroSD card	\$119.10

## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80

# HP782 UL913 Intrinsically Safe Radio

## Radio Features

- UL913 Certified:
  - Class I, II, III, Division 1, Groups C-G,T4, -30° to 60°C
  - Class I, Division 2, Groups A-D,T4, -30° to 60°C
- Size 5 3/16" x 2 5/32" x 1 7/16" without antenna
- Weight 13.7oz (389g)
- UHF 350-470MHz, VHF 136-174MHz
- 1,024 channels, 64 zones
- LCD 2.4" Display, 320x240
- Full Keypad and Navigation Buttons
- AI-Based Noise Cancellation
- 2850mAh Li-Ion Polymer UL 913 certified
- Battery Life 24 Hours, 28 Hours GPS disabled (5/5/90)
- IP68 and MIL-STD-810 C/D/E/F/G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Bluetooth
- GPS Positioning
- MicroSD Card (license required)
- One Touch Call/Text
- VOX
- Mixed mode scanning (Analog and Digital channel)
- Dual Mode (Analog and Digital)
- Radio Enable/Disable and Remote Monitor
- Dedicated Emergency Button
- Analog and Digital Emergency calling
- Lone Worker and Man Down
- Priority Interrupt
- Multi-Site Roaming
- Pseudo Trunk (DMO and RMO)
- Supports XPT digital trunking
- Supports DTMF telephone call
- Supports DMR Tier III Trunking (license required)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Handheld Radio	HP782 UL913	1 pc
Standard VHF/UHF Antenna	<a href="#">See Page 19</a>	1 pc
Li-Polymer Battery, 2850mAh	BL2801-Ex	1 pc
Switching Power Adapter	PS1014	1 pc
MCU Single Unit Charger	CH10L30	1 pc
Nylon Strap	RO03	1 pc
Belt Clip	BC39	1 pc

## HP782 UL913 Model Numbers

Model	Band Split	Description	MSRP
HP782-G-BT-UL913-Uv	350-470MHz	Power 1-4 Watts, UL913, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard UHF 9cm Stubby Antenna 400-470MHz	\$1,428.80
HP782-G-BT-UL913-V1	136-174MHz	Power 1-5 Watts, UL913, GPS, Bluetooth, DMR Tier II and Analog conventional mode, Standard VHF 17cm Stout Long Antenna 146-164MHz	\$1,428.80

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00029	DMR Tier III Trunking upgrade	\$208.40
SW00073	License for Audio Recording Function via TF/MicroSD card	\$119.10




## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80


# HP7 UL913 Accessories



## Carrying Accessories

Item #	Image	Description	MSRP
BC39		Belt Clip (for HP7 & HP7 UL913)	\$10.60
RO03		Nylon Strap	\$3.90
LCY026		Leather Carry Case for Radios with Display (black) (for HP7 UL913)	\$72.10

## Battery

Item #	Image	Description	MSRP
BL2801-Ex		Battery 2850mAh Smart Li-Ion UL913	\$300.30

## Charger Accessories

Item #	Image	Description	MSRP
CH10L30		Single-unit Charger for Li-ion polymer battery, 1000mA (Requires PS1014)	\$42.10
PS1014		US-standard Switching Power Adapter 100-240VAC, 12VDC/1A	\$20.40
CHV09		Vehicle adapter for charger (DC-DC) Input 11-25VDC, Output 12VDC 1A	\$73.60
MCL39		6-Radio Multi Unit Charger	\$710.30
MCA26		Smart Battery Analyser for Li-ion/Li-polymer batteries	\$1320.00
BRK20		Wall mount bracket for MCL39 multi-unit charger (Special Order)	\$99.20

# HP7 UL913 Accessories



## Audio Accessories

Item #	Image	Description	MSRP
ACN-02P		Microphone Cable with PTT used with receive-only earpiece (for HP6, HP7 & HP7 UL913)	\$49.50
ES-01		Receive-Only Earbud used with ACN-02P	\$12.00
EA-01		Earbud with Transparent Acoustic Tube (Receive-Only) used with ACN-02P	\$42.00
EH-01		Receive-Only C-style Earpiece used with ACN-02P	\$16.50
EH-02		Receive-Only Swivel Earpiece used with ACN-02P	\$18.10
EAN21-P		3-wire Surveillance Earpiece with Transparent Acoustic Tube, beige (for HP6, HP7 & HP7 UL913) <b>(Special Order)</b>	\$120.20
EHN26-P		C-style Earpiece with in-line PTT & MIC, directly attached to radio (for HP6, HP7 & HP7 UL913)	\$31.50
SM26N1-P		Remote Speaker Microphone with emergency button (IP67) (for HP6, HP7 & HP7 UL913)	\$120.20
SM26N2-P		Remote Speaker Microphone with emergency button and 2.5mm audio jack connect external earpiece(IP54) (for HP6, HP7 & HP7 UL913)	\$120.20
ECN48-P		Heavy-Duty Headset with Neckband and Noise-Cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00
ECN49-P		Heavy-Duty Headset with Headband and Noise-cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00
ECN50-P		Helmet Heavy-Duty Headset with Noise-Cancelling Microphone (for HP6, HP7, HP7 UL913)	\$676.00

# HP7 UL913 Accessories



## Maintenance Kit

Item #	Image	Description	MSRP
PC152		Programming Cable (USB Port) HP6/HP7 13PIN-USB1.2m	\$48.10

## Antenna

Item #	Image	Description	MSRP
AN0155H13		VHF Long Whip Antenna, SMA-male, 20cm, 136-174MHz, GPS 1575MHz	\$36.10
AN0155H15		<b>Standard VHF Antenna</b> VHF Stout Long Antenna, SMA-male, 17cm, 146-164MHz, GPS 1575MHz	\$30.10
AN0158H06		VHF Stubby Antenna, SMA-male, 9cm, 153-164MHz, GPS 1575MHz	\$30.10
AN0148H07		VHF Stubby Antenna, SMA-male, 9cm, 144-154MHz, GPS 1575MHz	\$30.10
AN0168H05		VHF Stubby Antenna, SMA-male, 9cm, 163-174MHz, GPS 1575MHz	\$30.10
AN0435H25		<b>Standard UHF Antenna</b> UHF Stubby Antenna, SMA-male, 9cm, 400-470MHz, GPS 1575MHz	\$30.10
AN0485H19		UHF Stubby Antenna, SMA-male, 9cm, 450-527MHz, GPS 1575MHz	\$30.10

# HM652 DMR Mobile Radio



## Radio Features

- Size 2 21/32" x 6 15/32" x 7 1/16"
- Weight 2lb, 6.8oz (1100g)
- UHF 400-470MHz,
- 512 channels, 32 zones (32 channels per zone)
- LCD screen on SMA25A1 Handheld Control
- AI-Based Noise Cancellation
- IP54 and MIL-STD-810 G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Mixed Mode Channel Scanning (Analog and Digital)
- Accessory and Cable Port
- Clarity Data Transmission Mode
- Bluetooth (specify model)
- GPS Positioning (specify model)
- Radio Enable/Disable and Remote Monitor
- Emergency Call Button (on SM25A1)
- Analog and Digital Emergency calling
- Lone Worker
- Supports Back-to-Back and Clarity Transmission modes
- Pseudo trunk operation (DMO and RMO)
- Multi-Site Roaming, Analog and Digital
- XPT Multi-site (With optional License)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Radio	HM652	1 pc
Palm Mic, Hanger, and Screws	SM25A1	1 pc
Fuse	POA33	1 pc
Mounting Bracket	BRK44	1 pc
Power cord	PWC10	1 pc

## HM652 Model Numbers

Model	Band Split	Description	MSRP
HM652-U1	400-470MHz	Power 5-45 Watts, DMR Tier II and Analog conventional mode	\$580.00
HM652-G-BT-U1	400-470MHz	Power 5-45 Watts, GPS (includes GPS04 antenna), Bluetooth, DMR Tier II and Analog conventional mode	\$665.00

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00052	Priority Interrupt	\$59.60
SW00163	XPT Trunking Mode License - Multi-Site	\$119.10

## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80

# HM682 DMR Mobile Radio



## Radio Features

- Size 2 21/32" x 6 15/32" x 7 1/16"
- Weight 2lb, 6.8oz (1100g)
- UHF 400-470MHz
- 512 channels, 32 zones (256 channels per zone)
- 1.5" LCD screen
- Piano Key buttons
- Channel Select button
- AI-Based Noise Cancellation
- IP54 and MIL-STD-810 G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Mixed Mode Channel Scanning (Analog and Digital)
- Accessory and Cable Port
- Clarity Data Transmission Mode
- Bluetooth (specify model)
- GPS Positioning (specify model)
- Radio Enable/Disable and Remote Monitor
- Analog and Digital Emergency calling
- Emergency Call Button
- Lone Worker
- Supports Back-to-Back and Clarity Transmission modes
- Pseudo trunk operation (DMO and RMO)
- Multi-Site Roaming, Analog and Digital
- XPT Multi-site (With optional License)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Radio	HM682	1 pc
Palm Mic, Hanger, and Screws	SM16A1	1 pc
Fuse	POA33	1 pc
Mounting Bracket	BRK44	1 pc
Power cord	PWC10	1 pc

## HM682 Model Numbers

Model	Band Split	Description	MSRP
HM682-U1	400-470MHz	Power 5-45 Watts, DMR Tier II and Analog conventional mode	\$615.00
HM682-G-BT-U1	400-470MHz	Power 5-45 Watts, GPS (includes GPS04 antenna), Bluetooth, DMR Tier II and Analog conventional mode	\$699.00

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00052	Priority Interrupt	\$59.60
SW00163	XPT Trunking Mode License - Multi-Site	\$119.10

## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80




# HM6 Accessories



## Power Supply Accessories

Item #	Image	Description	MSRP
PWC10		Vehicle Power Supply Cable, 9.84 ft. with SR, red/black, greater than 15A	\$36.10
PS22002		External Power Supply, 220W, backup power supply battery applicable. Two DC outputs: one for the device (e.g. repeater) and a second for an external power supply	\$390.40
PV8002		Power Supply (24VDC to 12VDC) (Special Order)	\$195.30
12493-H		Cabinet for DC-HM6XX without SEC1223 (No Return & No Credit)	\$60.80
SEC1223		POWER SUPPLY Input 120VAC, Output 13.8VDC, 23 Amps	\$212.00

## Installation Accessories

Item #	Image	Description	MSRP
BRK44		Vehicle Installation Kit	\$30.25
BRK12		Installation Accessory for Rack-mounted power supply (2U) (black)	\$82.70
BRK14		Installation Accessory for Rack-mounted power supply (2U) (gray)	\$82.70

# HM6 Accessories



## Maintenance Kit

Item #	Image	Description	MSRP
PC37		HM652 HM782 HR1062 Programming Cable. 10Pin Mic Connector to USB.	\$46.90
PC60		Ignition Cable with DB26 connector. Connects to vehicle ignition to power radio when vehicle engine is turned off	\$58.60
PC47		Programming + downloading cable for CPS programming and firm-ware upgrades	\$57.10
PC49		Mobile to Mobile back-to-back cable, DB26 to DB26, length 60cm (23.6 in). (Special Order)	\$46.90
PC80		Wireless Microphone Programmable Cable for SM27W1, USB to Micro USB (Special Order)	\$19.10

## Audio Accessories

Item #	Image	Description	MSRP
SM27W1		Bluetooth Wireless Remote Speaker Microphone	\$434.00
SM25A1		Remote Speaker & Mic with 7 ft. cord, Emergency Call Button	\$166.70
SM09D1		External Speaker, 6ft cable, DB26 port	\$81.10

## GPS Antenna

Item #	Image	Description	MSRP
GPS04		Vehicle GPS Antenna (SMA, 1575MHZ)	\$19.30

# HM782 DMR Mobile Radio and Compact Gateway



## Radio Features

- Size 2 7/16" x 6 31/32" x 7 1/16"
- Weight 56.1oz (1520g)
- UHF 350-470MHz, VHF 136-174MHz
- 1,024 channels, 64 zones (256 channels per zone)
- LCD 2.4" Display, 320x240
- Navigation and Programmable Buttons
- AI-Based Noise Cancellation
- IP54 and MIL-STD-810 G Compliant
- Scrambler (analog), Basic Digital Encryption (ARC4)
- Advanced Software Encryption (AES) (license required)
- Mixed Mode Channel Scanning (Analog and Digital)
- Accessory and Cable Port
- Ethernet RJ-5 Port
- Back to Back and Wireless Repeater Link Modes
- IP Transit Mode (license required)
- Clarity Data Transmission Mode
- Bluetooth (specify model)
- GPS Positioning (specify model)
- Audio recording on TF/MicroSD Card (license required)
- MicroSD Card (license required)
- One touch call/text message/supplemental services
- Radio Enable/Disable and Remote Monitor
- Analog and Digital Emergency calling
- Lone Worker
- Pseudo trunk operation (DMO and RMO)
- SIP Phone (with optional speaker/mic with keypad)
- DTMF Dial (with optional speaker/mic with keypad)
- OTAP (Over the Air Programming)
- Multi-Site Roaming, Analog and Digital DTMF
- Supports XPT digital trunking
- Supports DMR Tier III Trunking (license required)
- 3 Year Standard Warranty (Radios only, not Accessories)



Standard Package		
Description	Part Number	Qty
Radio	HM782	1 pc
Palm Mic, Hanger, and Screws	SM16A1	1 pc
Fuse	POA33	1 pc
Mounting Bracket	BRK08	1 pc
Power cord	PWC10	1 pc

## HM782 Model Numbers

Model	Band Split	Description	MSRP
HM782-Uv	350-470MHz	Power 1-45 Watts, DMR Tier II and Analog conventional mode	\$810.90
HM782-V1	136-174MHz	Power 5-50 Watts, DMR Tier II and Analog conventional mode	\$810.90
HM782-G-BT-Uv	350-470MHz	Power 1-45 Watts, GPS (includes GPS04 antenna), Bluetooth, DMR Tier II and Analog conventional mode	\$907.20
HM782-G-BT-V1	136-174MHz	Power 5-50 Watts, GPS (includes GPS04 antenna), Bluetooth, DMR Tier II and Analog conventional mode	\$907.20

## Optional Software License

Item	Description	MSRP
SW00017	Advanced digital encryption for subscriber (128/256bit). Specify Hytera proprietary or DMRA encryption.	\$238.10
SW00029	DMR Tier III Trunking	\$208.40
SW00073	License for Audio Recording Function via TF/MicroSD Card	\$119.10
SW00080	IP Transit License	\$397.80

## Extended Warranty

Part #	Description	MSRP
DMR-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$99.80

# HM782 Accessories



## Power Supply Accessories

Item #	Image	Description	MSRP
PWC10		Vehicle Power Supply Cable, 9.84 ft. with SR, red/black, greater than 15A	\$36.10
PWC12		Vehicle Power Supply Cable, 16 ft. with SR, red/black, greater than 15A (Special Order)	\$73.60
PS22002		External Power Supply, 220W, backup power supply battery applicable. Two DC outputs: one for the device (e.g. repeater) and a second for an external power supply	\$390.40
PV8002		Power Supply (24VDC to 12VDC) (Special Order)	\$195.30
PS16001(H)		Base Station Chassis Power Supply, includes GPS cable. 90~264VAC 13.6V/22A National Standard	\$714.70
12492		Cabinet for DC-HM78X without SEC1223 (No Return & No Credit)	\$60.80
SEC1223		POWER SUPPLY Input 120VAC, Output 13.8VDC, 23 Amps	\$212.00









## Maintenance Kit

Item #	Image	Description	MSRP
PC37		HM782 HR1062 Programming Cable. 10Pin Mic Connector to USB.	\$46.90
PC60		Ignition Cable with DB26 connector. Connects to vehicle ignition to power radio when vehicle engine is turned off	\$58.60
PC47		Programming + downloading cable for CPS programming and firmware upgrades	\$57.10
PC49		Mobile to Mobile back-to-back cable, DB26 to DB26, length 60cm (23.6 in). (Special Order)	\$46.90


# HM782 Accessories



## Installation Accessories and Other Accessories

Item #	Image	Description	MSRP
BRK08		Vehicle Installation Kit	\$21.10
RCC32		HM782 Single Control Head Remote Kit (Face Plate + Head Back Plate + PC154 10M Cable)	\$372.40
RCC33		HM782 Single Control Head Remote Kit (Face Plate + Head Back Plate + PC160 3M Cable)	\$247.80
RCC34		HM782 Single Control Head Remote Kit (Face Plate + Head Back Plate + PC153 40M Cable)	\$465.50
RCC35		HM782 2nd Control Head End Kit (Head with BT + Head Back Plate, excluding Cable)	\$372.40
PC153		40m Cable to Connect 2nd Control Head RCC35	\$285.30
PC154		10m Cable to Connect 2nd Control Head RCC35	\$105.20
PC160		3m Cable to Connect 2nd Control Head RCC35	\$60.10

## GPS Antenna

Item #	Image	Description	MSRP
GPS04		Vehicle GPS Antenna (SMA, 1575MHZ)	\$19.30

# HM782 Accessories



## Audio Accessories

Item #	Image	Description	MSRP
SM27W2		Bluetooth Wireless Remote Speaker Microphone with Emergency button, (IP67)	\$165.30
SM16A1		Palm Microphone (IP54)	\$69.10
SM16A2		Waterproof Palm Microphone (IP67) (Special Order)	\$91.70
SM19A1		Palm Microphone with programmable keys and emergency call button	\$135.20
SM19A3		Palm microphone with keypad finished (with L/R key) IP54	\$135.50
SM09D1		External Speaker, 6ft cable, DB26 port	\$81.10
SM10A1		Desktop Microphone	\$105.20
SM20A1		Telephone Style Handset (Special Order)	\$246.30
SM20A2		Telephone Style Handset with Full Keypad and Emergency button (Special Order)	\$330.40

# HR652 Compact DMR Repeater



## Repeater Features

- Compact Size 7 5/16" x 8 5/16" x 3 3/16"
- Weight 4lb, 6oz (2.0kg)
- UHF 400-470MHz
- 1024 Channels, 1 zone ( 64 channels per zone)
- AI-Based Noise Cancellation
- 100% continuous duty cycle
- Accessory Port
- Ethernet RJ-45 Port
- DC Powered 14.4V ±15%
- Optional 14.4V/12.5Ah/1800W Battery (charged with PS8002)
- Easily installed on flat surfaces or used as portable repeater
- Supports two simultaneous voice paths in digital mode
- Supports operation in Analog and Digital mode
- Supports Single Frequency Repeater (license required)
- Auto detection between analog mode and digital mode
- Multiple CTCSS/CDCSS in analog and mixed channel
- Advanced heat sink design with fan for durable operation
- Basic encryption (ARC4)
- Enhanced AES encryption (license required)
- SIP capable to support telephone interconnect
- IP Site Connect (Analog and Digital mode) (license required)
- 3 Year Standard Warranty (Repeater only, not Accessories)



Standard Package		
Description	Part Number	Qty
Digital Repeater Radio	HR652	1 pc
Power Supply Cable	PWC36	1 pc

## HR652 Digital Repeater

Model	Band Split	Description	MSRP
HR652-U1	400-470MHz	DMR REPEATER UHF 400-470MHz, 1/25W, DMR Tier II & Analogue Conventional Mode	\$2,450.00

## Optional Software License

Item	Description	MSRP
SW00018	Advanced Digital Encryption (128/256bit) License for repeater, Hytera or AES	\$368.00
SW00008	IP Site Connect license for repeater	\$397.80
SW00158	HR652 SFR (Single Frequency Repeat) License	\$238.10



## Extended Warranty

Part #	Description	MSRP
RPT-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$661.50


# HR652 Accessories




## Power Supply Accessories

Item #	Image	Description	MSRP
PS8002		HR652 AC/DC Power Adapter 100~240VAC/2A 16.8V/8A Required to charge the battery	\$210.40
BL9915		Battery Pack Li-ion 12500mAh for HR652	\$1,652.00


## Audio Accessories

Item #	Image	Description	MSRP
SM25A1		Remote Speaker Microphone with LCD IP54 3m cord	\$166.70

## Carrying Accessories

Item #	Image	Description	MSRP
NCN035		Nylon Backpack Kit for HR652	\$410.00




## Installation Accessories

Item #	Image	Description	MSRP
BRK36		Bracket Kit wall mount Hytera Logo HR652	\$99.10


# HR652 Accessories



## Cable Kits

Item #	Image	Description	MSRP
PC37		HR652 Programming cable (programming only, no firmware upgrade), 10PIN mic connector to USB.	\$46.90
PC47		Programming plus in-cable switch for firmware upgrades	\$57.10
GPS04		Vehicle GPS Antenna (SMA, 1575MHZ)	\$19.30

## Duplexers

Item #	Image	Description	MSRP
MR3332S-3 (E6758b)		Duplexer, 6 cavity mobile SMA con., 5 MHz sep., 450-470 MHz Mobile Repeater (No Return & No Credit)	\$968.00

# HR1062 DMR Repeater



## Repeater Features

- Standard 1U: Size 1 3/4" x 19 x 14 3/4"
- Weight 17lb, 10oz (8.0kg)
- UHF 400-470MHz, VHF 136-174MHz
- 1024 Channels, 1 zone ( 64 channels per zone)
- AI-Based Noise Cancellation
- 100% continuous duty cycle
- Two Accessory Ports
- Ethernet RJ-45 Port
- AC and DC Power Inputs with AC/DC auto-switching
- Supports two simultaneous voice paths in digital mode
- Supports operation in Analog and Digital mode
- Auto detection between analog mode and digital mode
- Multiple CTCSS/CDCSS in analog and mixed channel
- Advanced heat sink design with variable speed fan for durable operation
- Power on user logo programming
- Basic encryption (ARC4)
- Enhanced AES encryption (license required)
- SIP capable to support telephone interconnect
- XPT digital trunking (license required)
- IP Site Connect (Analog and Digital mode) (license required)
- DMR Tier III (license required) (future feature)
- 3 Year Standard Warranty (Repeater only, not Accessories)



Standard Package		
Description	Part Number	Qty
Digital Repeater Radio	HR1062	1 pc
Power Supply Cable	PWC11	1 pc

## HR1062 Digital Repeater

Model	Band Split	Description	MSRP
HR1062-U1	400-470MHz	Power 5-50 Watts, DMR Tier II and Analog conventional mode	\$3,323.30
HR1062-V1	136-174MHz	Power 5-50 Watts, DMR Tier II and Analog conventional mode	\$3,323.30




## Optional Software License

Item	Description	MSRP
DT-13010100000030	Single site XPT license (upgrade from conventional)	\$2,165.90
DT-13010100000031	Multi-site XPT license (upgrade from single site)	\$500.20
DT-13010100000032	Multi-site XPT license (upgrade from conventional)	\$2,708.90
SW00018	Advanced Digital Encryption (128/256bit) License for repeater, Hytera or AES	\$368.00
SW00008	IP Site Connect license for repeater	\$397.80





## Extended Warranty

Part #	Description	MSRP
RPT-EW	Extended 2 year warranty. Adds 2 years to Standard 3 year warranty; total of 5 years	\$661.50

## Power Supply Accessories

Item #	Image	Description	MSRP
PWC03		Power Cord (3-core)	\$17.30
PS22002		External power supply, PS22002, finished, battery applicable, 90–264VAC, 13.8V/16ADC, CN-standard, low-noise, with Hytera logo, RVE:L	\$390.40
BRK12		Installation Accessory for Rack-mounted power supply (2U) (black)	\$82.70

## Audio Accessories

Item #	Image	Description	MSRP
SM09D1		External speaker	\$81.10
SM10A1		Desktop microphone with package	\$105.20
SM16A1		Palm microphone with package (Hytera) SM16A1	\$69.10
SM16A2		Palm water proof Microphone(IP67)(Special Order)	\$91.70

# HR1062 Accessories



## Cable Kits


Item #	Image	Description	MSRP
PC110		HM782 to HR1062 back-to-back cable for analog to digital cross or UHF to VHF cross (audio & control lines), DB26 to DB26, length 60cm (23.6 in). <b>(Special Order)</b>	\$48.10
PC142		HM782 to HR1062 wireless link application cable DB9/M to DB26/M, length 1m (39.4 in). <b>(Special Order)</b>	\$48.10
PC37		HM782 Programming cable (programming only, no firmware upgrade), 10PIN mic connector to USB.	\$46.90
PC40		HM782 Programming cable (programming only, no firmware upgrade). Rear connector DB26 to USB. <b>(Special Order)</b>	\$52.90
PWC31		12AWG 2pin red/black power cord, 600V AWM UL1015, 3.165m (10.4 Ft.). <b>(Special Order)</b>	\$45.10
POA147		Repeater back up cable, DB26 to DB26. <b>(Special Order)</b>	\$48.10
PC47		Programming plus in-cable switch for firmware upgrades	\$57.10

## Duplexers

Item #	Image	Description	MSRP
MD256N-2-1		Mobile duplexer, 6 cavity, 4.5 - 5.5 separation, 148-160MHz	\$581.90
MD356N-1-1		Mobile duplexer, 6 cavity, 5 MHz separation, 406-440MHz	\$581.90
MD356N-2-1		Mobile duplexer, 6 cavity, 5 MHz separation, 440-480MHz	\$581.90

## Software Features

- Register online/offline
- GPS location
- GPS history track
- Geo-fence alarm
- Call control (private/group/all)
- Crosspatch
- Simul-select
- Voice recording
- SMS message
- Enable/disable
- Call Alert Monitor
- Ambience listening
- Emergency Alarm
- History report
- Google online map
- Google offline map (optional)
- SIP Phone access (optional)
- Dispatcher Client
- DMR Tier II access (optional)
- Analog channel access (optional)
- Multi-Site XPT access (optional)



Developed in compliance with the ETSI DMR standard, the Hytera SmartXPT application is an efficient communication and support tool to manage and direct all your DMR conventional Tier II and Extended Pseudo-Trunking (XPT) radio subscribers. With its client-server architecture, modular design, and Voice-over-IP (VoIP) support, SmartOne (XPT) offers you the latest dispatching features in one software solution.

**Request quotation from your Regional Sales Manager**