# SNORTH EAST-SIEEE

#### Wangaratta

3 Barry Court, Wangaratta 3677

(03) 5722 2466

sales@northeaststeel.com.au

#### Benalla

68 Sydney Road, Benalla 3672

(03) 5762 1130

benallasales@northeaststeel.com.au



## YOUR LOCAL STEEL EXPERTS

#### Wangaratta


3 Barry Court, Wangaratta 3677 (03) 5722 2466

7am – 5pm Monday – Friday sales@northeaststeel.com.au

#### Benalla

68 Sydney Road, Benalla 3672 (03) 5762 1130

8am - 4:30pm Monday - Friday benallasales@northeaststeel.com.au



### **COMPANY PROFILE**

Located in Wangaratta and with a retail yard in Benalla, North East Steel is your go-to destination for high-quality steel products and exceptional service. As an independent, locally-owned business, we take pride in providing tailored solutions that set us apart from the competition.

Servicing the North East Region, from Wodonga to Euroa, Mansfield to Benalla, Bright to Shepparton, and everywhere in between – we proudly serve all areas of the North East region. Whether you're a builder, contractor, or DIY enthusiast, we deliver steel directly to your site, making your project easier and more efficient.


#### WE DO MORE THAN JUST SELL STEEL

At North East Steel, we provide more than just raw steel sales; we offer complete solutions customised to your needs. Whether you need custom cut lengths or full fabrication for your steel project, we have you covered.





DIRECT TO SITE DELIVERY





	CONTE	NTS
STEEL PRODUCTS	RHS + SHS Tube Steel	6-8
8300000	Flat Merchant Bar	8-10
3000000	Round + Square Merchant Bar	11
670000	Angle Merchant Bar	11-12
37000000	CHS Pipe	13-16
	Structural PFC UC + UB	16-17
SHEET & PLATE	Mild + Galv Sheet	17
	Mild Treadplate	17
N M I I I I I I I I I I I I I I I I I I	Aluminium Sheet + Treadplate	18
	Colorbond, Coldrolled, + Corten Sheet	18
	Stainless Sheet	18
ROOFING PRODUCTS	LYSAGHT® Roofing Range	19
	LYSAGHT® Walling Range	19
	LYSAGHT® Custom Flashings	20
	APEX Purlins + Top Hats	21
COLORBOND® FENCING	COLORBOND® Fence Panels	22
	COLORBOND® Fencing Accessories	22
	COLORBOND® Colour Range	23
CONCRETE SUPPLIES	Concrete Mesh	24
	Concrete Accessories	24
RURAL PRODUCTS	Pickets	25
	Strainers + Stays	25
	Gal Mesh Products	25
<b>建一种产品的</b>	Stock Rail + Specialty Products	25
WELDING SUPPLIES	CIGWELD Products	26
"有人在注意的特殊"	BOC Gas	26
RUBBER BELTING	Australian Rubber Belting	27

#### **RHS - Rectangles**



Size	Surface	Mass	Metres per	Pa	gth/ ack	Size		Surface Finish	Mass	Metres per	Pa	gth/ ack
mm x mm x mm	Finish	kg/m	Tonne		ndard	mm x mm	mm x mm x mm		kg/m	Tonne	Stan	ndaro
				8.0	12						8.0	12
50 x 20 x 1.6	P,D	1.63	615	96		125 x 75	x 2.0	P,D	6.07	165	24	
x 2.0	P,D	1.99	502	96			x 2.5	P,S,D	7.53	133	24	20
x 2.5	P,D	2.42	412	72		-	x 3.0	P,S,D	8.96	112	20	20
x 3.0	P,D	2.83	353	72			x 4.0	P,S,D	11.6	86.0	15	1
	200 201 Water 2010	1112000000	SANTAGE	ANGEL			x 5.0	P,S,D	14.2	70.2	15	1
50 x 25 x 1.6	P,S,D	1.75	571	96			x 6.0	P,D	16.7	59.7	12	6
x 2.0	P,S,D	2.15	465	96		0.000	77774477447	1840-00	DOMESTATION OF	101000	COMP.	ı
x 2.5	P,S,D	2.62	382	72		127 x 51		P	9.07	110	21	ı
x 3.0	P,S,D	3.07	326	60			x 5.0	P	12.5	79.9	18	ı
65 35 3.0	D.C.D.	2.02	244				x 6.0	P	14.7	68.2	14	ı
65 x 35 x 2.0	P,S,D	2.93	341	54 54		15050	20	0.0	6.07	4.00	-24	
x 2.5	P,S,D	3.60	278	45		150 x 50		P,D	6.07	165 133	21 24	2
x 3.0	P,S,D	4.25	236 187	45			x 2.5 x 3.0	P,D	7.53 8.96	112	21	1
x 4.0	P,D	5.35	187	45			x 4.0	P,S,D P,S,D	11.6	86.0	15	1
75 x 25 x 1.6	P,S,D	2.38	420	65			x 5.0	P,S,D	14.2	70.2	15	9
x 2.0	P,S,D	2.93	341	65			x 6.0	C,P,D	16.7	59.7	15	9
x 2.5	P,S,D	3.60	278	48			X 0.0	C,F,D	10.7	33.7	15	3
X 2.3	1,3,0	3.00	2/0	40		150 x 100	x 4.0	Р	14.8	67.7	12	9
75 x 50 x 1.6	P,S,D	3.01	332	54	54	130 X 100	x 5.0	P	18.2	55.0	12	8
x 2.0	P,S,D	3.72	269	42	42		x 6.0	P	21.4	46.6	9	6
x 2.5	P,S,D	4.58	218	42	665		x 8.0	P	27.7	36.1	6	4
x 3.0	P,S,D	5.42	184	35	24		x 9.0	Р	30.6	32.7	6	4
x 4.0	P,S,D	6.92	145	28	24		x 10.0	P,L	33.4	29.9	- 65	4
x 5.0	P,S,D	8.35	120	24	2002			22,625	D-Menos-	2020020		
x 6.0	P,D	9.67	103	20	16	152 x 76	x 5.0	P,L	16.4	60.7	12	1
	SACOCS	ACHE DE CONTRACTOR DE CONTRACT	000000	0,000	13124	0.000004.0040.0040.0040	x 6.0	P,L	19.4	51.5	9	9
76 x 38 x 2.5	P	4.15	241	45				355				
x 3.0	P	4.90	204	40		200 x 100	x 4.0	P	17.9	55.8	8	6
x 4.0	P	6.23	161	32			x 5.0	Р	22.1	45.3	8	6
		The State of the S	5-9/1200-	0.000	500.00		x 6.0	P	26.2	38.2	8	4
100 x 50 x 1.6	P,D	3.64	275	32	32		x 8.0	P,L	33.9	29.5	6	4
x 2.0	P,S,D	4.50	222	32	32		x 9.0	P	37.7	26.6	6	4
x 2.5	P,S,D	5.56	180	32	24		x 10.0	P,L	41.3	24.2		2
x 3.0	P,S,D	6.60	152	32	24	906 AM-500-1014-00-4		(0.504)	000000000000000000000000000000000000000	EDFORMA	2010	
x 3.5	P,S,D	7.53	133	24	18	250 x 150		С	29.9	33.4	6	4
× 4.0	P,S,D	8.49	118	24	18		x 6.0	С	35.6	28.1	4	4
x 5.0	P,S,D	10.3	96.9	18	15		x 8.0	C,L	46.5	21.5	4	2
x 6.0	P,D	12.0	83.1	15	12		x 9.0	C,L	51.8	19.3	4	2
	2	0.00	440	22	-		x 10.0	L	57.0	17.6		2
102 x 76 x 3.5	P	9.07	110	20			x 12.5	L	69.4	14.4		2
x 5.0	P	12.5	79.9	16			x 16.0	L	85.5	11.7		1
x 6.0	P	14.7	68.2	12								1





Size	Surface	Mass	Metres		gth/ ack	Size	Surface	Mass	Metres	Leng Pa			
mm x mm x mm	Finish	kg/m	per Tonne	Stan	dard	mm x mm x mm	Finish	kg/m	per Tonne	Stan	Standard		
				6.5	8.0					8.0	12		
20 x 20 x 1.6	P,S,D	0.873	1150	96		65 x 65 x 3.0	P,S,D	5.66	177	36			
x 2.0	P,S	1.05	953	96		x 4.0	P,S,D	7.23	138	30	l		
						x 5.0	P,S,D	8.75	114	25	l		
25 x 25 x 1.6	P,S,D	1.12	890	100	ll	x 6.0	P,D	10.1	98.6	20	l		
x 2.0	P,S,D	1.36	733	100					10.0000		l		
x 2.5	P,S,D	1.64	610	100		75 x 75 x 2.0	P,S,D	4.50	222	36	l		
x 3.0	P,S,D	1.89	529	100		x 2.5	P,S,D	5.56	180	30	l		
						x 3.0	P,S,D	6.60	152	30	l		
30 x 30 x 1.6	P,S,D	1.38	727		100	x 3.5	P,S,D	7.53	133	25	l		
x 2.0	P,S,D	1.68	596		100	x 4.0	P,S,D	8.49	118	25	l		
x 2.5	P,S	2.03	492		100	x 5.0	P,S,D	10.3	96.9	20	l		
x 3.0	P,S	2.36	423		64	x 6.0	P,D	12.0	83.1	16	l		
35 x 35 x 1.6	P,S,D	1.63	615		100	89 x 89 x 2.0	S	5.38	186	20	l		
x 2.0	P,S,D	1.99	502		100	x 3.5	P,S,D	9.07	110	20	l		
x 2.5	P,S,D	2.42	412		64	x 5.0	P,S,D	12.5	80.0	16	l		
x 3.0	P,S,D	2.83	353		64	x 6.0	P,D	14.7	68.3	12	l		
40 x 40 x 1.6	P,S,D	1.88	533		81	90 x 90 x 2.0	P,D	5.45	184	20	l		
x 2.0	P,S,D	2.31	434		81	x 2.5	P,D	6.74	148	20	l		
x 2.5	P,S,D	2.82	355		64						L		
x 3.0	P,S,D	3.30	303		64	100 x 100 x 2.0	P,D	6.07	165	20			
x 4.0	P,S,D	4.09	244		49	x 2.5	P,S,D	7.53	133	20	l		
						x 3.0	P,S,D	8.96	112	20			
50 x 50 x 1.6	P,S,D	2.38	420		64	x 4.0	P,S,D	11.6	86.0	16	3		
x 2.0	P,S,D	2.93	300		64	x 5.0	P,S,D	14.2	70.2	12	l		
x 2.5	P,S,D	3.60	278		49	x 6.0	P,D	16.7	59.7	12	3		
x 3.0	P,S,D	4.25	236		49	x 8.0	L	21.4	46.7	9			
x 4.0	P,S,D	5.35	187		36	x 9.0	P,L	23.5	42.5	9			
x 5.0	P,S,D	6.39	156		30	× 10.0	L	25.6	39.0				
x 6.0	L	7.32	137		25						L		
						125 x 125 x 4.0	C,P	14.8	67.7	12			
65 x 65 x 1.6	P,S,D	3.13	319		49	x 5.0	C,P	18.2	55.0	12	3		
x 2.0	P,S,D	3.88	258		42	x 6.0	C,P	21.4	46.6	9	3		
x 2.5	P,S,D	4.78	209		42	x 8.0	L	27.7	36.1	6	1		
						x 9.0	C,P,L	30.6	32.7	8	3		
					ΙÍ	x 10.0	L	33.4	29.9	l	9		



<b>.</b>			M	Metres	Lenç Pa		C:			Maria	Metres	Leng Pa	
Size mm x mm		Surface Finish	Mass kg/m	per Tonne	Stan	dard	Size mm x mm		Surface Finish	Mass kg/m	per Tonne	Stand	dard
					8.0	12						8.0	12
150 x 150	x 5.0	C,P	22.1	45.3	9	6	300 x 300	x 8.0	L	71.6	14.0		1
	x 6.0	C,P	26.2	38.2	6	6		x 10.0	L	88.4	11.3		1
	x 8.0	L	33.9	29.5	6	4		x 12.5	L	109	9.21		1
	x 9.0	C,P,L	37.7	26.6	6	4		x 16.0	L	136	7.36		1
	x 10.0	L	41.3	24.2	- 52	2				1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1			
							350 x 350	x 8.0	L	84.2	11.9		1
200 x 200	x 5.0	C,P	29.9	33.4	6	4		x 10.0	L	104	9.61		1
	x 6.0	C,P	35.6	28.1	4	4		x 12.5	L	128	7.80		1
	x 8.0	L	46.5	21.5	4	2		x 16.0	L	161	6.21		1
	x 9.0	C,L	51.8	19.3	4	2			711	1413,433			
	x 10.0	L	57.0	17.6		2	400 x 400	x 10.0	L	120	8.35		1
	x 12.5	L	69.4	14.4		2	No.	x 12.5	L	148	6.76		1
	x 16.0	L.	85.5	11.7		1		x 16.0	L	186	5.38		1
250 x 250	x 6.0	C,L	45.0	22.2	4	2							
	x 8.0	L	59.1	16.9	4	2							
	x 9.0	C,L	65.9	15.2	2	2							
	x 10.0	L	72.7	13.8		2							
	x 12.5	L	89.0	11.2		1							
	x 16.0	L	111	9.04		1							

#### Flat Bar - Round Edge - 4M

n	Size		Mass kg/m	Metres per Tonne	m	Size nm x ı		Mass kg/m	Metres per Tonne
10	x	3	0.24	4132	16	x	3	0.39	2590
13	x	3	0.31	3185		x	5	0.64	1552
	x	5	0.52	1912		x	8	1.03	971
	x	6	0.63	1592					

Flat Bar - Square Edge - 6M

n	Siz nm x		Mass kg/m	Metres per Tonne	n	Siz nm x	-	Mass kg/m	Metres per Tonne
20	x	3	0.48	2070	65	x	3	1.57	637
	x	5	0.81	1242		x	5	2.62	382
	x	6	0.97	1035	Ш	x	6	3.14	319
	x	10	1.61	622	Ш	x	8	4.18	239
					Ш	x	10	5.23	191
25	X	3	0.60	1658	Ш	x	12	6.28	159
	x	5	1.01	994	Ш	X	16	8.37	120
	x	6	1.21	829	Ш	x	20	10.5	95.6
	x	8	1.61	622	Ш	x	25	13.1	76.5
	x	10	2.01	497					
	x	12	2.41	414	75	X	5	3.02	331
						x	6	3.62	276
32	x	3	0.77	1295	Ш	x	8	4.83	207
	x	5	1.29	777	Ш	x	10	6.04	166
	x	6	1.55	647	Ш	x	12	7.24	138
	x	8	2.06	485	Ш	x	16	9.66	104
	x	10	2.58	388	Ш	x	20	12.1	82.9
	x	12	3.09	324	Ш	x	25	15.1	66.3
					Ш	x	40	24.1	41.4
40	x	3	0.97	1035					
	x	5	1.61	622	90	X	5	3.62	283
	x	6	1.93	518		x	6	4.35	230
	x	8	2.58	388	Ш	x	8	5.79	173
	x	10	3.22	311	Ш	x	10	7.24	138
	x	12	3.86	259	Ш	x	12	8.69	115
	x	16	5.15	194					
	x	20	6.44	159	100	x	5	4.02	249
						x	6	4.83	207
50	x	3	1.21	829	Ш	x	8	6.44	155
	x	5	2.01	497	Ш	x	10	8.05	124
	×	6	2.41	414	Ш	x	12	9.66	104
	x	8	3.22	311	Ш	x	16	12.9	77.7
	×	10	4.02	249		×	20	16.1	62.1
	×	12	4.83	207		x	25	20.1	49.7
	x	16	6.44	155		x	50	40.2	24.9
	x	20	8.05	124	II				
	x	25	10.1	99.4	Ш				

Flat Bar - Square Edge - 6M

m	Size nm x		Mass kg/m	Metres per Tonne	n	Siz nm x	_	Mass kg/m	Metres per Tonne
110	x	6	5.31	188	180	x	12	17.4	57.5
	x	8	7.08	141		x	16	23.2	43.2
	x	10	8.85	113	Ш	x	20	29.0	34.5
	x	12	10.6	94.2		x	25	36.2	27.6
130	x	5	5.23	191	200	x	6	9.66	104
	x	6	6.28	159	Ш	x	8	12.9	77.7
	x	8	8.37	120	Ш	x	10	16.1	62.1
	x	10	10.5	95.6	Ш	x	12	19.3	51.8
	x	12	12.6	79.7	Ш	x	16	25.7	38.8
	x	16	16.7	59.8	Ш	X	20	32.2	31.1
	x	20	20.9	47.8	Ш	x	25	40.3	24.9
	X	25	26.2	38.2	5-2-5-6-2		800		
				- 170-20-0	250	X	6	12.1	82.9
150	X	5	6.04	166		X	8	16.1	62.2
	x	6	7.24	138	Ш	X	10	20.1	49.7
	x	8	9.66	104	Ш	X	12	24.1	41.4
	X	10	12.1	82.9	Ш	x	16	32.2	31.1
	x	12	14.5	69.1	Ш	x	20	40.2	24.9
	X	16	19.3	51.8	Ш	x	25	50.3	19.9
	X	20	24.1	41.4	11				
	X	25	30.1	33.1	300	X	6	14.5	69.1
	x	50	60.4	16.6		x	8	19.3	51.8
		1,000		5A 3868 AC	Ш	x	10	24.1	41.4
180	X	5	7.24	138	П	x	12	29.0	34.5
	x	6	8.69	115	П	x	16	38.6	25.9
	x	10	14.5	69.1	Ш	x	20	48.3	20.7
					Ш	x	25	60.4	16.6

#### Flats - Galvanised - 6M

Size mm	Nominal Thickness mm	Mass kg/m	Metres per Tonne	Pack Size (Lns)	Size mm	Nominal Thickness mm	Mass kg/m	Metres per Tonne	Pack Size (Lns)
50	4	1.49	671	57	100	4	2.98	336	28
	5	1.84	543	45	V-300	5	3.69	271	28
						6	4.71	212	26
65	4	1.94	515	44		6 8	6.28	160	22
	5	2.40	417	36					
75	4	2.24	447	38	130	5	4.80	208	28

#### Round Bar - 6M

Diameter mm x mm	Mass kg/m	Metres per Tonne	Diameter mm x mm	Mass kg/m	Metres per Tonne
10	0.64	1563	56	19.8	50
12	0.92	1087	60	22.8	44
14	1.24	806	65	26.7	37
16	1.62	617	75	35.6	28
18	2.05	488	80	40.5	24
20	2.53	395	90	51.2	20
22	3.06	327	100	63.2	16
24	3.65	274	110	76.5	13
27	4.61	217	120	91.0	11
30	5.69	176	130	107	9.4
33	6.89	145	140	124	8.1
36	8.20	122	150	142	7.0
39	9.62	104	160	162	6.2
42	11.15	90	170	182	5.5
45	12.80	78	180	205	4.9
48	14.57	69	190	229	4.4
50	15.80	63	200	253	4.0



#### Square Bar - 6M

Size mm x mm	Mass kg/m	Metres per Tonne
10 x 10	0.81	1235
12 x 12	1.16	862
16 x 16	2.06	485
20 x 20	3.22	311
25 x 25	5.03	219
32 x 32	8.24	121
40 x 40	12.8	78

#### Billets - 6M

Size mm x mm	Mass kg/m	Metres per Tonne
45 x 45	16.30	61
50 x 50	27.80	36
63 x 63	31.20	32
75 x 75	45.27	22



#### Angles - Unequal

Size mm x mn	Mass kg/m		Metres per Tonne
65 x 50 x	5	4.02	249
×	6	5.16	194
х	8	6.59	152
75 x 50 x	5	4.40	227
×	6	5.64	177
×	8	7.21	139
100 x 75 x	6	7.98	125
×	8	10.3	97
×	10	12.4	81

Size mm x m	ım	Mass kg/m	Metres per Tonne
125 x 75	x 6	9.16	109
	x 8	11.8	85
	x 10	14.2	70
	x 12	17.7	57
150 x 90	x 8	14.3	70
	x 10	17.3	58
	x 12	21.6	46
	x 16	27.9	36
150 x 100	x 10	18.0	56
	x 12	22.5	44



#### Angles - Equal

Size mm x mm	Mass kg/m	Metres per Tonne	Size mm x mm	Mass kg/m	Metres per Tonne	
20 x 20 x 3	0.95	1053	75 x 75 x 5	5.27	190	
			x 6	6.81	147	
25 x 25 x 3	1.12	893	x 8	8.73	115	
x 5	1.65	606	x 10	10.5	95	
x 6	2.08	481				
			90 x 90 x 6	8.22	122	
30 x 30 x 3	1.35	741	x 8	10.6	94	
x 5	2.01	498	x 10	12.7	79	
x 6	2.56	391				
			100 x 100 x 6	9.16	109	
40 x 40 x 3	1.83	546	x 8	11.8	85	
x 5	2.73	366	x 10	14.2	70	
x 6	3.50	286	x 12	17.7	57	
45 x 45 x 3	2.06	485	125 x 125 x 8	14.9	67	
x 5	3.10	323	x 10	18.0	56	
x 6	3.97	252	x 12	22.5	44	
			x 16	29.1	34	
50 x 50 x 3	2.31	433	(593946)		(500000)	
x 5	3.48	287	150 x 150 x 10	21.9	46	
x 6	4.46	224	x 12	27.3	37	
x 8	5.68	176	x 16	35.4	28	
			x 19	42.1	24	
55 x 55 x 5	3.84	260				
x 6	4.93	203	200 x 200 x 13	40.0	25	
			x 16	48.7	21	
65 x 65 x 5	4.56	219	x 18	54.4	18	
x 6	5.87	170	x 20	60.1	17	
x 8	7.51	133	x 26	76.8	13	
× 10	9.02	111				

#### Angles - Galvanised


Size	iize Nominal Thickness	Mass	Metres per	Pa	gth/ ack	Size	Nominal Thickness	Mass	Metres per	Pa	gth/ ack
mm	mm	kg/m	Tonne	Star	ndard	mm	mm	kg/m	Tonne	Stan	dard
				6.0	9.0					9.0	12
30 x 30	2.5	1.06	947	80		65 x 65	4.0	3.69	271	22	
				100000			5.0	4.51	222	22	
40 x 40	2.5	1.43	699	60			6.0	5.62	178	18	
	4.0	2.20	455	39			00000000				
	2000000	100000000000000000000000000000000000000		1000000		75 x 75	4.0	4.29	233	22	
45 x 45	2.5	1.62	617	54			5.0	5.25	190	22	
	4.0	2.50	400	36			8.0	8.59	116	18	
50 x 50	2.5	1.81	553	33	33	90 x 90	5.0	6.37	157	22	
	4.0	2.80	357	27	27		8.0	10.5	95.2	18	
	5.0	3.40	294	l	24						
	6.0	4.21	238	l	21	100 x 100	6.0	8.92	112		16
							8.0	11.7	85.5		14





Size (NB)	Section	Outside Diameter mm	Wall Thickness mm	Mass kg/m	Metres per Tonne	Pack Siz (Lns)
15	Medium	21.3	2.6	1.21	830	217
20	Extra Light	26.9	2.0	1.23	814	127
	Light		2.3	1.40	717	127
	Medium		2.6	1.56	642	127
	Heavy		3.2	1.87	535	127
	Extra Heavy		4.0	2.26	443	127
25	Extra Light	33.7	2.0	1.56	640	91
	Light		2.6	1.99	501	91
	Medium		3.2	2.41	414	91
	Heavy		4.0	2.94	340	91
32	Extra Light	42.4	2.0	1.99	502	61
	Light		2.6	2.55	392	61
	Medium		3.2	3.10	322	61
	Heavy		4.0	3.80	263	61
40	Extra Light	48.3	2.3	2.61	382	61
	Light		2.9	3.25	308	61
	Medium		3.2	3.57	280	61
	Heavy		4.0	4.38	228	61
	Extra Heavy		5.4	5.71	175	61
50	Extra Light	60.3	2.3	3.29	304	37
	Light		2.9	4.11	244	37
	Medium		3.6	5.03	199	37
	Heavy		4.5	6.19	161	37
	Extra Heavy		5.4	7.31	137	37
65	Extra Light	76.1	2.3	4.19	239	37
	Light	_	3.2	5.75	174	37
	Medium		3.6	6.43	156	37
	Heavy		4.5	7.93	126	37
	Extra Heavy		5.9	10.2	97.9	37
80	Extra Light	88.9	2.6	5.53	181	19
	Light		3.2	6.76	148	19
	Medium		4.0	8.37	120	19
	Heavy		5.0	10.3	96.8	19
	Extra Heavy		5.9	12.1	82.8	19
90	Extra Light	101.6	2.6	6.35	158	19
	Light		3.2	7.77	129	19
	Medium		4.0	9.63	104	19
	Heavy		5.0	11.9	84.0	19





#### **CHS Large Structural**

Size d. x t (mm)	Mass kg/m	Pack Size (Lns)	Size d. x t (mm)	Mass kg/m	Pack Size (Lns)	Size d. x t (mm)	Mass kg/m	Pack Size (Lns)
168.3 x 4.8	19.4	1	323.9 x 6.4	50.1	1	406.4 x 12.5	121	1
x 6.4	25.6	1	x 9.5	73.7	1	x 12.7	123	1
x 7.1	28.2	1	x 12.5	96.0	1 1 1	0.000	1, 140000	N-11-0E
			x 12.7	97.5	1	457.0 x 6.4	71.1	1
219.1 x 4.8	25.4	1	50,000,000	**0765	50	x 9.5	105	1
x 6.4	33.6	1	355.6 x 6.4	55.1	1	x 12.5	137	1
x 8.2	42.6	1	x 9.5	81.1	1	x 12.7	139	1
x 12.5	63.7	1	x 12.5	106	1 1			
			x 12.7	107	1	508.0 x 6.4	79.2	1
273.1 x 4.8	31.8	1	LATAN SEATON	tempera		x 9.5	117	1
			406.4 x 6.4	63.1	1	x 12.5	153	1
273.1 x 6.4	42.1	1	x 9.5	93.0	1	x 12.7	155	1
x 9.3	60.5	1						
x 12.5	80.3	1						

Pipe - Galvanised - 6.5M



Nominal Size (NB)	Section	Outside Diameter mm	Wall Thickness mm	Mass kg/m	Metres per Tonne	Pack Si (Lns)
15	Medium	21.3	2.6	1.24	806	217
20	Extra Light	26.9	2.0	1.28	784	127
20	Light	20.5	2.3	1.44	694	127
	Medium		2.6	1.60	623	127
	Heavy		3.2	1.92	522	127
25	Extra Light	33.7	2.0	1.62	616	91
(H-25/3)	Light	3D23828500	2.6	2.05	487	91
	Medium		3.2	2.47	404	91
	Heavy		4.0	3.00	334	91
32	Extra Light	42.4	2.0	2.07	483	61
	Light	5-33000-0-005	2.6	2.63	381	61
	Medium		3.2	3.18	315	61
	Heavy		4.0	3.87	258	61
40	Extra Light	48.3	2.3	2.70	369	61
	Light		2.9	3.33	300	61
	Medium		3.2	3.65	274	61
	Heavy		4.0	4.46	224	61
50	Extra Light	60.3	2.3	3.40	294	37
	Light		2.9	4.21	237	37
	Medium		3.6	5.14	195	37
	Heavy		4.5	6.30	159	37
65	Extra Light	76.1	2.3	4.33	231	37
	Light	5-63-5365-54	3.2	5.89	170	37
	Medium		3.6	6.56	152	37
	Heavy		4.5	8.07	124	37
80	Extra Light	88.9	2.6	5.70	176	19
	Light		3.2	6.92	144	19
	Medium		4.0	8.53	117	19
	Heavy		5.0	10.5	95.3	19
90	Extra Light	101.6	2.6	6.53	153	19
	Light		3.2	7.95	126	19
	Medium		4.0	9.81	102	19
	Heavy		5.0	12.1	82.7	19
100	Extra Light	114.3	3.2	8.98	111	19
	Light		3.6	10.0	99.6	19
	Medium		4.5	12.4	80.8	19
	Heavy		5.4	14.7	68.1	19

Pipe - Galvanised - 6.5M




Nominal Size (NB)	Section	Outside Diameter mm	Wall Thickness mm	Mass kg/m	Metres per Tonne	Pack Size (Lns)
125	Extra Light	139.7	3.0	10.4	6.4	13
Cessage	Light	4.00-0.0000	3.5	12.0	83.2	13
	Medium		5.0	16.9	59.3	13
	Heavy		5.4	18.1	55.2	13
150	Extra Light	165.1	3.0	12.3	81.3	10
	Light		3.5	14.3	70.2	10
	Medium		5.0	20.0	49.9	10
	Heavy		5.4	21.6	46.4	10

#### **Channels - Parallel Flange**

Size mm x mm		Mass kg/m	Metres per Tonne	
50	x 25*	4.50	222	
75	x 40	5.92	169	
100	x 50	8.33	120	
125	x 65	11.9	84.0	
150	x 75	17.7	56.5	
180	x 75	20.9	47.9	


Size mm x mm	Mass kg/m	Metres per Tonne
200 x 75	22.9	43.7
230 x 75	25.1	39.8
250 x 90	35.5	28.2
300 × 90	40.1	24.9
380 × 100	55.2	18.1

#### Columns - Universal



Metric Designation	Size mm x mm	Mass kg/m	Metres per Tonne
250 UC	254 x 254	72.9	14
	260 x 256	89.5	11
310 UC	308 x 305	96.8	10
	315 x 307	118	8
	321 x 309	137	7
	327 x 311	158	6

<sup>\*</sup>Taper Flange Channel



Metric Pesignation	Size mm x mm	Mass kg/m	Metres per Tonne	Metric Designation	Size mm x mm	Mass kg/m	Metre Tor
150 UB	150 x 75	14.0	71	360 UB	352 x 171	44.7	2
	155 x 75	18.0	56	1	356 x 171	50.7	2
				1	359 x 172	56.7	1
180 UB	173 x 90	16.1	62	1			
	175 x 90	18.1	55	410 UB	403 x 178	53.7	1
	179 x 90	22.2	45		406 x 178	59.7	1
200 UB	198 x 99	18.2	55	460 UB	454 x 190	67.1	1
	202 x 133	22.3	45	2002 2002 2000	457 x 190	74.6	1
	203 x 133	25.4	39	1	460 x 191	82.1	1
	207 x 134	29.8	34	1			
				530 UB	528 x 209	82.0	1
250 UB	248 x 124	25.7	39	1	533 x 209	92.4	1
	252 x 146	31.4	32	I			
	256 x 146	37.3	27	610 UB	602 x 228	101	1
					607 x 228	113	9
310 UB	298 x 149	32.0	31		612 x 229	125	8
	304 x 165	40.4	25				
	307 x 166	46.2	22				

## SHEETS & PLATES

Sheet - Grade 250


Thickness mm	Mass kg/m²	Width mm	Length mm
1.60	12.85	1200	2400
2	15.59	1200	2400
3	23.55	1200	2400
5	39.25	1200	2400
6	47.10	1200	2400
8	62.80	1200	2400
10	78.50	1200	2400
12	94.20	1200	2400
16	125.60	1200	2400
20	157.00	1200	2400

**Sheet - GALV** 

Thickness mm	Mass kg/m²	Width mm	Length mm
0.55	4.61	1200	2400
0.75	6.18	1200	2400
0.95	7.75	1200	2400
1.20	9.71	1200	2400
1.60	12.85	1200	2400
2	15.59	1200	2400
3	23.55	1200	2400

Plate - Floor

	Thickness mm	Mass kg/m²	Width mm	Length mm
	2.1	18.54	1200	1800
	2.1	18.54	1200	2400
П	3	25.55	1200	2400
П	5	41.25	1200	2400
П	6	49.10	1200	2400
	8	64.80	1200	2400
П				





## SHEETS & PLATES

#### **Sheet - ALU**



#### Floor Plate - ALU



Thickness mm	Mass kg/m²	Width mm	Length mm
1.60	4.35	1200	2400
2	5.5	1200	2400
3	8.1	1200	2400
3	8.1	1500	3000
5	13.55	1200	2400

Thickness mm	Mass kg/m²	Width mm	Length mm
1.60	4.35	1200	2400
2	5.5	1200	2400
3	8.1	1200	2400
3	8.1	1500	3000
5	13.55	1200	2400

#### **Sheet - COLORBOND®**

Size mm x mm x mm	Colours	Kg/m²
1200 x 2400 x 0.55	Bluegum*, Manor Red*, Jasper*, Dover White™, Classic Cream™, Gully*, Surfmist*, Paperbark *, Dune*, Shale Grey™, Windspray*, Woodland Grey*, Southerly*, Pale Eucalypt*, Night Sky*, Cottage Green*, Basalt*, Monument™, Deep Ocean*, Ironstone*, Evening Haze*, Wallaby*,	4. <del>4</del> 9

All trademarks or registered trademarks for Colorbond® colours are registered to BlueScope Steel Ltd.

#### **Sheet - ZINCALUME**

Thickness	Mass	Width	Length
mm	kg/m²	mm	mm
0.55	4.49	1200	2400

#### **Sheet - COR-TEN**

Thickness mm	Mass kg/m²	Width mm	Length mm
2.00	15.70	1200	2400
3.00	23.55	1200	2400

#### Plate - COLD ROLLED

Thickness mm	Mass kg/m²	Width mm	Length mm
1.00	7.85	1200	2400
1.20	9.42	1200	2400

#### **Stainless Steel - Sheet**


Grade	Thickness Range mm	Width mm	Length mm
304	0.95 to 6.00	1200	2400
316	0.95 to 6.00	1200	2400

### ROOFING PRODUCTS




**Proud supplier of LYSAGHT®** steel building products

#### LYSAGHT® ROOFING RANGE




#### LYSAGHT® WALLING RANGE



For full Colorbond range, see page 23





Roofing products rolled to length. Available in Colorbond\* / Zinccalume / Galvanized

The line drawings depicted on this page are the property of LYSAGHT® and are protected by copyright.

### ROOFING PRODUCTS



**Proud supplier of LYSAGHT®** steel building products

#### Standard Flashings - Made to order

#### Victoria

Side capping

CUSTOM ORB® (Universal Capping)
Code: UC



TRIMDEK\* & SPANDEK\*





#### Baffle flashing

CUSTOM ORB® (Universal)



TRIMDEK® & SPANDEK® Code: STBF





#### Ridge capping



V-RIDGE




KLIPLOK\*



TRIMDEK® & SPANDEK®




#### Valley gutter



#### **Counter flashing**



Barge roll



#### **Custom Flashings - Made to order**

#### **ROOF FLASHINGS, CAPPINGS AND GUTTERS**

#### **GIRTH RANGE (MM)**

600	
750	
900	
1000	
1200	
	750 900 1000

#### AVAILABILITY OF MATERIALS (BMT MM)

State	GALVABOND® steel	ZINCALUME® steel	COLORBOND® steel
VIC	0.55, 1.0	0.55, 1.0	0.55

#### **PRELIMINARY**

Check with your local Service Centre for:

- 1. Available girth range
- 2. Available colours
- 3. Profiles not shown
- 4. Maximum lengths
- 5. Lead times
- 6. How to handle tapered flashings

#### **ORDER REQUIREMENTS**

On a sketch show

- 1. Profile type
- 2. Colour (or ZINCALUME® steel, or GALVABOND® steel if not COLORBOND® steel)
- 3. Side on which colour is to be
- 4. Dimensions
- 5. Angles on all bends that are not 90 degrees
- 6. Quantity and lengths




The line drawings depicted on this page are the property of LYSAGHT® and are protected by copyright.

## **ROOFING PRODUCTS**



#### Purlins rolled to order - Custom punching available








#### **DIMENSIONS - C SECTION**

PURLIN SECTION	W MM	F MM	L MM	THICKNESS BMT MM	SECTION MASS KG/MM
C10010	102	51	12.5	1.0	1.78
C10012	102	51	13.0	1.2	2.10
C10015	102	51	14.0	1.5	2.62
C10019	102	51	15.0	1.9	3.29
C15010	152	64	14.5	1.0	2.37
C15012	152	64	15.0	1.2	2.89
C15015	152	64	16.0	1.5	3.59
C15019	152	64	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.70
C20015	203	76	16.0	1.5	4.49
C20019	203	76	19.5	1.9	5.74
C20024	203	76	21.0	2.4	7.24
C25019	254	76	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.16
C30024	300	96	28.0	2.4	10.09
C30030	300	96	31.0	3.0	12.56
C35030	350	125	30.0	3.0	15.09

#### **DIMENSIONS - Z SECTION**

PURLIN SECTION	W MM	F1 MM	F2 MM	L MM	THICKNESS BMT MM	SECTION MASS KG/MM	
Z10010	102	53	49	12.5	1.0	1.78	
Z10012	102	53	49	13.0	1.2	2.10	
Z10015	102	53	49	14.0	1.5	2.62	
Z10019	102	53	49	15.0	1.9	3.29	
Z15010	152	65	61	14.5	1.0	2.37	
Z15012	152	65	61	15.0	1.2	2.89	
Z15015	152	65	61	16.0	1.5	3.59	
Z15019	152	65	61	17.0	1.9	4.51	
Z15024	152	65	61	18.5	2.4	5.70	
Z20015	203	79	74	16.0	1.5	4.49	
Z20019	203	79	74	19.5	1.9	5.74	
Z20024	203	79	74	21.0	2.4	7.24	
Z25019	254	79	74	19.0	1.9	6.50	
Z25024	254	79	74	20.5	2.4	8.16	
Z30024	300	100	93	28.0	2.4	10.09	
Z30030	300	100	93	31.0	3.0	12.56	

#### **Top Hats**



## LYSAGHT® FENCING RANGE






**Proud supplier of LYSAGHT®** steel building products

#### **NEETASCREEN® - Rolled to order**



**NEETASCREEN® INFILL LYSAGHT® FENCE POST LYSAGHT® FENCE RAIL** 

#### Gates to suit



The line drawings depicted on this page are the property of LYSAGHT® and are protected by copyright.

## COLORBOND® COLOUR RANGE

#### Standard colours - Roofing and rainwater goods



#### Standard colours - Fencing



The colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones and finishes.



## CONCRETE SUPPLIES

#### **Mesh - Reinforcing**

Reference Number	Sheet Size m x m		Wire Spacing mm x mm		_	Wire Diameter mm	Weight kg
	6 x	2.4	100	x	100	7.60	105
SL 102	6 x	2.4	200	x	200	9.50	80
SL 92	6 x	2.4	200	×	200	8.60	66
SL 82	6 x	2.4	200	x	200	7.60	52
SL 72	6 x	2.4	200	X	200	6.75	41



#### Mesh - Trench

Reference Number	Width (metre)	Wire Spacing mm x mm	Diameter Long/Cross mm/mm	
11TM300	0.3	100 x 300	11/4	
11TM400	0.4	100 x 300	11/4	
11TM500	0.5	100 x 300	11/4	
12TM300	0.3	100 x 300	12/4	
12TM400	0.4	100 x 300	12/4	
12TM500	0.5	100 x 300	12/4	



#### **Deformed Bar**

Reference Number	Diameter mm	Mass kg/m	Meters Per Tonne	
N10S	10	0.63	1582	
N12S	12	0.91	1099	
N16S	16	1.62	617	
N20S	20	2.53	395	



#### Ligs, Rings, Starter Bars and Concrete Accessories also available



### **RURAL SUPPLIES**





#### **Star Pickets**

GALV 1650mm 1800mm MAXIS BLACK TAR 1650mm 1800mm MAXIS



#### **Oval Rail**

6,100mtr GALV 115x42 59x30



#### **Galv Pipe Strainers**

100NB 2.1mtr (7ft) 2.4mtr (8ft) Heavy + light wall



#### **Galv Pipe Stays**

40NB + 50NB 3.1mtr (10ft)



#### **Mesh - Expanded Metal**

Reference Number		t Size x m		Si	Opening ze x mm	Strand Width mm	Mass Ea/kg
R14	3.0 x	1.20	45	x	135	8.0	50.4
(WK4514)	x	0.90	200704 12	×	135	8.0	37.8
	x	0.75		x	135	8.0	31.5
	×	0.60		x	135	8.0	25.2

#### Mesh - Galvanized Wire

Reference Number	Sheet Size m x m			Wire Spacing mm x mm		Wire Diameter mm	Weight kg
G113	3 x	2.4	25	х	25	3.15	36
G224	3 x	2.4	50	×	50	4.00	29
G225	3 x	2.4	50	x	50	5.00	45
G234	3 x	2.4	50	×	75	4.00	24
G235	3 x	2.4	50	x	75	5.00	39
G112AHS	2.0 x	1.2	25	×	25	2.50	8
G234HS	2.0 x	1.2	50	×	75	4.00	8
G224HS	2.0 x	1.2	50	x	50	4.00	10
G444HS	2.0 x	1.2	100	×	100	5.00	6

Prefab farm panels, gates, wire mesh and much more!

Don't see what you need? Get in touch to see if we can order it for you!

## WELDING SUPPLIES

## **CIGWELD**

#### **Cigweld Welders**

**ARC Welders** 

MIG Welders

TIG Welders

Multi Process

Plasma Cutters

#### **Welding Equipment**

Helmets

Gloves

PPF

Consumables



## **BOC ELGAS**

North East Steel is your trusted, registered BOC GAS and ELGAS agent in the North East. Now, you can conveniently purchase both gas and steel from a single provider. Need delivery? Simply give us a call, and we'll include your order in our next truck run to your location!




### **RUBBER BELTING**

Australian Rubber Belting, based at our North East Steel Benalla site, are suppliers of used rubber conveyor belting. Perfect for all your agricultural needs, piggeries, dairies, stables, grain storage and more.



We can cut to size and offer competitive prices.

Freight available.






1300 096 432



sales@australian rubber belting.com. au



# STEEL.