

HAMMER DOWN DISTRIBUTION

CONCRETE COATING EDITION


Flake and Universal Tint Packs

Hammer Down Distribution has a large selection of flake and universal tint packs inhouse and ready to go. Ask about custom colors!

FLAKES

\$84.60 PER 40 LB





UNIVERSAL TINT PACKS

\$106.81 PER 48 0Z

Professional Flooring Universal Tint Pack Universal Tint Packs are 100% solids, zero VOC line of pigment packs designed to be easily mixed into clear epoxy, urethane, polyurea and polyaspartics.




Table of Contents

HAMMER DOWN DISTRIBUTION

- 1. One-Day Flake Floor Systems
- 2. Two-Day Flake Floor Systems
- 3. Single-Broadcast Floor Systems (1-day)
- 4. Double-Broadcast Floor Systems (2-day)
- 5. Grind & Seal Systems
- 6. Grind, Stain, and Seal Systems
- 7. Metallic Floor Systems
- 8. One-Day Color Coat Systems
- 9. Two-Day Color Coat Systems
- 10. Ancillary Supplies and Equipment
- 11. Durável Products

HAMMER DOWN OSSTRIBUTION

1-DAY FLAKE SYSTEMS






Base Coat Poly-350

Polyurea-350 is available clear which allows the installer to customize the color of the floor being installed using universal tints. It dries quickly with exceptional adhesion to a number of substrates and the high solids content makes it a great choice for both interior and exterior applications requiring minimal to no odor.

3 Gallons: \$227.00 Also available in 15 gallons.



40-lb box Broadcast: starting at \$94.00



1-DAY FLAKE SYSTEMS

HEAVY DUTY ALTERNATIVES



Polyurea-1 HD: \$0.23/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

UV Stable, excellent chemical and abrasion resistance

Easy roller application; unlimited pot life



Polyurea-3 WB: \$0.25/sq ft

Excellent UV resistance

Apply from 50° to 90°F

Chemical resistant

Low odor

Mixed VOC < 50 g/L (per EPA method 24)

Interior and exterior applications



Poly-4XT: \$0.49/sq ft

• Quick full return to service in 4 hours at 75°F & 50% RH

• Tough and durable, 3X more scratch & mar resistant

VOC compliance

Easy roller application

UV Stable, excellent chemical and abrasion resistance

1 Gallon: \$317.76

2 Gallons: \$220.80

3 Gallons: \$325.54



TOP COAT ALTERNATIVES

UL-80 Polyaspartic: \$0.83/sq ft

Rapid return to service in 24 hours

One coat coverage over broadcast systems

UV Stable, excellent chemical, abrasion and heat resistance

· Available in gloss finishes

Low to no odor

Can be applied at temperatures between 30°F to 90°F

ET-80 Polyaspartic: \$0.83/sq ft

Fast return to service time, accept vehicle traffic in 24 hrs

UV Stable, excellent chemical and abrasion resistance

Easy roller application Unlimited pot life

Also available in 10 gallons.

4 Gallons: \$383.64

4 Gallons: \$383.64

4 Gallons: \$358.80



RG-70: \$0.57/sq ft

· Available in gloss and satin finishes

• UV Stable, excellent chemical, abrasion, and heat resistance

• Can be applied at temperature between 30°F to 90°F

Also available in 5 gallons.



BASE COAT ALTERNATIVES

SLE-100: \$0.62/sq ft

Emits virtually no odors and can be applied indoors

VOC-Free

100% Solids Formulation

Self-Leveling properties with a built-in shine

3 Gallons: \$228.74 Also available in 15 gallons.



PLE-100 FC: \$0.42/sq ft

Faster re-coat 3 hours vs. 4-6 hours (PLE-100)

Versatile- Direct to Concrete


· Low odor 100% solids

3 Gallons: \$215.00 Also available in 15 gallons.





2-DAY FLAKE SYSTEMS



Optional: Heavy Duty
See options to the right.


Top Coat RG-70 Gloss Polyaspartic

Citadel® RG-70 is a two component, polyaspartic polyurea coating. It dries quickly and provides rapid return to service. It is resistant to heat (temps up to 350°F), UV rays, and a variety of harsh chemicals. It is also flexible and allows for natural concrete movement. RG-70 can be used as a clear finish or tinted to finish color.

4 Gallons: \$358.80

Broadcast Flake 1/4", 1/8", 1/16"

A seamless finish that consists of broadcast vinyl flakes or colored quartz aggregate suspended in a layer of Performance Epoxy and topcoated with a Polyaspartic clear for added durability and chemical resistance.



40-lb box Broadcast: starting at \$94.00

Base Coat Tinted PLE-100 Epoxy

Citadel® PLE-100 General Purpose Epoxy is an epoxybased coating system that provides outstanding customer value. Its great value, slower dry time, and low odor formulation makes PLE-100 General Purpose Epoxy ideal for larger indoor application areas.

3 Gallons: \$138.00 Also available in 15 gallons.



2-DAY FLAKE SYSTEMS

HEAVY DUTY ALTERNATIVES



Polyurea-1 HD: \$0.23/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

• UV Stable, excellent chemical and abrasion resistance

· Easy roller application; unlimited pot life

Polyurea - 3 WB: \$0.25/sq ft

- Excellent UV resistance
- Apply from 50° to 90°F
- · Chemical resistant
- Low odor
- Mixed VOC < 50 g/L (per EPA method 24)
- Interior and exterior applications

Poly - 4XT: \$0.49/sq ft

- Quick full return to service in 4 hours at 75°F & 50% RH
- Tough and durable, 3X more scratch & mar resistant
- VOC compliance
- · Easy roller application
- UV Stable, excellent chemical and abrasion resistance

2 Gallons: \$220.80

3 Gallons: \$325.54







TOP COAT ALTERNATIVES

UL-80 Polyaspartic: \$0.83/sq ft

- · Rapid return to service in 24 hours
- One coat coverage over broadcast systems
- UV Stable, excellent chemical, abrasion and heat resistance
- Available in gloss finishes
- Low to no odor
- Can be applied at temperatures between 30°F to 90°F

ET-80 Polyaspartic: \$0.83/sq ft

- Fast return to service time, accept vehicle traffic in 24 hrs
- UV Stable, excellent chemical and abrasion resistance
- · Easy roller application Unlimited pot life

4 Gallons: \$383.64

Also available in 10 gallons.





4 Gallons: \$383.64

Also available in 5 gallons.

BASE COAT ALTERNATIVES

PLE-100 FC: \$0.42/sq ft


- Faster re-coat 3 hours vs. 4-6 hours (PLE-100)
- · Versatile- Direct to Concrete
- Low odor 100% solids

3 Gallons: \$215.00 Also available in 15 gallons.





1-DAY (SINGLE BROADCAST) SILICA SHOP FLOOR SYSTEM









Polyurea-350 is available clear which allows the installer to customize the color of the floor being installed using universal tints. It dries quickly with exceptional adhesion to a number of substrates and the high solids content makes it a great choice for both interior and exterior applications requiring minimal to no odor.

3 Gallons: \$227.00 Also available in 15 gallons.

Broadcast Colored Quartz

Citadel's® Broadcast Systems are a special blend of multiple colored quartz aggregates, flint or vinyl chips that provide an attractive floor finish with long-term durability. This system is the ideal choice for applications where slip resistance and a quality appearance are required.



50-lb Bag Colored Quartz: \$35.22



1-DAY (SINGLE BROADCAST) SILICA SHOP FLOOR SYSTEM



HEAVY DUTY ALTERNATIVES

Polyurea-1 HD: \$0.23/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

• UV Stable, excellent chemical and abrasion resistance

• Easy roller application; unlimited pot life

Polyurea-3 WB: \$0.25/sq ft

• Excellent UV resistance


Apply from 50° to 90°F

Chemical resistant

Low odor

Mixed VOC < 50 g/L (per EPA method 24)

Interior and exterior applications



Poly-4XT: \$0.49/sq ft

• Quick full return to service in 4 hours at 75°F & 50% RH

• Tough and durable, 3X more scratch & mar resistant

VOC compliance

Easy roller application

UV Stable, excellent chemical and abrasion resistance

1 Gallon: \$317.76

2 Gallons: \$220.80



TOP COAT ALTERNATIVES

UL-80 Polyaspartic: \$0.83/sq ft

• Rapid return to service in 24 hours

• One coat coverage over broadcast systems

UV Stable, excellent chemical, abrasion and heat resistance

Available in gloss finishes

Low to no odor

Can be applied at temperatures between 30°F to 90°F

4 Gallons: \$383.64 Also available in 10 gallons.



ET-80 Polyaspartic: \$0.83/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

• UV Stable, excellent chemical and abrasion resistance


· Easy roller application Unlimited pot life

4 Gallons: \$383.64 Also available in 5 gallons.






2-DAY (DOUBLE BROADCAST) SILICA SHOP FLOOR SYSTEM



Base Coat Poly-350





3 Gallons: \$227.00

Also available in 15 gallons.



long-term durability. This system is the ideal choice for applications where slip resistance and a quality

50-lb Bag Colored Quartz: \$25.52

appearance are required.



2-DAY (DOUBLE BROADCAST) SILICA SHOP FLOOR SYSTEM

HEAVY DUTY ALTERNATIVES



Polyurea-1 HD: \$0.23/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

• UV Stable, excellent chemical and abrasion resistance

· Easy roller application; unlimited pot life

2 Gallons: \$220.80

Polyurea-3 WB: \$0.25/sq ft

• Excellent UV resistance


Apply from 50° to 90°F

Chemical resistant

Low odor

Mixed VOC < 50 g/L (per EPA method 24)

Interior and exterior applications





Poly-4XT: \$0.41/sq ft

• Quick full return to service in 4 hours at 75°F & 50% RH

· Tough and durable, 3X more scratch & mar resistant

VOC compliance

Easy roller application

UV Stable, excellent chemical and abrasion resistance

1 Gallon: \$266.49



TOP COAT ALTERNATIVES

UL-80 Polyaspartic: \$0.83/sq ft

Rapid return to service in 24 hours

One coat coverage over broadcast systems

UV Stable, excellent chemical, abrasion and heat resistance

Available in gloss finishes

Low to no odor

Can be applied at temperatures between 30°F to 90°F

4 Gallons: \$399.17 Also available in 10 gallons.



ET-80 Polyaspartic: \$0.83/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

• UV Stable, excellent chemical and abrasion resistance

· Easy roller application Unlimited pot life

4 Gallons: \$399.17 Also available in 5 gallons.



BASE COAT ALTERNATIVE

Ultra-Hydro Stop: \$0.89/sq ft


- · High Moisture Concrete
- Resistant to high PH
- Meets ASTM F3010 standard requirements

1.5 Gallons: \$117.30 Also available in 5 gallons.









Profile 2/3

Top Coat Polyurea-1 HD:

Due to its unique chemical make-up and manufacturing process, Polyurea-1 HD provides exceptional protection while offering a virtually unlimited pot life and crystal clear finish. This optically clear high gloss finish is the core of the Medici System as well as every topcoat produced by Citadel. Its 100% UV stability and ultra low VOCs (combined with the unsurpassed durability of all single component polyurea solutions) make it perfect for both indoors and out.

2 Gallons: \$220.80

Stain RG-70 Gloss Polyaspartic

Citadel® RG-70 is a two component, polyaspartic polyurea coating. It dries quickly and provides rapid return to service. It is resistant to heat (temps up to 350°F), UV rays, and a variety of harsh chemicals. It is also flexible and allows for natural concrete movement. RG-70 can be used as a clear finish or tinted to finish color.

4 Gallons: \$358.80



GRIND & SEAL SYSTEM



TOP COAT ALTERNATIVES

Polyurea-3 WB: \$0.25/sq ft

- Excellent UV resistance
- Apply from 50° to 90°F
- Chemical resistant
- Low odor
- Mixed VOC < 50 g/L (per EPA method 24)
- Interior and exterior applications

Poly-4XT: \$0.48/sq ft

- Quick full return to service in 4 hours at 75°F & 50% RH
- Tough and durable, 3X more scratch & mar resistant
- VOC compliance
- Easy roller application
- UV Stable, excellent chemical and abrasion resistance


3 Gallons: \$325.54

1 Gallon: \$317.76





GRIND, STAIN, AND SEAL SYSTEM



Due to its unique chemical make-up and manufacturing process, Polyurea-1 HD provides exceptional protection while offering a virtually unlimited pot life and crystal clear finish. This optically clear high gloss finish is the core of the Medici System as well as every topcoat produced by Citadel. Its 100% UV stability and ultra low VOCs (combined with the unsurpassed durability of all single component polyurea solutions) make it perfect

RG-70 Gloss Polyaspartic

Citadel® RG-70 is a two component, polyaspartic polyurea coating. It dries quickly and provides rapid return to service. It is resistant to heat (temps up to 350°F), UV rays, and a variety of harsh chemicals. It is also flexible and allows for natural concrete movement, RG-70 can be used as a clear finish or

ColorSolve™ and has a mixing time of approximately 3 hours

Surelock Dye

Ameripolish® SureLock Dye can be mixed with ColorSolve™ or water and has no dwell time after mixing.

1 Gallon: \$79.00

Also available in 5 gallons.



GRIND, STAIN, AND SEAL SYSTEM



TOP COAT ALTERNATIVES

Polyurea-3 WB: \$0.25/sq ft

- Excellent UV resistance
- Apply from 50° to 90°F
- Chemical resistant
- Low odor
- Mixed VOC < 50 g/L (per EPA method 24)
- Interior and exterior applications

Poly-4XT: \$0.48/sq ft

- Quick full return to service in 4 hours at 75°F & 50% RH
- Tough and durable, 3X more scratch & mar resistant
- VOC compliance
- Easy roller application
- UV Stable, excellent chemical and abrasion resistance

3 Gallons: \$325.54


1 Gallon: \$317.76





HAMMER DOWN DISTRIBUTION

METALLIC FLOOR SYSTEM



Top Coat RG-70 Gloss Polyaspartic

Citadel® RG70 is a two component, polyaspartic polyurea coating. It dries quickly and provides rapid return to service. It is resistant to heat (temps up to 350°F), UV rays, and a variety of harsh chemicals. It is also flexible and allows for natural concrete movement. RG70 can be used as a clear finish or tinted to finish color.

4 Gallons: \$358.80

COLOR COAT - METALLIC POWDER W/ SLE-100 EPOXY

Metallic pigments create shiny, reflective floors that score big on looks and durability. SLE-100 offers outstanding adhesion, chemical resistancy, and low VOC. Use of multiple colors and special finishing techniques provide unlimited combinations for one-of-a-kind floors. Metallic floors are a great option for high traffic areas.

3 Gallons: \$211.14 Also available in 15 gallons.



Base Coat Tinted PLE-100 Epoxy

Citadel® PLE-100 General Purpose Epoxy is an epoxybased coating system that provides outstanding customer value. Its great value, slower dry time, and low odor formulation makes PLE-100 General Purpose Epoxy ideal for larger indoor application areas.

3 Gallons: \$138.00 Also available in 15 gallons.





METALLIC FLOOR SYSTEM

TOP COAT ALTERNATIVES

HAMMER DOWN DISTRIBUTION

Polyurea-1 HD: \$0.23/sq ft

- Fast return to service time, accept vehicle traffic in 24 hrs
- UV Stable, excellent chemical and abrasion resistance
- · Easy roller application; unlimited pot life

Promoting 1

Polyurea - 3 WB: \$0.25/sq ft

- Excellent UV resistance
- Apply from 50° to 90°F
- · Chemical resistant
- Low odor
- Mixed VOC < 50 g/L (per EPA method 24)
- · Interior and exterior applications

3 Gallons: \$297.68

2 Gallons: \$198.45



Poly - 4XT: \$0.48/sq ft

- Quick full return to service in 4 hours at 75°F & 50% RH
- Tough and durable, 3X more scratch & mar resistant
- VOC compliance
- · Easy roller application
- UV Stable, excellent chemical and abrasion resistance





BASE COAT ALTERNATIVES

EP-55: \$0.27/sq ft

- Ideal for difficult to coat, or marginally prepared substrates
- Excellent as a primer/basecoat for warehouse line striping, zone marking, solid color and decorative floor coatings (metallic systems)

1 Gallon: \$87.15



PLE-100 FC: \$0.41/sq ft

- Faster re-coat 3 hours vs. 4-6 hours (PLE-100)
- · Versatile- Direct to Concrete
- · Low odor 100% solids

3 Gallons: 207.00 Also available in 15 gallons.



Ultra-Hydro Stop: \$0.89/sq ft

- High Moisture Concrete
- Resistant to high PH
- Meets ASTM F3010 standard requirements

1.5 Gallons: \$117.30 Also available in 5 gallons.



POLY-350 POLYUREA: \$0.32/sq ft


- 98% solids
- VOC compliant

3 Gallons: \$227.70 Also available in 15 gallons.













TOP COAT ALTERNATIVES

Polyurea-1 HD: \$0.23/sq ft

• Fast return to service time, accept vehicle traffic in 24 hrs

• UV Stable, excellent chemical and abrasion resistance

Easy roller application; unlimited pot life

Polyurea-3 WB: \$0.25/sq ft

• Excellent UV resistance

Apply from 50° to 90°F

Chemical resistant

Low odor

Mixed VOC < 50 g/L (per EPA method 24)

· Interior and exterior applications

Poly-4XT: \$0.48/sq ft

• Quick full return to service in 4 hours at 75°F & 50% RH

• Tough and durable, 3X more scratch & mar resistant

VOC compliance

Easy roller application

• UV Stable, excellent chemical and abrasion resistance


2 Gallons: \$220.80

3 Gallons: \$325.54

1 Gallon: \$317.76









TOP COAT ALTERNATIVES

Polyurea-1 HD: \$0.23/sq ft

Fast return to service time, accept vehicle traffic in 24 hrs

- UV Stable, excellent chemical and abrasion resistance
- Easy roller application; unlimited pot life

Polyurea-3 WB: \$0.25/sq ft

- · Excellent UV resistance
- Apply from 50° to 90°F
- · Chemical resistant
- Low odor
- Mixed VOC < 50 g/L (per EPA method 24)
- · Interior and exterior applications

Poly-4XT: \$0.48/sq ft

- Quick full return to service in 4 hours at 75°F & 50% RH
- Tough and durable, 3X more scratch & mar resistant
- VOC compliance
- Easy roller application
- UV Stable, excellent chemical and abrasion resistance

2 Gallons: \$220.80

3 Gallons: \$325.54

1 Gallon: \$317.76



BASE COAT ALTERNATIVES

EP-55: \$0.27/sq ft

- Ideal for difficult to coat, or marginally prepared substrates
- Excellent as a primer/basecoat for warehouse line striping, zone marking, solid color and decorative floor coatings (metallic systems)

1 Gallon: \$87.15



PLE-100 FC: \$0.41/sq ft

- Faster re-coat 3 hours vs. 4-6 hours (PLE-100)
- Versatile- Direct to Concrete
- · Low odor 100% solids

3 Gallons: \$207.00 Also available in 15 gallons.



Ultra-Hydro Stop: \$0.89/sq ft

- · High Moisture Concrete
- Resistant to high PH
- Meets ASTM F3010 standard requirements

1.5 Gallons: \$117.30 Also available in 5 gallons.



POLY-350 POLYUREA: \$0.32/sq ft

- · 98% solids
- VOC compliant

3 Gallons: \$227.70 Also available in 15 gallons.





ANCILLARY SUPPLIES AND EQUIPMENT



Hammer Down Distribution carries a large selection of ancillary products, supplies, and equipment. Here are a few examples - be sure to ask for our full selection!



EasySqueegee® Available in 18" and 26" widths



SpeedSqueegee® Available in 18" and 26" widths



Spiked Shoes Available in all sizes



Makita Products Entire product line available.



Mixing Buckets Available in diferent sizes.



Various models available.



Grinders Various models available.



Mixing Paddles Various styles.

















DURÁVEL - OVERLAYS, STAINS, SEALERS, CLEANERS

Durável is a manufacturer of premium decorative concrete products for professionals in both residential and commercial applications. Durável products are ideally suited for all concrete contractors, coatings applicators, repair and maintenance crews, and other professionals in the concrete industry. Hammer Down Distribution is an authorized dealer of all Durável products.



CONCRETE OVERLAYS











Durável TRO™

Heavy duty traffic-rated system. Restore texture to worn concrete. Repair spalls and salt damage. Broom Finish and more

Trowel Spray Overlay

Durável TSO™ Trowel or spray system for decorative textures. Pool decks, driveways, sidewalks, patios. Turn old into beautiful.

Durável SOM™

Transform plain concrete into stamped and carved textures. Vehicle rated, freeze-thaw resistant Contractor friendly

Thin Overlay

Durável TCOTM - Thin microtopping with high compressive strength, durability, adhesion, flexibility and ease of use.

Concrete Repair Mix

Durável TRM™ - Thick repair mortar to fill defects, build ramps, and correct slope. Trowels and screeds easily.

DECORATIVE CONCRETE WATER-BASED STAINS



COLORED EXTERIOR CONCRETE SEALERS



Solvent Solid Color Sealer

Durável Colour Seal™ - Solvent acrylic solid color, excellent hide, rolls evenly. Long lasting color.



1600+ Custom Colors



Water-Based Solid Color Sealer

Durável Colour Seal WB™ - Water-base acrylic solid color, extreme durability. Low odor.



Concrete Overlays - Stains - Sealers - Cleaners



CLEAR OUTDOOR CONCRETE SEALERS



20% Solids Clear Sealer

Durável DV-20™ -20% solids solvent acrylic concrete sealer. Crystal clear finish. Long service life



30% Solids Clear Sealer

Durável DV-30™ - 30% solids solvent acrylic high gloss concrete sealer. Superior protection.



Water Base Clear Sealer

Durável DV-WB™ - Water-base concrete sealer with extreme chemical resistance.



ASTM 1315 Solids Cure and Seal

Durável First Day Plus™ - Cure and Seal with longer lasting pure acrylic that meets ASTM 1315.



20% Solids Clear Sealer LV

Low VOC Durável DV-20™ - 20% solids solvent acrylic concrete sealer. Crystal clear finish. Long service life.



30% Solids Clear Sealer LV

Low VOC Durável DV-30™ - 30% solids solvent acrylic high gloss concrete sealer. Superior protection.

CONCRETE CLEAN AND PREPARATION PRODUCTS



Acrylic Sealer Restorer

Durável Restore-A-Seal™ - Emulsify old solvent sealer, remove blushing. Works faster than Xylene.



Concrete Cleaner

Durável ECP™ - Clean, degrease and profile in a single step. Environmentally safe.



Concrete Tool Cleaner

Durável Concrete Eraser™ - Safely remove concrete splash, clean tools



Liquid Bonding Agent

Durável LBA™ - Liquid bonding agent for use with SOM stamp overlay and TRM repair mortar.

COLORED EXTERIOR CONCRETE SEALERS



Slip-Fall Traction Additive

Durável D-Grip™ - Non-slip additive to eliminate slip-fall dangers. Available in two sizes.



Liquid Stamp Release

Superior dwell time. For use on concrete and overlay.



Overlay Color Packs

Integrally color overlay bag mixes for even coloration throughout the entire project.

COLORED EXTERIOR CONCRETE SEALERS



Xylene Pure Solvent

1330-20-7 - Xylene is a colorless mixtu of chemically-related hydrocarbons that often finds use as a solvent for paints and coatings.



Acetone Pure Solvent

67-64-1 - Acetone Pure Virgin Solvent.
For Use With Color Dyes and as a
Heavy-Duty Cleaner & Degreaser Fast
Drving Solvent



Isopropyl Alcohol

99.9% Pure 2-Propanol. General Purpose Cleaner Fast Drying Leave No Residue





VIEW THE DURAVEL



CONCRETE COATING EDITION

WWW.HAMMERDOWNDISTRIBUTION.COM (844) 456-3962















