Significant Residential Electrical Changes in the 2020 NEC

Summarized by SAFEbuilt

Article #	Description	Code Change
210.8	GFCI Protection	 All basement receptacles (finished space or not) except for permanently installed fire or burglar alarms
		 Indoor damp and wet locations (mud rooms, pet wash areas)
		 All outdoor outlets except for lighting outlets
		 Any bathroom countertop or similar work surface in bathroom
		Garages must have their own 20-amp circuit
210.52 (C)	Countertops	Surfaces 12" and wider require a receptacle
		 New Island and Peninsular countertop outlet requirements
		 New outlet location requirements Above, In and Below countertops and work surfaces
230.67	Surge Protection	 All services supplying dwelling units must have a Type 1 or 2 SPD-Surge Protection Device that is an integral part of the service equipment These requirements apply to service replacements as well and new
		construction
230.85	Emergency Disconnects	 Dwelling units must have service disconnect on the exterior of the structure in a readily accessible outdoor location and be marked per this section
314.27 (C)	Outlet Boxes	 Outlet boxes in ceilings of habitable rooms that a ceiling fan can be installed must a) be listed for the sole support of ceiling-suspended (paddle) fans OR

	structural framing that is capable of supporting ceiling-suspended fan bracket or equivalent
406.9 (C) Receptacles in Damp or Wet Locations	 Receptacles cannot be installed within a zone 3' horizontally and 8' vertically from the bathtub rim or shower stall threshold
410.10 (D) Bathtub and Shower Area Luminaires	 New requirements for where and what type of fixture can be installed in areas containing bathtubs/ showers
410 Part V Grounding	 New grounding requirements for luminaires and luminaires with exposed conductive parts.

• b) outlet box meeting requirements of 314.27 and provides access to