




T W O D E S I G N S T U D I O



+971 55 270 5715
info@twodesignstudio.org
www.twodesignstudio.org
D U B A I

LED lights with skirting line series

HW-JM-178	0.306	JM-214	0.347	JM-213X	0.411	HW-021	0.279	SMR2021-06	0.206
SMR2021-07	0.261	SMR2021-08	0.315	SMR2021-10	0.368	SMR2021-12	0.573		







2.0cm seamless

								Clasp	
HXP-08	0.134	HXP-10	0.172			SZ037	0.125	SZ038	0.091







The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Online sensation buckle style

 SZ034		 SZ035		 SZ036		 HW-035			
0.171		0.231		0.285		0.101			



Descending 1.5cm

 SZ040		 SZ039		 SZ041		 SZ042			
0.19		0.228		0.29		0.205			



The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.


The hidden style

SZ010	0.135	SZ011	0.17	SZ012	0.241		



Online sensation glue style

SZ013	0.162	SZ014	0.228	SZ015	0.3	SZ016	0.36



Product accessories drawing



Outer corner



Internal angle



Intermediate connection











Plug



Plug


The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Extreme simple style


									
T=0.8mm		T=0.7mm		T=0.8mm		T=0.75mm		T=0.75mm	
SMR-3	0.145	JM40C	0.145	JM001AX	0.196	SMR-001X	0.212	SMR-002X	0.248
									
JM010	0.359	JM011	0.433	JM061	0.267				



Product accessories drawing



































The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

































To realize no dark area stitching

The incision is smooth and flat, there is no dark area and the light is so flat when the light is on.







Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
CN001	0.144	CN003	0.129	CN004	0.11	CN005	0.066	CN006	0.114
									
CN007	0.128	CN008	0.14	CN009	0.135	CN016	0.087	CN017	0.08
									
CN020	0.158	CN021	0.086	CN022	0.135	CN023	0.152	CN024	0.243
									
CN025	0.131	CN026	0.688	CN028	0.528	CN029	0.337	CN030	0.465
									
CN031	0.438	CN032	0.948	CN033	0.902	CN034	0.212	CN035	0.208
									
CN036	0.085	CN037	0.073	CN039	0.116	CN040	0.11	CN041	0.065

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.































Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
CN042	0.088	CN043	0.217	CN044	0.142	CN045A	0.19	CN046	0.08
									
CN047	0.209	CN048	0.182	CN049	0.289	CN050	1.011	CN051	0.779
									
CN053	0.386	CN055	0.553	CN056	0.349	CN057	0.108	CN058	0.239
									
CN059	0.137	CN060	0.115	CN061	0.887	CN052	0.1	CN068	0.111
									
CN069	0.371	CN054	0.137	CN019	0.077	CN103	0.284	CN104	0.355
									
CN105	0.376	CN106	0.206	CN30X20	0.239	CN30X30	0.337	0.095	CN093

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.



We have so many kinds of style to choose, embedded without frames、unfold installation、concealed installation and so on.

































Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
	T=0.7mm								
CN-GB005	0.13	CN-GB005A	0.145	CN-GB010	0.108	CN-GB003	0.064	CN-GB004	0.101
									
									T=1.0mm
CN-GB004A	0.115	CN-GB006	0.148	CN-GB009	0.133	CN129	0.127	CN-YQ004	0.191
									
CN103B	0.166	CN103A	0.166	CN-LZ623B	0.186	CN141	0.186	CN-GB007	0.409
									
			T=0.7mm		T=0.7mm		T=0.7mm		T=0.7mm
CN-GB008	0.266	CH-STS02	0.114	CH-STS03	0.125	CH-STS04	0.088	CH-STS05	0.104
									
	T=0.7mm								T=1.0mm
CH-STS06	0.080	CH-STS08	0.063	CH-STS09	0.116	CH-STS15	0.084	CH-STS16	0.138
									
CH-STS31	0.113	CH-STS31A	0.126	CH-STS36	0.048	CH-STS36A	0.052	CH-STS37	0.097































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
CH-STS37A	0.102	CH-STS42	0.135	CH-STS45	0.069	CH-STS49	0.136	CH-STS15A	0.097
CH-STS66	0.094	CH-STS65A	0.09	CH-STS77	0.108	CH-STS78	0.072	CH-STS82	0.136
HJS26X9	0.175	CH-STS07	0.198	CH-STS17	0.165	CH-STS26	0.164	CH-STS38	0.185
CH-STS56	0.148	CH-STS56A	0.164	CH-STS59	0.157	CH-STS62	0.153	CH-STS68	0.18
CH-STS75	0.191	CH-STS76	0.186	CH-STS83	0.152	CH-STS01	0.332	CH-STS10	0.416
CH-STS11	0.532	CH-STS12	1.23	CH-STS13	1.23	CH-STS14	1.087	CH-STS18	0.238































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
T=0.8mm		T=1.3mm				T=1.0mm		T=0.8mm	
CH-STS19	0.336	CH-STS21	0.317	CH-STS22	0.224	CH-STS27	0.408	CH-STS29	0.21
									
T=0.8mm		T=1.0mm		T=1.0mm					
CH-STS29A	0.242	CH-STS30	0.298	CH-STS30A	0.331	CH-STS80	0.218	CH-STS81	0.263
									
T=1.0mm		T=1.0mm				T=0.9mm		T=1.2mm	
CH-STS63	0.416	CH-STS64	0.301	CH-STS65	0.322	CH-STS69	0.267	CH-STS51	0.279
									
		T=1.2mm							
CH-STS51B	0.309	CH-STS52	0.347	CH-STS52B	0.377	CH-STS38A	0.222	CH-STS43	0.26
									
T=0.8mm		T=0.8mm							
CH-STS35	0.225	CH-STS35A	0.246	XMH-001	0.069	XMH-001B	0.075	XMH-002	0.128
									
XMH-002B	0.145	XMH-017	0.067	XMH-018	0.107	XMH-018A	0.13	XMH-030	0.142




The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.







Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
XMH-011	0.089	XMH-011A	0.104	XMH-013	0.103	XMH-013A	0.114	XMH-009	0.099
									
XMH-009A	0.111	XMH-010	0.094	XMH-010A	0.102	HN-BLD-S	0.095	LM-033	0.131
									
XMH-025	0.088	XMH-026	0.088	XMH-028	0.086	XMH-028A	0.112	XMH-029	0.138
									
XMH-029A	0.152	XMH-014	0.094	XMH-014A	0.109	XMH-015	0.117	XMH-015A	0.157
									
HN605	0.141	HN505	0.126	XMH-016	0.09	XMH-016A	0.103	XMH-003	0.162
									
XMH-003B	0.168	YH-CS147	0.195	XMH-027	0.153	XMH-050	0.192	XMH-051	0.196

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.






























Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
XMH-054	0.168	XMH-056	0.195	XMH-057	0.126	XMH-058	0.111	XMH-055	0.145
									
XMH-035	0.527	XMH-036	0.694	XMH-037	0.861	XMH-038	0.297	XMH-039	0.279
									
XMH-040	0.247	XMH-041	0.242	XMH-047	0.28	XMH-048	0.298	XMH-049	0.397
									
XMH-052	0.441	XMH-053	0.322	HN605	0.141	HN505	0.126	HN616	0.115
									
HN-BLD-S	0.095	HN-BLD-B	0.114	HN2010	0.086	HN2010A	0.101	HN614K	0.149
									
HN623	0.187	HN509B	0.088	HN1612M	0.114	HN1612A	0.109	HN603	0.149

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.



Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
HN603A	0.064	HN2011	0.13	HN1010M	0.072	HN1010A	0.083	HN509	0.087
									
HN508	0.098	HN702	0.182	HN2020A	0.171	YH-CS57	0.173	HN-TJX-M	0.158
									
HN3010M	0.162	HN3010A	0.132	HN7117	0.538	HN632A	0.369	HN4070K	0.514
									
HN1724	0.493	HN809	0.387	HN808	0.403	HN-JB01	0.203	HN639N	0.232
									
HN639DB	0.22	LM-002	0.069	LM-003	0.118	LM-006	0.085	LM-007	0.092
									
LM-017	0.071	LM-017A	0.083	LM-033	0.131	LM-023	0.093	LM-023A	0.103

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
LM-025	0.083	LM-025A	0.096	LM-026	0.121	LM-038	0.079	LM-041	0.142
									
LM-034	0.236	LM-034A	0.291	LM-035	0.316	LM-035A	0.426	LM-039	0.236
									
LM-040	0.373	LM-001	0.4	LM36X36	0.538	LM-021	0.292	LM-022	0.243
									
E-TX-035	0.08	E-TX-037	0.071	E-TX-009	0.094	E-TX-010	0.105	E-TX-074	0.125
									
E-TX-041	0.147	E-TX-140	0.117	E-TX-141	0.11	E-TX-018	0.147	E-TX-017	0.155
									
E-TX-059	0.148	E-TX-142	0.075	E-TX-032	0.12	E-TX-099	0.149	E-TX-007	0.1

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.


Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
E-TX-008	0.107	E-TX-019	0.24	E-TX-020	0.223	E-TX-040	0.221	E-TX-083	0.086
E-TX-135	0.107	E-TX-143	0.094	E-TX-021	0.294	E-TX-122	0.247	E-TX-062	0.546
E-TX-048	0.291	E-TX-138	0.206	E-TX-139	0.177	E-TX-123	0.16	E-TX-041A	0.157
HB-J001	0.129	HB-J003	0.128	HB-J005	0.106	WXJX-17.4X7	0.11	HB-J004	0.175
HB-J006	0.328								































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

































Oxidized alkali process

New material, not aging for one hundred years

































Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
CN56X40	0.698	CN66X40	0.752	CN86X40	0.872	CN96X40	0.896	CN116X40	1.168
									
CN40X40	0.647	CN50X40	0.701	CN70X40	0.821	CN80X40	0.844	CN100X40	1.107
									
CN120X40	1.354	CN40X75	0.961	CN50X75	1.054	CN70X75	1.222	CN80X75	1.279
									
CN100X75	1.422	CN136X40	1.477	CN166X50	2.11	CN150X50	2.02	CN120X85	2.06
									T= 1.2mm
CN150X85	3.05	CN216X50	2.935	CN200X50	2.827	CN200X85	4.414	CN30X20	0.239
	T= 0.85mm		T= 2.5mm						T= 1.0mm
CN30X30	0.337	CH-ST572	2.503	CH-ST572A	1.78	CH-ST571	0.467	CH-ST573	0.895































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
	T= 1.3mm		T= 1.3mm		T= 1.3mm				
CH-STS74	0.82	CH-STS74A	0.254	CH-STS74B	0.286	CH-STS33	1.434	CH-STS33A	0.318
									
			T= 1.0mm						
CH-STS34	0.594	CH-STS48	0.753	CH-STS50	0.599	CH-STS84	0.832	CH-STS85	1.632
									
	T= 1.4mm		T= 1.0mm		T= 1.2mm		T= 0.9mm		
CH-STS61	1.098	CH-STS61A	0.157	CH-STS70	0.531	CH-STS67	0.559	CH-STS54	1.18
									
CH-STS54A	0.525	CH-STS55	0.766	CH-STS70X90	0.947	CH-STS50X70	0.747	CH-STS105X75	1.22
									
CH-STS24	0.542	CH-STS25	0.585	XMH-019	0.407	XMH-019A	0.437	XMH-020	0.421
									
			T= 0.9mm		T= 0.9mm		T= 0.9mm		T= 0.9mm
XMH-020A	0.454	XMH-021	0.545	XMH-021A	0.542	XMH-022	0.673	XMH-022A	0.709































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
				T= 1.0mm		T= 1.0mm		T= 0.8mm	
XMH-023	0.845	XMH-023A	0.888	XMH-024	0.909	XMH-024A	0.952	XMH-004	0.242
									
T= 1.0mm		T= 0.8mm		T= 1.0mm					
XMH-004B	0.335	XMH-005	0.243	HN5020A	0.327	XMH-008	0.505	XMH-008B	0.528
									
XMH-012	0.72	XMH-012A	0.767	XMH-031	0.212	XMH-031A	0.251	XMH-032	0.221
									
XMH-032A	0.271	XMH-042	0.416	XMH-042A	0.449	XMH-043	0.495	XMH-043A	0.534
									
XMH-044	0.569	XMH-044A	0.607	XMH-045	0.628	XMH-045A	0.665	XMH-046	0.731
									
		T= 1.0mm		T= 1.0mm		T= 1.0mm			
XMH-046A	0.77	HN5035MJ	0.479	HN5035AJ	0.515	HN3030M	0.376	HN706	0.524

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
T= 1.2mm		T= 1.0mm		T= 0.8mm					
HN5020M	0.341	HN5020A	0.327	HN5035AA	0.403	HN10035M	0.964	HN4020M	0.212
									
						T= 0.9mm		T= 0.9mm	
HN4020A	0.239	HN4035M	0.352	HN4035A	0.349	HN7635M	0.643	HN7635A	0.693
									
HN7035M	0.494	HN7035A	0.529	HN12035M	0.779	HN12035A	0.824	HN15035M	0.995
									
HN15035A	1.04	HN80X35	0.641	HN10035A	1.02	HN7635B	0.764	HN7635C	0.812
									
T= 0.9mm		T= 0.9mm		T= 0.8mm		T= 0.8mm			
HN10235A	0.753	HN10235M	0.713	LM-014	0.607	LM-014A	0.641	LM-015	0.5
									
		T= 0.8mm		T= 0.8mm		T= 1.1mm		T= 1.1mm	
LM-015A	0.593	LM-008	0.66	LM-008A	0.692	LM-009A	1.088	LM-009	1.085































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
LM-018	0.839	LM-018A	0.886	LM-027	0.716	LM-028	0.563	LM-028A	0.616
									
LM-029	0.46	LM-029A	0.495	LM-013	0.664	LM-010	1.193	LM-010A	1.236
									
LM-016	0.864	LM-030	0.876	LM-031	0.979	LM-032	1.098	LM-024	0.235
									
LM-034	0.236	LM-034A	0.291	LM-035	0.316	KCA001	1.525	KCA002	1.942
									
KCA003	2.458	KCA004	1.594	KCA005	2.02	KCA006	2.544	KCA007	2.279
									
KCA008	2.91	KCA009	3.79	KCA40X56	0.637	KCA35X70	0.646	KCA50X70	0.749



























The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
KCA60X70	0.842	KCA80X70	0.969	KCA100X70	1.106	KCA50X35B	0.533	KCA60X35B	0.558
KCA80X35B	0.644	KCA100X35B	0.75	KCA50X35	0.492	KCA60X35	0.517	KCA80X35	0.608
KCA100X35	0.705	KCA55X56	0.63	KCA70X56	0.721	KCA85X56	0.793	KCA100X56	0.911
KCA40X56	0.637	KCA35X70	0.646	SX60X35	0.738	SX80X35	0.851	SX70X35	0.705
E-KK001	0.376	E-KK001A	0.406	E-KK002	0.398	E-KK002A	0.432	E-KK003	0.419
E-KK003A	0.454	E-KK004	0.449	E-KK004A	0.483	E-KK005	0.473	E-KK005A	0.507


The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
E-KK006	0.563	E-KK006A	0.597	E-KK007	0.664	E-KK007A	0.703	E-KK008	0.433
									
E-KK008A	0.465	E-KK009	0.454	E-KK009A	0.487	E-KK010	0.476	E-KK010A	0.509
									
E-KK011	0.498	E-KK011A	0.53	E-KK012	0.519	E-KK012A	0.552	E-KK013	0.614
									
E-KK013A	0.647	E-KK014	0.721	E-KK014A	0.753	E-KK015	0.359	E-TX-119	0.53
									
E-TX-118	0.545	E-TX-051	0.726	E-TX-050	0.802	E-TX-W104	0.836	E-TX-W105	0.975
									
E-TX-049	1.06	E-TX-056	1.327	E-TX-114	0.41	E-TX-115	0.425	E-TX-W78	0.498































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
AB56X40	0.698	AB66X40	0.752	AB86X40	0.872	AB96X40	0.896	AB116X40	1.168
									
AB136X40	1.477	AB166X50	2.11	AB216X50	2.935	AB40X40	0.647		
									
AB50X40	0.701	AB70X40	0.821	AB80X40	0.844	AB100X40	1.107	AB120X40	1.354
									
AB150X50	2.02	AB200X50	2.827	AB40X75	0.961	AB50X75	1.054		
									
AB70X75	1.222	AB80X75	1.279	AB100X75	1.422	AB120X85	2.06	AB150X85	3.05
									
AB200X85	4.414	AB30X20	0.233	AB30X30	0.337				















The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.
























The application scenarios: home decoration, living room, bedroom, kitchen, hotel lobby, canteen, paddock club, office, meeting room and so on.
 The surface operation: oxidation, electrolysis, polishing, wire drawing, sand blasting, spraying, super-poly foil.
 Color: Dumb silver, dumb gold, dumb Champagne, dumb titanium, dumb bronze, dumb black, bright silver, bright gold, bright Champagne, bright titanium, bright bronze and so on.
 Spraying: white, beige, gray and so on
 Cladding: oak, beech, cherry and so on.


Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-DT009	0.06	SMR-DT010	0.1	SMR-DT011	0.049	SMR-DT012	0.058	SMR-DT013	0.07
									
SMR-DT014	0.094	SMR-DT015	0.099	SMR-DT016	0.158	SMR-DT017	0.006	SMR-DT018	0.06
									
SMR-DT019	0.129	SMR-DT020	0.046	SMR-DT021	0.05	SMR-DT022	0.053	SMR-DT023	0.057
									
SMR-DT024	0.065	SMR-DT025	0.09	SMR-DT026	0.18	SMR-DT027	0.083	SMR-DT028	1.131
									
SMR-DT029	0.026	SMR-DT030	0.07	U13.3*11.5*1.5	0.134	U16.5*15.5*1.5	0.18	U19.5*19.5*1.5	0.225
									
U22.5*19.5*1.5	0.238	U24.5*19.5*1.5	0.245	DLA100	0.1	DLA1000	0.074	DLA1500	0.092

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
DLA2000	0.12	DLA250	0.21	SMR-DT006	0.13	SMR-DT007	0.123	SMR-DT008	0.156
									
HYU12	0.147	TH11	0.06	TH20	0.098	TH30	0.175	TH30G	0.724
 T=1.0mm				 T=0.9mm		 T=0.9mm			
AU-10H-10W	0.075	MBE086	0.068	MBE093	0.055	MBE094	0.085		
						</			

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-U001	0.055	SMR-U002	0.068	SMR-U003	0.085	SMR-U004	0.87	SMR-BC005	0.01
									
SMR-U006	0.09	SMR-U007	0.13	SMR-U008	0.233	SMR-U009	0.295	SMR-U010	0.118
									
SMR-U011	0.127	SMR-U012	0.134	SMR-U013	0.18	SMR-U014	0.225	SMR-U011	0.238
									
SMR-U016	0.245	SMR-U017	0.103	SMR-U018	0.09	SMR-U019	0.133	SMR-U020	0.128
									
SMR-U021	0.193								

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.



U-SHAPED EDGE STRIP

Preferred aluminum alloy



The application scenarios: home decoration、living room、bed room、kitchen、hotel lobby、canteen、paddock club、office、meeting room and so on.

The surface operation: oxidation,electrolysis,polishing,wire drawing,sand blasting,spraying,super-poly foil.

Color: Dumb silver, dumb gold, dumb Champagne, dumb titanium, dumb bronze, dumb black, bright silver, bright gold, bright Champagne, bright titanium, bright bronze and so on.


Spraying: white, beige, gray and so on

Cladding: oak, beech, cherry and so on.

Aluminum alloy corner protection strip

DIFFERENT DECORATION STYLES

Versatile, atmospheric, and reassuring choices



INDUSTRIAL QUALITY BEYOND YOUR IMAGINATION

one piece

strong and
sturdy

Preferred
materials

Anti-rust and
anti-corrosion

various
models






























The application scenarios: home decoration, living room, bedroom, kitchen, hotel lobby, canteen, paddock club, office, meeting room and so on.

The surface operation: oxidation, electrolysis, polishing, wire drawing, sand blasting, spraying, super-poly foil.




Color: Dumb silver, dumb gold, dumb Champagne, dumb titanium, dumb bronze, dumb black, bright silver, bright gold, bright Champagne, bright titanium, bright bronze and so on.

Spraying: white, beige, gray and so on

Cladding: oak, beech, cherry and so on.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-CP001	0.046	SMR-CP002	0.073	SMR-CP003	0.09	SMR-CP004	0.1	SMR-CP005	0.129
									
SMR-CP006	0.16	SMR-CP007	0.22	SMR-CP008	0.142	SMR-CP009	0.59	SMR-CP010	0.059
									
SMR-CP011	0.096	SMR-CP012	0.141	SMR-CP013	0.166	SMR-CP014	0.12	SMR-CP015	0.153
									
SMR-CP016	0.218	SMR-CP017	0.087	SMR-CP018	0.316	SMR-CP019	0.426	SMR-CP020	0.262
									
SMR-CP021	0.289	SMR-CP022	0.563	SMR-CP023	0.065	SMR-CP024	0.119	SMR-CP025	0.12
									
SMR-CP026	0.32	SMR-CP027	0.198	SMR-CP028	0.073	SMR-CP029	0.114		

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.



INDUSTRIAL QUALITY BEYOND YOUR IMAGINATION

one piece

strong and
sturdy

Preferred
materials

Anti-rust and
anti-corrosion

various
models










The application scenarios: home decoration, living room, bedroom, kitchen, hotel lobby, canteen, paddock club, office, meeting room and so on.

The surface operation: oxidation, electrolysis, polishing, wire drawing, sand blasting, spraying, super-poly foil.

















Color: Dumb silver, dumb gold, dumb Champagne, dumb titanium, dumb bronze, dumb black, bright silver, bright gold, bright Champagne, bright titanium, bright bronze and so on.

Spraying: white, beige, gray and so on

Cladding: oak, beech, cherry and so on.








Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-SE001	0.08	SMR-SE002	0.089	SMR-SE003	0.084	SMR-SE004	0.098	SMR-SE005	0.106
									
SMR-SE006	0.103	SMR-SE007	0.11	SMR-SE008	0.013	SMR-SE009	0.07	SMR-SE010	0.072
									
SMR-SE011	0.079	SMR-SE012	0.085	SMR-SE013	0.096	SMR-SE014	0.095	SMR-SE015	0.1
									
SMR-SE016	0.11	SMR-SE017	0.08	SMR-SE018	0.086	SMR-SE019	0.093	SMR-SE020	0.1
									
SMR-SE021	0.109	SMR-SE022	0.118	SMR-SE023	0.074	SMR-SE024	0.08	SMR-SE025	0.085
									
SMR-SE026	0.091	SMR-SE027	0.126	SMR-SE028	0.131	SMR-SE029	0.139	SMR-SE030	0.142

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.










Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-SE031	0.11	SMR-SE032	0.123	SMR-SE033	0.141	SMR-SE034	0.142	SMR-SE035	0.160
									
SMR-SE036	0.2	SMR-SE037	0.131	SMR-SE038	0.145	SMR-SE039	0.155	SMR-SE040	0.164
									
SMR-SE041	0.254	SMR-SE042	0.134	SMR-SE043	0.145	SMR-SE044	0.139	SMR-SE045	0.159
									
SMR-SE046	0.169	SMR-SE047	0.152						


The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

5MM Wainscot board closing line






























Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SS-502	0.15	SS-505	0.13	SS-507	0.1	SS-508	0.097	SS-504	0.109
									
SS-501	0.144	SS-506	0.10	SS-509	0.29	SS-510	0.197		

9MM Wainscot board closing line


									
SZ001	0.21	SZ002	0.167	SZ003	0.132	SZ004	0.102	SZ005	0.1
									
SZ006	0.11	SZ007	0.17	SZ008	0.103	SZ009	0.33		






The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
XF-01	0.087	XF-02	0.06	XF-03	0.068	XF-04	0.083	XF-05	0.096
									
XF-06	0.066	XF-07	0.073	XF-08	0.094	XF-09	0.074	XF-10	0.106
									
XF-11	0.113	XF-12	0.12	XZ-24.2X24.2	0.103	XZ-39.2X17.9	0.167	XZ-45.3X23	0.192
									
XZ-F9X10	0.087	XZ-L15X12	0.057	XZ-T10	0.092	XZ-T10B	0.083	XZ-T15	0.103
									
XZ-T15C	0.099	XZ-T20	0.115	XZ-T20A	0.071	XZ-T20B	0.112	XZ-T20X20	0.104
									
XZ-T20X30	0.118	XZ-TT10	0.16	XZ-TT10-C	0.193	XZ-TT15	0.172	XZ-TT15B	0.106

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.





Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
XZ-TT15-V	0.187	XZ-TT20	0.183						



The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.



Ceramic tile corner line































The application scenarios: home decoration、living room、bed room、kitchen、hotel lobby、canteen、paddock club、office、meeting room and so on.

The surface operation: oxidation,electrolysis,polishing,wire drawing, sand blasting,spraying,super-poly foil.

Color: Dumb silver, dumb gold, dumb Champagne, dumb titanium, dumb bronze, dumb black, bright silver, bright gold, bright Champagne, bright titanium, bright bronze and so on.


Spraying: white, beige, gray and so on

Cladding: oak, beech, cherry and so on.









Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-RE001	0.11	SMR-RE002	0.123	SMR-RE003	0.15	SMR-RE004	0.215	SMR-RE005	0.152
									
SMR-RE006	0.11	SMR-RE007	0.12	SMR-RE008	0.139	SMR-RE009	0.16	SMR-RE010	0.158
									
SMR-RE011	0.18	SMR-RE012	0.14	SMR-RE013	0.159	SMR-RE014	0.182	SMR-RE015	0.076
									
SMR-RE016	0.08	SMR-RE017	0.106	SMR-RE018	0.107	SMR-RE019	0.1	SMR-RE020	0.1
									
SMR-RE021	0.105	SMR-RE022	0.117	SMR-RE023	0.158	SMR-RE024	0.128	SMR-RE025	0.147
									
SMR-RE026	0.17	SMR-RE027	0.146	SMR-RE028	0.151	SMR-RE029	0.175		


The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
MBE007	0.1	MBE005	0.074	MBE008	0.1	MBE071	0.107	MBE009	0.08
AL009	0.128	AL010	0.147	AL011	0.17	KT-002	0.10	DRA-60	0.11
DRA-80	0.123	DRA-100	0.15	DRA-110		DRA-125	0.17	RO-60	0.11
RO-80	0.12	RO-100	0.139	RO-125	0.158	TCDRA125	0.18		
































The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
AL022	0.063	AL023		MBE005	0.074	TCA120	0.069	TCA160	0.0925
									
TCA220	0.123	DCA400	0.187	JHSY001	0.068				











Multiple specifications and colors

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-SN001	0.215	SMR-SN002	0.228	SMR-SN003	0.261	SMR-SN004	0.289	SMR-SN005	0.441
									
SMR-SN006	0.43	SMR-SN007	0.183	SMR-SN008	0.153	SMR-SN009	0.191	SMR-SN010	0.2
									
SMR-SN011	0.39	SMR-SN012	0.257	SMR-SN013	0.172	SMR-SN014	0.395	SMR-SN015	0.203
									
SMR-SN016	0.23	SMR-SN017	0.184	SMR-SN018	0.2	SMR-SN019	0.25	SMR-SN020	0.25
									
SMR-SN021	0.25	SMR-SN022	0.215	SMR-SN023	0.136	SMR-SN024	0.223	SMR-SN025	0.227
									
SMR-SN026	0.332	SMR-SN027	0.1062	SMR-SN028	0.132	SMR-SN029	0.14	SMR-SN030	0.131

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
AL005	0.183	LED-FSTA110	0.43	LED-FSTA90	0.441	KT-001	0.182	FSTA70	0.215
									
FSTA90	0.228	FSTA110	0.261	FSTA135	0.289				



Aluminium alloy stair molding

We use excellent aerial aluminium profiles, they are durable and exquisite and we do anodic oxidation treatment in the surface.

They have high level of anti corruption ability and water proof and no rust and they can give you a soft living room.



The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
MBE064	0.119	MBE065	0.173	MBE023	0.085	MBE036	0.106	MBE027	0.126
KMFA3000	0.127	KMFA4000	0.155	MXA3800	0.13	MFDA4000	0.191	MFA4000	0.186

T= 1.5 mm



Accurate cutting without leaving scratches

Accurate cutting and polishing, with a smooth and delicate appearance

Adopting machine polishing and cutting, combined with modern technology, durable and durable

The application scenarios: home decoration、living room、bed room、kitchen、hotel lobby、canteen、paddock club、office、meeting room and so on.










The surface operation: oxidation,electrolysis,polishing,wire drawing,sand blasting,spraying,super-poly foil.

Color: Dumb silver, dumb gold, dumb Champagne, dumb titanium, dumb bronze, dumb black, bright silver, bright gold, bright Champagne, bright titanium, bright bronze and so on.

Spraying: white, beige, gray and so on

Cladding: oak, beech, cherry and so on.

The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
XT2-13	0.144	XT2-16	0.148	XT2-19	0.17	XT210	0.164	XT6-13	0.16
									
XT6-16	0.177	XT6-19	0.195	DZ-16	0.187	MBE013	0.125		

T=1.2mm

T=1.2mm

T=1.2mm

































Matte black








Matte silver



The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.































Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-FT001	0.16	SMR-FT002	0.172	SMR-FT003	0.18	SMR-FT004	0.142	SMR-FT005	0.15
									
SMR-FT006	0.19	SMR-FT007	0.213	SMR-FT008	0.123	SMR-FT009	0.144	SMR-FT010	0.186
									
SMR-FT011	0.127	SMR-FT012	0.155	SMR-FT013	0.119	SMR-FT014	0.173	SMR-FT015	0.144
									
SMR-FT016	0.198	SMR-FT017	0.234	SMR-FT018	0.152	SMR-FT019	0.217	SMR-FT020	0.138
									
SMR-FT021	0.191	SMR-FT022	0.058	SMR-FT023	0.13	SMR-FT024	0.126	SMR-FT025	0.12
									
SMR-FT026	0.07	SMR-FT027	0.091	SMR-FT028	0.206	SMR-FT029	0.25	SMR-FT030	0.16

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-FT031	0.123	SMR-FT032	0.151	SMR-FT033	0.207	SMR-FT034	0.32	SMR-FT035	0.465
									
SMR-FT036	0.254								

Continuously updating the product.....














The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.



Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-SS01	0.22	SMR-SS02	0.22	SMR-SS03	0.228	SMR-SS04	0.22	SMR-SS05	0.022
									
SMR-SS06	0.022	SMR-SS07	0.22	SMR-SS08	0.22	SMR-SS09	0.22	SMR-SS10	0.22
									
SMR-SS11	0.22	SMR-SS12	0.22	SMR-SS13	0.22	SMR-SS14	0.22	SMR-SS15	0.22
									
SMR-SS16	0.22	SMR-SS17	0.22	SMR-SS18	0.22	SMR-SS19	0.22	SMR-SS20	0.22
									
SMR-SS21	0.22	SMR-SS22	0.22	SMR-SS23	0.22	SMR-SS24	0.22	SMR-SS25	0.22
									
SMR-SS26	0.22	SMR-SS27	0.22	SMR-SS28	0.22	SMR-SS29	0.22	SMR-SS30	0.22

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.


Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
SMR-SS31	0.22	SMR-SS32	0.22	SMR-SS33	0.22	SMR-SS34	0.22	SMR-SS35	0.022
SMR-SS36	0.022	SMR-SS37	0.22	SMR-SS38	0.22	SMR-SS39	0.22	SMR-SS40	0.22
SMR-SS41	0.22	SMR-SS42	0.22	SMR-SS43	0.22	SMR-SS44	0.22	SMR-SS45	0.22
SMR-SS46	0.22	SMR-SS47	0.22	SMR-SS48	0.22	SMR-SS49	0.22	SMR-SS50	0.22
SMR-SS51	0.22	SMR-SS52	0.22	SMR-SS53	0.22	SMR-SS54	0.22	SMR-SS55	0.22
SMR-SS56	0.22	SMR-SS57	0.22	SMR-SS58	0.22	SMR-SS59	0.22	SMR-SS60	0.22








The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.


























Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-SS61	0.22	SMR-SS62	0.22	SMR-SS63	0.22	SMR-SS64	0.22	SMR-SS65	0.022
									
SMR-SS66	0.022	SMR-SS67	0.22	SMR-SS68	0.22	SMR-SS69	0.22	SMR-SS70	0.22
									
SMR-SS71	0.22	SMR-SS72	0.22	SMR-SS73	0.22				




The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.






Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-SB001	0.03	SMR-SB002	0.06	SMR-SB003	0.21	SMR-SB004	0.309	W48011	0.054
									
W48019	0.02	W48020	0.032	φ6.4实心棒	0.088	φ3.0实心棒	0.02	SMR-SB005	0.065
									
SMR-SB006	0.082	SMR-SB007	0.109	SMR-SB008	0.136	SMR-SB009	0.161	SMR-SB010	0.164
									
SMR-SB011	1.46	SMR-SB012	6.15	SMR-SB013	2.75	W48003	0.14	SMR-SB014	0.134
									
SMR-SB015	0.22	SMR-SB016	0.273	SMR-SB017	0.33	SMR-SB018	0.393	SMR-SB019	0.391
									
SMR-SB020	0.46	SMR-SB021	0.5	SMR-SB022	0.5	SMR-SB023	0.699	SMR-SB024	1.09

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

























Any zero tangent of length










Every aluminum strip
is strictly inspected
before leaving
the factory

Surface flatness

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
SMR-RST001	0.043	SMR-RST002	0.06	SMR-RST003	0.077	SMR-RST004	0.094	SMR-RST005	0.128
									
SMR-RST006	0.02	SMR-RST007	0.248	SMR-RST008	0.302	W48002	0.09	W48004	0.179
									
W48007	0.08	W48008	0.05	WK-Y20	0.132	WK-Y25	0.166	25.4*1.0	0.21
									
W48023	0.96	$\phi 19 \times 0.7$	0.11	W48032	0.058	W48070	0.128	W48071	
									
SMR-RST009	0.3032	SMR-RST010	0.385	SMR-RST011	0.359	SMR-RST012	0.385	SMR-RST013	0.1
									
SMR-RST015	0.15	SMR-RST016	0.2	SMR-RST018	0.3	W48024	0.85	W48033	1.138

The thickness and the weight are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.

Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)	Model number	Weight(kg/m)
									
W48035	0.969	SMR-RST014	0.152	SMR-RST017	0.234	W48018	1.54	W48037	1.86
									
W48044	2.39								



The thickness and the wieght are in standard in the picture, the clients can be order the products according the thickness they need, the actual weight is the weight of the weighing.