

Phone: 352-302-0287

Email: linkster45@icloud.com

A GOLDEN RULE CABINETS

Ready to Assemble Kitchen Cabinet Catalog

Brilliant White Shaker



Shipping Time:	Ships in 3-10 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		

Providence White



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Recessed Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Dakota White



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Aspen White Shaker



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	MDF (MDF is used to avoid cracking/warping)	Finish:	Polyurethane Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	½	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Lakewood White



Shipping Time:	Ships in 3-10 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Raised	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Sides Panels Finished:	Yes
Overlay:	Full		

Charlotte White



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Recessed	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"		
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Arctic White Shaker



Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed European Hinges (soft close upgrade available)
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	HDF (HDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but the SS-TKC (8" toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Epoxy Drawer Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		

Southport White Shaker



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Shaker	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Regency White

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	MDF (MDF is used to avoid cracking/warping)	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Epoxy coated metal undermount		
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		

Signature Vanilla Glaze



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish with Glaze
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Linen Shaker



Shipping Time:	Ships in 3-10 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Sides Panels Finished:	Yes
Overlay:	Full		

French Vanilla Glaze



Shipping Time:	This finish ships in 2-6 weeks (please note that smaller orders may ship out sooner)	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		

Casselton Ivory



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Phoenix Cream Glaze



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Cambridge Antique White Glaze



Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Raised Square	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		

Brantley Antique White Glaze



Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Recessed Panel	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		

Lakewood Stone



Shipping Time:	Ships in 3-10 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Raised	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Finish:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	None
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		

Stone Shaker



Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" HDF (HDF is used to avoid cracking/warping)		
Door Center:	HDF (HDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Installation/Designer Note:	Cabinet specs are subject to change without notice. *Cabinet measurements are typically converted from metric to inches and manufacturers will commonly round up to the nearest 1/4 inch. This can cause a measurement to be off by a fraction of an inch (less than 1/4") which is within normal industry standards*
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		

Charlotte Grey



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Recessed	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"		
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Heather Grey Shaker



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Eucalyptus Grandis	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Eucalyptus Grandis	Finish:	Waterborne UV Finish
Door Center:	13/16" Solid Eucalyptus Grandis	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	Wall Cabinets: 1/2" Picture Frame recess style. Most Base Cabinets: 1/2" FULL Back (some base cabinets will have a picture frame recessed back)	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Grey Shaker



Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		

Natural Grey Shaker



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Maple	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping) with a maple veneer	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Providence Grey



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Recessed square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Eucalyptus Grandis	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Eucalyptus Grandis	Finish:	Waterborne UV Finish
Door Center:	1/2" Solid Eucalyptus Grandis	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	Wall Cabinets: 1/2" Picture Frame recess style. Most Base Cabinets: 1/2" FULL Back (some base cabinets will have a picture frame recessed back)	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Harvest Oak



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5 piece decor header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Wood	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Oak	Finish:	Polyurethane Finish
Door Center:	MDF with Oak Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21". Rabbet joint construction, Natural Oak finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Epoxy coated metal side mount		
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable		

Shaker Honey



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Pecan Shaker



Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed European Hinges (soft close upgrade available)
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mortise & Tenon Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Veneered MDF Center Panel (MDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly. Yes, but the SS-TKC (8" toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Epoxy Drawer Glides	Toe Kicks Included w/Base Cabinets:	
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Sides Panels Finished:	Yes
Overlay:	Full		

Glazed Toffee



Shipping Time:	This finish ships in 2-6 weeks (please note that smaller orders may ship out sooner)	Drawer Box:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides
Wood Species	Maple	Drawer Glides:	Undermount & Soft Close
Face Frame:	3/4" Solid Maple	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Door Frame:	3/4" Solid Maple	CARB Compliant:	Yes
Door Center:	3/4" Solid Maple	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Door Style:	Raised Panel	Toe Kicks Included w/Base Cabinets:	Yes
Overlay:	Full	Sides Panels Finished:	Yes
Side & Top/Bottom:	1/2" Plywood with Maple Veneer	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)		
Shelves:	5/8" Plywood		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		

Regency Spiced Glaze



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Epoxy coated metal undermount		
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		

Lexington Cinnamon Glaze



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	Solid Maple	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Cafe Mocha Glaze



Shipping Time:	This finish ships in 2-6 weeks (please note that smaller orders may ship out sooner)	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		

Phoenix Caramel Glaze



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	Solid Maple	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Nutmeg Twist



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Newberry Merlot



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	Full back on bases (3/4" plywood)	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Cayenne Cognac



Shipping Time:	This finish ships in 2-6 weeks (please note that smaller orders may ship out sooner)	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		

Regency Pomegranate Glaze



Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Epoxy coated metal undermount		
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		

Brantley Chocolate Glaze



Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Recessed Panel	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Veneered MDF (MDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Cambridge Saddle Glaze

Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Raised Square	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Solid Birch	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Signature Chocolate

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		



Overlay:	Full with Butt doors	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Regency Espresso

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4" A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2		
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.		



Drawer Glides:	Epoxy coated metal undermount	Toe Kicks Included w/Base Cabinets:	Yes
Base Corner Supports:	Plastic corner brackets	Sides Panels Finished:	Yes
Overlay:	Full with Butt doors	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Hinges:	Concealed 6-way adjustable		

Coffee Shaker

Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Solid Birch		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding		



Base Cabinet Shelf Depth:	1/2	CARB Compliant:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Sides Panels Finished:	Yes
Overlay:	Full		

Dark Chocolate Shaker

Shipping Time:	Ships in 3-5 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mortise & Tenon Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Veneered MDF Center Panel (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood		
Back Panel:	1/2" A-Grade Plywood Full Back		



Shelves:	Adjustable 3/4" w/Front Edge Banding	Wall Cabinet Bottoms Finished (Exterior):	Yes
Base Cabinet Shelf Depth:	1/2	CARB Compliant:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Glides:	Undermount, Epoxy Drawer Glides	Toe Kicks Included w/Base Cabinets:	Yes, but the SM-TKC (8' toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Sides Panels Finished:	Yes
Overlay:	Full		

Brazilian Shaker

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style		

Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Base Cabinet Shelf Depth:	1/2		
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Sides Panels Finished:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

Southport Espresso Shaker



Shipping Time:	Ships in 3-7 business days	Hinges:	Soft-close
Style:	Shaker	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	Solid Maple	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded



Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		

Espresso Bean

Shipping Time:	This finish ships in 2-6 weeks (please note that smaller orders may ship out sooner)	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Flat Panel with Decorative Groove	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple

Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		