Phone: 352-302-0287

Email: linkster45@icloud.com

# A GOLDEN RULE CABINETRY

READY TO ASSEMBLE BATHROOM VANITY CATALOG



**Brilliant White Shaker** 

Shipping Time:	Ships in 3-5 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet
Style:	Shaker	cubilité iliterior.	fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)		Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple &
Sides:	1/2" A-Grade Plywood		Glued, clips will not be used
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Bottom (Base):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Back Panel:	1/2" A-Grade Plywood Full Back	Installation Rail:	None
Shelves:	Adjustable 3/4" w/Front Edge Banding		None
Base Cabinet Shelf Depth:	1/2	Wall Cabinet Bottoms Finished (Exterior):	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box,	CARB Compliant:	Yes
Drawer Box.	5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Toe Kicks Included w/Base	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if
Overlay:	Full	Cabinets:	cabinets are next to each other.

Hinges:



#### **Providence White**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Recessed Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade plywood with wood veneer	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Bottom (Base):	3/8" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer		Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinet Unhinge The Door, Flip It, Screw Holes On The
Base Cabinet Shelf Depth:	1/2	Door Hinges:	
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".  Dovetail construction, Natural finish.		Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Drawer Glides:	Undermount, full extension with soft closing feature	Toe Kicks Included w/Base Cabinets:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Sides Panels Finished:	Yes  For this full overlay door style, if a cabinet side is
Overlay:	Full with Butt doors	Installation Note:	being installed against a wall, a narrow clearance



Hinges:

Concealed 6-way adjustable with Soft Closing Feature

may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.

#### **Dakota White**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:  Wall Cabinet Bottoms Finished (Exterior):	
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer		1/2" Plywood
Bottom (Base):	3/8" A-Grade plywood with wood veneer		Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer		Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Unhinge The Door, Flip It, Screw Holes On The
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".  Dovetail construction, Natural finish.		Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Drawer Glides:	Undermount, full extension with soft closing feature	Toe Kicks Included w/Base Cabinets:	Yes



Base Corner Supports:	Wood corner brackets with wood I-beam construction	Sides Panels Finished:	Yes
Overlay:	Full with Butt doors		For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance
Hinges:	Concealed 6-way adjustable with Soft Closing Feature	Installation Note:	may be necessary, depending on the decorative hardware that is being used, to make sure the
			cabinet door opens properly.

## **Aspen White Shaker**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	MDF (MDF is used to avoid cracking/warping)	Finish:	Polyurethane Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	-	
Sides:	1/2" A-Grade plywood with wood veneer	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Bottom (Base):	3/8" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer		Hinged To The Right By Default. For Wall Cabinets
Base Cabinet Shelf Depth:	1/2	Door Hinges:	The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".		Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased Fo





	Dovetail construction, Natural finish.		This)
Drawer Glides:	Undermount, full extension with soft closing feature	Toe Kicks Included w/Base Cabinets:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Sides Panels Finished:	Yes
Overlay:	Full with butt doors	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

# **Regency White**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	MDF (MDF is used to avoid cracking/warping)	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer		1/2 Flywood
Bottom (Base):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer	_	Hinged To The Right By Default. For Wall Cabinet: The Face Frame Can Be Flipped. For Base Cabinet Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased Fo This)
Base Cabinet Shelf Depth:	1/2	Door Hinges:	
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.		



Drawer Glides:	Epoxy coated metal undermount	Toe Kicks Included w/Base Cabinets:	Yes
Base Corner Supports:	Plastic corner brackets	Sides Panels Finished:	Yes
Overlay:	Full with Butt doors		For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance
Hinges:	Concealed 6-way adjustable	Installation Note:	may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.

## Signature Vanilla Glaze

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	— Finish:	Waterborne UV Finish with Glaze
Door Center:	MDF (MDF is used to avoid cracking/warping)	-	
Sides:	1/2" A-Grade plywood with wood veneer	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Bottom (Base):	3/8" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The



Base Cabinet Shelf Depth:	1/2		Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For
Drawer Box:	Dovotail construction, Natural finish		This)
		Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Sides Panels Finished:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		

#### French Vanilla Glaze

Shipping Time:	Ships in 8-20 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2"Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be



	vanity drawer bases - do not have back panels but do have hanging rails)		Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests		Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Sides Panels Finished:	Yes
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		

## **Cambridge Antique White Glaze**

Shipping Time:	Ships in 3-5 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet
Style:	Raised Square		fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors		Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Assembly Method:	cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple &
Sides:	1/2" A-Grade Plywood		Glued, clips will not be used



Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Bottom (Base):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Back Panel:	1/2" A-Grade Plywood Full Back		<u> </u>
Shelves:	Adjustable 3/4" w/Front Edge Banding	Installation Rail:	None
Base Cabinet Shelf Depth:	1/2	Wall Cabinet Bottoms Finished (Exterior):	Yes
	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece	CARB Compliant:	Yes
	drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets
Overlay:	Full		are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges	Sides Panels Finished:	Yes

## **Brantley Antique White Glaze**

Shipping Time:	Ships in 3-5 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Recessed Panel		
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the



Door Center:	Premium MDF (MDF is used to avoid cracking/warping)		cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood		
Back Panel:	1/2" A-Grade Plywood Full Back	Installation Rail:	None
Shelves:	Adjustable 3/4" w/Front Edge Banding	Wall Cabinet Bottoms Finished (Exterior):	Yes
Base Cabinet Shelf Depth:	1/2	CARB Compliant:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Toe Kicks Included w/Base	Yes, but there will be a small gap when two cabine are side by side, so the TKC (8' toe kick) is needed it cabinets are next to each other.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Cabinets:	
Overlay:	Full	Sides Panels Finished:	Yes
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		

#### **Harvest Oak**


Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5 piece decor header)	Center Stile:	No center stile on cabinetry 24"W to 36"W



Face Frame:	3/4" Solid Wood	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Oak	Finish:	Polyurethane Finish
Door Center:	MDF with Oak Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style		Hinged To The Right By Default. For Wall Cabinets
Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The
Base Cabinet Shelf Depth:	1/2	— Door Tilliges.	Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For
	Solid Wood 3/5" sides, Drawer bottom 1/2"		This)
Drawer Box:	plywood, Drawer length 21". Rabbet joint construction, Natural Oak finish.	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Epoxy coated metal side mount	Sides Panels Finished:	Yes
Base Corner Supports:	Plastic corner brackets		For this full overlay door style, if a cabinet side is
Overlay:	Full with butt doors	Installation Note:	being installed against a wall, a narrow clearance may be necessary, depending on the decorative
Hinges:	Concealed 6-way adjustable		hardware that is being used, to make sure the cabinet door opens properly.

# **Shaker Honey**

Shipping Time: This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish	
--	-------------------	---------------------	--



Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms	V
Bottom (Base):	3/8" A-Grade plywood with wood veneer	Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer	_	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Base Cabinet Shelf Depth:	1/2	Door Hinges:	
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".		
Drawer Glides:	Dovetail construction, Natural finish.  Undermount, full extension with soft closing	Toe Kicks Included w/Base Cabinets:	Yes
	feature Wood corner brackets with wood I-beam	Sides Panels Finished:	Yes
Base Corner Supports:	construction		For this full overlay door style, if a cabinet side is
Overlay:	Full with butt doors	Installation Note:	being installed against a wall, a narrow clearance
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.

Shipping Time:	Ships in 7-15 business days	Overlay:	3/4" overlay with butt doors
Style:	Raised Square	Hinges:	European, concealed, fully adjustable hinges
Face Frame:	3/4" Solid Maple	Cabinet Interior:	Matches door finish
Door Frame:	3/4" Solid Maple	Center Stile:	Cabinets 39" and wider will have center stiles, these cabinet do not have butt doors.
Door Center:	Solid Maple	Assembly Method:	Steel Clip
Sides:	1/2" Plywood	Finish:	Baked on UV Finish with Hand Applied Glaze
Top & Bottom (Wall):	1/2" Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" Plywood		<u> </u>
Back Panel:	3/16" Plywood	Installation Rail:	3/4" Plywood
Shelves:	3/4" Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Base Cabinet Shelf Depth:	1/2	CARB Compliant:	Yes
Drawer Box:	3/4" Hardwood dovetail drawer boxes with 1/2" bottoms	Door Hinges:	Reversible And There Are Cover Tabs Included For Unused Holes.
Drawer Glides:	Soft close, full extension undermount drawer glides	Toe Kicks Included w/Base Cabinets:	Yes
Base Corner Supports:	Plastic Clips	Sides Panels Finished:	Yes



#### **Pecan Shaker**

Shipping Time:	Ships in 3-5 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet
Style:	Shaker		fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mortise & Tenon Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the
Door Center:	Veneered MDF Center Panel (MDF is used to avoid cracking/warping)		cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple &
Sides:	1/2" A-Grade Plywood		Glued, clips will not be used
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Bottom (Base):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Back Panel:	1/2" A-Grade Plywood Full Back	Installation Rail:	None
Shelves:	Adjustable 3/4" w/Front Edge Banding	Wall Cabinet Bottoms	Yes
Base Cabinet Shelf Depth:	1/2	Finished (Exterior):	103
	5/8" solid hardwood, dovetailed drawer box,	CARB Compliant:	Yes
Drawer Box:	5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer
Drawer Glides:	Undermount, Epoxy Drawer Glides		chooses Right or Left during assembly.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Toe Kicks Included w/Base Cabinets:	Yes, but the SS-TKC (8' toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood



Overlay:	Full		side panels
Hinges:	6-way Adjustable, Concealed European Hinges (soft close upgrade available)	Sides Panels Finished:	Yes

#### **Glazed Toffee**

Shipping Time:	Ships in 8-20 business days	Drawer Glides:	Undermount & Soft Close
Wood Species	Maple	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Face Frame:	3/4" Solid Maple	CARB Compliant:	Yes
Door Frame:	3/4" Solid Maple		Pre-Drilled To The Right - Wall Cabinets Can Be
Door Center:	3/4" Solid Maple	Door Hinges:	Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be
Door Style:	Raised Panel		Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Overlay:	Full	Toe Kicks Included w/Base	Yes
Side & Top/Bottom:	1/2" Plywood with Maple Veneer	Cabinets:	
	1/2" Plywood (Sink Base/Vanity Cabinets - except	Sides Panels Finished:	Yes
Back Panel:	vanity drawer bases - do not have back panels but do have hanging rails)	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is
Shelves:	5/8" Plywood		recommended between the wall and side of the
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spac however, only choose that option if the design

Drawer Box:

Full Extension, Undermounted, Soft Close, Steel
Concealed Drawer Glides

doesn't allow for a 1/2" clearance.



**Regency Spiced Glaze** 

Base Corner Supports:	Plastic corner brackets	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance
Drawer Glides:	Epoxy coated metal undermount	Sides Panels Finished:	Yes
Drawer Box:	plywood, Drawer length 21, Dovetail construction, Natural finish.	Toe Kicks Included w/Base Cabinets:	Yes
	Solid Wood 3/5" sides, Drawer bottom 1/2"		This)
Base Cabinet Shelf Depth:	1/2		Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For
Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	Unhinge The Door, Flip It, Screw Holes On The
Back Panel:	1/2" Picture Frame recess style		Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish



Overlay:	Full with Butt doors
Hinges:	Concealed 6-way adjustable

may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.

#### Cafe Mocha Glaze

Shipping Time:	Ships in 8-20 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have
Style:	Raised Panel	Center Stile:	matching interiors)  None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2"Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	Finished (Exterior):	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	CARB Compliant:  Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests		Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Cabinets: Sides Panels Finished:	Yes
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is
			Page 10 of 24



Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets
Overlay:	Full
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges

recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.

#### **Grey Shaker**

Shipping Time:	Ships in 3-5 business days	— Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet
Style:	Shaker	Cabinet interior:	fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)		Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Sides:	1/2" A-Grade Plywood		
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Bottom (Base):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Back Panel:	1/2" A-Grade Plywood Full Back	Landa Hallana Ball	No
Shelves:	Adjustable 3/4" w/Front Edge Banding	Installation Rail:  Wall Cabinet Bottoms Finished (Exterior):	None
Base Cabinet Shelf Depth:	1/2		Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece	CARB Compliant:	Yes



	drawer front construction	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Door Tilliges.	chooses Right or Left during assembly.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges	Sides Panels Finished:	Yes

# **Nutmeg Twist**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer		
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The



Base Cabinet Shelf Depth:	1/2		Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
D D	Dovetail construction, Natural tinish		
Diawei Box.		Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Sides Panels Finished:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		hardware that is being used, to make sure the cabinet door opens properly.

# **Newberry Merlot**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer		
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Installation Rail:  Wall Cabinet Bottoms  Finished (Exterior):	1/2" Plywood
Bottom (Base):	1/2" A-Grade plywood with wood veneer		Yes



Full back on bases (3/4" plywood)	CARB Compliant:	Yes
3/4 " A-Grade plywood with wood veneer		Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets
1/2	Door Hinges:	Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".  Dovetail construction. Natural finish.	Door minges:	
Undermount, full extension with soft closing feature	Toe Kicks Included w/Base Cabinets:	Yes
Wood corner brackets with wood I-beam	Sides Panels Finished:	Yes
Full with butt doors	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance
Concealed 6-way adjustable with Soft Closing Feature		may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
	3/4 " A-Grade plywood with wood veneer  1/2  Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".  Dovetail construction, Natural finish.  Undermount, full extension with soft closing feature  Wood corner brackets with wood I-beam construction  Full with butt doors  Concealed 6-way adjustable with Soft Closing	3/4 " A-Grade plywood with wood veneer  1/2  Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".  Dovetail construction, Natural finish.  Undermount, full extension with soft closing feature  Wood corner brackets with wood I-beam construction  Full with butt doors  Concealed 6-way adjustable with Soft Closing  Installation Note:

#### **Cayenne Cognac**


Shipping Time:	Ships in 8-20 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2"Plywood	Installation Rail:	None



Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Door Tilliges.	Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Cabinets: Sides Panels Finished:	Yes
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets	Installation Note:	
Overlay:	Full		cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces,
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		however, only choose that option if the design doesn't allow for a 1/2" clearance.

# **Regency Pomegranate Glaze**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip



Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style		Hinged To The Right By Default. For Wall Cabinets
Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Base Cabinet Shelf Depth:	1/2	, and the second	
	Solid Wood 3/5" sides, Drawer bottom 1/2"		
Drawer Box:	plywood, Drawer length 21, Dovetail construction, Natural finish.	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Epoxy coated metal undermount	Sides Panels Finished:	Yes
Base Corner Supports:	Plastic corner brackets	Installation Note:	For this full overlay door style, if a cabinet side is
Overlay:	Full with Butt doors		being installed against a wall, a narrow clearance may be necessary, depending on the decorative
Hinges:	Concealed 6-way adjustable		hardware that is being used, to make sure the cabinet door opens properly.

#### **Brantley Chocolate Glaze**

Shipping Time:	Ships in 3-5 business days		UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet
Style:	Recessed Panel	Cabinet interior.	fronts)



Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors		Metal Clip or Glue & Staple: Cabinets come with
Door Center:	Veneered MDF (MDF is used to avoid cracking/warping)	Assembly Method:	Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the
Sides:	1/2" A-Grade Plywood		cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Bottom (Base):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Back Panel:	1/2" Plywood Full Back		None
Shelves:	Adjustable 3/4" w/Front Edge Banding	Installation Rail:	
Base Cabinet Shelf Depth:	1/2	<ul><li>Wall Cabinet Bottoms</li><li>Finished (Exterior):</li></ul>	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece	CARB Compliant:	Yes
	drawer front construction		Doors come pre-drilled for the hinges, the face
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Door Hinges:	frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Corner Supports:	3/4" Solid Wood Corner Blocks	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges	Sides Panels Finished:	Yes

# Cambridge Saddle Glaze

Shipping Time:	Ships in 3-5 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass
----------------	----------------------------	-------------------	---

Style:	Raised Square		cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mitered Doors		Metal Clip or Glue & Staple: Cabinets come with
Door Center:	Solid Birch	Acceptable Marth and	Metal Clips (Cleats - not already installed on the
Sides:	1/2" A-Grade Plywood	Assembly Method:	cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish	7 step, acid-catalyzed finish process with a UV
Bottom (Base):	1/2" A-Grade Plywood	Finish:	coating and brushed glaze
Back Panel:	1/2" A-Grade Plywood Full Back	Toe Kick:	1/2" Plywood
Shelves:	Adjustable 3/4" w/Front Edge Banding	Installation Rail:	None
Base Cabinet Shelf Depth:	1/2	Wall Cabinet Bottoms	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Finished (Exterior):  CARB Compliant:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer
Base Corner Supports:	3/4" Solid Wood Corner Blocks		chooses Right or Left during assembly.
Overlay:	Full	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges	Sides Panels Finished:	cabinets are next to each other.  Yes



**Signature Chocolate** 

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch		Waterborne UV Finish from Sherwin Williams with
Door Center:	Solid Birch	Finish:	Glaze
Sides:	1/2" A-Grade plywood with wood veneer	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Bottom (Base):	3/8" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4 " A-Grade plywood with wood veneer		Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Base Cabinet Shelf Depth:	1/2		
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".  Dovetail construction, Natural finish.	Door Hinges:	
Drawer Glides:	Undermount, full extension with soft closing feature	Toe Kicks Included w/Base Cabinets:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Sides Panels Finished:	Yes
Overlay:	Full with Butt doors		For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance
Hinges:	Concealed 6-way adjustable with Soft Closing Feature	Installation Note:	may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.



**Regency Espresso** 

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style		Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The
Shelves:	3/4 " A-Grade plywood with wood veneer	December 2	
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For
	Solid Wood 3/5" sides, Drawer bottom 1/2"		This)
Drawer Box:	plywood, Drawer length 21, Dovetail construction, Natural finish.	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Epoxy coated metal undermount	Sides Panels Finished:	Yes
Base Corner Supports:	Plastic corner brackets	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance



Overlay:	Full with Butt doors
Hinges:	Concealed 6-way adjustable

may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.

#### **Coffee Shaker**

Shipping Time:	Ships in 3-5 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Cabinet interior.	
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch		Metal Clip or Glue & Staple: Cabinets come with
Door Center:	Solid Birch	Assembly Method:	Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the
Sides:	1/2" A-Grade Plywood		cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV
Bottom (Base):	1/2" A-Grade Plywood		coating
Back Panel:	1/2" A-Grade Plywood Full Back	Toe Kick:	1/2" Plywood
Shelves:	Adjustable 3/4" w/Front Edge Banding	Installation Rail:	None
Base Cabinet Shelf Depth:	1/2	Wall Cabinet Bottoms Finished (Exterior):	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece	CARB Compliant:	Yes
	drawer front construction		Doors come pre-drilled for the hinges, the face
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Door Hinges:	frame has marks where to drill and the customer chooses Right or Left during assembly.
			Daga 20 of 2



Base Corner Supports:	3/4" Solid Wood Corner Blocks	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges	Sides Panels Finished:	Yes

#### **Dark Chocolate Shaker**

Shipping Time:	Ships in 3-5 business days	— Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Cabinet interior:	
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch, Mortise & Tenon Doors	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with
Door Center:	Veneered MDF Center Panel (MDF is used to avoid cracking/warping)		Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Sides:	1/2" A-Grade Plywood		
Top & Bottom (Wall):	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Bottom (Base):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Back Panel:	1/2" A-Grade Plywood Full Back	Installation Rail:	None
Shelves:	Adjustable 3/4" w/Front Edge Banding		None
Base Cabinet Shelf Depth:	1/2	<ul><li>Wall Cabinet Bottoms</li><li>Finished (Exterior):</li></ul>	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece	CARB Compliant:	Yes



	drawer front construction	Door Hinges:  Toe Kicks Included w/Base Cabinets:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer
Drawer Glides:	Undermount, Epoxy Drawer Glides		chooses Right or Left during assembly.
Base Corner Supports:	3/4" Solid Wood Corner Blocks		Yes, but the SM-TKC (8' toe kick) is needed for all base cabinets to cover the unfinished sides since
Overlay:	Full		the included toe kick fits in between the plywood
Hinges:	6-way Adjustable, Concealed European Hinges (soft close upgrade available)	Sides Panels Finished:	side panels Yes

#### **Brazilian Shaker**

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style		Hinged To The Right By Default. For Wall Cabinets
Shelves:	3/4 " A-Grade plywood with wood veneer	Door Hinges:	The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The



Base Cabinet Shelf Depth:	1/2		Opposite Side To Re-Hinge, And Then Fill The
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.		Original Holes (Touch Up Kit Can Be Purchased For This)
		Toe Kicks Included w/Base Cabinets:	Yes
		Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		

## Espresso Bean

Shipping Time:	Ships in 8-20 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Flat Panel with Decorative Groove	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2"Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The

	but do have hanging rails)		Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf		
Base Cabinet Shelf Depth:	Rests 1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8"	Sides Panels Finished:	Yes
Drawer Glides:	Plywood Bottoms Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		