


OSAIC


MIX COLLECTION




2.5X2.5cm sheet size 31.6x31.6cm




SA 700




SA 701




SA 702




SA 703



SA 704




SA 705




SA 706




SA 707



SA 708




SA 709



SA 710




SA 711




SA 712




SA 713




SA 714




2.5X2.5cm sheet size 31.6x31.6cm




SA 715




SA 716




SA 717



SA 718




SA 719




SA 720




SA 721




SA 722




SA 723




SA 724




SA 725




SA 726



SA 727




SA 728




SA 729




2.5X2.5cm sheet size 31.6x31.6cm



SA 730




SA 731



SA 732



SA 733




SA 734




SA 735




SA 736




SA 737




SA 738




SA 739




SA 740




SA 741




SA 742



SA 743




SA 744




2.5X2.5cm sheet size 31.6x31.6cm




SA 745




SA 746




SA 747



SA 748




SA 749




SA 750




SA 751




SA 752



SA 753




SA 754




SA 755



SA 756



SA 757



OSAIC

MIX Collection

Piece 1" x 1" • Piece 2.5x2.5cm. Sheet 12 ½" x 12 ½" • Panel 31,6 x 31,6 cm.

SUITABILITY AREA PRODUCT & COMPOSITION GUIDE

Wall	Floor	Wet areas	Pools	Material
Int / Ext	Residential	Yes	Yes	Glass



PACKING SOLID COLORS (MESH)

SIZE / MESH	WEIGHT / BOX	M ² / BOX	PIECES / BOX	M ² / PALLET ·	WEIGHT / PALLET ·
31,6 x 31,6 cm. 12 ½" x 12 ½"	17,33 kg	2 m ²	20	126 m ²	1.200 kg

TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks	Test UNE-EN-ISO 10545-12 Frost resistance	Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack			
				Domestic products	Pool water additives	Low acid and alkalins	High acid and alkalins
None	4	Resistant	Resistant	GA	GA	GLA	GHA
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays	DCOF Wet Dynamic Coefficient of Friction ANSI A 137.1 Standard		DIN 51130:2004 SLIP Resistance wearing shoes	DIN 51097 SLIP Resistance in bare feet	Test UNE-ENV 12633:2003 (CTE) Anti skid coefficient, suitable for outdoor use and swimming pools.
Class 5	Resistant	Resistant					

WWW.BYOSAIC.COM



RECYCLE
PRODUCT

