

# Forensic Mental Health Insider

Official Membership Publication of the American Institute for the Advancement of Forensic Studies (AIAFS)



## Temporal Fluctuations in Suicide

Chris Caulkins, MPH, MA, ABD

It is the winter holiday season, and I open an e-mail from a local fire department inviting me to present on the critical topic of suicide prevention. The message begins with an announcement that it 'tis the season for suicides. While the sentiment is indeed one of concern, it is actually a myth perpetuated by well-meaning people. It seems intuitive that those who are misplaced during the holiday season are dying by their own hand in droves, but in reality, this is simply not true. If we are going to prepare for, respond to, and hopefully prevent suicides, it is important for us to understand the true temporal variabilities of suicidal behavior. In this article, I will discuss several common myths in regard to the temporality of suicide and suicidal behavior, including the effects of the lunar cycle, season, day of the week, and length of daylight.

### Lunar Cycle

Many among us still believe the notion that the moon causes behavioral emergencies, hence the origin of the word lunacy (LaMothe, 2007; Leigh, 2014). You do not have to wait long to encounter water cooler talk reinforcing this false belief. The moon, in fact, has no statistical effect on call volumes or people's behavior (Bledsoe, 2018; Maldonado & Kraus, 1991; Snelson, 2004). So why do some people—including emergency responders and mental health professionals—swear the moon dictates behavior? The answer lies in something called *confirmation bias*, a situation in which people tend to fall back on a favored belief to affirm what they are observing is true (Klayman, 1995). Because there is no preconceived notion that lack of moonlight causes behavioral disturbances, the responder does not typically attribute a person's erratic behavior to lack of lunar visibility.

### Day of the Week

As far back as the end of the 19<sup>th</sup> century, it was noted that suicide rates were lowest on Fridays, Saturdays, and Sundays (Durkheim 1887/1951). Researchers studying a 58-year period in the U.S. discovered suicide most frequently occurred on Mondays (Maldonado & Kraus, 1991) with later researchers confirming a 6-10% increase of suicides on Mondays (Miller, Furr-Holden, Lawrence, & Weiss, 2012). In my analysis of death manners in Minnesota from 2001-2016, I have found the same patterns of suicide with Monday being the peak day and the weekend being the low (see Figure 1). On an interesting side note, natural deaths peak on Fridays with accidents and homicides peaking on Saturdays (see Figure 1).




Figure 1. Manner of death by day of week. Minnesota 2001-2016.

Note. Numbers to left of graph are a standardized level, not actual numbers of deaths.

### Managing Editors:

**Jerrod Brown, Ph.D.**  
jerrodbaiafs@gmail.com

**Janina Cich, MA**  
janinaaiafs@gmail.com

### Circulation Manager:

**Darian Buel, BA**  
darianbaiafs@gmail.com

### Copy Editor:

**Amanda Fenrich, MA**  
Mandyc200418@gmail.com

### Editorial Board:

**Ann Marie Winkowski PsyD, LP**  
ann\_marie@acumenpsychology.com

**Carlo A. Giacomoni, PsyD, ABPP**  
giacomoni.psyd@gmail.com

**Charlotte Gerth Haanen, Ph.D., L.P.**  
charlotte.gerthhaanen@state.mn.us

**Cheryl Arndt, Ph.D.**  
Cheryl.Arndt@kidspace.org

**Cody Charette, Ph.D.**  
codycharettephd@gmail.com

**Deborah Eckberg, Ph.D.**  
Deborah.Eckberg@metrostate.edu

**Erik Asp, Ph.D.**  
easp02@hamline.edu

**Debra Huntley, Ph.D., LP**  
huntley@csp.edu

**Diana Lynn Barnes, Psy.D, LMFT**  
dbarnes9606@sbcglobal.net

**Diane Harr, Ph.D.**  
dharr@csp.edu

**Hal Pickett, Psy.D., LP, ABPP**  
Hal.Pickett@Headway.org

**Israel Sokeye, MD**  
israel.sokeye@plymouthpsychgroup.com

**James Densley, Ph.D.**  
James.Densley@metrostate.edu

**Jeff Haun, Psy.D., ABPP**  
drjhaun@gmail.com

**Judge Anthony Wartnik**  
theadjudicator78@gmail.com

**Kimberly Dodson, Ph.D.**  
DodsonK@UHCL.edu

**Laura Cooney-Koss, Psy.D., M.C.J.**  
forensicassociatesde@gmail.com

**Mario Hesse, Ph.D.**  
mlhesse@stcloudstate.edu

**Matthew Krasowski, MD, Ph.D.**  
matthew-krasowski@uiowa.edu

**Olivia Johnson, DM**  
johnsonolivia@sbcglobal.net

**Paul Novotony, Psy.D., LP, LPCC**  
pauln@pathwayscounselingcenter.org

## Month

A research review of 27 studies by Galvão, Silva, & Silva (2018) revealed that the majority of suicides occur between spring and early summer regardless of the hemisphere—north or south—they occurred within. This hemispheric difference means that suicide rates are likely tied to the season itself rather than the holiday season. In the U.S., suicides peak from April to May with a second peak in September (Bridges, Yip, & Yang, 2005). My analysis of the 2001-2016 reveals a similar pattern with suicides climbing during the month of May, June, August, and October while dropping to their lowest points in February and December (see Figure 2). So contrary to popular belief, the winter holidays are not peak suicide times. Interestingly, Sansone and Sansone (2011) have outlined what they non-secularly refer to as the *Christmas Effect* when instances of self-harm, psychiatric hospital admissions, and suicide attempts decrease while mood disorders and alcohol-related poisonings increase.




Figure 2. Manner of death by month. Minnesota 2001-2016.

Note. Numbers to left of graph are a standardized level, not actual numbers of deaths.

## Daylight

Roehner (2015) found that length of daylight—of lack thereof—associated with latitude does not have an effect on suicide rates, although it does result in exacerbation of seasonal affective disorder.

The findings of my analysis of Minnesota data corroborates Roehner's assertion as suicides are not tied to hours of daylight (see Figure 2).

## Conclusion

The beliefs that suicide and suicidal behavior increases during the holiday season is unfounded. If anything, the holidays are a time of the year suicides decrease—perhaps because of increased social connection and goodwill towards others. This, of course, does not mean we should drop our vigilance in looking for the signs of suicide risk as it can and does happen throughout the entire year. We would, however, do well to intensify suicide prevention programs and messaging during our peak times of the year. Taking the peak day of the week—Monday—into account, we should avoid making the mistake of waiting until the weekend is over to seek help for ourselves, our patients, or those close to us when suicidal crises or thoughts arise.

## Author Biography

**Chris Caulkins** is the executive director of the Strub Caulkins Center for Suicide Research (SCCSR) and has researched, presented, and published on suicide at a state, national, and international level. Chris may be contacted at [c.caulkins@suicideresearch.org](mailto:c.caulkins@suicideresearch.org). You may follow the SCCSR on Facebook at <https://www.facebook.com/StrubCaulkins> or visit us on the web at [www.suicideresearch.org](http://www.suicideresearch.org).

## References

- Bledsoe, B. (2018). *It's a full moon tonight: Examining the evidence of a lunar effect on patient volumes and behaviors*. Retrieved from <https://www.jems.com/articles/2018/07/it-s-a-full-moon-tonight.html>
- Bridges, F. S., Yip, P. F., & Yang, K. T. (2005). Seasonal changes in suicide in the United States, 1971 TO 2000. *Perceptual & Motor Skills*, 100(3), 920-924.
- Durkheim, E. ([1887/1951). *Suicide: A study in sociology*. New York, NY: The Free Press.

- Galvão, P. V. M., Silva, H. R. S. e., & Silva, C. M. F. P. da. (2018). Review article: Temporal distribution of suicide mortality: A systematic review. *Journal of Affective Disorders*, 228, 132-142.
- Klayman, J. (1995). Varieties of confirmation bias. *Psychology of Learning and Motivation*, 32, 385-418.
- LaMothe, R. (2007). An Analysis of Acedia. *Pastoral Psychology*, 56(1), 15-30.
- Leigh, C. (2014). The history of madness and mental illness in the Middle Ages: Directions and questions. *History Compass*, 12(9), 729-744.
- Maldonado, G., & Kraus, J. F. (1991). Variation in suicide occurrence by time of day, day of the week, month, and lunar phase. *Suicide and Life-Threatening Behavior*, 21(2), 174-187.
- Miller, T. R., Furr-Holden, C. D., Lawrence, B. A., & Weiss, H. B. (2012). Suicide deaths and nonfatal hospital admissions for deliberate self-harm in the United States: Temporality by day of week and month of year. *Crisis*, 33(3), 169-177.

- Roehner, B. M. (2015). How can one explain changes in the monthly pattern of suicide? *Physica A: Statistical Mechanics and Its Applications*, 424(15), 350-362.
- Sansone, R. A., & Sansone, L. A. (2011). The Christmas effect on psychopathology. *Innovations in Clinical Neuroscience*, 8(12), 10-13.
- Snelson, A. (2004). Under the Brighton full moon. *Mental Health Practice*, 8(4), 30-34.