



Product catalogue

19 Inch U Rack host & Servers Case

Website : www.Xtrememiner.com

XtremeMiner Authorised Distributor (INDIA)

Shree Peripherals,
Dadri Main Road, Yamaha Vihar,
Baraula, Sector 49, Noida,
Uttar Pradesh 201301, INDIA
Mail :Shree.peripheral@gmail.com
Contact :+91 7701963095

Document Rev : 2.5
Updated on : 23 July 2025

Table of Contents

1. About Us	5
1.1. INDIA's Largest Custom U Rack Frames Maker	5
1.2. Long Life Stackable frames with Customization	5
2. Overview.....	6
3. U Rack 6U - Open Frame Wall Mount	8
3.1. Specification.....	8
3.2 Product Drawings.....	9
4. U Rack 9U - Open Frame Wall Mount	10
4.1. Specification.....	10
3.3 Product Drawings.....	11
5. U Rack 12U - Open Frame Wall Mount	12
5.1. Specification.....	12
4.2 Product Drawings.....	13
6. U Rack 12U - Open Frame Floor Mount	14
5.1. Specification.....	14
5.2 Product Drawings.....	15
7. U Rack 24U - Open Frame Floor Mount	16
6.1. Specification.....	16
6.3. Product Drawings.....	16
8. U Rack 12U - Open Frame Floor Mount	18
7.1. Specification.....	18
7.2 Product Drawings	19
9. U Rack 12U - Open Frame Floor Mount	20
8.1. Specification.....	20
8.3. Product Drawings.....	21
10. Fixed Tray 1U	22
9.1. Specification.....	22
9.2. Installation depth configuration	22
9.3. Product Drawings.....	23
10 Telescopic Tray 1U	23
10.1. Specification.....	24
10.2. Installation depth Configuration	24
10.3. Product Drawings	25
11. 2U NAS Server (Fixed).....	26
11.1 Specification.....	26
11.2 Modules Assembly	27

11.3	Product Drawings.....	27
12. 2U NAS Server (Telescopic)	28
12.1	Specification.....	28
12.2	Modules Assembly	29
12.3	Product Drawings.....	29
13. 2U ATX Server (Fixed Mounting)	30
13.1	Specification.....	30
13.2	Modules Assembly	31
13.3	Product Drawings.....	31
14. 2U ATX Server (Telescopic)	32
14.1	Specification.....	32
14.2	Modules Assembly	33
14.3	Product Drawings.....	33
15. 3U Gaming Server (Fixed)	34
15.1	Specification.....	34
15.2	Modules Assembly	35
15.3	Product Drawings.....	35
16. 3U Gaming Server (Telescopic)	36
16.1	Specification.....	36
16.2	Modules Assembly	37
16.3	Product Drawings.....	37
17. 4U Gaming Server (Fixed)	38
17.1	Specification.....	38
17.2	Modules Assembly	39
17.3	Product Drawings.....	39
18. 4U Gaming Server (Telescopic)	40
18.1	Specification.....	40
18.2	Modules Assembly	41
18.3	Product Drawings.....	41
19. 1U Front flow cooling	42
19.1	Specification.....	42
19.2	Modules Assembly	43
19.3	Product Drawings.....	43
20. 2U Front flow cooling	44
20.1	Specification.....	44
20.2	Modules Assembly	45
20.3	Product Drawings.....	45

21. 3U Front flow cooling	46
21.1 Specification.....	46
21.2 Modules Assembly	47
21.3 Product Drawings.....	47
22. 1U Top flow cooling 21 Inch	48
22.1 Specification.....	48
22.2 Modules Assembly	49
22.3 Product Drawings.....	49
23. 1U Top flow cooling 30 Inch	50
23.1 Specification.....	50
23.2 Modules Assembly	51
23.3 Product Drawings.....	51
24. 1U PDU	52
24.1 Specification.....	52
24.2 Product Drawings.....	53

1. About Us

1.1. INDIA's Largest Custom U Rack Frames Maker

Xtreme Machines was established at the end of 2020 in NOIDA U.P, all the products are design and developed in INDIA with the help of World PC Gaming Territories & Gaming Species, Extreme Machines having lots of experience in building Computer frames and all types of frames related to Servers and Mining Farms, Our products are available online and offline, through SHREE PERIPHERALS as our distribution partner for all over India.

Extreme Machines having own Laser Machines, Bending Machines, Powder Coating Ovens, We are the only manufacturer in INDIA who giving Custom U Rack Frames ,Server Frames & Mining Rig Frames.

1.2. Long Life Stackable frames with Customization

Our U Rack Frames are specially designed considering easy mounting and unmounting of U Rack Modules, we are supporting all ATX design rules,

Our frames support all ATX SMPS, Motherboard, HDD/SSD.

We manufacture our frames in Mild Steel in 1.5mm Thickness, with textured Black Finish. This thickness gives power to frames to hold multiple layers of Modules stackability.

2. Overview

19 Inch U Rack Products category

19 Inch U rack Host with 18 Inch Depth	6U - Open Frame Wall Mount Model EMUR-186UW
	9U - Open Frame Wall Mount Model EMUR-189UW
	12U - Open Frame Wall Mount Model EMUR-1812UW
	12U - Open Frame Floor Mount Model EMUR-1812UF
	24U - Open Frame Floor Mount Model EMUR-1824UF

19 Inch U rack Host with 26 Inch Depth	12U - Open Frame Floor Mount Model EMUR-2612UF
---	---

19 Inch U rack Host with 30 Inch Depth	12U - Open Frame Floor Mount Model EMUR-3012UF
---	---

19 Inch U rack Shelf Trays	1U Fixed Shelf Tray Model EMUR-FT
	1U Telescopic Shelf Tray Model EMUR-ST

19 Inch U rack Mount CPU	2U NAS Server (Fixed) Model EM-2UNAS
	2U NAS Server (Telescopic) Model EM-2UNASTC
	2U ATX Server (Fixed) Model EM-2UATX
	2U ATX Server (Telescopic) Model EM-2UATXTC
	3U Gaming Server (Fixed) Model EM-3UPCG
	3U Gaming Server (Telescopic) Model EM-3UPCGSTC
	4U Gaming Server (Fixed) Model EM-4UPCG
	4U Gaming Server (Telescopic) Model EM-4UPCGSTC

19 Inch U rack Mount Cooling

1U – Front flow cooling

Model FD-URC1U440

2U – Front flow cooling

Model FD-URC2U480

3U – Front flow cooling

Model FD-URC3U3120

1U – Top flow cooling

Model FD-URC1U692

1U – Top flow cooling

Model FD-URC1U12120

19 Inch U rack Mount PDU


1U – Power Distributor

Model EM-PDU1

3.U Rack 6U - Open Frame Wall Mount


Model EMUR-186UW

3.1. Specification



Product Description	Model No.	EMUR-186UW
	Type	19 Inch Open Frame Wall mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x470x362
	Weight KG	8
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	50
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	40
	Wall mount Clamp	4
	Mounting Fasteners	No

3.2 Product Drawings



4.U Rack 9U - Open Frame Wall Mount

Model EMUR-189UW

4.1. Specification




Product Description	Model No.	EMUR-189UW
	Type	19 Inch Open Frame Wall mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x470x496
	Weight KG	9
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	50
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	40

Wall mount Clamp	4
Mounting Fasteners	No

3.3 Product Drawings


All dimension are in mm.



5.U Rack 12U - Open Frame Wall Mount

Model EMUR-1812UW


5.1. Specification



Product Description	Model No.	EMUR-1812UW
	Type	19 Inch Open Frame Wall mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x460x629
	Weight KG	10
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	50
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	40

Wall mount Clamp	4
Mounting Fasteners	No

4.2 Product Drawings



6.U Rack 12U - Open Frame Floor Mount


Model EMUR-1812UF

5.1. Specification



Product Description	Model No.	EMUR-1812UF
	Type	19 Inch Open Frame Floor mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x460x690
	Weight KG	10
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	50
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	40
	Wheels	4
	Mounting Fasteners	No

5.2 Product Drawings



7.U Rack 24U - Open Frame Floor Mount


Model EMUR-1824UF

6.1. Specification



Product Description	Model No.	EMUR-1812UF
	Type	19 Inch Open Frame Floor mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x460x1318
	Weight KG	15
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	80
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	80
	Wheels	4
	Mounting Fasteners	No

6.3. Product Drawings



8. U Rack 12U - Open Frame Floor Mount




Model EMUR-2612UF

7.1. Specification



Product Description	Model No.	EMUR-2612UF
	Type	19 Inch Open Frame Floor mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x668x690
	Weight KG	12
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	40
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	40
	Wheels	4
	Mounting Fasteners	No

7.2 Product Drawings



9. U Rack 12U - Open Frame Floor Mount


Model EMUR-3012UF

8.1. Specification



Product Description	Model No.	EMUR-3012UF
	Type	19 Inch Open Frame Floor mount U Rack
	Stackability	Yes
	Size WDH (mm)	549x762x690
	Weight KG	15
	Color	Black textured powder coated
Package Including	M5X10mm Allen Bolt	40
	Allen Key 5mm	1
	Cage Nut 10mm	10
	M5 Bolt	40
	Wheels	4
	Mounting Fasteners	No


8.3. Product Drawings



10. Fixed Tray 1U


Model EMUR-FT

9.1. Specification




Product Description	Model No.	EMUR-18FT
	Type	19 Inch 1U Fixed Tray
	Depth	18 Inch to 26 Inch
	Size WDH (mm)	487x458x54
	Weight KG	1 Kg
	Color	Black textured powder coated
	Weight Handling	15 Kg
	Sheet Thickness	1.5mm
Package Including	M5X10mm Allen Bolt	8
	Allen Key 5mm	1
	Cage Nut 10mm	8
	Fixed Clamp	2

9.2. Installation depth configuration




9.3. Product Drawings





10 Telescopic Tray 1U Model EMUR-ST

10.1. Specification





Product Description	Model No.	EMUR-ST
	Type	19 Inch 1U Telescopic Tray
	Depth	18 Inch to 26 Inch
	Size WDH (mm)	487x458x80
	Weight KG	1 Kg
	Color	Black textured powder coated
	Weight Handling	15 Kg
	Sheet Thickness	1.5mm
	M5X10mm Allen Bolt	8
Package Including	Allen Key 5mm	1
	Cage Nut 10mm	8
	Telescopic Clamp	2

10.2. Installation depth Configuration



10.3. Product Drawings



11.2U NAS Server (Fixed)


Model EM-2UNAS V2

11.1 Specification




Product Description	Model No.	EM-2UNAS V2
	Type	19 Inch 2U NAS Server
	Size LWH (mm)	484x458x95
	Weight KG	4
	Color	Black textured powder coated
Cooling	Yes	3 Nos 80X25mm Fan
GPU Support	GPU Support	Low profile PCI Cards
	Maximum GPU Length Support	300mm
Motherboard Support	Motherboard support type	Mini ITX / Micro ATX
	Maximum CPU Cooling Height	80mm
SMPS Support	SMPS Support type	ATX
	Maximum SMPS Length	200mm
Hard Drive support	No. of Drive support	9
	2.5Inch SSD/HDD Support	Yes
	3.5Inch SSD/HDD Support	Yes
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	0
	GPU Mounting Screw	3
	Motherboard Mounting Screw M3x10	10

11.2 Modules Assembly



11.3 Product Drawings



12.2U NAS Server (Telescopic)


Model EM-2UNASTC V2

12.1 Specification




Product Description	Model No.	EM-2UNASTC V2
	Type	19 Inch 2U NAS Server
	Size LWH (mm)	484x458x95
	Weight KG	6
	Color	Black textured powder coated
Cooling	Yes	3 Nos 80X25mm Fan
GPU Support	GPU Support	Low profile GPU
	Maximum GPU Length Support	300mm
Motherboard Support	Motherboard support type	Mini ITX / Micro ATX
	Maximum CPU Cooling Height	80mm
SMPS Support	SMPS Support type	ATX
	Maximum SMPS Length	200mm
Hard Drive support	No. of Drive support	9
	2.5Inch SSD/HDD Support	Yes
	3.5Inch SSD/HDD Support	Yes
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	0
	GPU Mounting Screw	3
	Motherboard Mounting Screw M3x10	10

12.2 Modules Assembly



12.3 Product Drawings



13.2U ATX Server (Fixed Mounting)


Model EM-2UATX V1

13.1 Specification




Product Description	Model No.	EM-2UNATX V1
	Type	19 Inch 2U ATX Server
	Size LWH (mm)	484x540x95
	Weight KG	6
	Color	Black textured powder coated
Cooling	Yes	3 Nos 80X25mm Fan
GPU Support	GPU Support	Low profile GPU
	Maximum GPU Length Support	300mm
Motherboard Support	Motherboard support type	Mini ITX / Micro ATX / ATX up to 305X305mm
	Maximum CPU Cooling Height	80mm
SMPS Support	SMPS Support type	ATX SMPS
	Maximum SMPS Length	160mm
Hard Drive support	No. of Drive support	3
	2.5Inch SSD/HDD Support	Additional mounting required
	3.5Inch SSD/HDD Support	Yes
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	4
	GPU Mounting Screw	3
	Motherboard Mounting Screw M3x10	10

13.2 Modules Assembly



13.3 Product Drawings



14.2U ATX Server (Telescopic)


Model EM-2UATXTC V1

14.1 Specification




Product Description	Model No.	EM-2UATXTC V1
	Type	19 Inch 2U ATX Server
	Size LWH (mm)	484x540x95
	Weight KG	6
	Color	Black textured powder coated
Cooling	Yes	3 Nos 80X25mm Fan
GPU Support	GPU Support	Low profile GPU
	Maximum GPU Length Support	300mm
Motherboard Support	Motherboard support type	Mini ITX / Micro ATX / ATX up to 305X305mm
	Maximum CPU Cooling Height	80mm
SMPS Support	SMPS Support type	ATX SMPS
	Maximum SMPS Length	160mm
Hard Drive support	No. of Drive support	3
	2.5Inch SSD/HDD Support	Additional mounting required
	3.5Inch SSD/HDD Support	Yes
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	4
	GPU Mounting Screw	3
	Motherboard Mounting Screw M3x10	10

14.2 Modules Assembly



14.3 Product Drawings



15.3U Gaming Server (Fixed)


Model EM-3UPCG

15.1 Specification




Product Description	Model No.	EM-3UPCG
	Type	19 Inch 3U Gaming Server
	Size LWH (mm)	484x458x158
	Weight KG	6
	Color	Black textured powder coated
Cooling	Yes	2 Nos 120x38mm Fan / 280mm Liquid Cooling
GPU Support	GPU Support	Full size PCI Cards / GPU
	Maximum GPU Length Support	350mm
Motherboard Support	Motherboard support type	ATX / Mini ITX / Micro ATX 250X300mm
	Maximum CPU Cooling Height	100mm
SMPS Support	SMPS Support type	ATX
	Maximum SMPS Length	200mm
Hard Drive support	No. of Drive support	8
	2.5Inch SSD/HDD Support	4
	3.5Inch SSD/HDD Support	4
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	0
	GPU Mounting Screw	6
	Motherboard Mounting Screw M3x10	10

15.2 Modules Assembly



15.3 Product Drawings



16.3U Gaming Server (Telescopic)


Model EM-3UPCGTC

16.1 Specification




Product Description	Model No.	EM-3UPCGTC
	Type	19 Inch 3U Gaming Server
	Size LWH (mm)	484x458x158
	Weight KG	8
	Color	Black textured powder coated
Cooling	Yes	2 Nos 120x38mm Fan / 280mm Liquid Cooling
GPU Support	GPU Support	Full size PCI Cards / GPU
	Maximum GPU Length Support	350mm
Motherboard Support	Motherboard support type	ATX / Mini ITX / Micro ATX 250X300mm
	Maximum CPU Cooling Height	100mm
SMPS Support	SMPS Support type	ATX
	Maximum SMPS Length	200mm
Hard Drive support	No. of Drive support	8
	2.5Inch SSD/HDD Support	4
	3.5Inch SSD/HDD Support	4
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	0
	GPU Mounting Screw	6
	Motherboard Mounting Screw M3x10	10

16.2 Modules Assembly



16.3 Product Drawings



17. 4U Gaming Server (Fixed)

Model EM-4UPCG

17.1 Specification




Product Description	Model No.	EM-4UPCG
	Type	19 Inch 4U Gaming Server
	Size LWH (mm)	484x458x194
	Weight KG	8
	Color	Black textured powder coated
Cooling	Yes	3 Nos 120x38mm Fan / 280mm Liquid Cooling
GPU Support	GPU Support	Full size PCI Cards / GPU
	Maximum GPU Length Support	350mm
Motherboard Support	Motherboard support type	ATX / Mini ITX / Micro ATX 250X300mm
	Maximum CPU Cooling Height	120mm
SMPS Support	SMPS Support type	ATX
	Maximum SMPS Length	200mm
Hard Drive support	No. of Drive support	8
	2.5Inch SSD/HDD Support	4
	3.5Inch SSD/HDD Support	4
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	0
	GPU Mounting Screw	6
	Motherboard Mounting Screw M3x10	10

17.2 Modules Assembly



17.3 Product Drawings



18. 4U Gaming Server (Telescopic)


Model EM-4UPCGTC

18.1 Specification




Product Description	Model No.	EM-4UPCGTC
	Type	19 Inch 4U Gaming Server
	Size LWH (mm)	484x458x194
	Weight KG	8
	Color	Black textured powder coated
Cooling	Yes	3 Nos 120x38mm Fan / 280mm Liquid Cooling
GPU Support	GPU Support	Full size PCI Cards / GPU
	Maximum GPU Length Support	350mm
Motherboard Support	Motherboard support type	ATX / Mini ITX / Micro ATX 250X300mm
	Maximum CPU Cooling Height	120mm
SMPS Support	SMPS Support type	ATX
	Maximum SMPS Length	200mm
Hard Drive support	No. of Drive support	8
	2.5Inch SSD/HDD Support	4
	3.5Inch SSD/HDD Support	4
Package Including	Power Button	1
	Installation nuts & bolts M5x10	10
	Allen Key 4mm	1
	SMPS Mounting Screw	0
	GPU Mounting Screw	6
	Motherboard Mounting Screw M3x10	10

18.2 Modules Assembly



18.3 Product Drawings



19.1U Front flow cooling

Model FD-URC1U440

19.1 Specification




Product Description	Model No.	FD-URC1U440
	Type	19 Inch Rack mount top flow cooling
	Size LWH (mm)	482x44x22
	Weight KG	0.5
	Color	Black textured powder coated
Electrical characteristic	Power Rating	220-240V AC 50Hz
	Power Supply Rating	12V 3Amp
	Power Consumption	24 Watt
	Fan Power Rating (Per Fan)	12V 0.5 Amp
	No. of Fans	4
	Sensor	No
	Feature	Front Exhaust, Easy plug & Play, On/off Switch
Physical characteristic	Airflow Rate	88CFM
	Noise Level	50 dB
	Fan RPM	15000
	Fan Size	40X20mm
Included Items	Mounting Screw M5	0
	Allen Key 4mm	0
	Cage Nut	0
	Power Adaptor	1
	Back Mounting Clamp	0

19.2 Modules Assembly



19.3 Product Drawings



20. 2U Front flow cooling

Model FD-URC2U480

20.1 Specification




Product Description	Model No.	FD-URC2U480
	Type	19 Inch Rack mount top flow cooling
	Size LWH (mm)	482x86x33
	Weight KG	1
	Color	Black textured powder coated
Electrical characteristic	Power Rating	220-240V AC 50Hz
	Power Supply Rating	12V 3Amp
	Power Consumption	15 Watt
	Fan Power Rating (Per Fan)	12V 0.3 Amp
	No. of Fans	4
	Sensor	No
	Feature	Front Exhaust, Easy plug & Play, On/off Switch
Physical characteristic	Airflow Rate	120CFM
	Noise Level	30 dB
	Fan RPM	3000
	Fan Size	80X25mm
Included Items	Mounting Screw M5	0
	Allen Key 4mm	0
	Cage Nut	0
	Power Adaptor	1
	Back Mounting Clamp	0

20.2 Modules Assembly



20.3 Product Drawings



21. 3U Front flow cooling


Model FD-URC3U3120

21.1 Specification




Product Description	Model No.	FD-URC3U3120
	Type	19 Inch Rack mount top flow cooling
	Size LWH (mm)	488x134x33
	Weight KG	1
	Color	Black textured powder coated
Electrical characteristic	Power Rating	220-240V AC 50Hz
	Power Supply Rating	12V 3Amp
	Power Consumption	30 Watt
	Fan Power Rating (Per Fan)	12V 0.8 Amp
	No. of Fans	3
	Sensor	No
	Feature	Front Exhaust, Easy plug & Play, On/off Switch
Physical characteristic	Airflow Rate	270CFM
	Noise Level	32 dB
	Fan RPM	3000
	Fan Size	120X25mm
Included Items	Mounting Screw M5	0
	Allen Key 4mm	0
	Cage Nut	0
	Power Adaptor	1
	Back Mounting Clamp	0

21.2 Modules Assembly



21.3 Product Drawings



22. 1U Top flow cooling 21 Inch

Model FD-URC1U692

22.1 Specification




Product Description	Model No.	FD-URC1U692
	Type	19 Inch Rack mount top flow cooling
	Size LWH (mm)	488x531x46
	Weight KG	8
	Color	Black textured powder coated
Electrical characteristic	Power Rating	220-240V AC 50Hz
	Power Supply Rating	12V 10Amp
	Power Consumption	100 Watt
	Fan Power Rating (Per Fan)	12V 1.5 Amp
	No. of Fans	6
	Sensor	Temperature Sensor (Place sensor on critical heating device)
	Feature	Delay start, Auto start, Auto stop, High Temp Buzzer
Physical characteristic	Airflow Rate	600 CFM
	Noise Level	50 dB
	Fan RPM	4000
	Fan Size	92X38mm
Included Items	Mounting Screw M5	10
	Allen Key 4mm	1
	Cage Nut	10
	Power Cable	1
	Back Mounting Clamp	2

22.2 Modules Assembly



22.3 Product Drawings



23. 1U Top flow cooling 30 Inch


Model FD-URC1U12120

23.1 Specification




Product Description	Model No.	FD-URC1U692
	Type	19 Inch Rack mount top flow cooling
	Size LWH (mm)	488x746x46
	Weight KG	12
	Color	Black textured powder coated
Electrical characteristic	Power Rating	220-240V AC 50Hz
	Power Supply Rating	12V 10Amp + 12V 10Amp
	Power Consumption	200 Watt
	Fan Power Rating (Per Fan)	12V 1.5 Amp
	No. of Fans	12
	Sensor	Temperature Sensor (Place sensor on critical heating device)
	Feature	Delay start, Auto start, Auto stop, High Temp Buzzer
Physical characteristic	Airflow Rate	1200 CFM
	Noise Level	50 dB
	Fan RPM	3000
	Fan Size	92X38mm
Included Items	Mounting Screw M5	10
	Allen Key 4mm	1
	Cage Nut	10
	Power Cable	1
	Back Mounting Clamp	2

23.2 Modules Assembly




23.3 Product Drawings



24.1U PDU

Model EM-PDU1

24.1 Specification



Product Description	Model No.	EM-PDU1
	Type	19 Inch Rack mount 1U Power Distributor
	Size LWH (mm)	485x46x50
	Weight KG	1
	Color	Black textured powder coated
Electrical characteristic	Power Rating	220-240V AC 50Hz
	Power Rating	220V 10A
	No. of Socket	8
	Protection	Short Circuit Protection
	Feature	Glow type power button, 10Amp Fuse, Universal Socket
Physical characteristic	Plug type	10Amp 3Pin Indian Plug
	Cable Length	1.5 Meter
	Socket type	Easy replaceable Universal socket
	Size	1U

24.2 Product Drawings

