



Conquer the Cold, Embrace the Adventure



## RV DIESEL HEATERS

### Parts Catalogue

Issue 1 - 2025



[sales@aufocus.com.au](mailto:sales@aufocus.com.au)



# About Us

AU Focus is a proudly Australian owned and operated manufacturer of premium quality diesel heaters for caravans, campers and other RV's. AU Focus diesel heaters have earned an industry leading reputation for reliability, safety, great value for money and exceptional aftersales service.

We are trusted by over 90 leading caravan manufacturers in Australia and we also supply hundreds of retailers, caravan centers, and service centers across Australia and New Zealand.

All our products undergo rigorous testing and quality assurance processes and they are Australian certified with the C-Tick assurance (EMC & RCM compliant).

We are locally based and back our products with a 2 year warranty and continuous after sales support. We keep all spare parts in stock locally so there is no delay if any component needs to be replaced, regardless of whether our products are within or outside of the warranty period.

AU Focus diesel heaters are built to last. They feature a solid construction, ultra quiet motor, balanced fan, silent heavy-duty pump, premium quality wiring harness, and a 304 grade stainless steel fuel tank with a lockable cap and much more.



Conquer the Cold, Embrace the Adventure





**Easy Ordering  
Part Numbers Below!**

**sales@aufocus.com.au**



## Diesel Heater KIT

- Safe and Reliable
- Australian Compliant
- Quiet & Efficient Operation
- Proudly Australian Owned & Operated



### Complete KIT

**Diesel Heater Kit - Gen 4 Kit - 2kW MZ**

**Part No. (SKU: ASK2KWMZG4)**



#### What's Included:

- Easy to follow DIY Installation manual.
- Easy to read user manual.
- 5L Stainless Steel Fuel Tank with top mounted fuel level gauge, fuel pickup and lockable fuel cap.
- LCD panel with remote control plus easy to download app to control the heater from your phone.
- Solidly constructed with high grade heat resistant hard casing.
- x2 Directional flat vents.
- Super quiet heavy duty fuel pump.
- PA66 hard nylon fuel line 6m (4mm diameter, 1mm wall thickness) with black rubber connectors.
- Unique design wiring harness - The wiring harness includes 5m of 2.5mm wire core power cable, 2.5m controller cable and 2.5m pump power cable. All in flame retardant conduit and Anderson Plugs attached for optional use.
- Quality air filter.
- Premium reusable fuel filter made with alloy top and base.
- High grade exhaust with flame retardant sleeve and a heavy duty muffler and exhaust tip.
- Powder coated mounting plate with protective flange ring to protect the floor and provides the best possible seal between the caravan floor and the undercarriage.
- Thicker durable plastic cable ties.
- High quality clamps and other accessories required for a complete installation.

### Popular Accessories purchased with Diesel Heater Kits

#### Fuel Tank Covers

##### Options:

1. Black Checker - 5L  
**Part No. (SKU: AFS5LTCBG4)**
2. Silver Checker - 5L  
**Part No. (SKU: AFS5LTCSG4)**
3. Matt Black - 5L  
**Part No. (SKU: AFS5LTCMBG4)**

##### All fuel tank cover kits include:

- Aluminium Fuel Tank Cover.
- Aluminium Mounting Plate.
- Self tapping screws, bolts and lock nuts.



#### Main Unit Cover - 2kw and 5kw

**Part No. (SKU: AUNITCOVER)**

Excellent for protecting the heater unit when its installed in a storage area.



#### 2kW LCD Extension Cable

**Part No. (SKU: ACSMZ15LEX)**

With the 1.5m extension for your LCD screen you can now enjoy a total cable length of 4m. (2.5m original + 1.5m extension), allowing flexible placement for optimal control.



#### DIY Installation Tool Kit

Our kits are designed for an easy installation.

**Part No. (SKU: AISKIT2&5K)**

##### Includes:

- 105mm hole saw for the mounting plate and protective ring to go through the floor.
- 80mm hole saw for 5kW vents.
- 65mm hole saw for 2kW vents.
- Flame resistant silicon to seal the mounting plate.
- Cutter for clean cuts of fuel line and conduit.
- Electrical tape for use where required.
- Power wire connectors to shorten wiring where required.
- Magnetic sockets for all clamps and screws (7mm, 8mm & 10mm).
- Spare Metal Ring to install underneath the mounting plate.



# Table of Contents

<b>About Us .....</b>	<b>2</b>
<b>Display Stand .....</b>	<b>2</b>
Diesel Heater Display Stand - 2kW MZ - Gen 4 .....	2
<b>Category 1 - Diesel Heater Kits .....</b>	<b>3</b>
Diesel Heater Kit - 2kW MZ - Gen 4 Kit.....	3
Diesel Heater Kit - 2kW ML - Gen 4 Kit.....	4
Diesel Heater - 5kW MZ - Gen 4 Kit .....	5
<b>Category 2 - Most Popular Part Accessories .....</b>	<b>6</b>
Fuel Tank Cover Black Checker Plate - 5L.....	6
Fuel Tank Cover Silver Checker Plate - 5L.....	6
Fuel Tank Cover Plain Matt Black - 5L.....	6
Fuel Tank Cover Black Checker Plate - 9.5L.....	7
LCD Controller Extension - MZ .....	7
LCD Controller Extension - ML.....	7
Main Unit Cover - 2kW and 5kW.....	8
DIY Installation KIT - 2kW & 5kW .....	8
Lockable Fuel Tank Cap.....	8
<b>Category 3 - Fuel Parts.....</b>	<b>9</b>
Stainless Steel Fuel Tank - 5L.....	9
Stainless Steel Fuel Tank - 9.5L.....	9
Fuel Line Upgrade Kit.....	10
Pump Quiet Heavy Duty - 22ml.....	10
Pump - Quiet Heavy Duty - 16ml.....	10
Pump Holder - Rubber .....	10
Fuel Filter - Reusable Clear.....	11
Fuel Filter - Solid Alloy .....	11
Quick Disconnect - Stainless Steel .....	11
Quick Disconnect - Plastic.....	11
Fuel Line 6m - 3mm.....	12
Fuel Line Protection - Conduit .....	12
Fuel Line Joiner - Black Rubber .....	12
Clamp Mini - Fuel Line Joiner.....	12
<b>Category 4 - Exhaust Parts.....</b>	<b>13</b>
Exhaust System Kit .....	13
Muffler for heaters - 2kW & 5kW.....	13
Exhaust Tip - Directional.....	13
Exhaust Pipe with Sleeve - 300mm .....	13
Exhaust Pipe with Sleeve - 600mm.....	14
Exhaust Pipe with Sleeve - 1200mm.....	14
Clamp Heavy Duty - Exhaust & Muffler .....	14
P-Clamp .....	14

## Category 5 - Ducting and Joiners ..... 15

Duct Reduce/Enlarge 2kW - 5kW.....	15
Duct Kit 2.2m Stretch - 2kW - 60mm Diameter.....	15
Ducting Clamps 2kW - 60mm Diameter.....	15
Clamp - Cold Air Intake Pipe & Air Filter.....	15
Duct Flat Vent - 2kW - 60mm Diameter.....	16
Duct T-Piece - 2kW - 60mm Diameter.....	16
Duct Joiner - 2kW - 60mm Diameter.....	16
Duct Elbow - 2kW - 60mm Diameter.....	16
Duct Elbow - 5kW - 75mm Diameter.....	17
Duct Kit 2.2m Stretch - 5kW - 75mm Diameter.....	17
Ducting Clamps - 5kW - 75mm Diameter.....	17
Duct Joiner - 5kW - 75mm Diameter.....	17
Duct Y-Piece - 2kW - 60mm Diameter.....	18
Duct Y-Piece - 5kW - 75mm Diameter.....	18
Duct Flat Vent - 5kW - 75mm Diameter.....	18
Duct T-Piece - 5kW - 75mm Diameter.....	18

## Category 6 - Additional Accessories ..... 19

Glow Plug - Kyocera.....	19
Transformer 12V (AC to DC).....	19
Mounting Plate Gasket 2kW / 5kW.....	19
Cold Air Intake Pipe - 2kW / 5kW.....	19
Cable Clamp.....	20
Fuel Pick Up with Round Plate.....	20
Temp Sensor 2 Wire - ML.....	20
Temp Sensor 3 Wire - MZ.....	20
Mounting Plate KIT including Ring.....	21
Air Filter Small Blue 2kW / 5kW.....	21
Glow Plug Tool KIT - Maintenance.....	21







### Display Stand with Power Supply

Our display stand features a fully functioning 2kW MZ bluetooth diesel heater which is an excellent way to showcase the heaters capabilities and performance to customers.

An interactive demonstration creates an opportunity to answer questions, highlight key features and showcase the heaters reliability and ease of use. This increases the likelihood of customers making a purchase.



Scan this QR Code for a full demonstration run through of the 2kW MZ Diesel Heater on YouTube!

Includes a Transformer 12V (AC to DC)



# Category 1 - Diesel Heater Kits

## Diesel Heater Kit - 2kW MZ - Gen 4 Kit

SKU: ASK2KWMZG4

### 2kW MZ Bluetooth - Gen 4 Kit

This Premium Quality AU Focus Diesel heater is backed by a 24 month warranty.

This is the most popular AU Focus diesel heater and used by over 90 caravan manufacturers, hundreds of caravan dealers and service centres across the country.

#### What's Included:

- Easy to follow DIY Installation manual.
- Easy to read User Manual.
- 5L Stainless Steel (304 grade) Fuel Tank with top mounted dial fuel level gauge, fuel pickup and lockable fuel cap.
- LCD panel with remote control plus easy to download app to control the heater from your mobile phone.
- Solidly constructed with high grade heat resistant hard casing.
- 2 x Directional Flat vents.
- Super quiet heavy duty fuel pump.
- PA66 hard nylon fuel line 6m (4mm diameter, 1mm wall thickness), with black rubber connectors and heavy duty conduit.
- Unique design wiring harness. The wiring harness includes a 5m power cable (2.5mm core wiring), a 2.5m LCD controller cable and a 2.5m pump power cable. All cables are in flame retardant conduit and Anderson Plugs for easy installation (plug and play).
- Quality Air Filter.
- Premium reusable fuel filter made with alloy top and base.
- High grade exhaust with flame retardant sleeve, a heavy duty baffled muffler and exhaust tip.
- Powder coated mounting plate with protective flange ring to protect the floor and provides the best possible seal between the caravan floor and the undercarriage.
- Thicker durable plastic cable ties.
- High quality clamps and other accessories required to complete the installation.

#### Features:

- RCM and EMC Certification.
- Three modes: 1. Fan only, 2. Manual Heat Mode 1 - 10, 3. Smart mode - The heater stops heating and burning fuel once it arrives at a set temperature. If the temperature then drops 2 degrees celsius the heater resumes.
- Small and compact design allowing for a space-saving installation.
- Easy to use LCD panel with remote control also features, Bluetooth connectivity and app to control from your phone.
- Sensors on both the control board and fan for additional safety protection.
- High and Low Voltage & current protection.
- Fast heat up time and maintains a consistent temperature.
- Auto cool down process when powered off.
- Low fuel consumption.

#### Specifications:

- Power: 1kW - 2kW adjustable.
- Fuel: Diesel only.
- Rated Voltage: DC 12V
- Fuel Consumption (L/h): 0.1-0.3
- Working Temperature: -40°~+50°
- Main Unit Size: Length 340mm x Width 115mm x Height 115mm.
- Fuel Tank Size: Length 265mm x Height 325mm x Depth 110mm. Fuel Neck & Cap Height 70mm.
- Black flame retardant plastic casing.
- LCD Control Panel - Also displays error codes for easy troubleshooting if required.
- Power (5~35w/h), peak consumption up to 90~150w for the first few minutes whilst the glow plug heats up.



## 2kW ML Voice - Gen 4 Kit

This Premium Quality AU Focus Diesel heater is backed by a 24 month warranty.

### What's Included:

- Easy DIY Installation manual.
- Easy to read User Manual.
- 5L Stainless Steel (304 grade) Fuel Tank with top mount dial fuel level gauge, fuel pickup and lockable fuel cap.
- LCD panel with remote control, plus a voice feature which tells you when the unit is switched on or off and also tells you what errors you may be experiencing. (This feature can be switched off).
- Solidly constructed with high grade heat resistant hard casing.
- 2x Directional Flat vents.
- Super quiet fuel pump.
- PA66 hard nylon fuel line 6m (4mm diameter, 1mm wall thickness), with black rubber connectors and heavy duty conduit.
- Unique design wiring harness. The wiring harness includes a 5m power cable (2.5mm core wiring), a 2.5m LCD controller cable and a 2.5m pump power cable. All cables are in flame retardant conduit and Anderson Plugs for easy installation (plug and play).
- Quality Air Filter.
- Premium reusable fuel filter made with alloy top and base.
- High grade exhaust with flame retardant sleeve, a heavy duty baffled muffler and exhaust tip.
- Powder coated mounting plate with protective flange ring to protect the floor and provides the best possible seal between the caravan floor and the undercarriage.
- Thicker durable plastic cable ties.
- High quality clamps and other accessories required to complete the installation.

### Features:

- RCM and EMC Certification.
- Small and compact design for an easy space-saving installation.
- Voice LCD panel with remote control also features, temperature, a voltage meter, etc
- Sensors on both the control board and fan for addition safety protection.
- High and Low Voltage & current protection.
- Fast heat up time and maintains a consistent temperature.
- Auto cool down process when powered off.
- Low fuel consumption.

### Specifications:

- Power: 1kW - 2kW adjustable.
- Fuel: Diesel only.
- Rated Voltage: DC 12V
- Fuel Consumption(L/h): 0.1-0.3
- Working Temperature: -40°~+50°
- Main Unit Size: Length 340mm x Width 115mm x Height 115mm.
- Tank Size: Length 265mm x Height 325mm x Depth 110mm. Fuel Neck & Cap Height 70mm.
- Black flame retardant plastic casing.
- Voice / LCD - Can display Error Codes on the LCD screen for easy troubleshooting if required.
- Power (5~35w/h) peak consumption up to 90~150w for the first few minutes whilst the glow plug heats up.





## 5kW MZ Bluetooth - Gen 4 Kit

This Premium Quality AU Focus Diesel heater is backed by a 24 month warranty.

The 5kW MZ is generally used for caravans that are over 24ft or where the van mainly consists of canvas.

### What's Included:

- Easy to follow DIY Installation manual.
- Easy to read User Manual.
- 9.5L Stainless Steel (304 grade) Fuel Tank with top mounted dial fuel level gauge, fuel pickup and lockable fuel cap.
- LCD panel with remote control plus easy to download app to control the heater from your mobile phone.
- Solidly constructed with high grade heat resistant hard casing.
- 2 x Directional Flat vents.
- Super quiet heavy duty fuel pump.
- PA66 hard nylon fuel line 6m (4mm diameter, 1mm wall thickness), with black rubber connectors and heavy duty conduit.
- Unique design wiring harness. The wiring harness includes a 5m power cable (2.5mm core wiring), a 2.5m LCD controller cable and a 2.5m pump power cable. All cables are in flame retardant conduit and Anderson Plugs for easy installation (plug and play).
- Quality Air Filter.
- Premium reusable fuel filter made with alloy top and base.
- High grade exhaust with flame retardant sleeve, a heavy duty baffled muffler and exhaust tip.
- Powder coated mounting plate with protective flange ring to protect the floor and provides the best possible seal between the caravan floor and the undercarriage.
- Thicker durable plastic cable ties.
- High quality clamps and other accessories required to complete the installation.



### Features:

- RCM and EMC Certification.
- Three modes: 1. Fan only, 2. Manual Heat Mode 1 - 10, 3. Smart mode - The heater stops heating and burning fuel once it arrives at a set temperature. If the temperature then drops 2 degrees celsius the heater resumes.
- Small and compact design allowing for a space-saving installation.
- Easy to use LCD panel with remote control - Also features, Bluetooth connectivity and app to control from your phone.
- Sensors on both the control board and fan for additional safety protection.
- High and Low Voltage & current protection.
- Fast heat up time and maintains a consistent temperature.
- Auto cool down process when powered off.
- Low fuel consumption.

### Specifications:

- Power: 1kW - 5kW adjustable
- Fuel: Diesel only
- Rated Voltage: DC 12V
- Fuel Consumption(L/h): 0.1-0.5
- Working Temperature: -40°~+50°
- Main Unit Size: Length 390mm x Width 150mm x Height 140mm
- Tank Size: Length 320mm x Height 353mm x Depth 110mm.  
Neck & Cap Height 75mm.
- Black flame retardant plastic casing (Top Grade)
- LCD Control Panel - Also displays error codes for easy trouble shooting if required.
- Power (5~35w/h) peak consumption up to 90~150w for the first few minutes whilst the glow plug heats up.



## Category 2 - Most Popular Part Accessories

### Fuel Tank Cover Black Checker Plate - 5L

SKU: AFS5LTCBG4

Black Checker Plate Aluminium 5L Fuel Tank Cover (Gen 4 only).

Includes:

- 5L Black Checker Plate Fuel Tank Cover.
- Black Checker Mounting Plate.
- Self tapping screws, bolts and lock nuts.

Looks amazing, increases mounting options and provides additional protection to the 5L stainless steel fuel tank.



Width: 311mm Height: 335mm Depth: 110mm

### Fuel Tank Cover Silver Checker Plate - 5L

SKU: AFS5LTCSG4

Silver Checker Plate Aluminium 5L Fuel Tank Cover (Gen 4 only)

Includes:

- Silver Checker Plate Fuel Tank Cover.
- Silver Checker Mounting Plate.
- Self tapping screws, bolts and lock nuts.

Looks amazing, increases mounting options and provides additional protection to the 5L stainless steel fuel tank.



Width: 311mm Height: 335mm Depth: 110mm

### Fuel Tank Cover Plain Matt Black - 5L

SKU: AFS5LTCMBG4

Plain Black Aluminium 5L Fuel Tank Cover (Gen 4 only).

Includes:

- Plain Black Fuel Tank Cover.
- Plain Black Mounting Plate.
- Self tapping screws, bolts and lock nuts.

Looks amazing, increases mounting options and provides additional protection to the 5L stainless steel fuel tank.



Width: 311mm Height: 335mm Depth: 110mm



## Fuel Tank Cover Black Checker Plate - 9.5L

SKU: AFS95TCBG4

Black Checker Plate Aluminium 9.5L Fuel Tank Cover (Gen 4 only).

Includes:

- 9.5L Black Checker Plate Fuel Tank Cover.
- Black Checker Mounting Plate.
- Self tapping screws, bolts and lock nuts.

Looks amazing, increases mounting options and provides additional protection to the 9.5L stainless steel fuel tank.



## LCD Controller Extension - MZ

SKU: ACSMZ15LEX

2kW & 5kW MZ LCD Extension Cable.

Works with AU Focus and Born To Roam diesel heaters.

With the 1.5m extension for your LCD screen you can now enjoy a total cable length of 4m from the main unit.

(2.5m original + 1.5m extension), allowing flexible placement for optimal control.



Length: 1.5m

## LCD Controller Extension - ML

SKU: ACSML15LEX

The extension cable for the AU Focus 2kW ML diesel heater gives you a total cable length of 4m from the main unit.

Allowing flexible placement for optimal control.  
(2.5m original + 1.5m extension).



Length: 1.5m

## Main Unit Cover - 2kW and 5kW

SKU: AUNITCOVER

The AU Focus 2kW & 5kW Main Unit Cover is made from aluminium and has excellent for protecting the heater unit when it's installed in a storage area.

**Note:** The Main Unit Cover comes flat packed in 3 pieces and includes: bolts and nuts, mounting screws for wood and mounting screws for metal.



Length: 390mm, Width: 175mm, Depth: 158mm

## DIY Installation KIT - 2kW & 5kW

SKU: AISKIT2&5K

### The DIY Installation Tool Kit

This kit is designed to provide all the main tools required for a DIY installation.

AU Focus Diesel Heaters all include a DIY installation manual.

### The DIY Installation Kit includes:

105mm hole saw for the Metal Floor Ring.

80mm hole saw for 5kW vents.

65mm hole saw for 2kW vents.

Flame retardant silicon to seal the mounting plate.

Cutter for clean cuts of fuel line and conduit.

Electrical tape for use where required.

Power wire connectors to shorten wiring where required.

Magnetic sockets for all clamps and screws (7mm, 8mm & 10mm).

Spare Metal Ring to install underneath the mounting plate.



## Lockable Fuel Tank Cap

SKU: AFSCAPG4

Secure your Diesel Tank with our Lockable Spring-loaded Fuel Cap that comes with a set of two keys.



Height: 3.5cm



# Category 3 - Fuel Parts

## Stainless Steel Fuel Tank - 5L

SKU: AFS5LTANG4

**Premium Stainless Steel Construction:** Engineered with 304 grade stainless steel, guaranteeing resistance to corrosion and ensuring a long-lasting product life.

**Top-Mounted Fuel Pickup:** The smart design allows for efficient fuel extraction from the top, ensuring optimal performance and ease of use.

**High Quality Fuel Gauge:** Stay informed about your fuel levels with our top-of-the-line fuel gauge, providing accurate readings for added convenience.

**Secure Lockable Cap:** Enhance the security of your fuel with a lockable cap (2 Keys).



Height: 325mm, Width: 265mm, Depth: 110mm  
Neck & Cap Height: 70mm

## Stainless Steel Fuel Tank - 9.5L

SKU: AFS95TANG4

**Premium Stainless Steel Construction:** Engineered with 304 grade stainless steel, guaranteeing resistance to corrosion and ensuring a long-lasting product life.

**Top-Mounted Fuel Pickup:** The smart design allows for efficient fuel extraction from the top, ensuring optimal performance and ease of use.

**High-Quality Fuel Gauge:** Stay informed about your fuel levels with our top-of-the-line fuel gauge, providing accurate readings for added convenience.

**Secure Lockable Cap:** Enhance the security of your fuel with a lockable cap (2 Keys).



Height: 353mm, Width: 320mm, Depth: 110mm  
Neck & Cap Height: 75mm

## Fuel Line Upgrade Kit

SKU: AFSFUELKIT

Includes:

High Quality Reusable Fuel Filter.

6m Nylon Fuel Line.

300mm Rubber Joiner & 12 Mini Clamps.



## Pump Quiet Heavy Duty - 22ml

SKU: AFSQ22PUMP

One of the quietest pumps on the market.

Suitable for replacement of cheaper noisy pumps on the market.

Please check the side of your existing pump and look for the number 22 or 16 (This is the pulse rate).

This is a suitable replacement for any pump marked 22.



## Pump - Quiet Heavy Duty - 16ml

SKU: AFSQ16PUMP

One of the quietest pumps on the market. Suitable for replacement of cheaper noisy pumps on the market.

Please check the side of your existing pump and look for the number 22 or 16 (This is the pulse rate).

This is a suitable replacement for any pump marked 16.



## Pump Holder - Rubber

SKU: AFSPUMPHOL

The Rubber Pump holder mount is designed to absorb the audible noise from your pump.





## Fuel Filter - Reusable Clear

SKU: AFSREFFILT

Reusable Fuel Filter - Made from alloy on the top & base, and it can easily be dismantled and cleaned when required.

This filter is designed to be reused, offering a reliable and sustainable solution for your fuel system.



## Fuel Filter - Solid Alloy

SKU: AFSREFFILS

Reusable Fuel Filter - features a solid alloy construction, and it can easily be dismantled and cleaned when required.

This filter is designed to be reused, offering a reliable and sustainable solution for your fuel system.



## Quick Disconnect - Stainless Steel

SKU: AFSSSQDISC

The Stainless Steel Quick Release Fuel Disconnect blocks the fuel from both sides when disconnected.



## Quick Disconnect - Plastic

SKU: AFSPLQDISC

Quick Release Fuel Disconnect blocks fuel from both sides when disconnected.

Its quick release mechanism ensures a secure and easy fuel line separation.



## Fuel Line 6m - 3mm

SKU: AFSFUELLIN

The AU Focus Hard Nylon Fuel Line, with a length of 6 meters, is crafted from robust, high-strength PA66 nylon.

This durable fuel line ensures reliable performance and longevity, making it a dependable choice for your fuel system needs.



## Fuel Line Protection - Conduit

SKU: AFSFUELCND

Black Conduit made for protecting the fuel line.

Length: 6m



## Fuel Line Joiner - Black Rubber

SKU: AFSBRFL30J

Used as a Joiner for the fuel line.

Length: 300mm



## Clamp Mini - Fuel Line Joiner

SKU: AFSMNCLAMP

Mini clamp to secure fuel line fitments.



# Category 4 - Exhaust Parts

## Exhaust System Kit

SKU: AESEXHSKIT

Includes:

x1 high quality muffler.

600mm exhaust with fire resistant sleeve.

100mm exhaust tip.

x3 heavy duty clamps for exhaust fitment.

x2 clamps for the exhaust sleeve fitment.



## Muffler for heaters - 2kW & 5kW

SKU: AESMUFLER

The AU Focus Baffled Muffler is engineered for optimal performance and low noise.

Its advanced baffling design reduces noise levels while enhancing exhaust efficiency, making it a reliable choice for quieter and more effective operation.



## Exhaust Tip - Directional

SKU: AESEXHPTIP

Directional exhaust tip for the muffler.



Length: 10.5mm

## Exhaust Pipe with Sleeve - 300mm

SKU: AESEXHPS300

Can be used as an extension from the muffler or direct from the unit for shorter exhaust requirements.

Includes 3 Heavy Duty Clamps.

300mm Length Exhaust.





## Exhaust Pipe with Sleeve - 600mm

SKU: AESEXHPS600

600mm Exhaust Pipe with a Fire Retardant Sleeve.



## Exhaust Pipe with Sleeve - 1200mm

SKU: AESEXH1200

Enhance your exhaust with our 1200mm model, featuring a fire-resistant sleeve for added safety.

Includes 3 extra clamps for easy installation.



## Clamp Heavy Duty - Exhaust & Muffler

SKU: AISHDCLAMP

1 x Heavy-duty clamps are primarily used for exhaust systems to prevent fume leakage.

Their robust design ensures a secure and tight fit, maintaining optimal performance and safety.



## P-Clamp

SKU: AESP-CLAMP

2x P-Clamps provide a secure solution for fastening your cold air intake pipe or exhaust to your caravan: ensuring stability and safety during your travels.



## Category 5 - Ducting and Joiners

### Duct Reduce/Enlarge 2kW - 5kW

SKU: AASRE75-60

Adaptor 75mm - 60mm Diameter.

Clips on a 75mm duct outlet and allows the installation of 60mm ducting.



### Duct Kit 2.2m Stretch - 2kW - 60mm Diameter

SKU: AAS2KWAD60

2kW Ducting Kit – a straight forward solution for those requiring extra ducting for their 2kW diesel heater.

This kit includes a 900mm ducting piece that, when stretched, extends up to 2.2 meters.

Easily connect it to your existing diesel heater to expand its reach.

4 clamps are provided for secure installation.



### Ducting Clamps 2kW - 60mm Diameter

SKU: AASD2KWCLA

2kW 60mm ducting clamps are used to secure ducting to attachments such as vents or different joiners.



### Clamp - Cold Air Intake Pipe & Air Filter

SKU: AASINPCLAM

Clamp used for the AU Focus Cold Air Intake Pipe and Air Filter.



## Duct Flat Vent - 2kW - 60mm Diameter

SKU: AAS2KW60FV

Flat vent inlet/ outlet for a 2kW diesel heater.

This vent is directional and the face of the vent can be turned to direct heat in your desired direction.

60mm diameter.



## Duct T-Piece - 2kW - 60mm Diameter

SKU: AASD2KW60T

This T Piece is designed for the 2kW diesel heater ducting.

It features a 60mm diameter and provides 2 outlets, allowing for flexible heat distribution.

60mm diameter.



## Duct Joiner - 2kW - 60mm Diameter

SKU: AASD2KW60J

Joiner for a 2kW diesel heater.

Used to extend 2kW Ducting.

60mm diameter.



## Duct Elbow - 2kW - 60mm Diameter

SKU: AASD2KW60E

This elbow join is for use from the main unit for a 2kW diesel heater.

60mm diameter.





## Duct Elbow - 5kW - 75mm Diameter

SKU: AASU5KWELB

This elbow join is for use from the main unit for a 5kw diesel heater.

75mm diameter.



## Duct Kit 2.2m Stretch - 5kW - 75mm Diameter

SKU: AAS5KWAD75

5kW Ducting Kit – a straightforward solution for those requiring extra ducting for their 5kW diesel heater.

This kit includes a 900mm ducting piece that, when stretched, extends up to 2.2 meters.

Easily connect it to your existing diesel heater to expand its reach.

4 clamps are provided for secure installation.

75mm diameter



## Ducting Clamps - 5kW - 75mm Diameter

SKU: AASD5KWCLA

5kw 75mm ducting clamps to secure ducting to attachments such as vents or different joiners.



## Duct Joiner - 5kW - 75mm Diameter

SKU: AASD5KW75J

The Joiner for a 5kW diesel heater features a 75mm diameter and is used to extend 5kW ducting.

It provides a seamless connection for extended reach.



### Duct Y-Piece - 2kW - 60mm Diameter

SKU: AASD2KW60Y

This Y join is for use with 2kW diesel heater ducting and allows for two outlets.

60mm diameter.



### Duct Y-Piece - 5kW - 75mm Diameter

SKU: AASD5KW75Y

This Y join is for use with 5kW diesel heater ducting and allows for two outlets.

75mm diameter.



### Duct Flat Vent - 5kW - 75mm Diameter

SKU: AAS5KW75FV

Flat vent inlet/ outlet for a 5kW diesel heater.

This vent is directional and the face of the vent can be turned to direct heat in your desired direction.

75mm diameter.



### Duct T-Piece - 5kW - 75mm Diameter

SKU: AASD5KW75T

This T Piece is for use with 5kW diesel heater ducting and allows for two outlets.

75mm diameter.



# Category 6 - Additional Accessories

## Glow Plug - Kyocera

SKU: AMUJGLPLUG

Designed for both preheating and heating diesel heaters.

Has exceptional thermal efficiency, ensuring rapid heating and swift ignition at low temperatures.

Benefits Include:

Improves cold start performance.

Improves fuel ignition.

Enhances fuel efficiency.

Durable and long lasting.



## Transformer 12V (AC to DC)

SKU: APSTRNSFMR

12V 10A Transformer with Anderson Plug – another solution to powering up your diesel heater.



## Mounting Plate Gasket 2kW / 5kW

SKU: AISBGASKET

Made from rubber is designed to protect the flooring of your caravan from the heat emitted from the heater.



## Cold Air Intake Pipe - 2kW / 5kW

SKU: AASINPCLAM

High Quality cold air intake pipe.

Made from aluminium and can be used with 5kW or 2kW diesel heaters





## Cable Clamp

SKU: AFSBRCLAMP

Secure your conduiting and cables by using our cabling clamps.



## Fuel Pick Up with Round Plate

SKU: AFSFPICKUPC

Fuel Pick-Up - High quality with rubber seal and filter at the bottom.

The Fuel Pick-Up is designed for efficient fuel transfer.

It features a durable construction with a rubber seal and a filter at the bottom to ensure clean fuel delivery and prevent contaminants.

This Pick-Up ensures reliable performance and optimal functionality for your fuel system.



## Temp Sensor 2 Wire - ML

SKU: AMU2SENSOR

High Quality 2 Wire Temperature Sensor.

**Note:** This sensor is specifically designed for use with the AU Focus 2kW ML diesel heater and other compatible heaters.



## Temp Sensor 3 Wire - MZ

SKU: AMU3SENSOR

High Quality 3-Wire Temperature Sensor.

**Note:** Used for the 2kW & 5kW AU Focus MZ and the 2kW Born To Roam diesel heaters.



## Mounting Plate KIT including Ring

SKU: AISMNTPLKT

Protect the flooring of your caravan with our high quality Mounting Plate and our Drop In Flange (Ring).



Length: 17cm, Width: 14cm,  
Drop In Flange ( Ring ): 105mm Diameter

## Air Filter Small Blue 2kW / 5kW

SKU: AASBFILTER

High Quality Air Filter for cold air intake of your diesel heater.

The Filter allows clean air into the diesel heater combustion chamber.

Its transparent design allows for easy monitoring of fuel flow and filter condition.

The filter can be easily dismantled and cleaned as needed, providing a practical and long-lasting solution for maintaining your fuel system.



## Glow Plug Tool KIT - Maintenance

SKU: AMUJGPLUGT

Includes:

2x Gasket Sets (2kW+5kW)

2x Glow Plug Burn Screens

1x Removal Pick

1x Glow Plug Removal Socket

1x Glow Plug Insertion Tool





Scan QR Code to  
Go-To our Website



## AU Focus Pty Ltd

Unit 11 / 21 - 23 Capella Cres,  
Moorabbin VIC 3189

(03) 8597 0396

[www.aufocus.com.au](http://www.aufocus.com.au)

[sales@aufocus.com.au](mailto:sales@aufocus.com.au)