




				
Elbow	Cross	Plug	Socket Welding Socket	Cap Socket
				
Reducing Elbow	Union	Hex. Bush	Reducing Socket Welding Socket	Elbow Hot Galvanized
				
Elbow 135 Degree	Socket	Socket Welding Elbow	Socket Welding Union	Tee Male / Female
				
Male / Female Elbow	Reducing Socket	Reducing Socket Welding Elbow	Elbow Union	Elbow Collar Type
				
Tee	Hex. Nipple	Socket Welding Tee	Union Male / Female	Tee Collar Type
				
Reducing Tee	Reducing Nipple	Reducing Socket Welding Tee	Elbow Male / Male	

Various range of Pipe Fittings (MS & SS)
With required Test Certificates.



PIPES



Various range of Pipes
With required Test Certificates.



				
<u>GATE VALVES</u>	<u>CHECK VALVES</u>	<u>BALL VALVES</u>	<u>GLOBE VALVES</u>	<u>PISTON VALVES</u>
				
<u>PLUG VALVES</u>	<u>STOP VALVES</u>	<u>SAFETY/ RELIEF VALVES</u>	<u>PRESSURE REDUCING VALVES</u>	<u>AIR RELEASE VALVES</u>
				
<u>BUTTERFLY VALVES</u>	<u>NON RETURN VALVES</u>	<u>PARALLEL SIDE & BLOW OFF VALVES</u>	<u>FOOT VALVES</u>	<u>SLUICE VALVES</u>
				
<u>REFLUX VALVES</u>	<u>LIFT VALVES</u>	<u>COCKS</u>	<u>TRAPS & STRAINERS</u>	<u>FUSSIBLE PLUGS, INJECTORS & EJECTORS</u>

Specialized Hydraulic Product Fittings including valves, Cylinder (Hydraulic and Pneumatics).
Designed Power pack also as required by client.



Standards	Tables	Flanges Manufacturing Chart	
	a) British Standard	Table D Table E Table F Table H	
	b) American Standard	ASA 150 ASA 300 ASA 600	
	c) DIN Standard	ND 10 ND 16 ND 40	
	2) GI Flanges Threaded	a) British Standard	Table D Table E
	 	a) British Standard	Table D Table E Table F Table H
		b) American Standard	ASA 150 ASA 300 ASA 600
		c) DIN Standard	ND 10 ND 16 ND 40

MS & GI Flanges with proper seal and Gasket (as per required designed).



HYDRAULIC CYLINDER



PRODUCT RANGE:

1.PRESSURE UP TO 350 BAR

2.BORE DIA 30MM-300MM (CUSTOMIZED ON CLIENT'S REQUIREMENTS)


**NOTE: MOUNTING POSITION, STYLE, LOAD BEARING CAPABILITY ARE
DESIGNED - AS PER CLIENT'S REQUIREMENT.**



**TOWA CHEMICAL
SOLUTIONS PVT. LTD.**

CIN: U51496WB2004PTC098474
Udyog Aadhar No.: WB10A0008662

PNEUMATIC CYLINDER



PRODUCT RANGE:

1.PRESSURE UP TO 250 BAR

2.BORE DIA 30MM-300MM (CUSTOMIZED ON CLIENT'S REQUIREMENTS)

**NOTE: MOUNTING POSITION, STYLE, LOAD BEARING CAPABILITY ARE
DESIGNED – AS PER CLIENT'S REQUIREMENT.**

TOWA CHEMICAL SOLUTIONS PVT LTD

Kolkata : 81/2/7 , G6, Phears Lane, Kol-12. • Telefax 033 22255251 • Mobile : 9830038833/8910106545
Works : Plot 4,5, 39 MIRGC Indl. Estate, Lalabagan CMDA Road, Santoshpur Kolkata 700066



**TOWA CHEMICAL
SOLUTIONS PVT. LTD.**

CIN: U51496WB2004PTC098474
Udyog Aadhar No.: WB10A0008662

Thank You

**Towa Chemical Solutions Pvt Ltd
Engineering Consultant and Mechanical
item supply division**



8910106545



towacabin@gmail.com

TOWA CHEMICAL SOLUTIONS PVT LTD

Kolkata : 81/2/7 , G6, Phears Lane, Kol-12. ▪ Telefax 033 22255251 ▪ Mobile : 9830038833/8910106545
Works : Plot 4,5, 39 MIRGC Indl. Estate, Lalabagan CMDA Road, Santoshpur Kolkata 700066