

REQUIRED INFORMATION

Doctor Name _____
Last First

Practice Name _____

Address _____

Phone _____

Patient Name _____

Patient Chart # _____ M F DOB _____

Rx Date _____ Due Date/Delivery on _____
(standard working time if no date given)

Case turnaround times are based on the date the Rx is received. Please allow 10 business days (M-F) from that date.


CEMENT RETAINED ABUTMENT TYPE

Custom Titanium Abutment Custom Zirconia Abutment

Design

- L - 0.5mm
- B - 1mm
- D - 0.5mm
- M - 0.5mm

Emergence Profile



- Follow tissue (no expansion)
- Contour design (expand tissue by 0.5mm)
- Anatomical (fully expand tissue)

SCREW RETAINED

- Screw retained - change to cement retained if not possible
- Screw retained - continue regardless of access hole position

- Zirconia Solid (Posterior default)
- PFM
- Solid Lingual (Anterior default)
- Full cast crown

Emergence Profile

- Push tissue by 0.5mm
- Anatomical design
- Ridge lap on buccal

Implant

Type _____

Diameter _____

To be included

- Lab analog
- Impression coping
- Abutment
- Others

CASE INSTRUCTIONS

Please CIRCLE single units and BRACKET splinted units

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

Metal

- White HN*
- Yellow HN
- Semi-precious
- Non-precious
- Zirconia / All Ceramic**
- Zirconia Solid
- Zirconia Layered
- IPS e.max
- Lithium Disilicate*

Restoration


- Crown
- Bridge

Return for

- Die trim
- Bisque
- Metal try-in
- Finish*

MARGIN DESIGN

Please circle your choice(s) of margin combination



CROWN DESIGN

Characterizations

Tooth Shade (REQUIRED) _____

Pontic Design



If Insufficient Room

- Trim opposing*
- Call
- Reduction coping
- Metal occlusal
- Metal island
- Metal
- Resin

Occlusal Clearance

- Light*
- Open
- Tight

Contact

- Light*
- Medium
- Heavy

RX SPECIFIC INSTRUCTIONS

Please provide any photos, study models, diagnostic casts with case
 Email photos to: www.Luxurydentallab.com

Dentist signature** _____
(REQUIRED)

Dentist license no. _____
(REQUIRED)

***Standard design if an option is not selected**