

Residential Aluminum Fence

Maintenance-Free, Long Lasting Beauty

Residential Aluminum Fence

If you are looking for a low-cost, maintenance-free fence solution for your property, our Residential Aluminum Fence products were designed and engineered to meet those needs. Thermal Chek's (TCI) Residential Aluminum Fence provides you with long lasting, maintenance-free beauty, that offers safety, security and containment for your yard or pool area, while also adding value to your property. Produced locally using state of the art manufacturing and assembly processes to ensure the highest quality product!

TCI Aluminum Fence is low-maintenance, so you can forget about ever painting, sanding or staining again! Our 100% durable, powder-coated aluminum combines the most stringent quality standards to produce a product that won't peel, flake or corrode. Extremely durable, TCI Aluminum Fence will keep its great look for years to come. We back our products with a Lifetime Limited Warranty.

Designed for ease of service if necessary, our screwed-in picket design allows for simple, easy picket replacement, if ever needed in the future due to unforeseen circumstances.

Gates are the most important component for any fencing project. Gates must handle the rigors of use more than any aspect of your fence. Our matching fully-welded gates are built to be attractive, and above all, functional. Designed using 2" heavy-duty, extra thick gate post uprights; provides maximum strength and durability, while providing extra hold for the hinge attachment. Our fully-welded gates come in a straight top design for a gate that blends in with many styles also available in arched top design to make your gate stand out.

Many of our Aluminum Fence styles comply with pool code regulations for height and spacing requirements so that you can be worry-free and safe while enjoying your pool. Get the peace-of-mind that comes with knowing your pool access is properly protected from small children, animals and unwanted intruders. Please note that Local pool code requirements not only vary by state, but also by locality. Be sure to check the local codes to ensure our pool code products meet your local pool code requirements.









AFFORDABLE, MAINTENANCE-FREE, LONG LASTING BEAUTY.

Section Styles




Classic 2-Rail
Flat Top with Flush Bottom Rail
(A40V)
Available in 48" Ht


(meets pool code)



Classic 3-Rail
Flat Top with Flush Bottom Rail
(A202-MOD)
Available in 48" & 54" Hts
(54" Ht meets pool code)



Wilmington 3-Rail
Alt-Picket Top with Flush Bottom Rail
(A200-MOD)
Available in 54" Ht
(meets pool code)



Flat Top with Picket Thru Bottom Rail (A202)
Available in 48" & 60", (4-Rail 72") Hts (60" & 72" Hts meet pool code)

Classic 3-Rail

Matching Fully-Welded Gates



Classic 2-Rail A40V Straight Top Gate



Classic 2-Rail A40V Arched Top Gate



Classic 3-Rail A202-MOD Straight Top Gate



Classic 3-Rail A202-MOD Arched Top Gate



Wilmington 3-Rail A200-MOD Straight Top Gate



Wilmington 3-Rail A200-MOD Arched Top Gate



Classic 3-Rail A202 Straight Top Gate

Post Cap & Hardware



2" Traditional Post Cap (included with post)



Self-Closing Hinge Set



Pool Safety Latch



Double Drive Drop Rod





Surface Mount with 2-PC Cover





Wall BracketStraight & Adjustable

Lifetime Warranty

TCI Residential Aluminum Fence is sure to stand the test of time.
Our Aluminum Fence materials are covered by a Lifetime
Limited Warranty.

Overall Specifications

- 6' wide sections
- 1" rails
- 5/8" square pickets
- 2" posts
- · Matching welded gates
- Powder coated finish AAMA 2604 Standards

Material Specifications

Rails: 1.00" x 1.00" x 1.00" (.08" Wall Thickness)

Pickets: 5/8" x 5/8" (.045" Wall Thickness)

Posts: 2" x 2" (.060" Wall Thickness)

Gate Posts: 2" x 2" (.125" Wall Thickness)

Picket Spacing

Center to Center of Pickets: 4.50" on center

Spacing Between Pickets: 3.85" between pickets



Residential Aluminum Fence Professionally Installed By:

Manufactured Locally by TCI, Westville, NJ 08093