

## PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368Sample **CB\_THC-O\_Noire\_BlackPL**

Sample ID	SD220208-058 (46126)	Matrix	Concentrate (Inhalable Cannabis Good)
Tested for	Science Holdings LLC		
Sampled	-	Received	Feb 07, 2022
Analyses executed	CAN16	Reported	Feb 10, 2022

Laboratory note : D8-THCO concentration = 575 mg/g (57.5%)

## CAN16 - Cannabinoids Analysis

Analyzed Feb 10, 2022 | Instrument HPLC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.002	0.161	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol ( $\Delta$ 9-THC)	0.003	0.16	ND	ND
$\Delta$ 8-tetrahydrocannabinol ( $\Delta$ 8-THC)	0.004	0.16	ND	ND
(6aR,9S)- $\Delta$ 10-Tetrahydrocannabinol ((6aR,9S)- $\Delta$ 10)	0.13	0.42	ND	ND
(6aR,9R)- $\Delta$ 10-Tetrahydrocannabinol ((6aR,9R)- $\Delta$ 10)	0.12	0.39	2.41	24.10
Hexahydrocannabinol (HHC)			ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Tetrahydrocannabiphorol (THCP)			1.03	10.29
THC-O-acetate (THC-O)	0.12	0.39	18.73	187.33
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
TOTAL CANNABINOIDS			22.17	221.70

## Sample photography



ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



RP0611043



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager  
Thu, 10 Feb 2022 20:08:59 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1