

Sample Result: PASS

Date Reported:	12/15/2025
Client Name:	Gezoont Goodies NY LLC
Sampling Location:	Buchanan, New York
Contact Name:	Kenny Breiman
Contact Email:	kennethbreiman@live.com
License Number:	OCM-PROC-24-000041
Phone:	914-621-8546
Medical/Adult Use:	Adult Use
Sampling Date:	06/13/2025 04:00:00 PM

Sample ID:	20250613-GZGO-001
Sample Name:	Mega Choc
Sample Matrix:	Edible
Sample Sub Type:	Chocolate
Package ID:	
Batch Lot ID:	52
Batch Size:	3200
Serving Size (g):	0.85

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		
"--" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail							

Cannabinoids: Mega Choc (20250613-GZGO-001)			
Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.006
CBDA	< MRL	< MRL	0.006
CBGA	< MRL	< MRL	0.006
CBG	0.011	0.093	0.006
CBD	0.048	0.408	0.006
THCV	0.069	0.587	0.006
CBN	0.006	0.051	0.006
D9-THC	1.321	11.228	0.006
D8-THC	0.014	0.119	0.006
D10-THC-S	< MRL	< MRL	0.006
D10-THC-R	< MRL	< MRL	0.006
CBC	< MRL	< MRL	0.006
THCA	< MRL	< MRL	0.006

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x 10 x serving size weight (g)

Test ID: #116176 | Date Tested: 06/18/2025 05:16 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8\text{-THC} + \Delta 9\text{-THC} + \Delta 10\text{-THC} + (\text{THCA} * 0.877)$]	1.335	11.347
Total CBD [CBD + (CBDA * 0.877)]	0.048	0.408
Total Cannabinoids	1.469	12.486



Version 2: Amended batch size per client request - AL 12/15/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Terpenes: Mega Choc (20250613-GZGO-001)

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.06
Camphene	< MRL	0.06
Sabinene	< MRL	0.06
beta-Pinene	< MRL	0.06
beta-Myrcene	< MRL	0.06
Alpha-phellandrene	< MRL	0.06
Carene	< MRL	0.06
alpha-terpinene	< MRL	0.06
p-Cymene	< MRL	0.06
Limonene	< MRL	0.06
Eucalyptol	< MRL	0.06
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.06
Sabinene Hydrate	< MRL	0.06
Terpinolene	< MRL	0.06
Linalool	< MRL	0.06
Fenchol	< MRL	0.06
Menthol	< MRL	0.06
Terpineol	< MRL	0.06
Citronellol	< MRL	0.06
Isopulegol	< MRL	0.06
Geraniol	< MRL	0.06
Alpha-cedrene	< MRL	0.05
Beta-Caryophyllene	< MRL	0.06
Farnesene	< MRL	0.06
alpha-Humulene	< MRL	0.06
Valencene	< MRL	0.06
cis-Nerolidol	< MRL	0.02
trans-Nerolidol	< MRL	0.03
Caryophyllene oxide	< MRL	0.06
Guaiol	< MRL	0.06
alpha-Bisabolol	< MRL	0.06

MRL = Minimum reporting limit/limit of quantification

Test ID: #116181 | Date Tested: 06/18/2025 11:21 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS



Version 2: Amended batch size per client request - AL 12/15/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Residual Solvents: Mega Choc (20250613-GZGO-001)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	0.224
2-Propanol	PASS	< MRL	5000	33.548
Acetone	PASS	< MRL	5000	69.022
Acetonitrile	PASS	< MRL	410	2.751
Butanes, total	PASS	< MRL	5000	33.548
Benzene	PASS	< MRL	2	0.045
Chloroform	PASS	< MRL	60	0.403
Dichloromethane	PASS	< MRL	600	4.026
Dimethyl Sulfoxide	PASS	< MRL	5000	60.387
Ethanol	PASS	< MRL	5000	33.548
Ethyl acetate	PASS	< MRL	5000	33.548
Ethyl ether	PASS	< MRL	5000	33.548
n-Heptane	PASS	< MRL	5000	33.548
Hexanes, total	PASS	< MRL	290	1.946
Methanol	PASS	< MRL	3000	20.129
Pentanes, total	PASS	< MRL	5000	33.548
Propane	PASS	< MRL	5000	33.548
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	125.000
Toluene	PASS	< MRL	890	5.972
Trichloroethane	PASS	< MRL	1500	60.387
Xylenes, total	PASS	< MRL	2170	14.560

MRL = Minimum reporting limit/limit of quantification

Test ID: #116179 | Date Tested: 06/18/2025 08:28 AM



Version 2: Amended batch size per client request - AL 12/15/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Pesticides: Mega Choc (20250613-GZGO-001)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinoxy	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantraniliprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxy carb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #116180 | Date Tested: 06/19/2025 05:53 AM



Version 2: Amended batch size per client request - AL 12/15/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
 401 North Middletown Road, Building 60B
 Pearl River, NY 10965
 www.greenanalyticsllc.com
 License #: OCM-CPL-00013
 ISO 17025 Certificate No.: 4356.09

Mycotoxins: Mega Choc (20250613-GZGO-001)

PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010

MRL = Minimum reporting limit/limit of quantification

Test ID: #116177 | Date Tested: 06/19/2025 05:53 AM

Heavy Metals: Mega Choc (20250613-GZGO-001)

PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	1100.0	8.00
Nickel	PASS	1.317	20.0	1.00
Copper	PASS	< MRL	300.0	8.00
Arsenic	PASS	< MRL	1.5	0.10
Cadmium	PASS	< MRL	0.5	0.10
Antimony	PASS	< MRL	120.0	1.00
Mercury	PASS	< MRL	3.0	0.05
Lead	PASS	< MRL	0.5	0.20

MRL = Minimum reporting limit/limit of quantification

Test ID: #116178 | Date Tested: 06/17/2025 08:21 AM

Microbiology - Plating: Mega Choc (20250613-GZGO-001)

PASS

Microbial analysis utilizing microbial enumeration (SOP-700-NY)

Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	10000	10.0
Total Yeast & Mold	PASS	< MRL	1000	10.0

Microbiology - qPCR:

Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)

Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1

MRL = Minimum reporting limit/limit of quantification

Test ID: #116182 | Date Tested: 06/20/2025 07:28 AM

Water Activity: Mega Choc (20250613-GZGO-001)

PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.47	0.85

MRL = Minimum reporting limit/limit of quantification

Test ID: #116183 | Date Tested: 06/18/2025 06:14 AM



Version 2: Amended batch size per client request - AL 12/15/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Certificate of Analysis

Full Compliance Test



Matthew Elmes
Lab Director
12/15/2025



Version 2: Amended batch size per client request - AL 12/15/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.